


Instructions on Scaling

In order to produce rulers that are consistent with the rulers printed on the state-supplied mathematics charts, follow these steps:

1. Set the print menu to print the pages at 100% by selecting "None" under the Page Scaling option.
2. Print on paper that is wider than 8 ½ inches, such as 11 by 17 inch paper.
3. Trim the paper to 8 ½ by 11 inches so that the rulers will be on the edge of the paper.



Exit Level Mathematics Chart

(for use with paper testing only)

LENGTH

Metric

1 kilometer = 1000 meters

1 meter = 100 centimeters

1 centimeter = 10 millimeters

Customary

1 mile = 1760 yards

1 mile = 5280 feet

1 yard = 3 feet

1 foot = 12 inches

CAPACITY AND VOLUME

Metric

1 liter = 1000 milliliters

Customary

1 gallon = 4 quarts

1 gallon = 128 fluid ounces

1 quart = 2 pints

1 pint = 2 cups

1 cup = 8 fluid ounces

MASS AND WEIGHT

Metric

1 kilogram = 1000 grams

1 gram = 1000 milligrams

Customary

1 ton = 2000 pounds

1 pound = 16 ounces

TIME

1 year = 365 days

1 year = 12 months

1 year = 52 weeks

1 week = 7 days

1 day = 24 hours

1 hour = 60 minutes

1 minute = 60 seconds

Continued on the next side

Exit Level Mathematics Chart

(for use with paper testing only)

Perimeter	rectangle	$P = 2l + 2w$ or $P = 2(l + w)$
Circumference	circle	$C = 2\pi r$ or $C = \pi d$
Area	rectangle	$A = lw$ or $A = bh$
	triangle	$A = \frac{1}{2}bh$ or $A = \frac{bh}{2}$
	trapezoid	$A = \frac{1}{2}(b_1 + b_2)h$ or $A = \frac{(b_1 + b_2)h}{2}$
	regular polygon	$A = \frac{1}{2}aP$
	circle	$A = \pi r^2$
<i>P</i> represents the Perimeter of the Base of a three-dimensional figure.		
<i>B</i> represents the Area of the Base of a three-dimensional figure.		
Surface Area	cube (total)	$S = 6s^2$
	prism (lateral)	$S = Ph$
	prism (total)	$S = Ph + 2B$
	pyramid (lateral)	$S = \frac{1}{2}Pl$
	pyramid (total)	$S = \frac{1}{2}Pl + B$
	cylinder (lateral)	$S = 2\pi rh$
	cylinder (total)	$S = 2\pi rh + 2\pi r^2$ or $S = 2\pi r(h + r)$
	cone (lateral)	$S = \pi rl$
	cone (total)	$S = \pi rl + \pi r^2$ or $S = \pi r(l + r)$
	sphere	$S = 4\pi r^2$
Volume	prism or cylinder	$V = Bh$
	pyramid or cone	$V = \frac{1}{3}Bh$
	sphere	$V = \frac{4}{3}\pi r^3$
Special Right Triangles	30°, 60°, 90°	$x, x\sqrt{3}, 2x$
	45°, 45°, 90°	$x, x, x\sqrt{2}$
Pythagorean Theorem		$a^2 + b^2 = c^2$
Distance Formula		$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$
Slope of a Line		$m = \frac{y_2 - y_1}{x_2 - x_1}$
Midpoint Formula		$M = \left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2} \right)$
Quadratic Formula		$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$
Slope-Intercept Form of an Equation		$y = mx + b$
Point-Slope Form of an Equation		$y - y_1 = m(x - x_1)$
Standard Form of an Equation		$Ax + By = C$
Simple Interest Formula		$I = prt$