

1701 North Congress Avenue • Austin, Texas 78701-1494 • 512 463-9734 • 512 463-9838 FAX • tea.texas.gov

IMPORTANT MONITORING INFORMATION

6/25/2024

CDN 143-901 2023-2024

Sent Via Email jabludau@hisdbrahmas.org

Dr. Jo Ann Bludau, Superintendent Hallettsville Independent School District (ISD) PO Box 368 Hallettsville, TX 77964

Subject: Notification of Correction of Noncompliance

Dear Dr. Jo Ann Bludau:

The purpose of this correspondence is to notify the Hallettsville Independent School District (ISD) of the correction of noncompliance identified in the Cyclical Desk Review. Hallettsville ISD received notification of noncompliance in a letter dated 7/27/2023 listing the following area(s) of noncompliance:

IEP Development:Goals
 §300.320(a)(1)(i); §300.320(a)(2)(i)

A plan for correction of the noncompliance was included in your corrective action plan. Subsequently, the local education agency (LEA) was required to submit documentation to the Texas Education Agency (TEA) verifying correction for the abovementioned noncompliance. The documentation submitted by the LEA indicated that this area of noncompliance has been addressed, and the noncompliance has been corrected. Therefore, no further action on this issue is required at this time.

If you have questions regarding this correspondence, please contact Ismael (Angel) Rosales in the TEA Division of Review and Support at (512) 463-9414 or by e-mail at Ismael.Rosales @tea.texas.gov.

Sincerely,


Dr. Jo Ann Bludau, Superintendent Hallettsville Independent School District (ISD)

Page 2

Edward O'Neill,

Executive Director, Department of Special Populations General Supervision and Monitoring, TEA

Texas Education Agency







Cc: Jason Appelt, Special Education Director, Hallettsville ISD
Kenda Matson, Executive Director, Region 3 Education Service Center (ESC)
Morris Lyon, Special Education Contact, Region 3 ESC
Ismael Rosales, Manager, Monitoring, Review and Support, TEA
Lori Merrell, Director, Monitoring, Review and Support, TEA