A photograph showing the silhouettes of several graduates in caps and gowns. They are standing in front of a large, modern building with a white, vertically-ribbed facade. The graduates are mostly in shadow, with their forms dark against the lighter background of the building and sky. One graduate on the left is pointing upwards with their right hand. The sky is a clear, pale blue.

Texas Education Agency  
1701 N. Congress Avenue  
Austin, Texas 78701-1494

# TEXAS (STUDENT) RECORDS EXCHANGE SYSTEM 2023-2024

DATA STANDARDS

AUGUST 2023

VERSION 5.4

XML V 1.34

CONTENTS

SECTION 1: SUMMARY OF CHANGES ..... 15

    SECTION 2: TReX Requirements and Overview ..... 15

    SECTION 3: Data Elements and Code Tables ..... 15

    SECTION 4: XML..... 18

    SECTION Appendix A: Data Element Lists ..... 18

    SECTION Appendix B: XSD file ..... 18

    SECTION Appendix C: XML Graphic..... 18

SECTION 2 - TReX REQUIREMENTS AND OVERVIEW..... 19

    2.1. Introduction ..... 19

    2.2 Responsibilities..... 21

        School Districts and Campuses..... 21

    2.3 TEAL Approval ..... 22

        Equipment Requirements ..... 22

        Software Requirements..... 22

        Minimum System Requirements..... 22

        File Requirements..... 22

        Record Ownership and Storage..... 24

    2.4 Public Colleges and Universities..... 24

    2.5 Education Service Centers (ESCs)..... 24

        Training to Districts and Campuses..... 24

        TEAL Approval ..... 25

    2.6 Texas Education Agency..... 25

        Privacy ..... 25

        Security..... 25

        Training to ESCs ..... 25

        Record Storage ..... 26

TEAL Request Processing..... 26

2.7 TREx Roles ..... 26

2.8 TREx Process Overview ..... 27

2.9 Student Records ..... 28

    Student Record Transmission Process Flow Diagram ..... 29

2.10 High School Transcripts..... 30

    High School Transcript Transmission Process Flow Diagram ..... 31

2.11 Managing Student Records ..... 32

2.12 Send Record Request ..... 32

2.13 Search Capabilities ..... 32

2.14 Manual Data Entry ..... 33

2.15 Attachments ..... 33

2.16 Email Notifications ..... 34

2.17 Tracking Transactions..... 34

2.18 Reports ..... 35

SECTION 3 - Data Elements and Code Tables ..... 37

    3.1 Introduction ..... 37

    3.2 Data Elements ..... 37

    3.3 TREx Code Tables ..... 40

    3.4 Data Elements and Code Tables..... 41

A..... 41

    ACADEMIC-YEAR..... 41

    ADDITIONAL-TEST-NAME ..... 41

    ADDRESS..... 42

    ADVANCED-MEASURE ..... 42

        TC29..... 43

    ALTERNATIVE-LANGUAGE-PROGRAM-CODE..... 43

TC41..... 44

AMERICAN-INDIAN-ALASKA NATIVE..... 44

ARTS-AND-HUMANITIES-ENDORSEMENT-INDICATOR-CODE..... 45

ASIAN..... 45

ASSESSMENT-DATE..... 46

ASSESSMENT-DATE-EXIT-REQUIREMENT-MET..... 46

ASSESSMENT-GRADE-LEVEL..... 47

ASSESSMENT-NAME..... 47

TC01..... 48

ASSESSMENT-SCORE..... 54

ASSESSMENT-SCORE-CODE..... 55

TC02..... 56

ASSESSMENT-SUBTEST..... 56

ASSESSMENT-SUBTEST-SCORE..... 57

ASSOCIATE-DEGREE-INDICATOR-CODE..... 57

AT-RISK-INDICATOR..... 58

**B**..... 60

BILINGUAL-INDICATOR..... 60

TC26..... 61

BLACK-AFRICAN-AMERICAN..... 62

BUSINESS-AND-INDUSTRY-ENDORSEMENT-INDICATOR-CODE..... 62

**C**..... 64

CAMPUS-AWARDING-CREDIT..... 64

CAMPUS-FAX..... 65

CAMPUS-ID..... 65

CAMPUS-NAME..... 66

CAMPUS-PHONE..... 66

CAREER-TECH-ED-INDICATOR.....	67
TC03.....	67
CERTIFICATE-COMPLETION-DATE.....	69
CITY.....	69
CLASS-PERIOD.....	70
CLASS-RANK.....	70
COLLEGE-BOARD-CAMPUS-CODE.....	71
COUNTRY.....	71
TC04.....	72
COURSE-ABBREVIATION.....	78
COURSE-CATEGORY.....	78
TC05.....	79
COURSE-CREDIT.....	79
COURSE-GRADE.....	80
COURSE-GRADE-AVERAGE.....	81
COURSE-NAME.....	81
COURSE-NUMBER.....	82
COURSE-SEMESTER.....	82
COURSE-TEACHER.....	83
CPR-INSTRUCTION-MET-DATE.....	83
CRISIS-CODE.....	84
TC45.....	84
D.....	87
DATE-OF-BIRTH.....	87
DATE-OF-RANKING.....	87
DISCIPLINARY-ACTION-CODE.....	88
TC06.....	88

DISCIPLINARY-ACTION-END-DATE ..... 90

DISCIPLINARY-ACTION-NUMBER ..... 91

DISCIPLINARY-ACTION-REASON..... 92

    TC07 ..... 92

DISTRICT-ID..... 95

DISTRICT-NAME ..... 96

DUAL-LANGUAGE-IMMERSION-ASSESSMENT-MET-DATE..... 96

DUAL-LANGUAGE-IMMERSION-COMPLETION-SCHOOL-YEAR ..... 97

DUAL-LANGUAGE-IMMERSION-LANGUAGE- CODE..... 97

    TC43..... 98

DUAL-LANGUAGE-IMMERSION-YEAR ..... 98

    TC42..... 99

DYSLEXIA-INDICATOR-CODE ..... 99

DYSLEXIA-RISK- CODE ..... 99

    TC24..... 100

**E**..... 101

    ECONOMIC-DISADVANTAGE-CODE ..... 101

        TC08..... 101

    EMERGENT-BILINGUAL-INDICATOR-CODE ..... 102

        TC15..... 102

    ESL-INDICATOR..... 103

        TC28..... 103

    ETHNICITY-CODE..... 104

        TC09..... 105

**F**..... 106

    FHSP-COLLEGE-CAREER-INSTRUCTION-INDICATOR-CODE..... 106

    FHSP-PARTICIPANT-CODE..... 106

FHSP-DISTING-LEVEL-ACHIEVE-INDICATOR-CODE.....	107
FINAL-GRADE-AVERAGE .....	107
FINANCIAL-AID-APPLICATION-CODE.....	108
TC46.....	108
FINANCIAL-AID-APPLICATION-REQUIREMENT-MET-DATE .....	109
FIRST-NAME.....	109
FOSTER-CARE-INDICATOR-CODE .....	110
TC33.....	110
<b>G</b> .....	112
GENDER-CODE.....	112
TC10.....	112
GENERATION-CODE .....	112
TC11.....	113
GIFTED-TALENTED-INDICATOR.....	113
TC27.....	114
GRADE-LEVEL.....	114
GRADE-OF-RETENTION .....	115
GRADE-POINT-AVERAGE.....	115
GRADUATION-DATE.....	116
GRADUATION-PROGRAM-TYPE .....	116
TC13.....	116
<b>H</b> .....	121
HISPANIC-LATINO .....	121
HOME-LANGUAGE-CODE .....	121
HOME-LANGUAGE-SURVEY-DATE-ADMINISTERED .....	122
HOMELESS-INDICATOR.....	122
TC32.....	122

I ..... 124

    IBC-REIMBURSEMENT-INDICATOR ..... 124

    IEP-INDICATOR..... 124

    IMMUNIZATION-DATE ..... 125

    IMMUNIZATION-DOSE..... 125

    IMMUNIZATION-NAME ..... 126

    INDIVIDUAL-GRADUATION-COMMITTEE-REVIEW-CODE ..... 126

        TC40..... 127

J ..... 128

K..... 128

L ..... 129

    LAST-DATE-OF-ATTENDANCE ..... 129

    LAST-NAME..... 129

    LAST-WITHDRAWAL-DATE ..... 130

    LOCAL-STUDENT-ID ..... 130

M ..... 132

    MIDDLE-NAME..... 132

    MIGRANT-INDICATOR..... 132

    MILITARY-CONNECTED ..... 133

        TC34..... 133

    MULTI-DISCIPLINARY-STUDIES-ENDORSEMENT-INDICATOR-CODE ..... 134

N..... 135

    NATIVE-HAWAIIAN-PACIFIC-ISLANDER..... 135

    NUMBER-IN-CLASS ..... 135

O ..... 138

    ONRAMPS-DUAL-ENROLLMENT-INDICATOR-CODE..... 138

    ORIGINAL-ENTRY-DATE..... 138



P..... 140

    PASS/FAIL-CREDIT-INDICATOR..... 140

        TC25..... 140

    PEACE-OFFICER-INTERACTION-INSTRUCTION-MET-DATE..... 141

    PERFORMANCE-ACKNOWLEDGMENT-AP-IB-EXAMS..... 142

        TC36..... 142

    PERFORMANCE-ACKNOWLEDGMENT-BILINGUALISM-BILITERACY ..... 147

        TC37..... 148

    PERFORMANCE-ACKNOWLEDGMENT-CERTIFICATION-LICENSURES..... 148

    PERFORMANCE-ACKNOWLEDGMENT-COLLEGE-READINESS-ASSESSMENTS..... 149

        TC38..... 149

    PERFORMANCE-ACKNOWLEDGMENT-DUAL-CREDIT ..... 150

        TC39..... 151

    PERFORMANCE- ACKNOWLEDGEMENT-MET-DATE ..... 151

    PERSONAL-GRADUATION-PLAN..... 151

    PK-ELIGIBLE-PREVIOUS-YEAR-INDICATOR-CODE ..... 152

    PLACED-IN-GRADE ..... 153

    POST-SECONDARY-CERTIFICATION-LICENSURE-CODE ..... 154

        TC44..... 154

    POST-SECONDARY-CERTIFICATION-LICENSURE-RESULT ..... 167

        TC47..... 167

    PRIOR-ID ..... 167

    PRIOR-RA-DAYS-ATTENDED ..... 168

    PRIOR-RS-DAYS-ATTENDED ..... 168

    PRIOR- DAYS-ABSENT ..... 169

    PRIOR- DAYS-ATTENDED..... 170

    PROMOTED-TO-GRADE ..... 170

PUBLIC-SERVICES-ENDORSEMENT-INDICATOR-CODE ..... 170

**Q** ..... 172

    QUARTILE..... 172

        TC17 ..... 172

**R**..... 173

    RA-TOTAL-DAYS-PRESENT..... 173

    RS-TOTAL-DAYS-PRESENT ..... 173

**S**..... 174

    SAT-ACT-TSIA-REIMBURSEMENT-INDICATOR..... 174

    SECTION-504-INDICATOR-CODE ..... 174

    SEMESTER-SEQUENCE ..... 175

        TC18..... 175

    SESSION-TYPE ..... 176

    SPECIAL-ED-INDICATOR ..... 176

    SPECIAL-EXPLANATION-CODE ..... 177

        TC19..... 177

    SPEECH-REQUIREMENT-MET-DATE..... 179

    STAAR-PERFORMANCE-LEVEL ..... 180

        TC31..... 180

    STAR-OF-TEXAS-INDICATOR-CODE ..... 181

    STATE ..... 181

        TC20..... 181

    STEM-ENDORSEMENT-INDICATOR-CODE..... 184

    STUDENT-ID ..... 184

    STUDENT-LANGUAGE-CODE..... 185

**T**..... 186

    TEXAS-GRANT-INDICATOR..... 186

TC21.....	186
TITLE-I-PART-A-INDICATOR.....	187
TC22.....	187
TOTAL-DAYS-ABSENT.....	188
TOTAL-DAYS-PRESENT.....	189
TX-UNIQUE -STUDENT -ID.....	189
<b>U</b> .....	190
UNSCHOOLED-ASYLEE-REFUGEE.....	190
TC30.....	190
<b>V</b> .....	191
<b>W</b> .....	191
WHITE.....	191
WITHDRAWAL-COURSE-GRADE.....	191
WITHDRAWAL-REASON.....	192
<b>X</b> .....	194
<b>Y</b> .....	194
<b>Z</b> .....	195
ZIP-CODE.....	195
<b>Code Tables Used by Multiple Data Elements.....</b>	<b>196</b>
TC12.....	196
GRADE-LEVEL-CODE.....	196
TC16.....	197
PARTICIPATION-INDICATOR.....	197
TC35.....	197
FHSP-INDICATOR-CODE.....	197
TC14.....	198
LANGUAGE-CODE.....	198

SECTION 4: XML ..... 203

    4.1 TREx XML Standards Overview ..... 203

    4.2 Edits and Validations ..... 203

    4.3 TREx Field Edit Overview ..... 204

    4.4 TREx Field Edit Restrictions ..... 204

    4.5 Available TREx XSD Restrictions ..... 204

    4.6 Context Edit Overview ..... 205

    4.7 Context Edit Descriptions ..... 205

Data and File Requirements ..... 207

    4.8 Rules for XML Schema ..... 207

TREx XSD Data Types and Restrictions ..... 208

    Example of TREx Instance ..... 249

    4.9 TREx Complex Types ..... 255

    4.10 TREx Simple Types ..... 260

    4.11 TREx Enumerated Values ..... 263

    4.12 Hierarchy of XML Elements ..... 269

APPENDIX A – ELEMENT LIST ..... 274

    A1: Overview ..... 274

    A2: Element List by Record Type ..... 276

        Student Record ..... 277

        School Data ..... 279

        Enrollment and withdrawal Data ..... 280

        Current year attendance data ..... 280

        Coursework data ..... 281

        Special programs data ..... 282

        Student assessment data ..... 283

        Academic status ..... 284

Distinguished achievements data ..... 286

Immunization record data..... 286

Unexpired disciplinary action data..... 286

A3: High School Transcript ..... 287

    Academic achievement record data ..... 287

A4: Final High School Transcript with Seal..... 292

    Academic achievement record data ..... 292

A5: Element List in Alphabetic Order ..... 296

    Academic achievement record data ..... 296

APPENDIX B - XML SCHEMA..... 305

APPENDIX C - XSD GRAPHIC..... 314

## Foreword

The Texas Records Exchange System (TReX) is a web-based application designed for the exchange of electronic student records and transcripts. By using the TReX application, school registrars can electronically request and receive student records for students who have attended or will be attending Texas public schools. High school registrars and counselors also can electronically create and send official student transcripts to Texas public colleges and universities using the National Student Clearinghouse (Formerly UT SPEEDE) server.

TEA developed TReX in response to TEC 7.010 which requires all Texas public school districts, open enrollment charter schools, and Texas public colleges and universities to participate in a system for the electronic transmission of student education records.

Texas public school districts annually report all Grade 7-12 students leaving their districts. The data on school leavers include dropouts and are used to calculate dropout and high school completion rates for accountability purposes. More than half the students leaving districts move to other Texas public school districts. An automated student record exchange system enables districts to communicate with each other more effectively about students who are withdrawing or enrolling. Improved communication should improve the reliability of dropout rate calculations. Additionally, the automated system facilitates the rapid and appropriate academic placement of students enrolled in a new district and ensures continuity of services provided to students who move between Texas school districts.

The *TReX Data Standards* is intended to be used as a resource by all persons involved in the transfer of student records and transcripts using the TReX student record exchange process.

If you have any questions, please call the TReX Customer Support line at (512) 463-7246 or email [TReX@tea.Texas.gov](mailto:TReX@tea.Texas.gov).

Refer to the TReX website at <http://tea.texas.gov/index4.aspx?id=25769817556> for training materials or updates.

## SECTION 1: SUMMARY OF CHANGES

# Section

# 1

**General Overview:** The sections identified below provide information on updates to the 2023-2024 TREx Data Standards.

### SECTION 2: TREx Requirements and Overview

No changes

### SECTION 3: Data Elements and Code Tables

The following data element(s) and code table(s) have been added/updated for the 2023-2024 school year:

Data Standards Version	Item	Description of Changes	Action	Schema Version Updated
5.4	Data Element	<b>Revised Data Element Definition:</b> <ul style="list-style-type: none"> <li>MIGRANT-INDICATOR (TE060)</li> </ul>	Revised	1.34
5.4	Data Element	<b>Revise Data Element(s) Length:</b> <ul style="list-style-type: none"> <li>FIRST-NAME (TE039) from 30 to 60</li> <li>LAST-NAME (TE055) from 40 to 60</li> </ul>	Revised	1.34
5.4	Data Element	<b>Revise Data Element Definition and Special Instruction:</b> <ul style="list-style-type: none"> <li>ASSOCIATE-DEGREE-INDICATOR-CODE (TE119)</li> </ul>	Revised	1.34
5.4	Data Element	<b>Revise Data Element Definition</b> <ul style="list-style-type: none"> <li>POST-SECONDARY-CERTIFICATION-LICENSURE-RESULT (TE142)</li> </ul>	Revised	1.34
5.4	Code Table	<b>Revised Code Table:</b> <ul style="list-style-type: none"> <li>PERFORMANCE-ACKNOWLEDGMENT-AP-IB-EXAMS (TC36)               <ul style="list-style-type: none"> <li>Added new code: 131 Acknowledgment for AP: Precalculus</li> </ul> </li> </ul>	Revised	1.34
5.4	Code Table	<b>Revised Code Table:</b> <ul style="list-style-type: none"> <li>PERFORMANCE-ACKNOWLEDGMENT-COLLEGE-READINESS-ASSESSMENTS (TC38)</li> </ul>	Revised	1.34

		<ul style="list-style-type: none"> <li>○ Added new codes and associated translations (see below for details).</li> </ul>		
5.4	Code Table	<b>Revised Code Table:</b> <ul style="list-style-type: none"> <li>● INDUSTRY-CERTIFICATION-LICENSURE-CODE (TC44)                             <ul style="list-style-type: none"> <li>○ Added new codes and associated translations (see below for details).</li> </ul> </li> </ul>	Revised	1.34

**Detailed Changes to Code Table(s):**

The following Code Table(s) have been **updated** for the 5.4 TReX Data Standards:

**TC36- PERFORMANCE-ACKNOWLEDGMENT-AP-IB-EXAMS**

Code	Translation	Action
131	Acknowledgment for AP: Precalculus	Added

**TC38- PERFORMANCE-ACKNOWLEDGMENT-COLLEGE-READINESS-ASSESSMENTS**

Note: Translations for the following codes were shortened to 72 characters in accordance with the Electronic Data Interchange (EDI) File character limit. The user interface (UI) and the Portable Document Format (PDF) export will contain the full translation.

Code	Translation	Action
	July 2014-August 2022	Added
	<del>Effective beginning with the 2018-2019 school year:</del> August 2018-August 2022	Revised
	Beginning with the 2022-2023 school year:	Added
8	Acknowledgment for PSAT/NMSQT: Commended scholar or higher or awardee of the National Recognition Programs	Added
9	Acknowledgment for ACT Aspire: earning a composite score of 442 on the ACT Aspire examination	Added
10	Acknowledgment for ACT Pre-ACT: earning a composite score of 29 on the ACT PreACT examination	Added
11	Acknowledgment for SAT: earning a total score of at least 1350 on the SAT	Added
12	Acknowledgment for ACT: earning a composite score of 29 on the ACT PreACT examination (excluding writing)	Added

**TC44 - INDUSTRY-CERTIFICATION-LICENSURE-CODE**



Code	Translation	Action
1052	Business of Retail: Certified Specialist	New
1053	Certified SOLIDWORKS Associate (CSWA) - Academic	New
1054	Certified SOLIDWORKS Associate (CSWA) - Electrical	New
1055	Certified SOLIDWORKS Associate (CSWA) - Mechanical Design	New
1056	Certified SOLIDWORKS Associate (CSWA) - Simulation	New
1057	Certified SOLIDWORKS Associate (CSWA) - Sustainability	New
1058	Certified SOLIDWORKS Professional (CSWP) - Academic	New
1059	Certified SOLIDWORKS Professional (CSWP) - Additive Manufacturing	New
1060	Certified SOLIDWORKS Professional (CSWP) - CAM	New
1061	Certified SOLIDWORKS Professional (CSWP) - Mechanical Design	New
1062	Certified SOLIDWORKS Professional (CSWP) - Model Based Definition	New
1063	Certified SOLIDWORKS Professional (CSWP) - Simulation	New
1064	Certified SOLIDWORKS Professional (CSWPA) - Drawing Tools	New
1065	Certified User: Programmer	New
1066	CodeHS Cybersecurity Level 1 Certification	New
1067	CodeHS Python Level 1 Certification	New
1068	CodeHS Web Design Level 1 Certification	New
1069	Customer Service and Sales: Certified Specialist	New
1070	Ducks Unlimited Ecology Conservation & Management Certification	New
1071	Employment Ready Certification - Air Conditioning	New
1072	Employment Ready Certification - Electrical	New
1073	Employment Ready Certification - Gas Heat	New
1074	Employment Ready Certification - Heat Pumps	New
1075	Employment Ready Certification - Light Commercial Air Conditioning	New
1076	Heating, Electrical, & Air Conditioning Technology (H.E.A.T.)	New
1077	Information Technology Specialist: HTML and CSS	New
1078	Information Technology Specialist: HTML5 Application Development	New
1079	Information Technology Specialist: Java	New
1080	Information Technology Specialist: JavaScript	New
1081	Information Technology Specialist: Networking	New
1082	Microsoft 365 Fundamentals	New
1083	Microsoft Azure AI Fundamentals	New
1084	Microsoft Azure Data Fundamentals	New

Code	Translation	Action
1085	Microsoft Security, Compliance, and Identity Fundamentals	New
1086	TRIO Electrical Pre-Apprenticeship (EPP) Certification	New
1087	AgriLife Veterinary Assistant Certificate	New

The following Code Table(s) have been **added** for the 2023-2024 school year:

Code	Translation	Action

The following Code Table(s) have been **deleted** for the 2023-2024 school year:

Code	Translation	Action

**Other Changes:**

Item	Description

**SECTION 4: XML**

Updated with version 1.34

**SECTION Appendix A: Data Element Lists**

Updated with new data elements.

**SECTION Appendix B: XSD file**

New XSD file supporting change code translation.

**SECTION Appendix C: XML Graphic**

Updated

## SECTION 2 - TReX REQUIREMENTS AND OVERVIEW

## Section

# 2

### 2.1. Introduction

TReX is a web-based application hosted by the Texas Education Agency (TEA) for transferring student records electronically between Texas public school districts and open enrollment charter schools, as well as transmitting high school transcripts to Texas public colleges and universities that use the National Student Clearinghouse (NSC) SPEEDE server, formerly known as the UT SPEEDE Server.

The TEA Student Attendance Accounting Handbook describes the following minimum information that must be transmitted when a student transfers from one Texas public school district or open enrollment charter school to another under Withdrawal Procedures.

- Student ID (Social Security Number or State-Approved Alternate ID);
- Prior ID (Social Security Number or State-Approved Alternate ID, if different from above);
- Local Student ID Number, if used;
- County-District-Campus Number;
- Campus Name and Phone Number;
- First, Middle, and Last Name and Suffix of the student;
- Gender, Ethnicity, and Date of Birth of the student;
- Current Grade Level for the student; and
- Immunization records. Texas Education Code (TEC) §25.002(a)(3).

#### Home Language Survey

The U.S. Department of Education, Office of Civil Rights and Texas state law require school districts to collect information about a student's language background at the time of enrollment/registration to determine whether the student is a potential English learner. When a student enrolls in a Texas school for the very first time, a home language survey is completed. If a language other than English is identified, the student shall be tested to determine the student's language classification and eligibility for placement into a bilingual education or English as a second language program. This original home language survey is retained in the student's permanent record for the duration of the student's education.

- Original Home Language Survey
- Initial/end-of-year Language Proficiency Assessment Committee (LPAC) documentation
- Parent permission/denial forms

In addition, TEC 7.010 requires the following information to be included with the student records sent through TReX. Note that the IEP may be scanned and sent as an attached file. See the section on File Requirements below. Appendix A contains a complete list of data elements that may be transmitted through the TReX application.

- Student Course or Grade Completion
- Teachers of Record
- Student Assessment Results
- Receipt of special education services, including placement in a special education program and individualized education program developed (IEP).
- Students Personal Graduation Plan

Registrars are encouraged to send all relevant information that is available through TReX when a student transfers from one school to another. While schools are not required to send copies of birth certificates or social security cards through TReX when a student transfers, these documents may be scanned and transmitted as attachments if the registrar chooses.

Please be aware if you are sending a transcript to a college or university on behalf of a student who is applying for college admission, most Texas public colleges require the following information as part of their admission process. Although Exit Level TAKS or STAAR® EOC scores will not appear on the transcript, the scores will be transmitted electronically to the college or university through the SPEEDE server if they are populated on the xml file.

- Class Size
- Class Rank
- Date of Class Rank
- Date of Graduation
- Exit Level TAKs or STAAR® EOC score by Subject

The Student Attendance Accounting Handbook, Part 3 Section 3-9, states enrollment by a student in a school district constitutes authority for the sending district to release the education records of that student, regardless of whether parental authority has been received. (The federal Family Education Rights and Privacy Act (FERPA) 34 CFR Part 99, 99.31(a)(2) and 99.34)

By law (TEC §25.002(a-1)), a district must respond to a request for a student record from the receiving district within ten working days after the date the request for information is received. The timely transfer of a student record is important for a student's appropriate instructional placement for continued education as well as for various reports and entries on the state assessment forms. TReX facilitates the process of responding to and fulfilling requests for records within the required timeframe.

## 2.2 Responsibilities

The following sections describe the responsibilities of each participant within the TReX process.

---

### SCHOOL DISTRICTS AND CAMPUSES

---

#### RESPONSE TO REQUEST

Districts must ensure that copies of student records are made available to schools to which students transfer. The transfer of a student record to another school district/charter may not be withheld for any reason. By law, (TEC §25.002(a-1)), a district must respond to a request for a student record from the receiving district within ten working days.

---

#### PRIVACY

TEC §25.002 and FERPA 34 CFR Part 99, 99.31(a)(2) and 99.34 protect the right of access to the student record. Districts must protect the confidential information on student records and transcripts from unauthorized individuals. TReX encryption ensures protection of the data during transmission and within the TReX process; however, once the data are downloaded, data security becomes the responsibility of the receiving school district/campus.

---

#### LOCAL STUDENT INFORMATION SYSTEM

The student record information transmitted through TReX is created locally by extracting data from the local student information system. It is the responsibility of the district to implement software that will extract the required data from the local student information system and create an xml file in the prescribed format for uploading to TReX.

The receiving district/campus can download and store the data once the district/campus accepts the student record/transcript through TReX. TReX does not automatically update the receiving campus' student information system. However, additional time and effort may be saved if the district chooses to modify the local software extract to populate the local student information system upon receipt of the requested information.

*Note: It is important to remember that data in TReX are transitory. The data held for campus/district review are automatically purged from TReX within a set number of days.*

---

#### DATA ACCURACY

Campuses and districts are responsible for the accuracy and validity of the data in the student records and transcripts. TReX includes edits and validations of the data that are related to formatting, business rules, and data integrity for transmission and storage purposes. TReX edits and validations are not related to the accuracy of the data.

Sending districts and campuses certify the content of their TReX data transmissions (high school transcripts) by electronically signing the "Registrar's Statement of Approval" available in TReX. The electronic signature certifies that the district has taken measures to verify the accuracy and the authenticity of the data in the high school transcript. The electronically signed form is stored on a secured TEA server and a copy is downloaded by the receiving registrar.

### 2.3 TEAL Approval

Districts and campuses obtain access to the TReX application through the Texas Education Agency Secure Environment (TEAL) authentication approval process. Each TReX user must request access through the TEAL Account User and Account Management process. After logging into TEAL, select "My application Accounts" from the Self-Service menu.

The Superintendent or authorized designee must approve all TEAL authorization requests before the requests are sent to TEA for approval.

*Note: Districts and campuses must submit TReX requests for TEAL access through the automated process available from <https://pryor.tea.state.tx.us/>. The TReX project does not accept hardcopy TEAL request forms.*

---

#### EQUIPMENT REQUIREMENTS

- Scanner

---

#### SOFTWARE REQUIREMENTS

- Microsoft Internet Explorer (IE) version 6.0 or higher
- Email access

---

#### MINIMUM SYSTEM REQUIREMENTS

- The PC must have Internet access
- The Internet browser must be able to support SSL 2.0 standards – 128 encryption

---

#### FILE REQUIREMENTS

- The suggested default file location for attachments (scanned documents) is: C:\TReX.
- File size limitation: 32MB

- Extract files are submitted to TREx with the following naming convention:  
####LastName\_FirstName\_descriptor
- ##### = last 4 digits of the Student ID
- LastName = student’s last name

FirstName = student’s first name

Descriptor = stu (student record)

Order	1	2	3	4	5	6
<b>Description</b>	Last 4 digits of Student ID	Student Last Name	underscore	Student First Name	underscore	3-character descriptor
<b>Example</b>	1234	Doe	_	John	_	stu

**Example:** 1234Doe\_John\_stu

*Note: Extract files do not require an extension of .XML to be accepted by TREx. As long as the XML format meets the schema requirements, TREx will accept the file with any extension.*

- Attachments are submitted to TREx with the following naming convention:

####LastName\_FirstName\_Descriptor##

##### = last 4 digits of the Student ID

LastName = student’s last name

FirstName = student’s first name

Descriptor = le (Limited English Proficiency (LEP) attachment)

im (Immunization record attachment)

gt (Gifted/Talented (GT) attachment, such as a GT profile)

ms (Miscellaneous record)

ot (Other – to be used for any document that the district is uncomfortable giving any indication of what is contained within the document)

tl (Transcript Legend)

## - two-digit generation number (01-99)\* to allow for multiple attachments within type

*\*Note: Numbers 81-89 under ms (miscellaneous record) are strictly reserved for Disciplinary Action attachments. Numbers 91-99 under ms (miscellaneous record) are strictly reserved for Individual Education Plan (IEP) attachments.*

Order	1	2	3	4	5	6	7
<b>Description</b>	Last 4 digits of Student ID	Student Last Name	underscore	Student First Name	underscore	2-character descriptor	2-digit generation number
<b>Example</b>	1234	Doe	_	John	_	ot	91

**Example:** 1234Doe\_John\_gt01 (indicates the attachment is a GT record)  
 1234Doe\_John\_ms91 (indicates the attachment is related to an IEP)  
 1234Doe\_John\_ms01 (indicates miscellaneous attachment is not IEP-related)

---

## RECORD OWNERSHIP AND STORAGE

The permanent retention of student records and transcripts continues to be the responsibility of districts/campuses and does not change with the implementation of TReX.

Districts must maintain high school transcripts permanently (19 Texas Administrative Code (TAC) §74.14(a)). TEA does not store the transcript or academic achievement record (AAR) data transmitted through the TReX system. TReX automatically purges high school transcript data in the same manner and timeframe as student record extract files.

### 2.4 Public Colleges and Universities

Public colleges and universities are responsible for the timely processing and acknowledgement of student transcript records received from TReX through the NSC SPEEDE server.

### 2.5 Education Service Centers (ESCs)

---

## TRAINING TO DISTRICTS AND CAMPUSES

While campuses and districts process the transfer of student records and high school transcripts, the ESCs provide support and training on the TReX application and processes to districts.

The instruction on TReX provided by ESCs to school districts and campuses may include:

- overall data flow and process;
- data element definitions;
- data transmission requirements; and
- reporting options



In addition the TReX User Guide and Video Tutorials are available on the TEA TReX web site at [http://tea.texas.gov/Reports\\_and\\_Data/Data\\_Submission/Texas\\_Records\\_Exchange\\_\(TReX\)/TReX\\_Training/](http://tea.texas.gov/Reports_and_Data/Data_Submission/Texas_Records_Exchange_(TReX)/TReX_Training/). TEA also provides TReX Customer Support by phone at (512) 463-7246 and email at [TReX@tea.Texas.gov](mailto:TReX@tea.Texas.gov).

---

## TEAL APPROVAL

ESCs obtain access to the TReX application through the TEAL authentication approval process. Each TReX user must request access through the TEAL Account User and Account Management process. After logging into TEAL, select “My application Accounts” from the Self-Service menu.

The Executive Director or authorized designee must approve all TEAL authorization requests before the requests are sent to TEA for approval.

## 2.6 Texas Education Agency

TEA is responsible for the implementation, administration, and maintenance of the TReX application.

---

## PRIVACY

TEC 7.010 mandates that TEA collect and transfer student data for educational purposes. The federal Family Education Rights and Privacy Act (FERPA) regulations mandate that personally identifiable student data be kept confidential. TEA must follow all FERPA requirements protecting the confidential information in student records and transcripts being sent through the TReX application. All users of the system must also adhere to the FERPA requirements as well.

---

## SECURITY

TEA is responsible for the security of the data while in transit. TReX has multiple levels of system and application-level security to protect the privacy of student education records as established by FERPA including:

- TReX has a multi-layered security protocol that safeguards the network.
  - Authentication blocks users until they are approved by the TEAL (Texas Education Agency Login secure environment) system.
  - Extensive Access Control Lists (ACLs) apply policies that keep users from reaching restricted resources.
- 

## TRAINING TO ESCS

---

TEA provides training and training materials for the TReX application to the ESCs and provides information to assist ESCs train the districts and/or campuses. TEA and ESCs have an established relationship in providing a train-the-trainer approach. This same training approach is used with the TReX application. Training materials may be accessed from the TReX project web site at: [http://tea.texas.gov/Reports and Data/Data Submission/Texas Records Exchange \(TReX\)/TReX Training/](http://tea.texas.gov/Reports_and_Data/Data_Submission/Texas_Records_Exchange_(TReX)/TReX_Training/).

---

## RECORD STORAGE

TEA stores all TReX data, including attachments extracted from a local student information system, in a relational database within TReX for a limited number of days. TEA sets and maintains this parameter.

*Note: At no time during the transmission or the temporary storage of the data does TEA take ownership of the data.*

The permanent retention of student records and transcripts continues to be the responsibility of districts/campuses and does not change with the implementation of TReX.

---

## TEAL REQUEST PROCESSING

The TEA Computer Access group approves and notifies the requestor by email when the TEAL ID is ready to use. (The email notifications from the Computer Access group include basic instructions for the initial login and password change.)

## 2.7 TReX Roles

Following is a list of TReX roles and privileges.

TReX Role Name	Examples of Users	Privileges
Campus Registrar/Counselor	Counselors, Registrars, Admissions Office staff	Send, receive, accept, download, view, track, and approve all information in student records or transcripts for a campus; generate and view TReX reports for a campus; manually enter student record/transcript data for a campus; attach TEA-approved graduation diploma seals and send official high school transcripts for graduates at a campus
Campus Registrar/Counselor Multiple Campuses	Counselors, Registrars, Admissions Office	Send, receive, accept, download, view, track, and approve all information in student records or transcripts for a campus; generate and view

	staff responsible for more than one campus but not for a full district	TREx reports for a campus; manually enter student record/transcript data for a campus; attach TEA-approved graduation diploma seals and send official high school transcripts for graduates at more than one campus
Campus View-Only	Principal, Vice-Principal, Secretary	Track and view TREx transaction history logs for a campus; view TREx summary reports
District Registrar/Counselor	District-wide Admissions staff or District Registrar	Send, receive, accept, download, view, track, and approve all information in student records or transcripts for all campuses within a district; generate and view TREx reports for all campuses within a district; manually enter student record/transcript data for all campuses within a district; attach TEA-approved graduation diploma seals and send official high school transcripts for graduates for any campus within a district
District Registrar/Counselor Multiple Districts	Counselors, Registrars, Admissions Office staff responsible for more than one district	Send, receive, accept, download, view, track, and approve all information in student records or transcripts for all campuses within a district; generate and view TREx reports for all campuses within a district; manually enter student record/transcript data for all campuses within a district; attach TEA-approved graduation diploma seals and send official high school transcripts for graduates for any campus within multiple districts
District View-Only	District staff, TREx Coordinator	Track and view transaction history logs district-wide (all campuses within a district); view TREx summary reports for all campuses in the district
ESC View-Only	ESC TREx Coordinator/Trainer	Track and view transaction history; view TREx summary reports for all districts or campuses within the ESC region
Vendor	SIS Vendors	Validate XML extract files against TREx schema.
TEA View-Only	Agency TREx staff and managers	Track and view transaction history logs; view TREx summary reports for all campuses/districts within the state
TEA Administrator	Agency technical staff supporting TREx	Perform technical administrative and troubleshooting functions on a statewide level; generate and view reports

## 2.8 TREx Process Overview

As Texas students transfer between school districts/campuses or move on to a college or university after graduation, Texas public school registrars receive requests for the transfer of

student records to school districts and high school transcripts to institutions of higher education (IHE). These types of record exchange requests occur year-round, with specific patterns of heavier activity based on student semester completion. TREx is designed to meet the requirements for districts and campuses at all times of the year.

Although TREx provides a manual entry capability to create student records or transcripts, most districts transmit the data through TREx in an XML-based extract file. The file is referred to as an “extract” file because it is created through a local vendor-supported process that extracts the student record or transcript information from a district’s local student information system.

On a per-student basis, districts/campuses upload data (extract file) into TREx and transmit the data to the TREx server. TREx sends the data to the receiving district/campus or to the NSC SPEEDE server (if the extract file is for a transcript) and subsequently deletes data within a set number of calendar days.

The number of days that TREx holds a request or extract file is limited from the time it is initially transmitted to TREx. Each TREx transaction is date-stamped, thereby informing users of the number of days remaining before TREx purges the data.

## 2.9 Student Records

In TREx, a “student record” is an individual student record sent between one Texas public school district/campus and another Texas public school district/campus. A student record in TREx may apply to grades EE through 12 and should include data for all of the grade levels, if available.


When a student record exchange request is an inbound type, it originates from a receiving district. In other words, the student has transferred and the district receiving that student needs his or her student records from the campus of last enrollment. The receiving registrar creates a record request in TREx, which is transmitted to the student’s previous campus.

TREx notifies the exiting registrar (at the campus of last enrollment) by email that a request exists if the campus does not open the request within 24 hours of its being sent. The exiting registrar clicks on the request link from the TREx home page and verifies through local records that the student did attend that campus. If the request is not valid for that campus (i.e., the student was not enrolled at the campus), the exiting registrar rejects the request. TREx logs the rejected transaction status and sends the receiving registrar notification.

If the request is valid, the exiting registrar creates an extract file from the local student information system and transmits the student record through TREx. If the request is valid but the student record is not available from a local student information system, the registrar can manually enter the data in TREx.

STUDENT RECORD TRANSMISSION PROCESS FLOW DIAGRAM

Following is an illustration of the general TREx process flow for Student Records transmitted between Texas public school districts:



## 2.10 High School Transcripts

A high school transcript record in TReX refers to the official high school transcript or academic achievement record (AAR) for Grades 9-12. The transcript is an official and permanent record of a student's academic performance during high school and, in some cases, of high school courses completed in middle school or junior high school (TEC §28.025(e)).

When the request is an outbound type (a high school student requesting a transcript be sent to a college), the exiting registrar uploads the student's high school transcript to TReX via an extract file of data from the local student information system and selects the college.

Sending districts and campuses certify the content of the high school transcript data by electronically signing the "Registrar's Statement of Approval" available in TReX. The electronic signature certifies that the district has taken measures to verify the accuracy and the authenticity of the data in the high school transcript.

As with student records, registrars can manually enter transcripts in TReX if the data are not available in the local student information system.

*Note: The campus or district procedures for how high school students request a transcript be sent to a college or university remain unchanged; only the means by which the request is fulfilled changes with the implementation of the TReX system.*

*An interface into TReX from authorized external applications such as ApplyTexas has been added. A student using such an application may create an electronic request for a transcript to be sent to a college or university. The resulting request is placed in the student's high school campus TReX inbound request queue. The high school registrar may then process this request in the same manner as if the request was made by the student in person.*

TReX presents the transcript in the required standard AAR format with the approved graduation seal.


TReX transmits the high school transcript to the NSC SPEEDE server, which then transmits it to a designated server at the receiving college or university.

*Note: TReX includes a campus/district transcript legend option that creates a pdf, which can be attached to all transcript records. Since there is no national standard for transmission of the pdf file format and public colleges and universities in Texas are not prepared to receive such a file via the NSC SPEEDE Server, this document should not be transmitted through TReX to the NSC SPEEDE Server.*

---

## HIGH SCHOOL TRANSCRIPT TRANSMISSION PROCESS FLOW DIAGRAM

Following is an illustration of the general TReX process flow for High School Transcripts being sent to colleges and universities from Texas public high schools:



## TREx Functionality

As the workflow diagrams illustrate, functionality within TREx includes the ability to search student records, upload the XML-based extract files from local student information systems to TREx and transmit the extract file to the selected public school or public IHE. Additional TREx functionality includes the ability to review data received, download the data, fulfill a request, hold a request (for example if current coursework in the student record requires updating with final grades), and reject a request if it is invalid. An example of an invalid request is a student record request for a student who did not attend the campus receiving the request for a student record.

### 2.11 Managing Student Records

TREx provides a user home page that includes a group of Managing Student Records functions. This group of functions allows the users to search through student records and transcripts (if applicable) within their Manage Records folder on the home page.

Registrars can view the student record or transcript, as well as upload to TREx or download records from TREx for their campus/district (as defined by their TREx role). Additionally, registrars can track inbound and outbound requests by their tracking number and view the full transaction history of those requests from the Manage Student Records page.

### 2.12 Send Record Request

TREx is designed to meet the needs of both the exiting and receiving registrars in locating the correct student records. For a receiving registrar, the TREx process begins with a request created in TREx that is presented to an existing registrar. A TREx request includes the following key elements:

- Student ID;
- First Name, Middle Name, Last Name, Suffix (generation code);
- Date of Birth;
- Gender;
- Ethnicity; and
- Information of the requesting district/campus.

A receiving campus can retrieve the request from the TREx home page. TREx sends an email notification to receiving campuses if no transaction status change is logged after 24 hours of receipt of an inbound request.

### 2.13 Search Capabilities



TREx interfaces with another TEA application to assist registrars in searching for the last campus attended by for a student. Registrars perform searches by providing key elements found in the request itself. If the student record exists for a campus, TREx displays a single student, or a list of students and the registrar can select the correct student. If no students match the request, the registrar must rely on alternate means to obtain the information, such as searching by student ID or name.

TREx also provides the ability to search for institutions by type (PK-12 or post-Secondary), campus ID, campus name, and city.

## **2.14 Manual Data Entry**

When the exiting registrar fulfills a request for the student record or transcript, the exiting registrar extracts the data from the local student information system and uploads the data to TREx. If the data are not in the local student information system, the exiting registrar can enter the data on the manual data entry forms available within TREx.

The manual data entry screens are organized by data types, such as student identification or demographic data. Drop-down selection lists are available for those data elements that are a CODED Type. For data elements with a TEXT Type, free-form fields are available; each is limited by the length specified in the TREx Data Standards.

TREx validates the data and then creates an XML file that then can be processed as those XML extract files generated through the SIS extract process.

## **2.15 Attachments**

In some cases, registrars want to attach information to a student record. If attachments are needed, attachments in TREx can be sent in the following formats:

- PDF format;
- MS Word (.doc) files;
- MS Excel (.xls) files; and
- Data file (such as ASCII data file) in another application.

Examples of attachments in the TREx process include:

- Immunization records if the data are not available electronically;
- Personal graduation plan, if applicable; and
- Individualized Education Plan (IEP), if applicable.

An example of an attachment that is prohibited in the TReX records exchange process is video files.

*Note: For information on file naming conventions for TReX attachments, please reference “File Requirements” in this chapter.*

## 2.16 Email Notifications

TReX sends email notifications for any type of change in status, such as received, accepted, fulfilled, and denied. Following is an example of an aged email notification:

Your TReX account shows inbound student records, transcripts, and/or requests from other districts and campuses that have not shown any transaction status change in over 24 hours after having been sent to your campus or district.

Please log in to the TReX system and review the Items Requiring Attention portion of the TReX home page for a full listing of transaction statuses. At the time of this notification, this includes:

AUSTIN H S (AUSTIN ISD)

```
-----  
4      Inbound Requests  
4      Inbound Records/Transcripts  
4      Rejected Outbound Requests  
1      Rejected Outbound Records/Transcripts  
-----
```

To access TReX, log on through TEAL at; <https://pryor.tea.state.tx.us/>

TReX automatically sends the email notification throughout the record transfer process to campuses or districts if the receiver does not process inbound requests or records in the queue within 24 hours of transmission. (TReX sends these email notifications to all participants at the district or campus as set by their TReX role and privileges.)

TReX displays inbound records or requests in rows with each row displaying the delivery time, last name, first name, student ID, and a link to the transaction history.

## 2.17 Tracking Transactions

The Tracking Request and Records group of functions in TReX provide users with a dynamic mechanism for tracking the progress and status of pending outbound and inbound requests.

TREx provides the ability to track each transaction throughout the process flow by a unique transaction ID assigned by TREx. This is like many on-line mail delivery tracking applications.

Additionally, TREx logs each transaction status in a permanent transaction log. The transaction history includes:

- Date stamp of request submission;
- Date stamp of receipt of request;
- Date stamp of rejection.
- Date stamp of transmission.
- Date stamp of acceptance/retrieval by receiving school.
- Date stamp of transmission failure; and
- Date stamp of purge from TREx.

TREx does not permanently store the student record or transcript files. Only the transaction history is saved in TREx.

## 2.18 Reports

TREx includes dynamically generated reports that may be used for evaluation of general performance and electronic transfers.

Examples of TREx reports include:

- Printable PDF of student record and transcript together for Grades 8-12;
- Printable PDF of student record alone for Grades PK-7;
- Printable PDF of high school transcript only Available *in Phase 3*;
- Tracking Details by Transaction;
- Activity Summary by Time Periods (day, week, month, quarter, year);
- Activity Summary by Specific Date;
- Activity Summary by Destination;
- Activity Summary by Status Type Available *in Phase 3*;
- Transaction List by Student;
- Top 10 Record/Transcript Sources;
- Top 10 Record/Transcript Destinations;
- Top 10 Request Sources; and
- Top 10 Request Destinations.

Additional printable screens or views available in TREx include:

- Printable example of XML extract file;
- Printable screen listing error messages from Validation Tool for validation of XML schema;

- Printable screen listing validation warnings for minimum data for student record;
- Printable screen listing validation warnings for recommended data for student record;
- Printable screen listing validation warnings for minimum data for an interim high school transcript;
- Printable screen listing validation warnings for recommended data for an interim high school transcript;
- Printable screen listing validation warnings for minimum data for a final high school transcript; and
- Printable screen listing validation warnings for recommended data for a final high school transcript.

Additionally, TReX allows campuses and districts to access user-initiated data reports.

For more information on TReX functionality, you may access the TReX Users' Guide from the project web site:

[http://tea.texas.gov/Reports and Data/Data Submission/Texas Records Exchange \(TReX\)/TReX Training/](http://tea.texas.gov/Reports and Data/Data Submission/Texas Records Exchange (TReX)/TReX Training/)

### 3.1 Introduction

TREx is a web-based application using an Extensible Markup Language (XML) schema, which is a defined structure based on standard tag-based formatting instructions. XML applications work with a schema to allow institutions to transfer data in a format (extract file) that will be understood between varying applications.

An XML schema is comprised of elements, also known as data elements. Elements can be blank, required, or optional as specified by the schema. Elements also can be repeated if declared in the schema. An example of this type of data element is a course grade. Other elements can be limited to a single instance by the schema. An example of this type of data element is the student's name.

### 3.2 Data Elements

Data elements that are shown as coded, refer to enumerated values for data types within the schema, which is like using a code table. These are included in or defined as part of an XML Simple Type. To reuse common data elements (such as Address, City, StateProvince and PostalCode), simple types are grouped within a Complex Type. A data element is further defined by the related complex type within the schema.

A legend of the information found on each data element definition follows:

Information	Description
Common Name	Common name of the element, many of which follow PEIMS and AAR standards
XML Name	XML name or tag for the data element as found in the XML schema
Complex Type	Name of the related XML complex type as found in the XML schema
Date Issued	<p>Date the new data element was created and added to the data standards. This date is populated with the next published version date of the data standards.</p> <p><i>Ex. DS updated 3/12/21 but publish date is 7/1/2021, the date entered would be 7/1/2021.</i></p> <p><i>Note: No further updates are required to this field after initial completion. Do not complete "Date Updated" field when initially completing this field.</i></p>

Information	Description
Date Updated	<p>Date the data element is being updated because of a change. This date is populated with the next published version date of the data standards.</p> <p><i>Ex. DS updated 3/12/21 but publish date is 7/1/2021, the date entered would be 7/1/2021.</i></p>
Definition	Meaning of the data element
Special Instructions	Additional information or edit criteria for the data element, when applicable
Element ID	<p>Unique ID assigned to the TReX data element and formatted as TE---. (Reference to PEIMS data element number in the form "E----" is included if applicable.)</p>
Code Table ID	<p>Unique ID assigned to the TReX code table and formatted as TC--. (Reference to a PEIMS code table that includes the same codes for this data element in the form "C----" is included if applicable.)</p>
Required	<p>Indication whether the field is required or optional</p> <ul style="list-style-type: none"> <li>• Yes - the element is required; if the requirement is only for specific grade levels, this is noted; NA may be entered if data are not available/applicable</li> <li>• No - the element is optional and may be left blank unless specified otherwise in an edit or validation rule</li> </ul> <p><i>Note: If a field is shown as not required but data are available and relevant to the accuracy and completeness of the student record or transcript, it is the responsibility of the campus to include these data. Examples include indicators for ESL, Bilingual, GT, CTE, At Risk, Title I Part A, Special Education, IEP, Personal Graduation Plan, Migrant, and Homeless.</i></p>
Domain of Values	The acceptable values for the data element
Applicable Record	Record type on which the data element is located, i.e., student record and/or AAR-transcript.
Length	Length of the data element in characters

Information	Description	
Type	<p>A data element is specified as one of the following:</p> <p><b>NUMERIC</b></p> <ul style="list-style-type: none"> <li>value must be numeric characters</li> <li>value cannot be negative</li> </ul> <p><b>TEXT</b></p> <ul style="list-style-type: none"> <li>value may be alpha-numeric characters</li> <li>alpha characters may be upper and/or lower case</li> <li>may include any of the following characters, in addition to the space character: ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789~!@#\$%^&amp;*()-_+=:;“’,. /&lt;&gt;?</li> <li>may not include the following characters: \{ } [ ]  </li> </ul> <p><b>CODED</b></p> <ul style="list-style-type: none"> <li>if a value is required, it may not contain blanks</li> <li>corresponds to a table in Section 3 of this manual</li> </ul> <p><b>DATE</b></p> <ul style="list-style-type: none"> <li>YMD Type – date is formatted as yyyy-mm-dd and includes year, month and day</li> <li>YM Type – date is formatted as yyyy-mm and includes year and month only</li> </ul> <p><b>DECIMAL</b></p> <ul style="list-style-type: none"> <li>value may be numeric characters and decimal point only</li> <li>decimal precision is required</li> </ul>	
Pattern	Symbols found in Pattern are as follows:	
	<b>Symbol</b>	<b>Restriction on Value</b>
	*	any of the characters accepted in the name field data type
	.	decimal point
	...	pattern continues without change
	#	numeric characters "0" through "9"
	mm	month
	dd	day
	yyyy	year

### 3.3 TReX Code Tables

Data elements that are shown as **coded** are included in or defined as part of an XML Simple Type. To reuse common data elements (such as Address, City, StateProvince and PostalCode), simple types are grouped under a Complex Type. A data element is further defined by the related complex type within the schema.

Following is a legend for the information found in each code table.

Information	Description
Table ID	TREx unique Code Table ID number. If a related PEIMS Table exists, it is shown in parentheses.
Name	Common name of the coded data
XML Name	The XML name or tag as shown in the schema
Simple Type & Applicable Record	Simple Type association as shown in the schema and indication of data relationship to Student Record and/or AAR Transcript
Date Issued	Date the new code table was created and added to the data standards. This date is populated with the next published version date of the data standards.  <i>Ex. DS updated 3/12/21 but publish date is 7/1/2021, the date entered would be 7/1/2021.</i>  <i>Note: No further updates are required to this field after initial completion. Do not complete "Date Updated" field when initially completing this field.</i>
Date Updated	Date the data element is being updated because of a change. This date is populated with the next published version date of the data standards.  <i>Ex. DS updated 3/12/21 but publish date is 7/1/2021, the date entered would be 7/1/2021.</i>
Code	A string of characters that represent the translation
Translation	Meaning of the code values

Note: In this document, the code table is either appended to the data element table or it is at the bottom of the document.



### 3.4 Data Elements and Code Tables

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

## A

Common Name		XML Name	Complex Type	Date Issued	Date Updated
<b>ACADEMIC-YEAR</b>		SchoolYear	AcademicSessionType		
<b>Definition</b>					
ACADEMIC-YEAR indicates a school year, for example 2007-2008. Based on the related complex type, this can be either the current school year or the school year in which coursework was completed by the student.					
<b>Special Instructions</b>					
<ul style="list-style-type: none"> <li>• Include a dash between the two academic years.</li> <li>• May be used for current or past academic years.</li> <li>• On a transcript, the school year should appear by Campus Awarding Credit or by each course credit awarded.</li> <li>• This data element may be repeated as needed.</li> </ul>					
<b>Data Specifications</b>					
Element ID	Code Table ID	Required?	Domain of Values		
TE001		Yes	0-9 and dash (-)		
Applicable Record	Length	Type	Pattern		
Student Record AAR-Transcript	9	TEXT	#####-#####		

Common Name		XML Name	Complex Type	Date Issued	Date Updated
<b>ADDITIONAL-TEST-NAME</b>		AdditionalTestName	AssessmentType		
<b>Definition</b>					
ADDITIONAL-TEST-NAME is used to identify any test that is not included in the standard assessment code table TC01. For example, ADDITIONAL-TEST-NAME can be used to denote the Gifted and Talented profile.					

Special Instructions			
<p>May include any of the following characters, in addition to the space character:            ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789 ~ ! @ # \$ % ^ &amp; * ( ) - _ + = : ; " ' , . / &lt; &gt; ? May not include the following characters: \ { } [ ]  </p> <p>If ADDITIONAL-TEST-NAME is provided, then TestName must be blank within each Assessment.            If ADDITIONAL-TEST-NAME is provided, then the TestDate and TestScore or TestCode are required.</p>			
Element ID	Code Table ID	Required?	Domain of Values
TE085		No	
Applicable Record	Length	Type	Pattern
Student Record	60	TEXT	*...

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>ADDRESS</b>	Address	SchoolType AddressType		
Definition				
<p>ADDRESS indicates the street address information for the student or campus address. For a campus, this address also may be a post office box.</p>				
Data Specifications				
Element ID	Code Table ID	Required?	Domain of Values	
TE002		No	AddressType	
Applicable Record	Length	Type	Pattern	
Student Record AAR-Transcript	50	TEXT	*...	

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>ADVANCED-MEASURE</b>	AdvancedMeasure	Distinguished Achievements		
Definition				
<p>ADVANCED-MEASURE is a code corresponding to one of the six measures described in the 2009-2010 AAR Minimum Standards 1.13(k) and in table TC29. In order to be recognized as part of the Distinguished Achievements Program – Advanced High School Program, a student must achieve any combination of four advanced measures as defined in TAC §74.13. The measures must focus on demonstrated student performance at the college or professional level.</p>				

Special Instructions				
Original research/projects may not be used for more than two of the four advanced measures. Qualifying PSAT score may only be used once.				
Data Specifications				
Element ID	Code Table ID	Required?	Domain of Values	
TE096	<a href="#">TC29</a>	No		
Applicable Record	Length	Type	Pattern	
Student Record AAR-Transcript	1	Text	*	
Code Table ID	Code Table Name	XML Name	Date Issued	Date Updated
<a href="#">TC29</a>	ADVANCED-MEASURE	AdvancedMeasure		
Code	Translation			
A	Original research/project			
B	AP score 3 or above			
C	IB score 4 or above			
D	Qualifying PSAT score			
E	College course - 3.0 or higher			
F	Articulated course - 3.0 or higher			

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>ALTERNATIVE-LANGUAGE-PROGRAM-CODE</b>	AlternativeLanguage	SpecialProgramsType		
Definition				
ALTERNATIVE-LANGUAGE-PROGRAM-CODE indicates the type of alternative language program participated in by the student. An alternative language program must be approved by the Texas Education Agency (TEA) due to the LEAs submission of a bilingual education exception and/or English as a second language (ESL) waiver for the current school year. (See 19 TAC §89.1207)				
Data Specifications				
Element ID	Code Table ID	Required?	Domain of Values	
TE125	<a href="#">TC41</a>	No		

(PEIMS: E1642)	(PEIMS: C221)				
Applicable Record	Length	Type	Pattern		
Student Record	2	CODED	#...		
Table ID	Name	XML Name	Simple Type & Applicable Record	Date Issued	Date Updated
TC41	ALTERNATIVE-LANGUAGE-PROGRAM	AlternativeLanguage	AlternativeLanguageType Student Record		
Code	Translation				
00	Student does not participate in the alternative language program.				
01	<b>Alternative Bilingual Language Program</b> The LEA is implementing an alternative bilingual language program approved by the Texas Education Agency due to the submission of a bilingual education exception for the current school year, per 19 TAC §89.1207.				
02	<b>Alternative ESL Language Program</b> The LEA is implementing an alternative ESL language program approved by the Texas Education Agency due to the submission of an ESL waiver for the current school year, per 19 TAC §89.1207.				

Common Name	XML Name	Complex Type	Date Issued	Date Updated
AMERICAN-INDIAN-ALASKA NATIVE	AmericanIndian AlaskaNativeCode	Ethnicity Type		
Definition				
AMERICAN-INDIAN-ALASKA NATIVE. A person that has origins in any of the original peoples of North and South America (including Central America), and who maintains a tribal affiliation or community attachment.				
Special Instructions				
Data Specifications				
Element ID	Code Table ID	Required?	Domain of Values	
TE089 (PEIMS: E1059)	<a href="#">TC16</a> (PEIMS: C088)	No	0, 1	
Applicable Record	Length	Type	Pattern	
Student Record AAR-Transcript	1	CODED	#	

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>ARTS-AND-HUMANITIES-ENDORSEMENT-INDICATOR-CODE</b>	ArtsEndorsement Code	AcademicStatusType		
<b>Definition</b>				
ARTS-AND-HUMANITIES-ENDORSEMENT-INDICATOR-CODE indicates whether a student is currently enrolled in (pursuing) or has successfully completed an Arts and Humanities Endorsement.				
<b>Special Instructions</b>				
No Endorsement may be selected for Students graduating in the 2013-2014 school year (Graduation Program Type code 33). An Endorsement may not be selected if the FHSP-PARTICIPANT-CODE is 0. A student in the Distinguished Level Achievement Plan, must have at least one endorsement. More than one endorsement is allowed.				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE108 (PEIMS: E1547)	<a href="#">TC35</a> (PEIMS: C199)	No		
Applicable Record	Length	Type	Pattern	
Student Record AAR-Transcript	1	CODED	#	

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>ASIAN</b>	AsianCode	Ethnicity Type		
<b>Definition</b>				
ASIAN. A person that has origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.				
<b>Special Instructions</b>				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE090 (PEIMS: E1060)	<a href="#">TC16</a> (PEIMS: C088)	No	0, 1	

Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	#

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>ASSESSMENT-DATE</b>	TestDate	AssessmentType		
<b>Definition</b>				
ASSESSMENT-DATE is the date (month and year) on which an assessment instrument or test was taken by the student. (This is also known as the Administration Date.)				
<b>Special Instructions</b>				
If the assessment date is included, then a test name and either a score or score code should be present. Exit-level TAKS or STAAR® EOC data are required for the high school transcript. For STAAR® EOC, mm value 13 indicates Fall, 15 indicates Spring and 16 indicates Summer testing windows.				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE003		No	yyyy = 1957-2039 mm = 01-16	
Applicable Record	Length	Type	Pattern	
Student Record AAR-Transcript	7	DATE	yyyy-mm	

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>ASSESSMENT-DATE-EXIT-REQUIREMENT-MET</b>	ExitRequirementMetDate	Assessment Type		
<b>Definition</b>				
ASSESSMENT-DATE-EXIT-REQUIREMENT-MET is the date (month and year) the student met the graduation requirement on each of the TAKS exit exams.				
<b>Special Instructions</b>				
<b>Data Specifications</b>				

Element ID	Code Table ID	Required?	Domain of Values
TE095		No	yyyy = 1957-2039 mm = 01-12
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	7	DATE	yyyy-mm

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>ASSESSMENT-GRADE-LEVEL</b>	TestLevel	AssessmentType		
Definition				
ASSESSMENT-GRADE LEVEL is the grade level associated with the Assessment taken by the student.				
Special Instructions				
Include only the most recent assessment tests taken. This data element may be repeated for each assessment.				
Data Specifications				
Element ID	Code Table ID	Required?	Domain of Values	
TE083	<a href="#">TC12</a> (PEIMS: C050)	No		
Applicable Record	Length	Type	Pattern	
Student Record AAR-Transcript	2	CODED	##	

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>ASSESSMENT-NAME</b>	TestName	AssessmentType		
Definition				
ASSESSMENT-NAME is the name of the assessment instrument or test taken by the student.				
Special Instructions				
<p>If an assessment date and score are present, then the test name is required to be entered as well.</p> <p>If assessment name is provided, then the test date and test score or test code are required. This data element may be repeated for each assessment.</p> <p>If assessment name is provided, then AdditionalTestName must be blank within each assessment.</p>				

Exit-level TAKS and STAAR EOC data appears on the student record, and will be transmitted electronically to colleges and universities through SPEEDE if provided. House Bill 5 changed the way English I and English II assessments will be administered beginning in the 2014 administration year. In the first two years of the STAAR EOC administration, there were separate assessments for the Reading and Writing components.

Data Specifications					
Element ID	Code Table ID	Required?	Domain of Values		
TE004	<a href="#">TC01</a>	No	00 – zz (excluding 41-52 and 71-76)		
Applicable Record	Length	Type	Pattern		
Student Record	2	CODED	##		
Table ID	Name	XML Name	Simple Type & Applicable Record	Date Issued	Date Updated
<a href="#">TC01</a>	ASSESSMENT-NAME	TestName	TestNameType  Student Record AAR-Transcript		
Code	Translation				
01	Texas Primary Reading Inventory (Grades K-2)				
02	El Inventario de Lectura en Espanol de Tejas (Grades K-2)				
03	Reading Proficiency Test in English for LEP Students (Grades 3-5)				
04	TAKS in Spanish (Grades 3-6)				
05	TAKS Reading (Grades 3-9)				
06	TAKS Mathematics (Grades 3-10)				
07	TAKS Writing (Grades 4 and 7)				
08	TAKS Science (Grades 5 and 10)				
09	TAKS English Language Arts (Grade 10)				
10	TAKS Social Studies (Grades 8 and 10)				
11	TAKS Exit Level Mathematics				
12	TAKS Exit Level Science				
13	TAKS Exit Level Language Arts				
14	TAKS Exit Level Social Studies				
15	State-Developed Alternative Assessment				
16	TELPAS Writing (Grades K-12)				
17	TELPAS Speaking (Grades K-12)				
18	TELPAS Listening (Grades K-12)				
19	TAKS (Accommodated) Reading (Grades 3-9)				
20	TAKS (Accommodated) Mathematics (Grades 3-10)				



21	TAKS (Accommodated) Writing (Grades 4, 7)
22	TAKS (Accommodated) Science (Grades 5, 8, 10)
23	TAKS (Accommodated) English Language Arts (Grade 10)
24	TAKS (Accommodated) Social Studies (Grades 8, 10)
25	TAKS (Accommodated) Exit Level Mathematics
26	TAKS (Accommodated) Exit Level Science
27	TAKS (Accommodated) Exit Level English Language Arts
28	TAKS (Accommodated) Exit Level Social Studies
29	TAKS-M Reading (Grades 3-9)
30	TAKS-M Mathematics (Grades 3-11)
31	TAKS-M Writing (Grades 4, 7)
32	TAKS-M Science (Grades 5, 8, 10, 11)
33	TAKS-M English Language Arts (Grades 10, 11)
34	TAKS-M Social Studies (Grades 8, 10, 11)
35	TAKS-Alt Reading (Grades 3-9)
36	TAKS-Alt Mathematics (Grades 3-11)
37	TAKS-Alt Writing (Grades 4, 7)
38	TAKS-Alt Science (Grades 5, 8, 10,11)
39	TAKS-Alt English Language Arts (Grades 10, 11)
40	TAKS-Alt Social Studies (Grades 8, 10, 11)
41	EOC Algebra I - Deprecated, use code E6
42	EOC Geometry - Deprecated, use code E7
43	EOC Biology - Deprecated, use code E9
44	EOC Chemistry - Deprecated, use code EA
45	EOC U.S. History - Deprecated, use code EC
46	EOC Physics - Deprecated, use code EB
47	EOC World Geography - Deprecated, use code EF
48	EOC English I - Deprecated, use code H0
49	EOC Algebra II - Deprecated, use code E8
50	EOC English II - Deprecated, use code H1
51	EOC World History - Deprecated, use code ED
52	EOC English III - Deprecated, use code H2
53	Linguistically Accommodated Testing (LAT) TAKS Reading (Grades 3-8)
54	Spanish-version LAT TAKS Reading (Grades 3-5)
55	Spanish-version TAKS Mathematics (Grades 3-5)
56	LAT TAKS Mathematics (Grades 3-8, 10)
57	Spanish-version LAT TAKS Mathematics (Grades 3-5)
58	Spanish-version TAKS Writing (Grade 4)
59	Spanish-version TAKS Science (Grade 5)
60	LAT TAKS Science (Grades 5, 8, 10)

61	Spanish-version LAT TAKS Science (Grade 5)
62	LAT TAKS English Language Arts (Grade 10)
63	Spanish-version TAKS (Accommodated) Reading (Grades 3-5)
64	Spanish-version TAKS (Accommodated) Mathematics (Grades 3-5)
65	Spanish-version TAKS (Accommodated) Writing (Grade 4)
66	Spanish-version TAKS (Accommodated) Science (Grade 5)
67	LAT TAKS-M Reading (Grades 3-8)
68	LAT TAKS-M Mathematics (Grades 3-8, 10)
69	LAT TAKS-M Science (Grades 5, 8, 10)
70	LAT TAKS-M English Language Arts (Grade 10)
71	EOC English I Reading - Deprecated, use code E0
72	EOC English I Writing - Deprecated, use code E1
73	EOC English II Reading - Deprecated, use code E2
74	EOC English II Writing - Deprecated, use code E3
75	EOC English III Reading - Deprecated, use code E4
76	EOC English III Writing - Deprecated, use code E5
77	TELPAS Reading (Grades K-12)
78	TAKS Exit Level Mathematics—Substitution
79	TAKS Exit Level Science—Substitution
80	TAKS Exit Level Language Arts—Substitution
81	TAKS Exit Level Social Studies—Substitution
	<b>STAAR®</b>
A0	Grade 3 English Reading
A1	Grade 3 English Mathematics
A2	Grade 3 Spanish Reading
A3	Grade 3 Spanish Mathematics
A4	Grade 4 English Reading
A5	Grade 4 English Mathematics
A6	Grade 4 English Writing
A7	Grade 4 Spanish Reading
A8	Grade 4 Spanish Mathematics
A9	Grade 4 Spanish Writing
AA	Grade 5 English Reading
AB	Grade 5 English Mathematics
AC	Grade 5 English Science
AD	Grade 5 Spanish Reading
AE	Grade 5 Spanish Mathematics
AF	Grade 5 Spanish Science
AG	Grade 6 Reading
AH	Grade 6 Mathematics

AJ	Grade 7 Reading
AK	Grade 7 Mathematics
AL	Grade 7 Writing
AM	Grade 8 Reading
AN	Grade 8 Mathematics
AP	Grade 8 Science
AQ	Grade 8 Social Studies
	<b>STAAR® L</b>
B0	Grade 3 Mathematics (STAAR L)
B1	Grade 4 Mathematics (STAAR L)
B2	Grade 5 Mathematics (STAAR L)
B3	Grade 5 Science (STAAR L)
B4	Grade 6 Mathematics (STAAR L)
B5	Grade 7 Mathematics (STAAR L)
B6	Grade 8 Mathematics (STAAR L)
B7	Grade 8 Science (STAAR L)
B8	Grade 8 Social Studies (STAAR L)
	<b>STAAR® Modified</b>
C0	Grade 3 Reading (Modified)
C1	Grade 3 Mathematics (Modified)
C2	Grade 4 Reading (Modified)
C3	Grade 4 Mathematics (Modified)
C4	Grade 4 Writing (Modified)
C5	Grade 5 Reading (Modified)
C6	Grade 5 Mathematics (Modified)
C7	Grade 5 Science (Modified)
C8	Grade 6 Reading (Modified)
C9	Grade 6 Mathematics (Modified)
CA	Grade 7 Reading (Modified)
CB	Grade 7 Mathematics (Modified)
CC	Grade 7 Writing (Modified)
CD	Grade 8 Reading (Modified)
CE	Grade 8 Mathematics (Modified)
CF	Grade 8 Science (Modified)
CG	Grade 8 Social Studies (Modified)
	<b>STAAR® Alternate</b>
D0	Grade 3 Reading (Alternate)
D1	Grade 3 Mathematics (Alternate)
D2	Grade 4 Reading (Alternate)
D3	Grade 4 Mathematics (Alternate)

D4	Grade 4 Writing (Alternate)
D5	Grade 5 Reading (Alternate)
D6	Grade 5 Mathematics (Alternate)
D7	Grade 5 Science (Alternate)
D8	Grade 6 Reading (Alternate)
D9	Grade 6 Mathematics (Alternate)
DA	Grade 7 Reading (Alternate)
DB	Grade 7 Mathematics (Alternate)
DC	Grade 7 Writing (Alternate)
DD	Grade 8 Reading (Alternate)
DE	Grade 8 Mathematics (Alternate)
DF	Grade 8 Science (Alternate)
DG	Grade 8 Social Studies (Alternate)
	<b>EOC STAAR®</b>
<del>E0</del>	<del>English I Reading (EOC)</del>
<del>E1</del>	<del>English I Writing (EOC)</del>
<del>E2</del>	<del>English II Reading (EOC)</del>
<del>E3</del>	<del>English II Writing (EOC)</del>
<del>E4</del>	<del>English III Reading (EOC)</del>
<del>E5</del>	<del>English III Writing (EOC)</del>
E6	Algebra I (EOC)
<del>E7</del>	<del>Geometry (EOC)</del>
<del>E8</del>	<del>Algebra II (EOC)</del>
E9	Biology (EOC)
<del>EA</del>	<del>Chemistry (EOC)</del>
<del>EB</del>	<del>Physics (EOC)</del>
EC	U.S. History (EOC)
<del>ED</del>	<del>World History (EOC)</del>
<del>EF</del>	<del>World Geography (EOC)</del>
EG	English I (EOC)
EH	English II (EOC)
EJ	English III (EOC)
	<b>EOC STAAR® L</b>
F0	Algebra I (EOC, STAAR L)
<del>F1</del>	<del>Geometry (EOC, STAAR L)</del>
<del>F2</del>	<del>Algebra II (EOC, STAAR L)</del>
F3	Biology (EOC, STAAR L)
<del>F4</del>	<del>Chemistry (EOC, STAAR L)</del>
<del>F5</del>	<del>Physics (EOC, STAAR L)</del>
F6	U.S. History (EOC, STAAR L)

F7	<del>World History (EOC, STAAR L)</del>
F8	<del>World Geography (EOC, STAAR L)</del>
	<b>STAAR® EOC Modified</b>
G0	<del>English I Reading (EOC, Modified)</del>
G1	<del>English I Writing (EOC, Modified)</del>
G2	<del>English II Reading (EOC, Modified)</del>
G3	<del>English II Writing (EOC, Modified)</del>
G4	<del>English III Reading (EOC, Modified)</del>
G5	<del>English III Writing (EOC, Modified)</del>
G6	Algebra I (EOC, Modified)
G7	<del>Geometry (EOC, Modified)</del>
G8	Biology (EOC, Modified)
G9	U.S. History (EOC, Modified)
GA	<del>World History (EOC, Modified)</del>
GB	<del>World Geography (EOC, Modified)</del>
GC	English I (EOC, Modified)
GD	English II (EOC, Modified)
	<b>STAAR® EOC Alternate</b>
H0	English I (EOC, Alternate)
H1	English II (EOC, Alternate)
H2	<del>English III (EOC, Alternate)</del>
H3	Algebra I (EOC, Alternate)
H4	<del>Geometry (EOC, Alternate)</del>
H5	Biology (EOC, Alternate)
H6	U.S. History (EOC, Alternate)
H7	<del>World History (EOC, Alternate)</del>
H8	<del>World Geography (EOC, Alternate)</del>
	<b>STAAR Alternate 2</b>
J0	English I (EOC, Alternate)
J1	English II (EOC, Alternate)
J2	Algebra I (EOC, Alternate)
J3	Biology (EOC, Alternate)
J4	U.S. History (EOC, Alternate)
JA	Grade 3 Reading (Alternate 2)
JB	Grade 3 Mathematics (Alternate 2)
JC	Grade 4 Reading (Alternate 2)
JD	Grade 4 Mathematics (Alternate 2)
JE	Grade 4 Writing (Alternate 2)
JF	Grade 5 Reading (Alternate 2)
JG	Grade 5 Mathematics (Alternate 2)

JH	Grade 5 Science (Alternate 2)
JJ	Grade 6 Reading (Alternate 2)
JK	Grade 6 Mathematics (Alternate 2)
JL	Grade 7 Reading (Alternate 2)
JM	Grade 7 Mathematics (Alternate 2)
JN	Grade 7 Writing (Alternate 2)
JP	Grade 8 Reading (Alternate 2)
JQ	Grade 8 Mathematics (Alternate 2)
JR	Grade 8 Science (Alternate 2)
JS	Grade 8 Social Studies (Alternate 2)
	<b>STAAR A</b>
K0	English I (EOC, Alternate)
K1	English II (EOC, Alternate)
K2	Algebra I (EOC, Alternate)
K3	Biology (EOC, Alternate)
K4	U.S. History (EOC, Alternate)
KA	Grade 3 Reading (STAAR A)
KB	Grade 3 Mathematics (STAAR A)
KC	Grade 4 Reading (STAAR A)
KD	Grade 4 Mathematics (STAAR A)
KE	Grade 4 Writing (STAAR A)
KF	Grade 5 Reading (STAAR A)
KG	Grade 5 Mathematics (STAAR A)
KH	Grade 5 Science (STAAR A)
KJ	Grade 6 Reading (STAAR A)
KK	Grade 6 Mathematics (STAAR A)
KL	Grade 7 Reading (STAAR A)
KM	Grade 7 Mathematics (STAAR A)
KN	Grade 7 Writing (STAAR A)
KP	Grade 8 Reading (STAAR A)
KQ	Grade 8 Mathematics (STAAR A)
KR	Grade 8 Science (STAAR A)
KS	Grade 8 Social Studies (STAAR A)

Common Name	XML Name	Complex Type	Date Issued	Date Updated
ASSESSMENT-SCORE	TestScore	AssessmentType		
<b>Definition</b>				
ASSESSMENT-SCORE is the scale score earned by the student on the assessment instrument or test.				

**Special Instructions**

For TAKS tests, include the actual (scale) scores and not an asterisk. For lower grade levels if only a mastery indicator is available, code Y if Mastery Indicator = 1. Code N if mastery indicator = 0.

For elementary grade levels, if only the mastery indicator is available, code Y if Mastery Indicator = 1. Code N if mastery indicator = 0.

For TAKS-Alt assessments where Score code = G and no scaled score was received from Pearson, code Y if Mastery Indicator = 1. Code N if mastery indicator = 0.

Exit-level TAKS and STAAR EOC data appear on the student record and will be transmitted to colleges and universities through SPEEDE if provided. Scores will not appear on the printed AAR.

If assessment score is provided, then the test name, test date and STAAR Performance Level are required. This data element may be repeated for each assessment.

May include any of the following characters, in addition to the space character:

ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789 ~ ! @ # \$ % ^ & \* ( ) - \_ + = : ; " ' , . / < > ?

May not include the following characters: \ { } [ ] |

**Data Specifications**

Element ID	Code Table ID	Required?	Domain of Values
TE005		No	
Applicable Record	Length	Type	Pattern
Student Record	6	TEXT	*...

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>ASSESSMENT-SCORE-CODE</b>	TestCode	AssessmentType		

**Definition**

ASSESSMENT-SCORE-CODE is an explanation or notation related to the score earned by the student for the assessment instrument or test. If assessment score code is provided, then the test name and test date are required. This data element may be repeated for each assessment.

**Data Specifications**

Element ID	Code Table ID	Required?	Domain of Values
TE006	<a href="#">TC02</a>	No	
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	*

Table ID	Name	XML Name	Simple Type
----------	------	----------	-------------

TC02	ASSESSMENT-SCORE-CODE	TestCode	TestCodeType
<b>Code</b>	<b>Translation</b>		
A	Absent		
B	Score code defaulted to B (Reading, grades K-1)		
C	Student did not take paper-version reading test and an online-version reading test for student could not be matched to paper-version record.		
D	No information available for this subject		
E	Extenuating Circumstances, do not score (Reading, grades K-1)		
G	Student Information provided from TAKS-Alt		
I	TAKS Inclusive test was administered		
L	Student is LEP-exempt		
M	Medical Exception		
N	No Authentic Academic Response		
O	Other		
P	Previously Met Standards		
Q	Student did not take TAKS Reading test; do not score		
R	ARD Committee determined TAKS Reading is not appropriate for student		
S	Student Test was Scored		
T	State-approved alternate assessment administered instead of TAKS Reading		
W	Parental Waiver		
X	Student is ARD-exempt; do not score		
Y	Student did not take English-version Reading test; do not score		
Z	Student did not take Spanish-version Reading test; do not score		
*	No information available for this subject		

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>ASSESSMENT-SUBTEST</b>	SubTestName	AssessmentSub TestType		
<b>Definition</b>				
ASSESSMENT-SUBTEST is the name of any subtest that is part of an assessment instrument.				
<b>Special Instructions</b>				
<p>This data element may be repeated as needed or not included.</p> <p>An example of this type of assessment subtest includes the TAKS Writing subscore of the TAKS Exit Level Language Arts assessment.</p> <p>May include any of the following characters, in addition to the space character:            ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789 ~ ! @ # \$ % ^ &amp; *            ( ) - _ + = : ; " ' , . / &lt; &gt; ?</p> <p>May not include the following characters: \ { } [ ]  </p>				



Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE007		No	
Applicable Record	Length	Type	Pattern
Student Record	60	TEXT	*...

Common Name	XML Name	Complex Type	Date Issued	Date Updated
ASSESSMENT-SUBTEST-SCORE	SubTestScore	AssessmentSub TestType		

**Definition**

ASSESSMENT-SUBTEST-SCORE is the scale score earned by the student on any subtest that is part of an assessment instrument.

**Special Instructions**

For TAKS tests, include the actual (scale) scores and not an asterisk.  
 Exit-level TAKS and STAAR EOC data appear on the student record and will be transmitted electronically to colleges and universities through SPEEDE if provided.  
 If ASSESSMENT-SUBTEST-SCORE is provided, then the assessment subtest name and test date are required. This data element may be repeated for each assessment.  
 May include any of the following characters, in addition to the space character:  
 ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789 ~ ! @ # \$ % ^ & \*  
 ( ) - \_ + = : ; " ' , . / < > ?  
 May not include the following characters: \ { } [ ] |

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE086		No	
Applicable Record	Length	Type	Pattern
Student Record	6	TEXT	*...

Common Name	XML Name	Complex Type	Date Issued	Date Updated
ASSOCIATE-DEGREE-INDICATOR-CODE	AssociateDegree	AcademicStat usType		7/1/2023

**Definition**

ASSOCIATE-DEGREE-INDICATOR-CODE indicates that the student earned an associate degree by August 31, immediately following graduation.

### Special Instructions

An associate degree is defined as an award that normally requires at least 2 but less than 4 years of full-time equivalent college work in a grouping of courses designed to lead the individual directly to employment in a specific career or to transfer to an upper-level baccalaureate program. This specifically refers to the associate of arts, associate of science, associate of applied arts, associate of applied science, associate of arts in teaching, and associate of occupational studies degrees. The term "applied" in an associate degree name indicates a program in which the content is primarily technical. (Source: Texas Higher Education Coordinating Board Glossary of Terms).

The district where the student received the associate degree will be the district to report this information. Schools should not wait to report the associate degree information at the point of graduation if the student earns the associate degree prior to graduation. It should be reported in the next PEIMS Submission after the degree is earned.

A student may be reported as having an associate degree at any point while in 11th or 12th grade or by August 31, immediately following graduation.

### Data Specifications

Element ID	Code Table ID	Required?	Domain of Values
TE119 (PEIMS: E1596)	<a href="#">TC16</a> (PEIMS: C088)	No	
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	*

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>AT-RISK-INDICATOR</b>	AtRisk	SpecialProgramsType		12/01/2021

### Definition

AT-RISK-INDICATOR-CODE indicates whether a student is currently identified as at-risk of dropping out of school using state-defined criteria only (TEC §29.081, Compensatory and Accelerated Instruction).

A student at-risk of dropping out of school is under 26 years of age and who:

1. is in prekindergarten, kindergarten, or grade 1, 2, or 3 and did not perform satisfactorily on a readiness test or assessment instrument administered during the current school year;
2. is in grade 7, 8, 9, 10, 11, or 12 and did not maintain an average equivalent to 70 on a scale of 100 in two or more subjects in the foundation curriculum during a semester in the preceding or current school year or is not maintaining such an average in two or more subjects

in the foundation curriculum in the current semester;

3. was not advanced from one grade level to the next for one or more school years; (Note: From 2010-2011 forward, TEC 29.081 (d-1) excludes from this criteria prekindergarten or kindergarten students who were not advanced to the next grade level because of a documented request by the student’s parent.)
4. did not perform satisfactorily on an assessment instrument administered to the student under TEC Subchapter B, Chapter 39, and who has not in the previous or current school year subsequently performed on that instrument or another appropriate instrument at a level equal to at least 110 percent of the level of satisfactory performance on that instrument;
5. is pregnant or is a parent;
6. has been placed in an alternative education program in accordance with TEC §37.006 during the preceding or current school year;
7. has been expelled in accordance with TEC §37.007 during the preceding or current school year;
8. is currently on parole, probation, deferred prosecution, or other conditional release;
9. was previously reported through the Public Education Information Management System (PEIMS) to have dropped out of school;
10. is an emergent bilingual student, as defined by TEC §29.052;
11. is in the custody or care of the Department of Protective and Regulatory Services or has, during the current school year, been referred to the department by a school official, officer of the juvenile court, or law enforcement official;
12. is homeless, as defined NCLB, Title X, Part C, Section 725(2), the term “homeless children and youths”, and its subsequent amendments;
13. resided in the preceding school year or resides in the current school year in a residential placement facility in the district, including a detention facility, substance abuse treatment facility, emergency shelter, psychiatric hospital, halfway house, or foster group home; or
14. has been incarcerated or has a parent or guardian who has been incarcerated, within the lifetime of the student, in a penal institution as defined by Section 1.07, Penal Code.

or, regardless of the student’s age, each student who participates in an adult education program provided under a high school diploma and industry certification charter school program under Section 29.259.

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE008 (PEIMS: E0919)	<a href="#">TC16</a> (PEIMS: C088)	No	0, 1
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

## B

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>BILINGUAL-INDICATOR</b>	Bilingual	SpecialProgramsType		12/01/2021
<b>Definition</b>				
BILINGUAL-INDICATOR indicates whether the student is participating in a state-approved bilingual education program which is a full-time program of dual-language instruction through the TEKS in the content areas (mathematics, science, health, and social studies) in English and the primary language of emergent bilingual (EB)/English learner (EL) students and also for carefully structured and sequenced mastery of English cognitive academic language development. (See 19 TAC §89.1210(c).)				
<b>Special Instructions</b>				
The acceptable values for Bilingual Indicator are 0, 2, 3, 4 or 5. Code 1 should not be used after August 31, 2008. It is included for historical compatibility.				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	

TE009 (PEIMS: E1042)	TC26 (PEIMS: C175)	No	0, 2, 3, 4, 5		
<b>Applicable Record</b>	<b>Length</b>	<b>Type</b>	<b>Pattern</b>		
Student Record	1	CODED	#		
<b>Table ID</b>	<b>Name</b>	<b>XML Name</b>	<b>Simple Type</b>	<b>Date Issued</b>	<b>Date Updated</b>
TC26 (C175)	BILINGUAL- PROGRAM-TYPE- CODE	Bilingual	BilingualType		12/01/2021
<b>Code</b>	<b>Translation</b>				
0	Student does not participate in the bilingual education program				
2	<p>Transitional Bilingual/Early Exit:</p> <p>A bilingual program model in which students identified as Emergent Bilingual (EB) /English learners (EL) are served in both English and another language and are prepared to meet reclassification criteria to be successful in English-only instruction not earlier than two or later than five years after the student enrolls in school. Instruction in this program is delivered by a teacher appropriately certified in bilingual education under TEC, §29.061(b)(1), for the assigned grade level and content area.</p>				
3	<p>Transitional Bilingual/Late Exit:</p> <p>A bilingual program model in which students identified as Emergent Bilingual (EB) /English learners (EL) are served in both English and another language and are prepared to meet reclassification criteria to be successful in English-only instruction not earlier than six or later than seven years after the student enrolls in school. Instruction in this program is delivered by a teacher appropriately certified in bilingual education under TEC, §29.061(b)(2), for the assigned grade level and content area.</p>				
4	<p>Dual Language Immersion/Two-Way:</p> <p>A bilingual/biliteracy program model in which students identified as Emergent Bilingual (EB) /English learners (EL) are integrated with students proficient in English and are served in both English and another language and are prepared to meet reclassification criteria in order to be successful in English-only instruction not earlier than six or later than seven years after the student enrolls in school. Instruction provided in a language other than English in this program model is delivered by a teacher appropriately certified in bilingual education under TEC, §29.061, for the assigned grade level and content area. Instruction provided in English in this program model may be delivered either by a teacher appropriately certified in bilingual education or by a different teacher certified in ESL in</p>				

	accordance with TEC, §29.061, for the assigned grade level and content area.
5	<p>Dual Language Immersion/One-Way:</p> <p>A bilingual/biliteracy program model in which students identified as Emergent Bilingual (EB) /English learners (EL) are served in both English and another language and are prepared to meet reclassification criteria in order to be successful in English-only instruction not earlier than six or later than seven years after the student enrolls in school. Instruction provided in a language other than English in this program model is delivered by a teacher appropriately certified in bilingual education under TEC, §29.061. Instruction provided in English in this program model may be delivered either by a teacher appropriately certified in bilingual education or by a different teacher certified in ESL in accordance with TEC, §29.061.</p>

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>BLACK-AFRICAN-AMERICAN</b>	BlackAfricanAmericanCode	Ethnicity Type		Ethnicity Type
<b>Definition</b>				
BLACK-AFRICAN-AMERICAN. A person that has origins in any of the black racial groups of Africa.				
<b>Special Instructions</b>				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE091 (PEIMS: E1061)	<a href="#">TC16</a> (PEIMS: C088)	No	0, 1	
Applicable Record	Length	Type	Pattern	
Student Record AAR-Transcript	1	CODED	#	

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>BUSINESS-AND-INDUSTRY-</b>	BusinessEndorsementCode	AcademicStatusType		

<b>ENDORSEMENT-INDICATOR-CODE</b>				
<b>Definition</b>				
BUSINESS-AND-INDUSTRY-ENDORSEMENT-INDICATOR-CODE indicates whether a student is currently enrolled in (pursuing) or has successfully completed a Business and Industry Endorsement				
<b>Special Instructions</b>				
<p>No Endorsement may be selected for Students graduating in the 2013-2014 school year (Graduation Program Type code 33).</p> <p>An Endorsement may not be selected if the FHSP-PARTICIPANT-CODE is 0.</p> <p>A student in the Distinguished Level Achievement Plan, must have at least one endorsement. More than one endorsement is allowed.</p>				
<b>Data Specifications</b>				
<b>Element ID</b>	<b>Code Table ID</b>	<b>Required?</b>	<b>Domain of Values</b>	
TE106 (PEIMS: E1545)	<a href="#">TC35</a> (PEIMS: C199)	No		
<b>Applicable Record</b>	<b>Length</b>	<b>Type</b>	<b>Pattern</b>	
Student Record AAR-Transcript	1	CODED	#	

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

## C

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>CAMPUS-AWARDING-CREDIT</b>	CreditCampus	CourseType		
<b>Definition</b>				
CAMPUS-AWARDING-CREDIT indicates the TEA- assigned CAMPUS ID of the Texas public school confirming and awarding credit for coursework completed at a non-public school or a school outside of Texas.				
<b>Special Instructions</b>				
<p>Per “Revised Minimum Standards for the Achievement Record-May 2004”            Section 1.15 Record of Course (a) Overview page 8 – “The receiving school district evaluates the transcript and determines the translation of the student's grades and courses to the standard utilized in the receiving Texas district (19 TAC §74.26(a)(2)).”            Section 1.15 Record of Course (f) (Credit) page 11 – “When a student transfers after a semester or full year is completed, the receiving district must honor credits already awarded by the sending</p>				



Texas district/charter. Courses completed in other states or countries that cannot be generally matched with Texas courses may be granted local credit.”  
 The only acceptable value is nine characters in a sequence with each character in a range from 0 to 9. Declared as a TEXT data type to allow for zeros in the first position.

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE080		No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	9	TEXT	#####

Common Name	XML Name	Complex Type	Date Issued	Date Updated
CAMPUS-FAX	Fax	SchoolType PhoneNumberGroup		

**Definition**

CAMPUS-FAX is the fax number, including area code, of the campus in which the student was last enrolled.

**Special Instructions**

Preferred format is numeric only but alphanumeric is permitted in the event an extension needs to be included. The first three digits should represent the area code.  
 Any of the following characters, including the space character, are valid:  
 EXText0123456789 # ( ) -

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE010		No	
Applicable Record	Length	Type	Pattern
Student Record	20	TEXT	*...

Common Name	XML Name	Complex Type	Date Issued	Date Updated
CAMPUS-ID	SchoolID	SchoolType		

**Definition**

CAMPUS-ID indicates the unique campus identification number registered with TEA.

**Data Specifications**

Element ID	Code Table ID	Required?	Domain of Values
TE011 (PEIMS: E0266)		Yes	0-9
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	9	TEXT	#####

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>CAMPUS-NAME</b>	SchoolName	SchoolType		

**Definition**

CAMPUS-NAME identifies the name of the campus registered with TEA.

Preferred format is numeric only but alpha-numeric is permitted in the event an extension needs to be included.

First three digits should represent the area code.

**Special Instructions**

May include any of the following characters, in addition to the space character:  
 ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789 ~ ! @ # \$ % ^ & \*  
 ( ) - \_ + = : ; " ' , . / < > ?

May not include the following characters: \ { } [ ] |

Element ID	Code Table ID	Required?	Domain of Values
TE012 (PEIMS: E0267)		Yes	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	34	TEXT	*...

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>CAMPUS-PHONE</b>	PhoneNumber	SchoolType PhoneNumberGroup		

**Definition**

CAMPUS-PHONE is the telephone number of the campus in which the student was or is enrolled. This data element begins with the area code.

**Special Instructions**

Preferred format is numeric only but alpha-numeric is permitted in the event an extension needs to be included. First three digits should represent the area code.

Any of the following characters, including the space character, are valid:  
 EXText0123456789 # ( ) -

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE013		Yes	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	20	TEXT	*...

Common Name	XML Name	Complex Type	Date Issued	Date Updated	
CAREER-TECH-ED-INDICATOR	CTE	SpecialPrograms Type		8/1/2020	
Definition					
CAREER-TECH-ED-INDICATOR indicates the calculated value provided by the Texas Education Agency.					
Data Specifications					
Element ID	Code Table ID	Required?	Domain of Values		
TE014 (PEIMS: E0031)	TC03 (PEIMS: C142)	No			
Applicable Record	Length	Type	Pattern		
Student Record	1	CODED	#		
Table ID	Name	XML Name	Simple Type & Applicable Record	Date Issued	Date Updated
TC03 (C142)	CAREER-TECH-ED-INDICATOR	CTE	CareerTechEd Type		12/1/2022
Code	Translation				
0	<del>Not enrolled in a Career and Technical Education (CTE) course</del>				
1	<del>Enrolled in a career and technical education course</del> A student in grades 6-8 who is taking a career and technical education course. A student in grades 9-12 who is taking a career and technical education course, but the student's 4-year plan of study does not outline a coherent sequence of courses in career and technical education.				
2	Participant in a coherent sequence of courses				

	<p>A student in grades 9–12 who is enrolled in a sequential course of study, which develops occupational knowledge, skills, and competencies relating to a career concentration.</p> <p>The student should have a 4-year plan of study to take 2 or more career and technical education courses for 3 or more credits.</p>
3	<p><b>Participant in Tech Prep program</b></p> <p>A student in grades 9–12 who follows a state-approved Tech Prep high school plan of study leading to postsecondary education and training. The student should have a 4-year secondary plan of study that includes 2 or more career and technical education courses for 3 or more credits.</p> <p>The plan must provide at least one option for articulated and/or concurrent credit at the postsecondary level.</p>
4	<p><b>Not CTE</b></p> <p>A student who never completed any high-school CTE courses</p>
5	<p><b>CTE Program Participant</b></p> <p>A student who completes either one high school CTE course for any number of credits or more than one high school CTE course for less than two credits (the student does not have to pass or receive credit).</p>
E	<p><b>CTE Program Explorer</b></p> <p>A student who completes two or more high school CTE courses for a total of two or more credits and not a Participant, Concentrator or Completer (the student does not have to pass or receive credit) or;</p> <p>A student who completes, passes, and receives enough credits to be coded as a Concentrator or Completer in a Regional Program of Study, but completes the year in an unapproved region.</p>
6	<p><b>CTE Program Concentrator</b></p> <p>A student who completes and passes two or more high school CTE courses for a total of at least two credits within the same Program of Study and not a Completer.</p>
7	<p><b>CTE Program Completer</b></p> <p>A student who completes and passes three or more high school CTE courses for a total of four or more credits, including one level three or level four course from within the same Program of Study.</p>

	<p><b>Note:</b></p> <p>(1) The values listed in C142 are calculated values and not submitted to TEA.</p> <p>(2) Not all high-school CTE courses are associated with a Program of Study. Use this link <a href="https://tea.texas.gov/academics/college-career-and-military-prep/career-and-technical-education/approved-cte-programs-study">https://tea.texas.gov/academics/college-career-and-military-prep/career-and-technical-education/approved-cte-programs-study</a> for a complete listing of Service IDs associated with a Program of Study.</p> <p>(3) All CTE courses used in autocoding must be eligible for high-school credit, including innovative CTE courses. These CTE courses are listed in the SERVICE-ID (C022) Code Table with an "H" in the "Eligible for State HS Credit" column.</p>
--	---

Common Name	XML Name	Complex Type	Date Issued	Date Updated
CERTIFICATE-COMPLETION-DATE	CertificateDate	AcademicStatus Type		
<b>Definition</b>				
CERTIFICATE-COMPLETION-DATE is the date on which the district awards a certificate of coursework completion to a student. Districts have the option of awarding a certificate of coursework completion to a student who successfully completes all coursework requirements but who fails to perform satisfactorily on the statewide exit-level assessment (TEC 28.025(d)).				
<b>Special Instructions</b>				
If the district awards a certificate of coursework completion, then a date must be entered; otherwise the field is left blank.				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE015		No	yyyy = 1957-2039 mm = 01-12 dd = 01-31	
Applicable Record	Length	Type	Pattern	
AAR-Transcript	10	DATE	yyyy-mm-dd	

Common Name	XML Name	Complex Type	Date Issued	Date Updated
CITY	City	SchoolType Address Type		
<b>Definition</b>				

CITY is the name of the city in which the student resides or a campus is located.

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE016		No	AddressType
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	30	TEXT	*...

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>CLASS-PERIOD</b>	ClassPeriod	CourseType		
Definition				
CLASS-PERIOD indicates the class instructional period in which the course was taken by the student.				
Special Instructions				
This field can designate instructional sections with course periods, e.g. Schedule B1, or 1 = first period, 8:10 a.m.-9:05 a.m., 2 = second period, 9:15 a.m.-10:10 a.m.				
Data Specifications				
Element ID	Code Table ID	Required?	Domain of Values	
TE017		No		
Applicable Record	Length	Type	Pattern	
Student Record	5	TEXT	*...	

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>CLASS-RANK</b>	ClassRank	AcademicSummaryType		
Definition				
CLASS-RANK indicates the academic ranking of the student within his grade level or graduating class.				
Special Instructions				

The Texas Uniform Admission Policy requires Texas schools to report a student's rank as a specific number out of the total class size for college admissions purposes (TEC §51, Subchapter U Uniform Admission Policy).

Class ranking is required by Grade 11.

You may enter zero (0) if your campus does not rank students, for example, the campus is an alternative education campus that does not rank students.

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE018		No	
Applicable Record	Length	Type	Pattern
AAR-Transcript	5	NUMERIC	#...

Common Name	XML Name	Complex Type	Date Issued	Date Updated
COLLEGE-BOARD-CAMPUS-CODE	CollegeCampus Code	AcademicSummaryType		

**Definition**  
 COLLEGE-BOARD-CAMPUS-CODE is the unique six-digit ID assigned by the College Board to a high school campus.

**Special Instructions**  
 The COLLEGE-BOARD-CAMPUS-CODE is used when students register for SAT or ACT tests to have test score reports sent to college and scholarship programs.  
 The only acceptable value is six characters in a sequence with each character in a range from 0 to 9. Declared as a TEXT data type to allow for zeros in the first position.

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE019		No	0-9
Applicable Record	Length	Type	Pattern
AAR-Transcript	6	TEXT	#####

Common Name	XML Name	Complex Type	Date Issued	Date Updated
COUNTRY	Country	School Type AddressType		

**Definition**

COUNTRY is the name of the country in which the student resides or in which a school campus is located. This defaults to the United States.

Data Specifications					
Element ID	Code Table ID	Required?		Domain of Values	
TE020	TC04	No			
Applicable Record	Length	Type		Pattern	
AAR Transcript	2	CODED		**	
Table ID	Name	XML Name	Simple Type & Applicable Record	Date Issued	Date Updated
<a href="#">TC04</a>	COUNTRY	Country	CountryType AAR-Transcript		
Code	Translation				
AD	Andorra				
AE	United Arab Emirates				
AF	Afghanistan				
AG	Antigua And Barbuda				
AI	Anguilla				
AL	Albania				
AM	Armenia				
AN	Netherlands Antilles				
AO	Angola				
AQ	Antarctica				
AR	Argentina				
AS	American Samoa				
AT	Austria				
AU	Australia				
AW	Aruba				
AX	Aland Islands				
AZ	Azerbaijan				
BA	Bosnia And Herzegovina				
BB	Barbados				
BD	Bangladesh				
BE	Belgium				
BF	Burkina Faso				
BG	Bulgaria				
BH	Bahrain				
BI	Burundi				



BJ	Benin
BM	Bermuda
BN	Brunei Darussalam
BO	Bolivia
BR	Brazil
BS	Bahamas
BT	Bhutan
BV	Bouvet Island
BW	Botswana
BY	Belarus
BZ	Belize
CA	Canada
CC	Cocos (Keeling) Islands
CD	Congo
CF	Central African Republic
CG	Congo, The Democratic Republic Of The
CH	Switzerland
CI	Cote D'ivoire
CK	Cook Islands
CL	Chile
CM	Cameroon
CN	China
CO	Colombia
CR	Costa Rica
CS	Serbia And Montenegro
CU	Cuba
CV	Cape Verde
CX	Christmas Island
CY	Cyprus
CZ	Czech Republic
DE	Germany
DJ	Djibouti
DK	Denmark
DM	Dominica
DO	Dominican Republic
DZ	Algeria
EC	Ecuador
EE	Estonia
EG	Egypt
EH	Western Sahara

ER	Eritrea
ES	Spain
ET	Ethiopia
FI	Finland
FJ	Fiji
FK	Falkland Islands (Malvinas)
FM	Micronesia, Federated States Of
FO	Faroe Islands
FR	France
GA	Gabon
GB	United Kingdom
GD	Grenada
GE	Georgia
GF	French Guiana
GH	Ghana
GI	Gibraltar
GL	Greenland
GM	Gambia
GN	Guinea
GP	Guadeloupe
GQ	Equatorial Guinea
GR	Greece
GS	South Georgia And the South Sandwich Islands
GT	Guatemala
GU	Guam
GW	Guinea - Bissau
GY	Guyana
HK	Hong Kong
HM	Heard Island and Mcdonald Islands
HN	Honduras
HR	Croatia
HT	Haiti
HU	Hungary
ID	Indonesia
IE	Ireland
IL	Israel
IN	India
IO	British Indian Ocean Territory
IQ	Iraq
IR	Iran, Islamic Republic Of

IS	Iceland
IT	Italy
JM	Jamaica
JO	Jordan
JP	Japan
KE	Kenya
KG	Kyrgyzstan
KH	Cambodia
KI	Kiribati
KM	Comoros
KN	Saint Kitts And Nevis
KP	Korea, Democratic People's Republic Of
KR	Korea, Republic Of
KW	Kuwait
KY	Cayman Islands
KZ	Kazakhstan
LA	Lao People's Democratic Republic
LB	Lebanon
LC	Saint Lucia
LI	Liechtenstein
LK	Sri Lanka
LR	Liberia
LS	Lesotho
LT	Lithuania
LU	Luxembourg
LV	Latvia
LY	Libyan Arab Jamahiriya
MA	Morocco
MC	Monaco
MD	Moldova, Republic Of
MG	Madagascar
MH	Marshall Islands
MK	Macedonia, The Former Yugoslav Republic Of
ML	Mali
MM	Myanmar
MN	Mongolia
MO	Macao
MP	Northern Mariana Islands
MQ	Martinique
MR	Mauritania

MS	Montserrat
MT	Malta
MU	Mauritius
MV	Maldives
MW	Malawi
MX	Mexico
MY	Malaysia
MZ	Mozambique
NA	Namibia
NC	New Caledonia
NE	Niger
NF	Norfolk Island
NG	Nigeria
NI	Nicaragua
NL	Netherlands
NO	Norway
NP	Nepal
NR	Nauru
NU	Niue
NZ	New Zealand
OM	Oman
PA	Panama
PE	Peru
PF	French Polynesia
PG	Papua New Guinea
PH	Philippines
PK	Pakistan
PL	Poland
PM	Saint Pierre And Miquelon
PN	Pitcairn
PR	Puerto Rico
PS	Palestinian Territory, Occupied
PT	Portugal
PW	Palau
PY	Paraguay
QA	Qatar
RE	Reunion
RO	Romania
RU	Russian Federation
RW	Rwanda

SA	Saudi Arabia
SB	Solomon Islands
SC	Seychelles
SD	Sudan
SE	Sweden
SG	Singapore
SH	Saint Helena
SI	Slovenia
SJ	Svalbard And Jan Mayen
SK	Slovakia
SL	Sierra Leone
SM	San Marino
SN	Senegal
SO	Somalia
SR	Suriname
ST	Sao Tome And Principe
SV	El Salvador
SY	Syrian Arab Republic
SZ	Swaziland
TC	Turks And Caicos Islands
TD	Chad
TF	French Southern Territories
TG	Togo
TH	Thailand
TJ	Tajikistan
TK	Tokelau
TL	Timor - Leste
TM	Turkmenistan
TN	Tunisia
TO	Tonga
TR	Turkey
TT	Trinidad And Tobago
TV	Tuvalu
TW	Taiwan, Province Of China
TZ	Tanzania, United Republic Of
UA	Ukraine
UG	Uganda
UM	United States Minor Outlying Islands
US	United States
UY	Uruguay

UZ	Uzbekistan
VA	Holy See (Vatican City State)
VC	Saint Vincent And The Grenadines
VE	Venezuela
VG	Virgin Islands, British
VI	Virgin Islands, U.S.
VN	Viet Nam
VU	Vanuatu
WF	Wallis And Futuna
WS	Samoa
YE	Yemen
YT	Mayotte
ZA	South Africa
ZM	Zambia
ZW	Zimbabwe

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>COURSE-ABBREVIATION</b>	Abbreviation	CourseType		
<b>Definition</b>				
COURSE-ABBREVIATION is the TEA-assigned course abbreviation.				
<b>Special Instructions</b>				
High school transcripts required either the Course Name or the Course Abbreviation for all coursework.				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE081 (PEIMS: E0724)	(PEIMS: C022)	No		
Applicable Record	Length	Type	Pattern	
Student Record AAR-Transcript	100	TEXT	*...	

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>COURSE-CATEGORY</b>	SubjectArea	CourseType		
<b>Definition</b>				

COURSE-CATEGORY reflects the course category or subject area designated and listed on the transcript. Examples of course categories include English Language Arts, Health, and Speech.

**Special Instructions**

This field is optional on a student record but is required for the AAR-Transcript.

**Data Specifications**

Element ID	Code Table ID	Required?	Domain of Values		
TE021	<a href="#">TC05</a>	No			
Applicable Record	Length	Type	Pattern		
Student Record AAR-Transcript	5	CODED	*****		
Table ID	Name	XML Name	Simple Type	Date Issued	Date Updated
<a href="#">TC05</a>	COURSE-CATEGORY	SubjectArea	SubjectAreaType		
Code	Translation				
ELA	English Language Arts				
SP	Speech				
MA	Mathematics				
SC	Science				
SS	Social Studies				
ECFE	Economics / Free Enterprise				
HL	Health				
PE	Physical Education or equivalent				
LOTE	Language Other Than English				
FA	Fine Arts				
TA	Tech Applications				
CTE	Career and Technical Education				
EL	Other Electives				
LC	Local Credit				

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>COURSE-CREDIT</b>	CourseCredit	CourseType		
Definition				
COURSE-CREDIT indicates the number of units awarded to the student for completion of a course.				
Special Instructions				

Course completion is defined by the local district.

This field can be blank only if the coursework is in progress; otherwise, all completed coursework should reflect the appropriate credit awarded. If a class is failed, the credit earned is shown as 0.0.

TEA accepts only full or half credits; the last digit can be 5 or 0 only.

Course credit data cannot be deleted from a transcript once credit has been awarded to a student.

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE022		No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	2,1	DECIMAL	##

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>COURSE-GRADE</b>	CourseGrade	CourseType		

**Definition**  
 COURSE-GRADE reflects the actual or raw grade earned by the student for an academic reporting period (e.g. six-week or nine-week grading period). This grade should not reflect any type of weighting for course type.

**Special Instructions**  
 This data element may be repeated as needed in a student record or transcript.  
 This field may be left blank in a transcript if the student is currently enrolled in the course but has not earned a grade at the time the transcript is issued.

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE023		No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	10	TEXT	*...

Common Name	XML Name	Complex Type	Date Issued	Date Updated
-------------	----------	--------------	-------------	--------------



<b>COURSE-GRADE-AVERAGE</b>	GradeAverage	CourseType		
<b>Definition</b>				
COURSE-GRADE-AVERAGE identifies the final course grade that the student received for a multi-part course. (e.g. a year long course with credit and grades awarded for each of the two semesters).				
<b>Special Instructions</b>				
This data element may be repeated in a record as needed. This field may be left blank in a transcript if the student is currently enrolled in the course but has not earned a course grade average at the time the transcript is issued.				
<b>Data Specifications</b>				
<b>Element ID</b>	<b>Code Table ID</b>	<b>Required?</b>	<b>Domain of Values</b>	
TE024 (PEIMS: E1075)		No		
<b>Applicable Record</b>	<b>Length</b>	<b>Type</b>	<b>Pattern</b>	
Student Record AAR-Transcript	10	TEXT	*...	

<b>Common Name</b>	<b>XML Name</b>	<b>Complex Type</b>	<b>Date Issued</b>	<b>Date Updated</b>
<b>COURSE-NAME</b>	CourseTitle	CourseType		
<b>Definition</b>				
COURSE-NAME indicates the name of the course taken or being taken by the student.				
<b>Special Instructions</b>				
For locally-developed courses, include data for the Course Number element and the Course Name. For high school transcripts, include the Academic Year that the course was taken with this data element. On a high school transcript, include the course names for all coursework in progress. In this case only, the grades and credit fields may be blank.				
<b>Data Specifications</b>				
<b>Element ID</b>	<b>Code Table ID</b>	<b>Required?</b>	<b>Domain of Values</b>	
TE025 (PEIMS: E0724)	(PEIMS: C022)	No		
<b>Applicable Record</b>	<b>Length</b>	<b>Type</b>	<b>Pattern</b>	

Student Record AAR-Transcript	100	TEXT	* ...
----------------------------------	-----	------	-------

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>COURSE-NUMBER</b>	CourseID	CourseType		
<b>Definition</b>				
COURSE-NUMBER indicates the TEA-assigned number for a course or a district/campus-assigned number for a locally-developed course.				
<b>Special Instructions</b>				
Course number should match those in PEIMS Code Table C022 if available. This field should always contain a course number for any locally-developed course included in a student record. Length is 8 characters for public schools. Up to 64 characters are allowed for private schools.				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE026 (PEIMS: E0724)	(PEIMS: C022)	No		
Applicable Record	Length	Type	Pattern	
Student Record AAR-Transcript	8 (1-64 for private)	TEXT	* ...	

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>COURSE-SEMESTER</b>	Semester	CourseType		
<b>Definition</b>				
COURSE-SEMESTER indicates the semester or academic term in which a course was taken; for example Semester 1 = 1, Semester 2 = 2, Trimester 1 = 1, Trimester 2 = 2, Trimester 3 = 3, Quarter 1 = 1, Quarter 2 = 2, Quarter 3 = 3, Quarter 4 = 4.				
<b>Special Instructions</b>				
The <i>Revised Minimum Standards for Academic Achievement Record</i> states on page 10: "Enter the grade earned by the student for each semester if the course is a two semester course. Otherwise, use only the appropriate semester grade column." Enter 1 to indicate a course taken in the Fall (First Semester) or enter 2 to indicate a course taken in the Spring (Second Semester).				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	

TE082		No	1-9
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	NUMERIC	#

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>COURSE-TEACHER</b>	CourseTeacher	CourseType		
Definition				
COURSE-TEACHER indicates the name of the teacher of record who provided instruction for a course.				
Special Instructions				
This field can include just the surname or a combination of first initial and surname.				
Data Specifications				
Element ID	Code Table ID	Required?	Domain of Values	
TE027		No		
Applicable Record	Length	Type	Pattern	
Student Record	40	TEXT	*...	

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>CPR-INSTRUCTION-MET-DATE</b>	CPRMetDate	AcademicStatusType		
Definition				
CPR-INSTRUCTION MET-DATE is the date (month and year) the student completed the CPR instruction required by TEC 28.0023. A school district or an open-enrollment charter school must provide instruction to students in grades 7, 8, 9, 10, 11, or 12 in cardiopulmonary resuscitation (CPR) (19 TAC §74.38). The completion of CPR instruction must be entered in the student record, regardless of the grade level in which the instruction was completed. Additionally, a student who completes the required CPR instruction in Grade 9, 10, 11, or 12 shall have the completion of the instruction clearly indicated on the academic achievement record (TAC §74.5).				
Special Instructions				

None.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE122		No	yyyy = 1957-2052 mm = 01-12
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	7	DATE	yyyy-mm

Common Name	XML Name	Complex Type	Date Issued	Date Updated	
<b>CRISIS-CODE</b>	CrisisIndicator	StudentCharacteristicsType	6/1/2020	9/25/2020	
Definition					
CRISIS-CODE indicates a state health or weather-related event that impacts a group of students, and may require additional funding, educational, or social services. The event may or may not cause the student to leave the district or campus of residence. A crisis event is designated by the Commissioner of Education.					
Special Instructions					
The data transmitted is based on the code table, which is populated as events occur that will require state reporting. After the commissioner of education declares a crisis, the data may be transmitted via TReX for the affected students based on the guidance from TEA. Otherwise, if a student is not affected by a declared crisis, then this field may be left blank.					
Data Specifications					
Element ID	Code Table ID	Required?	Domain of Values		
TE135 (PEIMS: E1054)	<a href="#">TC45</a> (PEIMS: C178)	No			
Applicable Record	Length	Type	Pattern		
Student Record	2	CODED	**		
Table ID	Name	XML Name	Simple Type & Applicable Record	Date Issued	Date Updated
<a href="#">TC45</a> (C178)	CRISIS-CODE	CrisisIndicator	Student Record		12/01/2021
Code	Translation				

00	Student Was Not Affected By A Health Or Weather Related Crisis
7A	COVID-19: Engaged For The Majority Of The Time Period
7B	COVID-19: Not Contactable For The Entire Time Period
7C	COVID-19: Not Contactable Prior To May 1st; Contact Made May 1st Or After But Not Engaged Through End Of The School Year
7D	COVID-19: Not Contactable Prior To May 1st; Contact Made May 1st Or After And Engaged Through End Of The School Year
7E	COVID-19: Contactable But Not Engaged For The Majority Of The Time Period
7F	COVID-19: Contactable But Not Engaged Prior To May 1st; Not Contactable May 1st Or After
7G	COVID-19: Contactable But Not Engaged Prior To May 1st; Engaged May 1st Or After Through End Of The School Year
7H	COVID-19: Engaged Prior To May 1st; Not Contactable May 1st Though End Of The School Year
7I	COVID-19: Engaged Prior To May 1st; Not Engaged May 1st Through End Of The School Year
8A	COVID19: On September 28, 2020 student is being instructed on-campus.
8B	COVID19: On September 28, 2020 student is being instructed through the remote synchronous method.
8C	COVID19: On September 28, 2020 student is being instructed through the remote asynchronous method.
9A	COVID19: On October 30, 2020 student is being instructed on-campus.
9B	COVID19: On October 30, 2020 student is being instructed through the remote synchronous method.
9C	COVID19: On October 30, 2020 student is being instructed through the remote asynchronous method.
10A	Student Was Enrolled, Not In Membership Due To Virtual Learning on January 14, 2022
10B	Student Was Enrolled, Not In Membership Due To Virtual Learning On May 13, 2022
14	Reserved For Future Health Or Weather Related Crisis
15	Reserved For Future Health Or Weather Related Crisis
16	Reserved For Future Health Or Weather Related Crisis
17	Reserved For Future Health Or Weather Related Crisis
18	Reserved For Future Health Or Weather Related Crisis
19	Reserved For Future Health Or Weather Related Crisis
20	Reserved For Future Health Or Weather Related Crisis
21	Reserved For Future Health Or Weather Related Crisis

22	Reserved For Future Health Or Weather Related Crisis
23	Reserved For Future Health Or Weather Related Crisis
24	Reserved For Future Health Or Weather Related Crisis
25	Reserved For Future Health Or Weather Related Crisis
26	Reserved For Future Health Or Weather Related Crisis
27	Reserved For Future Health Or Weather Related Crisis
28	Reserved For Future Health Or Weather Related Crisis
29	Reserved For Future Health Or Weather Related Crisis
30	Reserved For Future Health Or Weather Related Crisis

**D**

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>DATE-OF-BIRTH</b>	BirthDate	StudentDemographicType		
<b>Definition</b>				
DATE-OF-BIRTH indicates the month, day, and year of the student's birth.				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE028 (PEIMS: E0006)		Yes	yyyy = 1957-2039 mm = 01-12 dd = 01-31	
Applicable Record	Length	Type	Pattern	
Student Record AAR-Transcript	10	DATE	yyyy-mm-dd	

Common Name	XML Name	Complex Type	
<b>DATE-OF-RANKING</b>	ClassRankingDate	AcademicSummaryType	
<b>Definition</b>			
DATE-OF-RANKING indicate the date on which the class rank of students was calculated by the campus or district.			
<b>Special Instructions</b>			
DATE-OF-RANKING is required on the high school transcript by Grade 11.			
<b>Data Specifications</b>			
Element ID	Code Table ID	Required?	Domain of Values
TE029		No	yyyy = 1957-2039 mm = 01-12 dd = 01-31
Applicable Record	Length	Type	Pattern
AAR-Transcript	10	DATE	yyyy-mm-dd

Common Name		XML Name		Complex Type	
DISCIPLINARY-ACTION-CODE		DisciplineActionCode		DisciplineActionType	
Definition					
DISCIPLINARY-ACTION-CODE indicates the type of an <b>unexpired</b> disciplinary action taken for a student. This disciplinary event must be unexpired, i.e., the event must be applicable to the timeframe in which the student record is being transferred to another district/campus.					
Special Instructions					
TEC §37.022(b) states “If a district or school takes disciplinary action against a student and the student subsequently enrolls in another district or school before the expiration of the period of disciplinary action, the governing body of the district or school taking the disciplinary action shall provide to the district or school in which the student enrolls, at the same time other records of the student are provided, a copy of the order of disciplinary action.”					
Data Specifications					
Element ID		Code Table ID		Required?	
TE030 (PEIMS: E1005)		TC06 (PEIMS: C164)		No	
Applicable Record		Length		Type	
Student Record		2		CODED	
Table ID		Name		XML Name	
TC06 (C164)		DISCIPLINARY-ACTION-CODE		DisciplineActionCode	
Simple Type & Applicable Record		Date Issued		Date Updated	
DisciplineActionCodeType				12/01/2021	
Code		Translation			
<b>The following codes apply to all students.</b>					
01		Expulsion (TEC §37.007) without placement in another educational setting because of a formal expulsion hearing [TEC §37.009(f)]. (This code does not apply if a student continues to receive educational services during the term of expulsion.)			
02		Expulsion (TEC §37.007) with placement in a juvenile justice alternative education program (JJAEP) because of a formal expulsion hearing [TEC §37.009(f)].			
03		Expulsion (TEC §37.007) with placement in an on-campus disciplinary alternative education program (DAEP) because of a formal expulsion hearing [TEC §37.009(f)]. (Do not use this code when a student has been placed in a DAEP, but not expelled.)			
04		Expulsion (TEC §37.007) with placement in an off-campus DAEP because of a formal expulsion hearing [TEC §37.009(f)]. (Do not use this code when a student has been placed in a DAEP, but not expelled.)			



05	Out-of-school suspension (Suspension may not exceed three days under TEC §37.005.)
06	In-school suspension (For students eligible for special education and related services, this includes any setting that has not been addressed by an admission, review, and dismissal committee within the placement determination of the student's current IEP.) (Suspension may not exceed three days under TEC §37.005.)
07	Placement in an on-campus or off-campus DAEP (TEC §37.008) because of a conference [TEC §37.009(a)], rather than a formal hearing as required for expulsion.
08	Continuation of other district's DAEP placement
09	Continuation of other district's expulsion order
10	Continuation of the district's DAEP placement from the prior school year
11	Continuation of the district's expulsion order from the prior school year
12	Continuation of the district's expulsion with placement to JJAEP from the prior school year
13	Placement in a JJAEP by Court order
14	Placement in a DAEP by Court order
15	Continuation of other district's expulsion with placement to JJAEP
25	Partial day Out-of-School Suspension
26	Partial day In-School Suspension
27	Mandatory disciplinary action <b>not</b> taken by district because of ARD committee manifestation hearing determination, made in accordance with IDEA for a student receiving special education services, that the student's behavior is linked to the student's disability.
28	Mandatory disciplinary action not taken - (TEC §37.001(a)(4) - The mandatory disciplinary action was not taken because the district's Student Code of Conduct includes one or more of the TEC, §37.001(a)(4) provisions that allows the district to consider self-defense, intent or lack of intent, student's disciplinary history, or disability that substantially impairs the student's capacity to appreciate the wrongfulness of the student's conduct as a factor in a decision to order suspension, removal to a disciplinary alternative education program, or expulsion.
50	Expulsion without placement in another educational setting because of a determination by a special education hearing officer (not a hearing officer employed or appointed by the district)
51	Expulsion with placement to a JJAEP because of a determination by a special education hearing officer (not a hearing officer employed or appointed by the district)
52	Expulsion with placement to an on-campus DAEP because of a determination by a special education hearing officer

53	Expulsion with placement to an off-campus DAEP because of a determination by a special education hearing officer
54	Placement in an alternative education program established under TEC, §37.008 because of a determination by a special education hearing officer
55	Continuation of other district's DAEP placement as a result by a special education determination of a hearing officer
56	Continuation of other district's expulsion order as a result by a special education determination of a hearing officer
57	Continuation Of The District's DAEP Placement From The Prior School Year: As a result of a determination by a special education hearing officer (not a hearing officer employed or appointed by the district)
58	Continuation of the district's expulsion order from the prior school year because of a determination by a special education hearing officer
59	Continuation of the district's expulsion with placement to JJAEP from the prior school year because of a determination by a special education hearing officer
60	Placement in a JJAEP because of a determination by a special education hearing officer
61	Continuation of other district's expulsion with placement to JJAEP because of a determination by a special education hearing officer

Common Name		XML Name	Complex Type
DISCIPLINARY-ACTION-END-DATE		DisciplineActionDate	DisciplineActionType
Definition			
DISCIPLINARY-ACTION-END-DATE indicates the date on which the <b>unexpired</b> disciplinary assignment <b>will end</b> . This must be a valid date occurring <b>after</b> the record transfer (in the future). This disciplinary event must be unexpired, i.e., the event must be applicable to the timeframe in which the student record is being transferred to another district/campus.			
Special Instructions			
TEC §37.022(b) states "If a district or school takes disciplinary action against a student and the student subsequently enrolls in another district or school before the expiration of the period of disciplinary action, the governing body of the district or school taking the disciplinary action shall provide to the district or school in which the student enrolls, at the same time other records of the student are provided, a copy of the order of disciplinary action."			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE031		No	yyyy = 2002-2039 mm = 01-12 dd = 01-31
Applicable Record	Length	Type	Pattern

Student Record	10	DATE	yyyy-mm-dd
----------------	----	------	------------

Common Name		XML Name	Complex Type
DISCIPLINARY-ACTION-NUMBER		DisciplineActionNum	DisciplineActionType
Definition			
DISCIPLINARY-ACTION-NUMBER indicates the local disciplinary action number used to report an <b>unexpired</b> disciplinary event for a student. This disciplinary event must be unexpired, i.e., the event must be applicable to the timeframe in which the student record is being transferred to another district/campus.			
Special Instructions			
TEC §37.022(b) states “If a district or school takes disciplinary action against a student and the student subsequently enrolls in another district or school before the expiration of the period of disciplinary action, the governing body of the district or school taking the disciplinary action shall provide to the district or school in which the student enrolls, at the same time other records of the student are provided, a copy of the order of disciplinary action.”			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE032 (PEIMS: E1004)		No	
Applicable Record	Length	Type	Pattern
Student Record	3	NUMERIC	###

Common Name		XML Name	Complex Type
DISCIPLINARY-ACTION-REASON		DisciplineActionReason	DisciplineActionType
Definition			
DISCIPLINARY-ACTION-REASON indicates the reason a student was subject to the <b>unexpired</b> disciplinary action. This disciplinary event must be unexpired, i.e., the event must be applicable to the timeframe in which the student record is being transferred to another district/campus.			
Special Instructions			
TEC §37.022(b) states “If a district or school takes disciplinary action against a student and the student subsequently enrolls in another district or school before the expiration of the period of disciplinary action, the governing body of the district or school taking the disciplinary action shall provide to the district or school in which the student enrolls, at the same time other records of the student are provided, a copy of the order of disciplinary action.”			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE033 (PEIMS: E1006)	TC07 (PEIMS: C165)	No	
Applicable Record	Length	Type	Pattern
Student Record	2	CODED	##
Table ID	Name	XML Name	Simple Type & Applicable Record
TC07 (C165)	DISCIPLINARY-ACTION-REASON	DisciplineActionReason	DisciplineActionReasonType Student Record
Code	Translation		
01	Permanent Removal by a Teacher from Class (Teacher has removed the student from classroom and denied the student the right to return. TEC §37.003 has been invoked.) – TEC §37.002(b)		
02	Conduct punishable as a felony - TEC §37.006(a)(2)(A)		
04	Possessed, sold, used, or was under the influence of marihuana or other controlled substance TEC §§37.006(a)(2)(C) and 37.007(b)		
05	Possessed, sold, used, or was under the influence of an alcoholic beverage - TEC §§37.006(a)(2)(D) and 37.007(b)		
06	Abuse of a volatile chemical - TEC §37.006(a)(2)(E)		
07	Public lewdness or indecent exposure - TEC §37.006(a)(2)(F)		
08	Retaliation against school employee - TEC §§37.006(b) and 37.007(d)		
09	Based on conduct occurring off campus and while the student is not in attendance at a school-sponsored or school-related activity for felony		

	offenses in Title 5, Penal Code - TEC §37.006(c) and TEC §37.007(b)(4)
10	Based on conduct occurring off campus and while the student is not in attendance at a school-sponsored or school-related activity for felony offenses not in Title 5, Penal Code - TEC §37.006(d) and TEC §37.007(b)(4)
11	Brought a Firearm to School – TEC 37.007(e) or Unlawful Carrying of a Handgun under Penal Code 46.02 – TEC 37.007(a)(1)
12	Unlawful Carrying of a Location-Restricted Knife under Penal Code 46.02 – TEC 37.007(a)(1) (Location-Restricted knife - blade longer than 5.5 inches)
13	Unlawful Carrying of a Club under Penal Code 46.02 – TEC 37.007(a)(1)
14	Conduct Containing the Elements of an Offense Relating to Prohibited Weapons Under Penal Code 46.05 – TEC 37.007(a)(1)
16	Arson - TEC §37.007(a)(2)(B)
17	Murder, capital murder, criminal attempt to commit murder, or capital murder - TEC §37.007(a)(2)(C)
18	Indecency with a child - TEC §37.007(a)(2)(D)
19	Aggravated kidnapping - TEC §37.007(a)(2)(E)
<del>20</del>	<del>Serious or persistent misconduct violating the student code of conduct while placed in a disciplinary alternative education program – TEC §37.007(c)</del> <i>Deleted from PEIMS in 2012-2013, valid for TReX for records prior to 2012-2013 school year.</i>
21	Violation of student code of conduct not included under TEC §§37.002(b), 37.006 or 37.007
22	Criminal mischief - TEC §37.007(f)
23	Emergency Placement/expulsion - TEC §37.019
26	Terroristic threat - TEC §37.006(a)(1) and TEC §37.007(b)
27	Assault under Penal Code §22.01(a)(1) against a school district employee or volunteer - TEC §37.007(b)(2)(C)
28	Assault under Penal Code §22.01(a)(1) against someone other than a school district employee or volunteer - TEC §37.006(a)(2)(B)
29	Aggravated assault under Penal Code §22.02 against a school district employee or volunteer-TEC §37.007(d)
30	Aggravated assault under Penal Code §22.02 against someone other than a school district employee or volunteer - TEC §37.007 (a)(2)(A)
31	Sexual assault under Penal Code §22.011 or aggravated sexual assault under Penal Code §22.021 against a school district employee or volunteer - TEC §37.007(d)
32	Sexual assault under Penal Code §22.011 or aggravated sexual assault under Penal Code §22.021 against someone other than a school district employee

	or volunteer - TEC §37.007(a)(2)(A)
33	<del>Possessed, purchased, used, or accepted a cigarette or tobacco product as defined in the Health and Safety Code, Section 3.01, Chapter 161.252 Deleted from PEIMS in 2019-2020, valid for TReX for records prior to 2019-2020 school year.</del>
34	<del>School related gang violence Action by three or more persons having a common identifying sign or symbol or an identifiable sign/symbol or an identifiable leadership who associate in the commission of criminal activities under Penal Code §71.01 Deleted from PEIMS in 2019-2020, valid for TReX for records prior to 2019-2020 school year.</del>
35	False alarm/false report - TEC §§37.006(a)(1) and 37.007(b)
36	Felony controlled substance violation - TEC §37.007(a)(3)
37	Felony alcohol violation - TEC §37.007(a)(3)
41	Fighting/Mutual Combat - Excludes all offenses under Penal Code §22.01
46	Aggravated Robbery – TEC §37.007(a)(2)(F), TEC §37.006(C)-(D)
47	Manslaughter - TEC §37.007(a)(2)(G)
48	Criminally negligent homicide – TEC §37.007(a)(2)(H)
49	Engages in deadly conduct - TEC §37.007(b)(3)
50	<del>Used, exhibited, or possessed a non illegal knife as defined by student code of conduct and as allowed under TEC §37.007. (Knife blade equal to or less than 5.5 inches.)</del>
51	<del>Firearm (Off Campus 300 ft. Zone) — Used, exhibited, or possessed a firearm specified in TEC §37.007(a)(1)(A) [as defined by 18 USC Section 921 or Penal Code 46.01(3)] off campus but within 300 feet of school property as specified in TEC §37.007(b)(3).</del>
52	<del>Illegal Knife, Club, or Prohibited Weapon (Off Campus 300 ft. Zone) — Used, exhibited or possessed an illegal knife, club, or prohibited weapon specified in TEC §37.007(a)(1)(B-D) off campus but within 300 feet of school property as specified in TEC §37.007(b)(3).</del>
53	<del>Serious Offense Conduct (Off Campus 300 ft. Zone) — Engaged in conduct that contains the elements of the offenses specified by TEC §37.007(a)(2)(A-H) occurring off campus but within 300 feet of school property. This includes criminal conduct specified in TEC §37.007(b)(3) of aggravated assault, sexual assault, aggravated sexual assault, arson, murder, capital murder, criminal attempted murder or capital murder, indecency with a child, aggravated kidnapping, aggravated robbery, manslaughter, or criminally negligent homicide.</del>
54	<del>Felony Marijuana, Controlled Substance, Dangerous Drug, or Alcoholic Beverage (Off Campus 300 ft. Zone) — Engages in conduct punishable as a</del>

	<del>felony as specified by TEC §37.006(a)(2)(C) or (D) of selling, giving, or delivering to another person, or the possession, or use, or being under the influence of: marihuana, a controlled substance, a dangerous drug, or alcoholic beverage; or committing a serious offense while under the influence of alcohol, off campus but within 300 feet of school property.</del>
55	Student is required to register as a sex offender under Chapter 62 of the Code of Criminal Procedure and is under court supervision - TEC §37.304. The offense(s) for which the student is required to register as a sex offender must have occurred on or after Sept. 1, 2007.
56	Student is required to register as a sex offender under Chapter 62 of the Code of Criminal Procedure and is not under court supervision - TEC §37.305. The offense(s) for which the student is required to register as a sex offender must have occurred on or after Sept. 1, 2007.
57	Continuous sexual abuse of young child or children under Penal Code §21.02, occurring on school property or while attending a school-sponsored or school-related activity on or off school property – TEC §37.007(a)(2)(I)
58	Breach of Computer Security – TEC §37.007(a)(5)
59	Serious Misbehavior, as defined by TEC §37.007(c), while expelled to/placed in a DAEP
60	Harassment Against an Employee of the School District under Texas Penal Code 42.07(a)(1), (2), (3), or (7) – TEC 37.006(a)(2)(G)
61	Bullying – TEC 37.0052(b)

Common Name		XML Name	Complex Type
DISTRICT-ID		DistrictID	SchoolType
Definition			
DISTRICT-ID indicates the district identification number registered with TEA.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE034 (PEIMS: E0212)		Yes	0-9
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	6	TEXT	#####

Common Name		XML Name	Complex Type
DISTRICT-NAME		DistrictName	SchoolType
Definition			
DISTRICT-NAME identifies the name of the school district as registered with TEA.			
Special Instructions			
<p>May include any of the following characters, in addition to the space character:            ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789 ~ ! @ # \$ % ^ &amp; *            ( ) - _ + = : ; " ' , . / &lt; &gt; ?</p> <p>May not include the following characters: \ { } [ ]  </p>			
Element ID	Code Table ID	Required?	Domain of Values
TE035 (PEIMS: E0213)		No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	34	TEXT	*...

Common Name		XML Name	Complex Type
DUAL-LANGUAGE-IMMERSION-ASSESSMENT-MET-DATE		AssessmentMetDate	DualLanguageImmersionType
Definition			
<p>DUAL-LANGUAGE-IMMERSION-ASSESSMENT-MET-DATE indicates the date that a student achieved proficiency in both English and a language other than English as demonstrated by scores of proficient or higher in the reading and speaking domains on language proficiency or achievement tests in both languages.</p> <p>For an elementary student to receive one high school credit for a language other than English, the student must successfully complete a dual language immersion program and all requirements outlined in TAC 74.12 (F) must be met.</p>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE130		No	yyyy = 1957-2052 mm = 01-12
Applicable Record	Length	Type	Pattern
Student Record	7	DATE	yyyy-mm



Common Name		XML Name	Complex Type
DUAL-LANGUAGE-IMMERSION-COMPLETION-SCHOOL-YEAR		CompletionSchoolYear	DualLanguageImmersionType
Definition			
<p>DUAL-LANGUAGE-IMMERSION-COMPLETION-SCHOOL-YEAR indicates the school year the student successfully completed a five-year dual language immersion program offered at an elementary campus.</p> <p>For an elementary student to receive one high school credit for a language other than English, the student must successfully complete a dual language immersion program and all requirements outlined in TAC 74.12 (F) must be met.</p>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE131		No	0-9 and dash (-)
Applicable Record	Length	Type	Pattern
Student Record	9	TEXT	#####-#####

Common Name		XML Name	Complex Type
DUAL-LANGUAGE-IMMERSION-LANGUAGE-CODE		ImmersionLanguage	DualLanguageImmersionType
Definition			
<p>DUAL-LANGUAGE-IMMERSION-LANGUAGE-CODE indicates the language other than English that the student studied under the dual language immersion program.</p> <p>For an elementary student to receive one high school credit for a language other than English, the student must successfully complete a dual language immersion program and all requirements outlined in TAC 74.12 (F) must be met.</p>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE129	<a href="#">IC43</a>	No	
Applicable Record	Length	Type	Pattern
Student Record	2	CODED	##
Code Table ID	Name	XML Name	Simple Type

<a href="#">TC43</a>	DUAL-LANGUAGE- IMMERSION- LANGUAGE-CODE	ImmersionLanguage	
Code	Translation		
01	American Sign Language		
02	Arabic		
03	Chinese		
04	French		
05	German		
06	Hindi		
07	Italian		
08	Japanese		
09	Korean		
10	Latin		
11	Portuguese		
12	Russian		
13	Spanish		
14	Turkish		
15	Urdu		
16	Vietnamese		

Common Name	XML Name	Complex Type	
<b>DUAL-LANGUAGE-IMMERSION-YEAR</b>	ImmersionYear	DualLanguageImmersionType	
Definition			
<p>DUAL-LANGUAGE-IMMERSION-YEAR identifies which number in a series of school years (first-fifth) a student is participating in a dual language immersion program at the elementary campus.</p> <p>For an elementary student to receive one high school credit for a language other than English, the student must successfully complete a dual language immersion program and all requirements outlined in TAC 74.12 (F) must be met.</p>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE128	<a href="#">TC42</a>	Yes	
Applicable Record	Length	Type	Pattern
Student Record	2	CODED	##

Table ID	Name	XML Name	Simple Type & Applicable Record
TC42	DUAL-LANGUAGE-IMMERSION-YEAR	ImmersionYear	
Code	Translation		
00	Not in a Dual Language Immersion Program		
01	First Year in a Dual Language Immersion Program		
02	Second Year in a Dual Language Immersion Program		
03	Third Year in a Dual Language Immersion Program		
04	Fourth Year in a Dual Language Immersion Program		
05	Fifth Year in a Dual Language Immersion Program		

Common Name	XML Name	Complex Type	
DYSLEXIA-INDICATOR-CODE	Dyslexia	StudentDemographicType	
Definition			
DYSLEXIA-INDICATOR-CODE indicates whether a student is identified as having dyslexia or related disorders as defined in TEC §38.003.			
Special Instructions			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE102 (PEIMS: E1530)	<a href="#">TC16</a> (PEIMS: C088)	No	0, 1
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#

Common Name	XML Name	Complex Type	Date Issued	Date Updated
DYSLEXIA-RISK-CODE	DyslexiaRiskCode	StudentDemographicType	8/1/2021	
Definition				
DYSLEXIA-RISK-CODE indicates the results of screening for dyslexia and related disorders required under TEC §38.003(a).				
Special Instructions				

DYSLEXIA-RISK-CODE is only reported for students in kindergarten and first grade and indicates whether that student is identified at any time during the school year as at risk for dyslexia and related disorders as a result of screening required by TEC §38.003(a). For all other grade levels, this data element must be blank/not reported.

<b>Data Specifications</b>							
<b>Element ID</b>		<b>Code Table ID</b>		<b>Required?</b>		<b>Domain of Values</b>	
TE141 (PEIMS: E1644)		TC24 (PEIMS: C222)		No			
<b>Applicable Record</b>		<b>Length</b>		<b>Type</b>		<b>Pattern</b>	
Student Record		2		Coded		##	
<b>Code Table ID</b>	<b>Code Table Name</b>	<b>XML Name</b>	<b>Simple Type &amp; Applicable Record</b>	<b>Date Issued</b>	<b>Date Updated</b>		
TC24 (C222)	DYSLEXIA-RISK-CODE	DyslexiaRiskCodeType	Student Record	8/1/2021			
<b>Code</b>	<b>Translation</b>						
01	Screened and determined to be not at risk for dyslexia or related disorders						
02	Screened and determined to be at risk for dyslexia or related disorders						
03	Not screened for dyslexia or related disorders						

**E**

Common Name		XML Name	Complex Type
<b>ECONOMIC-DISADVANTAGE-CODE</b>		EconomicDisadvantaged	SpecialProgramsType
Definition			
ECONOMIC-DISADVANTAGE-CODE indicates the student is identified as having an economically-disadvantaged status.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE036 (PEIMS: E0785)	TC08 (PEIMS: C054)	No	
Applicable Record	Length	Type	Pattern
Student Record	2	CODED	##
Table ID	Name0	XML Name	Simple Type & Applicable Record
TC08 (C054)	ECONOMIC-DISADVANTAGE-CODE	EconomicDisadvantaged	EconomicDisadvantagedType
Code	Translation		
00	Not identified as economically disadvantaged		
01	Eligible for free meals under the National School Lunch and Child Nutrition Program		
02	Eligible for reduced-price meals under the National School Lunch and Child Nutrition Program		
99	Other economic disadvantage, including: a) from a family with an annual income at or below the official federal poverty line, b) eligible for Temporary Assistance to Needy Families (TANF) or other public assistance, c) received a Pell Grant or comparable state program of need-based financial assistance, d) eligible for programs assisted under Title II of the Job Training Partnership Act (JTPA), or e) eligible for benefits under the Food Stamp Act of 1977		

Common Name		XML Name	Complex Type	Date Issued	Date Updated
EMERGENT-BILINGUAL-INDICATOR-CODE		LEP	SpecialProgramsType		12/01/2021
Definition					
EMERGENT-BILINGUAL-INDICATOR- CODE indicates whether the student has been identified as emergent bilingual (EB)/English learner (EL) by the Language Proficiency Assessment Committee (LPAC) or is non- emergent bilingual (EB)/non-English learner (non-EL) (19 TAC §89.1220), according to criteria established in 19 TAC §89.1226.					
Data Specifications					
Element ID	Code Table ID	Required?	Domain of Values		
TE057 (PEIMS: E0790)	TC15 (PEIMS: C061)	No	0, 1, F, S		
Applicable Record	Length	Type	Pattern		
Student Record	1	CODED	#		
Table ID	Name	XML Name	Simple Type & Applicable Record	Date Issued	Date Updated
TC15 (C061)	EMERGENT-BILINGUAL-INDICATOR-CODE	LEP	LEType Student Record		12/01/2021
Code	Translation				
0	Not Emergent Bilingual (EB) /English proficient (EP)				
1	Identified As Emergent Bilingual (EB) /English learner (EL)				
F	Student Reclassified from Emergent Bilingual (EB)/English learner (EL) Status - Monitored 1 (M1) - student has met reclassification criteria, is no longer classified as EB/EL in PEIMS, is in his or her first year of monitoring as required by 19 TAC §89.1220(k).				
S	Student Reclassified from Emergent Bilingual (EB) /English learner (EL) Status - Monitored 2 (M2) - student has met reclassification criteria, is no longer classified as EB/EL in PEIMS, is in his or her second year of monitoring as required by 19 TAC §89.1220(k).				
3	Student Reclassified from Emergent Bilingual (EB) /English learner (EL) Status - Monitored 3 (M3) - student has met reclassification criteria, is no longer classified as EB/EL in PEIMS, is in his or her third year of monitoring as required by ESSA, 1111(b)(3)(B).				

4	<b>Student Reclassified from Emergent Bilingual (EB) /English learner (EL) Status - Monitored 4 (M4)</b> - student has met reclassification criteria, is no longer classified as EB/EL in PEIMS, is in his or her fourth year of monitoring as required by ESSA, 1111(b)(3)(B).
5	<b>Former Emergent Bilingual (EB) /EL Student (effective after fourth year of monitoring)</b> - student has previously been identified as EB/EL, has met reclassification criteria, and has completed four years of monitoring. The student continues with this status through the remainder of his or her school years in Texas.

Common Name		XML Name	Complex Type	Date Issued	Date Updated
ESL-INDICATOR		ESL	SpecialProgramsType		12/01/2021
<b>Definition</b>					
ESL-INDICATOR indicates whether the student is participating in a state-approved English as a second language (ESL) program. An ESL program provides intensive instruction in English through second language acquisition methods in all content area TEKS (mathematics, science, health, and social studies) for emergent bilingual (EB)/English learner (EL) students. (See 19 TAC §89.1210(d).)					
<b>Special Instructions</b>					
The acceptable values for ESL Indicator are 0, 2, or 3. Code 1 should not be used after August 31, 2008. It is included for historical compatibility.					
<b>Data Specifications</b>					
Element ID	Code Table ID	Required?	Domain of Values		
TE037 (PEIMS: E1043)	TC28 (PEIMS: C176)	No	0, 2, 3		
Applicable Record	Length	Type	Pattern		
Student Record	1	CODED	#		
Table ID	Name	XML Name	Simple Type & Applicable Record	Date Issued	Date Updated
TC28 (C176)	ESL-PROGRAM-TYPE-CODE	ESL	ESLType Student Record		12/01/2021
Code	Translation				
0	Student does not participate in the English as a Second Language (ESL) program				
2	English as a second language/content-based: An English acquisition program that serves students identified as Emergent				

	Bilingual (EB)/English learners (EL) through English instruction by a teacher appropriately certified in ESL under TEC, §29.061(c), through English language arts and reading, mathematics, science, and social studies. The goal of content-based ESL is for English learners to attain full proficiency in English to participate equitably in school. This model targets English language development through academic content instruction that is linguistically and culturally responsive in English language arts and reading, mathematics, science, and social studies. English Proficient (EP) students may also participate in this program with parental permission, but they are not eligible for generating Bilingual Education Allotment (BEA) funds.
3	English as a second language/pull-out: An English acquisition program that serves students identified as Emergent Bilingual (EB)/English learners (EL) through English instruction provided by an appropriately certified ESL teacher under the TEC, §29.061(c), through English language arts and reading. The goal of ESL pull-out is for English learners to attain full proficiency in English to participate equitably in school. This model targets English language development through academic content instruction that is linguistically and culturally responsive in English language arts and reading. Instruction shall be provided by the ESL teacher in a pull-out or inclusionary delivery model. English proficient (EP) students may also participate in this program with parental permission, but they are not eligible for generating Bilingual Education Allotment (BEA) funds.

Common Name		XML Name	Complex Type
ETHNICITY-CODE		Race	StudentDemographicType
Definition			
ETHNICITY-CODE identifies the student's ethnic origin.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE038 (PEIMS: E0005)	TC09 (PEIMS: C014)	Required for Students prior to 2010-2011 School Year.	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	#
Table ID	Name	XML Name	Simple Type & Applicable Record



TC09 (C014)	ETHNICITY-CODE	Race	RaceType
Code	Translation		
1	American Indian or Alaskan Native A person that has origins in any of the original peoples of North America and who maintains cultural identification through affiliation or community recognition.		
2	Asian or Pacific Islander A person that has origins in any of the original peoples of the Far East, Southeast Asia, Indian subcontinent, Polynesian Islands, Micronesian Islands, Melanesian Islands, or Philippine Islands.		
3	Black, not of Hispanic origin A non-Hispanic person that has origins in any of the Black racial groups of Africa.		
4	Hispanic A person of Mexican, Puerto Rican, Cuban, Central or South American, or other Spanish culture or origin, regardless of race.		
5	White, not of Hispanic origin A non-Hispanic person that has origins in any of the original peoples of Europe, North Africa, or the Middle East.		

**F**

Common Name		XML Name	Complex Type
FHSP-COLLEGE-CAREER-INSTRUCTION-INDICATOR-CODE		FHSPCollegeCareerInstructionIndicator	AcademicStatusType
Definition			
FHSP-COLLEGE-CAREER-INSTRUCTION-INDICATOR-CODE - Indicates whether a student in grades seven or eight has received instruction in preparing for high school, college, and a career that includes information regarding the creation of a high school personal graduation plan under TEC 28.02121, the distinguished level of achievement described by TEC 28.025(b-15), each endorsement described by TEC 28.025(c-1), college readiness standards, and potential career choices and the education needed to enter those careers.			
Special Instructions			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE118 (PEIMS: E1574)	TC16 (PEIMS: C088)	No	
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#

Common Name		XML Name	Complex Type
FHSP-PARTICIPANT-CODE		FHSPParticipationCode	AcademicStatusType
Definition			
FHSP-PARTICIPANT-CODE indicates whether a student is currently enrolled in (pursuing) the Foundation High School Program.			
Special Instructions			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values

TE103 (PEIMS: E1541)	TC35 (PEIMS: C199)	No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	#

Common Name		XML Name	Complex Type
FHSP-DISTING-LEVEL-ACHIEVE-INDICATOR-CODE		FHSPDistingIndicator Code	AcademicStatusType
Definition			
FHSP-DISTING-LEVEL-ACHIEVE-INDICATOR-CODE indicates whether a student is currently pursuing or has successfully completed the distinguished level of achievement program under the Foundation High School Program as provided by TEC 28.025 (b-15).			
Special Instructions			
FHSP-DISTING-LEVEL-ACHIEVE-INDICATOR-CODE may <b>not</b> be selected if the FHSP-PARTICIPANT-CODE is 0. A student in the Distinguished Level Achievement Plan, must have at least one endorsement.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE104 (PEIMS: E1542)	TC35 (PEIMS: C199)	No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	#

Common Name		XML Name	Complex Type
FINAL-GRADE-AVERAGE		FinalGradeAverage	CourseType
Definition			
FINAL-GRADE-AVERAGE reflects the average of the grades earned by the student for a year long course. If local policy allows schools to average two semesters for a full-year credit, then the final grade average column must be completed. This element, if present, will be sent to SPEEDE in lieu of COURSE-GRADE-AVERAGE.			
Special Instructions			

This data element may be repeated in a record as needed.  
 This field may be left blank in a transcript if the student is currently enrolled in the course but has not earned a course grade average at the time the transcript is issued.

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE088		No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	10	TEXT	*...

Common Name	XML Name	Complex Type	Date Issued	Date Updated
FINANCIAL-AID-APPLICATION-CODE	FinancialAidApplication	AcademicStatusType	8/1/2021	8/1/2022
Definition				
FINANCIAL-AID-APPLICATION-CODE indicates the manner in which the student completed the graduation requirement of either submitting a financial aid application (FAFSA or TASFA) or submitting an exception.				
Special Instructions				
None				
Data Specifications				
Element ID	Code Table ID	Required?	Domain of Values	
TE139 (PEIMS: E1724)	TC46	No		
Applicable Record	Length	Type	Pattern	
Student Record	2	Coded	##	
Code Table ID	Code Table Name	XML Name	Date Issued	Date Updated
TC46	FINANCIAL-AID-APPLICATION-CODE	FinancialAidApplicationCode	8/1/2021	
Code	Translation			
01	Financial application form completed			
02	Exception Submitted/Opt-Out			

Common Name	XML Name	Complex Type	Date Issued	Date Updated
FINANCIAL-AID-APPLICATION-REQUIREMENT-MET-DATE	FinancialAidApplicationMetDate	AcademicStatusType	8/1/2021	
<b>Definition</b>				
FINANCIAL-AID-APPLICATION-REQUIREMENT-MET-DATE indicates the month and year that the student completed a financial aid application (FAFSA or TASFA) or submitted an exception.				
<b>Special Instructions</b>				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE140		No	yyyy=2021-2052 mm= 01-12	
Applicable Record	Length	Type	Pattern	
Student Record AAR-Transcript	7	Date	yyyy-mm	

Common Name	XML Name	Complex Type	
FIRST-NAME	FirstName	ParentType PersonNameType	
<b>Definition</b>			
FIRST-NAME identifies the legal first name of the student or the student's parent/legal guardian.			
<b>Special Instructions</b>			
Acceptable values include upper and lower-case alpha characters, a hyphen, a single apostrophe, a 0 – 9, or a space. This data element may be repeated up to nine times for more than one parent in a student record. List the primary parent/guardian first. Only one student first name may be associated with a record. If student is independent, i.e., there are no parent data, enter NA as parent first name.			
<b>Data Specifications</b>			
Element ID	Code Table ID	Required?	Domain of Values
TE039 PEIMS (E0703)		Yes	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	60	TEXT	*...

Common Name		XML Name	Complex Type		
FOSTER-CARE-INDICATOR-CODE		FosterCare	StudentDemographicType		
Definition					
FOSTER-CARE-INDICATOR-CODE indicates whether a student is in the conservatorship of the Department of Family and Protective Services (DFPS) currently, or for certain students that were previously in the conservatorship of DFPS.					
Special Instructions					
<p>Foster Care status should be handled with the utmost sensitivity and in accordance with all FERPA guidelines. Foster Care status is included as a part of the TReX records transfer to aid supportive and smooth school transitions. Each school district and open-enrollment charter is required to appoint a foster care liaison to facilitate successful enrollment and transfers for students in foster care (TEC 33.904). Additionally, there are several statutory requirements specifically for students in Texas Department of Family and Protective Services (DFPS) conservatorship, 'foster care'. This information is provided to support districts in advancing the educational achievement of students. Ensuring that students benefit from these provisions, receive additional support, if needed, and experience a positive-supportive school environment is important.</p> <p>In some instances a student may return home or find a permanent placement during the school year and therefore <i>no-longer</i> be in 'foster care' although it is indicated on the student's TReX academic record at the time of transfer during that school year. Please handle all foster care information with extreme sensitivity. It is important that all students, regardless if the student is currently or was previously in the conservatorship of the DFPS, receive appropriate, sensitive and timely services to advance their educational progress.</p>					
Data Specifications					
Element ID		Code Table ID	Required?	Domain of Values	
TE100 (PEIMS: E1528)		TC33 (PEIMS: C196)	No		
Applicable Record		Length	Type	Pattern	
Student Record		1	CODED	#	
Table ID	Name	XML Name	Simple Type & Applicable Record	Date Issued	Date Updated
TC33 (C196)	FOSTER-CARE-INDICATOR-CODE	FosterCare	FosterCareType		12/01/2021
Code	Translation				
0	Student is not currently in the conservatorship of the Department of Family and Protective Services				

1	Student is currently in the conservatorship of the Department of Family and Protective Services
2	Pre-Kindergarten student was previously in the conservatorship of the Department of Family and Protective Services following an adversary hearing held as provided by Section 262.201, Family Code
3	Pre-kindergarten student is or ever has been in foster care in another state or territory, if the child resides in this state (Texas). TEC, §29.153(b)

**G**

Common Name		XML Name	Complex Type
GENDER-CODE		Gender	StudentDemographicType
Definition			
GENDER-CODE identifies the gender of the student.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE040 (PEIMS: E0004)	TC10 (PEIMS: C013)	Yes	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	*
Table ID	Name	XML Name	Simple Type & Applicable Record
TC10 (C013)	GENDER-CODE	Gender	GenderType
Code	Translation		
F	Female		
M	Male		

Common Name		XML Name	Complex Type
GENERATION-CODE		Suffix	ParentType PersonNameType
Definition			
GENERATION-CODE identifies the generation suffix, if any, that the person attaches to his name. Examples include: Jr., Sr., and III.			
Special Instructions			
If available, include the generation code (suffix) for student and parent names.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values



TE041 (PEIMS: E0706)	TC11 (PEIMS: C012)	No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	#
Table ID	Name	XML Name	Simple Type & Applicable Record
TC11 (C012)	GENERATION-CODE	Suffix	NameSuffixType
Code	Translation		
1	Jr.		
2	Sr.		
3	II		
4	III		
5	IV		
6	V		
7	VI		
8	VII		
9	VIII		
A	I		
B	IX		
C	X		

Common Name	XML Name	Complex Type	
<b>GIFTED-TALENTED-INDICATOR</b>	GiftedTalented	SpecialProgramsType	
Definition			
GIFTED-TALENTED-INDICATOR indicates whether the student has been identified as participating in a state-approved gifted and talented program (as defined in 19 TAC §89.1), or is furloughed from the program.			
Special Instructions			
Code Table TC27 includes a code for a student who is identified for the program but the student or parents opt for the student to be furloughed, or not participating. "Furloughed" refers to a leave of absence from program services that can be due to a variety of circumstances.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values

TE042 (PEIMS: E0034)	TC27	No	0-2
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#
Table ID	Name	XML Name	Simple Type & Applicable Record
TC27	GIFTED-TALENTED-INDICATOR	GiftedTalented	GiftedTalentedType Student Record
Code	Translation		
0	Not receiving services.		
1	Participant in program or service.		
2	Furloughed from Gifted and Talented program; student was identified but not participating in program. ("Furloughed" refers to a leave of absence from program services that can be due to a variety of circumstances.) This code is used only for Gifted & Talented program.		

Common Name	XML Name	Complex Type	
GRADE-LEVEL	GradeLevel	EnrollmentType CurrentCourseworkType	
Definition			
GRADE-LEVEL indicates the current grade level (EE, PK –12) of the student, the grade level associated with an assessment test, or grade level applicable to coursework completed or in progress. Grade level is no longer required if the student has already graduated.			
Special Instructions			
GRADE LEVEL is defined on student record by Complex Type.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE043 (PEIMS: E0017)	TC12 (PEIMS: C050)	Yes	
Applicable Record	Length	Type	Pattern
Student Record	2	CODED	**

Common Name		XML Name	Complex Type
GRADE-OF-RETENTION		GradeRetained	EnrollmentType
Definition			
GRADE-OF-RETENTION indicates the grade level in which the student was retained at the campus transferring the student record or transcript.			
Special Instructions			
This field is used for Grades EE, PK-8 only.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE044	TC12 (PEIMS: C050)	No	
Applicable Record	Length	Type	Pattern
Student Record	2	CODED	**

Common Name		XML Name	Complex Type
GRADE-POINT-AVERAGE		GPA	AcademicSummaryType
Definition			
GRADE-POINT-AVERAGE indicates the calculation of the student's cumulative grade point average for all coursework completed to date.			
Special Instructions			
<p>The grade point average is a measure of scholastic attainment computed by dividing the total number of grade points received by the total number of credits or hours of course work taken.</p> <p>If your campus/district calculates both Numeric and Grade Point averages, enter the data used to do class ranking so that the average and the rank are based on the same number.</p>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE045		No	
Applicable Record	Length	Type	Pattern
AAR-Transcript	10	TEXT	*...

Common Name		XML Name	Complex Type
GRADUATION-DATE		GraduationDate	AcademicStatusType
Definition			
GRADUATION-DATE indicates the month and year that the student graduated from high school or is expected to graduate from high school (Grades 11-12).			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE046 (PEIMS: E0791)		No	yyyy = 1957-2052 mm = 01-12
Applicable Record	Length	Type	Pattern
AAR-Transcript	7	DATE	yyyy-mm

Common Name		XML Name	Complex Type
GRADUATION-PROGRAM-TYPE		GraduationDiplomaType	AcademicStatusType
Definition			
GRADUATION-PROGRAM-TYPE indicates the type of graduation program or plan under which the student graduated or will graduate.			
Special Instructions			
The seal that appears on a student's official transcript is based upon the graduation program type. This element should be entered by the end of the student's junior year but is required only for final transcript.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE047 (PEIMS: E0806)	TC13 (PEIMS: C062)	For final transcript only	
Applicable Record	Length	Type	Pattern
AAR-Transcript	2	CODED	##
Table ID	Name	XML Name	Simple Type & Applicable Record
TC13 (C062)	GRADUATION-PROGRAM-TYPE	GraduationDiplomaType	GraduationDiplomaType  AAR-Transcript

Code	Translation
	<b>The following codes will apply only to students receiving special education services. These students will graduate in a minimum high school program under TAC Chapter 74 with curriculum content modifications through the student's individualized education program (IEP).</b>
04	Completion of IEP and full-time employment with sufficient self-help skills to maintain employment without public school services - TAC §89.1070(c)(1), revised August 1, 2002. [26 Tex. Reg. 1837]
05	Completion of IEP and demonstrated mastery of specific employability and self-help skills - TAC §89.1070(c)(2), revised August 1, 2002. [26 Tex. Reg. 1837]
06	Completion of IEP and access to services, employment, or education outside of public education - TAC §89.1070(c)(3), revised August 1, 2002. [26 Tex. Reg. 1837]
07	Completion of IEP and reached age 22 - TAC §89.1070(d), revised August 1, 2002. [26 Tex. Reg. 1837]
	<b>The following codes will apply only to students entering grade 9 in 1998-1999, 1999-2000, and 2000-2001. These students will graduate under TAC Chapter 74.</b>
13	Minimum High School Program - TAC Chapter 74, revised May 1998; for all students who entered grade 9 in 1998-99, 1999-00, and 2000-01 (including TAC §89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837])
15	Recommended High School Program - TAC Chapter 74, revised May 1998; for students who entered grade 9 in 1998-99, 1999-00, and 2000-01 (including TAC §89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837])
17	Distinguished Achievement Program - TAC Chapter 74, revised May 1998; for students who entered grade 9 in 1998-99, 1999-00, and 2000-01 (including TAC §89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837])
	<b>The following codes will apply only to students receiving special education and related services.</b>
18	Completion of minimum curriculum and credit requirements for graduation applicable to students in general education and exempted from the exit-level assessment - Minimum High School Program - TAC §89.1070(b)(2), revised August 1, 2002. [26 Tex. Reg. 1837] (for students who entered grade 9 in 1998-99 and thereafter)
19	Completion of minimum curriculum and credit requirements for graduation applicable to students in general education and exempted from the exit-level assessment - Recommended High School Program - TAC §89.1070(b)(2), revised August 1, 2002. [26 Tex. Reg. 1837](for students who entered grade 9 in 1998-99 and thereafter)

20	Completion of minimum curriculum and credit requirements for graduation applicable to students in general education and exempted from the exit-level assessment - Distinguished Achievement Program - TAC §89.1070(b)(2), revised August 1, 2002. [26 Tex. Reg. 1837] (for students who entered grade 9 in 1998-99 and thereafter)
	<b>The following codes will apply only to students entering grade 9 in 2001-2002, 2002-2003, and 2003-2004. These students will graduate under TAC Chapter 74.</b>
21	Minimum High School Program - TAC Chapter 74, revised June 2000; for students who entered grade 9 in 2001-2002, 2002-2003, and 2003-2004 (including TAC §89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837])
22	Recommended High School Program - TAC Chapter 74, revised June 2000; for students who entered grade 9 in 2001-2002, 2002-2003, and 2003-2004 (including TAC §89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837])
23	Distinguished Achievement Program - TAC Chapter 74, revised June 2000; for students who entered grade 9 in 2001-2002, 2002-2003, and 2003-2004 (including TAC §89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837])
	<b>The following codes will apply only to students entering grade 9 in 2004-2005 and thereafter. These students will graduate under TAC Chapter 74.</b>
24	Minimum High School Program - TAC Chapter 74, revised November 2003; for students who entered grade 9 in 2004-2005 and thereafter (including TAC §89.1070(b)(1) for students receiving special education services, revised August 1, 2002.)
25	Recommended High School Program - TAC Chapter 74, revised November 2003; for students who entered grade 9 in 2004-2005 and thereafter (including TAC §89.1070(b)(1) for students receiving special education services, revised August 1, 2002.)
26	Distinguished Achievement Program - TAC Chapter 74, revised November 2003; for students who entered grade 9 in 2004-2005 and thereafter (including TAC §89.1070(b)(1) for students receiving special education services, revised August 1, 2002.)
	<b>The following codes will apply only to students entering grade 9 in 2007-2008, 2008-2009, 2009-2010, 2010-2011 and 2011-2012. These students will graduate under TAC Chapter 74.</b>
27	Minimum High School Program TAC Chapter 74.62, revised September 1, 2005; including TAC §89.1070(b)(2) for students receiving special education services, revised August 1, 2002. (for students who entered grade 9 in 2007-2008, 2008-2009, 2009-2010, 2010-2011, and 2011-2012)

28	Recommended High School Program TAC Chapter 74.63, revised September 1, 2005; including TAC §89.1070(b) (1) for students receiving special education services, revised August 1, 2002. (for students who entered grade 9 in 2007-2008, 2008-2009, 2009-2010, 2010-2011, and 2011-2012)
29	Distinguished Achievement Program TAC Chapter 74.64, revised September 1, 2005; including TAC §89.1070(b) (1) for students receiving special education services, revised August 1, 2002. (for students who entered grade 9 in 2007-2008, 2008-2009, 2009-2010, 2010-2011, and 2011-2012)
	<b>The following codes will apply only to students entering grade 9 in 2012-2013 and 2013-2014. These students will graduate under TAC Chapter 74.</b>
30	Minimum High School Program TAC Chapter 74.72, revised May 30, 2012; including TAC §89.1070(b)(2) for students receiving special education services, revised August 1, 2002. (for students who entered grade 9 in 2012-2013 and 2013-2014)
31	Recommended High School Program TAC Chapter 74.73, revised May 30, 2012; including TAC §89.1070(b) (1) for students receiving special education services, revised August 1, 2002. (for students who entered grade 9 in 2012-2013 and 2013-2014)
32	Distinguished Achievement Program TAC Chapter 74.74, revised May 30, 2012; including TAC §89.1070(b) (1) for students receiving special education services, revised August 1, 2002. (for students who entered grade 9 in 2012-2013 and 2013-2014)
	<b>The following code will apply only to students who are completing the fourth/final year of high school during the 2013-2014 school year and chose to earn a Foundation High School Program diploma. These students will graduate under TAC Chapter 74.</b>
33	Foundation High School Program (Transitioning Students) TAC Chapter 74.1022, revised December 16, 2013; including TAC §89.1070(b)(2) for students receiving special education services, revised August 1, 2002. (for students who are completing the fourth/final year of high school during the 2013-2014 school year)
	<b>The following code applies to all students entering grade 9 in 2014-2015 and thereafter, or who entered grade 9 prior to the 2014-2015 school year and opted to graduate under the Foundation High School Program. These students will graduate under TAC Chapter 74.</b>
34	Foundation High School Program TAC Chapter 74.1021, revised December 16, 2013, TAC 74.12; including TAC §89.1070(b)(1) for students receiving special education services, revised August 1, 2002. (for students who entered grade 9 in 2014-2015 and thereafter or entered grade

	9 prior to the 2014-2015 school year and opted to graduate under the Foundation High School Program)
	<b>The following code applies only to students receiving special education and related services who entered grade 9 in 2014-2015 and thereafter or who entered grade 9 prior to the 2014-2015 school year and opted to graduate under the Foundation High School Program. These students will graduate under TAC Chapter 89.</b>
35	Completion of Minimum Curriculum And Credit Requirements for Graduation Applicable To Students In General Education And Participated In The Exit-Level Assessment Instrument Identified in The IEP-Foundation High School Program (TAC 89.1070(b)(1)).
	<b>The following codes will apply only to students receiving special education services on the Foundation High School Program under TAC Chapter 74 with curriculum content modifications through the student's individualized education program (IEP).</b>
54	Completion Of IEP And Full-Time Employment With Sufficient Self-Help Skills To Maintain Employment Without Public School Services (TAC §89.1070(b)(2)(A)).
55	Completion Of IEP And Demonstrated Mastery Of Specific Employability And Self-Help Skills That Do Not Require Public School Services TAC §89.1070(b)(2)(B).
56	Completion Of IEP And Access To Services, Employment, Or Education Outside Of Public Education (TAC §89.1070(b)(2)(C)).
57	Completion Of IEP And Reached Age 22 - Foundation (TAC §89.1070(b)(2)(D)).



## H

Common Name		XML Name	Complex Type
HISPANIC-LATINO		HispanicLatinoCode	Ethnicity Type
Definition			
HISPANIC-LATINO. A person of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE094 (PEIMS: E1064)	<a href="#">TC16</a> (PEIMS: C088)	No	0, 1
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	#

Common Name		XML Name	Complex Type
HOME-LANGUAGE-CODE		HomeLanguage	StudentDemographicType
Definition			
LANGUAGE-CODE indicates the language spoken in the student's home most of the time, as determined by the student's home language survey (19 TAC §89.1215).			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE048 (PEIMS: E0895)	<a href="#">TC14</a> (PEIMS: C092)	No	
Applicable Record	Length	Type	Pattern
Student Record	2	CODED	**

Common Name		XML Name	Complex Type
HOME-LANGUAGE-SURVEY-DATE-ADMINISTERED		HomeLanguageSurveyDateAdministered	StudentDemographicType
Definition			
HOME-LANGUAGE-SURVEY-DATE-ADMINISTERED indicates the date the original Home Language Survey was administered to a student upon initial enrollment in a Texas public school (19 TAC §89.1215).			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE127		No	yyyy = 1957-2039 mm = 01-12 dd = 01-31
Applicable Record	Length	Type	Pattern
Student Record	10	DATE	yyyy-mm-dd

Common Name		XML Name	Complex Type
HOMELESS-INDICATOR		Homeless	StudentDemographicType
Definition			
HOMELESS-INDICATOR indicates that a student is classified as homeless.			
Special Instructions			
This code may be used for students beyond those designated as homeless and being served under Title I, Part A programs. <b>Note: Homeless classification must be reestablished or reevaluated at the time of enrollment.</b>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE049	TC32 (PEIMS: C189)	No	
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#
Table ID	Name	XML Name	Simple Type & Applicable Record
TC32 (C189)	HOMELESS-INDICATOR-CODE	HOMELESS	HomelessType
Code	Translation		
0	Student is not homeless at any time during current school year		

1	<del>Student lives in a shelter, transitional housing, or waiting foster care during current school year</del>
2	Student lives temporarily doubled-up at any time during current school year
3	Student is unsheltered at any time during current school year
4	Student lives in a motel or hotel at any time during current school year
5	Student lives in a shelter or transitional housing at any time during the current school year.

**I**

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>IBC-REIMBURSEMENT-INDICATOR</b>	IBCReimbursement	SpecialProgramsType	6/1/2020	6/1/2020
<b>Definition</b>				
IBC-REIMBURSEMENT-INDICATOR indicates that a prior or current LEA received the one-time allowed industry-based certification fee reimbursement for the student.				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE132		No	0,1	
Applicable Record	Length	Type	Pattern	
Student Record	1	CODED	#	

Common Name	XML Name	Complex Type		
<b>IEP-INDICATOR</b>	IEP	SpecialProgramsType		
<b>Definition</b>				
IEP-INDICATOR indicates that the student has an Individual Education Plan on record. (See TEC §7.010(c).)				
<b>Special Instructions</b>				
Any IEP-related attachments sent with the TReX student record require a specific naming convention. Please reference “File Requirements” in Section 1, Responsibilities-School Districts and Campuses for more information.				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE050	TC16	No	0, 1	
Applicable Record	Length	Type	Pattern	

Student Record	1	CODED	#
----------------	---	-------	---

Common Name		XML Name	Complex Type
IMMUNIZATION-DATE		ImmunizationDate	ImmunizationType
Definition			
IMMUNIZATION-DATE indicates the date on which the student received an immunization.			
Special Instructions			
<p>The student's immunization record must be transmitted as part of the student record in TReX or as an attachment with the student record (TEC §25.002(a)(3)).</p> <p>If this field is blank, then an immunization record must be sent as an attachment in TReX using the file naming convention specified in "File Requirements" in Section 1: Responsibilities-School Districts and Campuses.</p>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE051		No	yyyy = 1957-2039 mm = 01-12 dd = 01-31
Applicable Record	Length	Type	Pattern
Student Record	10	DATE	yyyy-mm-dd

Common Name		XML Name	Complex Type
IMMUNIZATION-DOSE		ImmunizationDose	ImmunizationType
Definition			
IMMUNIZATION-DOSE indicates the dose in series of an immunization received by the student.			
Special Instructions			
<p>The student's immunization record must be transmitted as part of the TReX student record or as an attachment with the student record (TEC §25.002(a)(3)).</p> <p>If this field is blank, then an immunization record must be sent as an attachment in TReX using the file naming convention specified in "File Requirements" in Section 1: Responsibilities-School Districts and Campuses.</p>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE052		No	

Applicable Record	Length	Type	Pattern
Student Record	2	NUMERIC	##

Common Name		XML Name	Complex Type
IMMUNIZATION-NAME		ImmunizationCode	ImmunizationType
Definition			
IMMUNIZATION-NAME is the name or description of the immunization that was given to the student.			
Special Instructions			
The student's immunization record must be transmitted as part of the TReX student record or as an attachment with the student record (TEC §25.002(a)(3)). If this field is blank, then an immunization record must be sent as an attachment in TReX using the file naming convention specified in "File Requirements" in Section 1: Responsibilities-School Districts and Campuses.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE053		No	
Applicable Record	Length	Type	Pattern
Student Record	35	TEXT	*...

Common Name		XML Name	Complex Type
INDIVIDUAL-GRADUATION-COMMITTEE-REVIEW-CODE		IGCGradReview	AcademicStatusType
Definition			
INDIVIDUAL-GRADUATION-COMMITTEE-REVIEW-CODE indicates whether an Individual Graduation Committee (IGC) has been established for a student.			
Special Instructions			
Only codes 00 (Not applicable or 01 – IGC Established, Not graduated are applicable for TReX.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE117 (PEIMS: E1562)	TC40 (PEIMS: C201)	No	
Applicable Record	Length	Type	Pattern
Student Record	2	CODED	nn

Table ID	Name	XML Name	Simple Type & Applicable Record
TC40	INDIVIDUAL-GRADUATION-COMMITTEE-REVIEW-CODE	IGCCode	IGCCodeType
<b>Code</b>	<b>Translation</b>		
00	Not Applicable		
01	IGC Established, not graduated		
<del>02</del>	<del>IGC Graduate</del> (Not applicable for Student Record transfer)		

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

J

RESERVED

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

K

RESERVED



**L**

Common Name		XML Name	Complex Type
LAST-DATE-OF-ATTENDANCE		ExitDate	EnrollmentType
Definition			
LAST-DATE-OF-ATTENDANCE signifies the last day on which the student attended at the campus that is transferring the student record.			
Special Instructions			
This date should be different from LAST-WITHDRAWAL-DATE; it must occur before the withdrawal date by at least one school day.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE054		No	yyyy = 1957-2039 mm = 01-12 dd = 01-31
Applicable Record	Length	Type	Pattern
Student Record	10	DATE	yyyy-mm-dd

Common Name		XML Name	Complex Type
LAST-NAME		LastName	ParentType PersonNameType
Definition			
LAST-NAME identifies the legal last name of the student or student's parent or legal guardian.			
Special Instructions			
<p>Only one student last name may be associated with a record.</p> <p>This data element may be repeated up to nine times for more than one parent in a student record. List the primary parent/guardian first.</p> <p>If student is independent, i.e., there are no parent data, enter NA for the parent last name. Acceptable values include upper and lower-case alpha characters, a hyphen, a single apostrophe, a 0 – 9, or a space.</p>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE055		Yes	
Applicable Record	Length	Type	Pattern

Student Record AAR-Transcript	60	TEXT	*...
----------------------------------	----	------	------

Common Name		XML Name	Complex Type
LAST-WITHDRAWAL-DATE		WithdrawDate	EnrollmentType
Definition			
LAST-WITHDRAWAL-DATE indicates the student's withdrawal date at the campus that is transferring the student record or transcript.			
Special Instructions			
If provided, this date should follow the date shown for LAST-DATE-OF-ATTENDANCE by at least one school day. If this data are not available in the local student information system (SIS), update the SIS with this date before creating the extract file for TREx.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE056		No	yyyy = 1957-2012 mm = 01-12 dd = 01-31
Applicable Record	Length	Type	Pattern
Student Record	10	DATE	yyyy-mm-dd

Common Name		XML Name	Complex Type
LOCAL-STUDENT-ID		LocalID	StudentIdNumberType
Definition			
LOCAL-STUDENT-ID is a student's local identification number assigned by a district and used only within that district for identification.			
Special Instructions			
This field can be left blank but if available or used, please provide. If provided, minimum length of 1 and a maximum length of 9. Do not include dashes. Any of the following characters, including the space character, are valid: ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789 ~ ! @ # \$ % ^ & * ( ) _ + = : ; " ' , . / < > ?			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values

TE058 (PEIMS: E0923)		No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	9	TEXT	*...

## M

Common Name		XML Name	Complex Type
MIDDLE-NAME		MiddleName	ParentType PersonNameType
Definition			
MIDDLE-NAME identifies the middle name or initial of the student or the student’s parent/legal guardian.			
Special Instructions			
<p>If student or parent does not have a middle name, this element is not required and should not be included in the file. Do not use the equal sign (=).</p> <p>Only one student middle name may be associated with a record.</p> <p>This data element may be repeated up to nine times for more than one parent in a student record.</p> <p>Acceptable values include upper and lower-case alpha characters, an apostrophe, a hyphen, a 0 through 9, or a space. Do not use the equal sign (=).</p>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE059		No	
Applicable Record	Length	Type	Pattern
Student Record AAR Transcript	30	TEXT	*...

Common Name	XML Name	Complex Type	Date Issued	Date Updated
MIGRANT-INDICATOR	Migrant	StudentDemographicType		7/1/2023
Definition				
<p>MIGRANT-INDICATOR indicates whether the student (ages 3-21) is a child who in the preceding 36 months made a qualifying move as a migratory agricultural worker, including migratory dairy worker, or migratory fisher; or moved with or to join a parent, spouse, or guardian who is migratory agricultural worker or fisher.</p> <p>“Qualifying move” means a move due to economic necessity from:</p> <ol style="list-style-type: none"> <li>1) one residence to another; and</li> <li>2) has moved from one school district to another; or 3) resides in a school district of more than 15,000 square miles and migrates a distance of 20 miles or more to a temporary residence and</li> </ol>				

have either (1) engaged in a new qualifying work soon after the move, or (2) if the worker did not engage in new qualifying work soon after the move, actively sought such employment and had a history of moves for qualifying work.

Special Instructions			
To be eligible under the federal definitions listed above, the child must have a current Certificate of Eligibility (COE) on file at the district or regional education service center completed and signed by an individual trained by the Texas Migrant Education Program.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE060 (PEIMS: E0984)	TC16 (PEIMS: C088)	No	
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#

Common Name	XML Name	Complex Type	
<b>MILITARY-CONNECTED</b>	MilitaryConnected	StudentDemographicType	
Definition			
MILITARY-CONNECTED-STUDENT-CODE indicates a student enrolled in a school district or open-enrollment charter school who is a dependent of an active duty or former member of the United States military, the Texas National Guard, or a reserve force of the United States military, or who is a dependent of a member of the United States military, the Texas National Guard, or a reserve force of the United States military who was killed in the line of duty.			
Special Instructions			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE101 (PEIMS: E1529)	TC34 (PEIMS: C197)	No	
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#
Table ID	Name	XML Name	Simple Type & Applicable Record
TC34 (C197)	MILITARY-CONNECTED-CODE	MILITARYCONNECTED	MILITARYCONNECTEDType
Code	Translation		

0	Not a military-connected student
1	KG-12 student is a dependent of an active-duty member of the U.S. Military
2	KG-12 student is a dependent of a member of the Texas National Guard
3	KG-12 student is a dependent of a member of a reserve force in the U.S. Military
4	Pre-K dependent of active duty service member, Texas guard, or Reserve injured or killed on active duty.
5	KG-12 student is a dependent of a former member of U.S. Military, Texas National Guard, or a reserve force in the U.S. Military.
6	KG-12 student is a dependent of a member of a military or reserve force in the U.S. Military killed in the line of duty

Common Name		XML Name	Complex Type
MULTI-DISCIPLINARY-STUDIES-ENDORSEMENT-INDICATOR-CODE		MultiStudiesEndorsementCode	AcademicStatusType
Definition			
MULTI-DISCIPLINARY-STUDIES-ENDORSEMENT-INDICATOR-CODE indicates whether a student is currently enrolled in (pursuing) or has successfully completed a Multi-Disciplinary Studies Endorsement.			
Special Instructions			
No Endorsement may be selected for Students graduating in the 2013-2014 school year (Graduation Program Type code 33). An Endorsement may not be selected if the FHSP-PARTICIPANT-CODE is 0. A student in the Distinguished Level Achievement Plan, must have at least one endorsement. More than one endorsement is allowed.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE109 (PEIMS: E1548)	<a href="#">TC35</a> (PEIMS: C199)	No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	#

**N**

Common Name		XML Name	Complex Type
NATIVE-HAWAIIAN-PACIFIC-ISLANDER		NativeHawaiianPacifi cIslanderCode	Ethnicity Type
Definition			
NATIVE-HAWAIIAN-PACIFIC-ISLANDER. A person that has origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.			
Special Instructions			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE092 (PEIMS: E1062)	<a href="#">TC16</a> (PEIMS: C088)	No	0, 1
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	#

Common Name		XML Name	Complex Type
NUMBER-IN-CLASS		ClassTotalNumber	AcademicSummaryType
Definition			
NUMBER-IN-CLASS is the total number of students within a grade level that are expected to comprise a graduating class.			
Special Instructions			
The Texas Uniform Admission Policy requires Texas schools to report a student’s number as a specific number out of a specific number total class size for college admissions purposes (TEC §51, Subchapter U Uniform Admission Policy). NUMBER-IN-CLASS data are required by Grade 11 for a high school transcript.			

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE061		No	1-99999
Applicable Record	Length	Type	Pattern
AAR-Transcript	5	NUMERIC	#...





**O**

Common Name		XML Name	Complex Type
<b>ONRAMPS-DUAL-ENROLLMENT-INDICATOR-CODE</b>		OnRamps	AcademicStatusType
Definition			
ONRAMPS-DUAL-ENROLLMENT-INDICATOR-CODE indicates that the student has successfully completed an OnRamps dual enrollment course. OnRamps is an innovative dual-enrollment program coordinated by The University of Texas at Austin.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE120 (PEIMS: E1597)	<a href="#">TC16</a> (PEIMS: C088)	No	0, 1
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	*

Common Name		XML Name	Complex Type
<b>ORIGINAL-ENTRY-DATE</b>		EntryDate	EnrollmentType
Definition			
ORIGINAL-ENTRY-DATE indicates the first day of enrollment for the student at the campus that is transferring the student record.			
Special Instructions			
Enter the entry date of the most recent enrollment of the student at this campus within the current or a previous academic year.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE062		No	yyyy = 1957-2012 mm = 01-12 dd = 01-31
Applicable Record	Length	Type	Pattern

Student Record	10	DATE	yyyy-mm-dd
----------------	----	------	------------

**P**

Common Name		XML Name	Complex Type
PASS/FAIL-CREDIT-INDICATOR		PassFailCredit	CourseType
Definition			
PASS/FAIL-CREDIT-INDICATOR indicates the outcome for a course taken by a particular student.			
Special Instructions			
The <i>Revised Minimum Standards for Academic Achievement Record</i> states that explanation is required for credit withheld if a child had a passing grade but did not receive credit because of excessive absences. Page 10, “Students with excessive absences will be given the grade earned, but not awarded credit. Explanation regarding credit withheld will be explained on the AAR.”			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE084 (PEIMS: E0949)	TC25 (PEIMS: C136)	No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	2	CODED	##
Table ID	Name	XML Name	Simple Type
<a href="#">TC25</a>	PASS/FAIL-CREDIT-INDICATOR	PassFailCredit	PassFailCredit
Code	Translation		
00	Not Applicable		
01	Course was passed and credit was received		
02	Course was failed and no credit was received - first occurrence this school year		
03	Course was failed and no credit was received - second occurrence this school year		
04	Course was passed, but credit was not received due to excessive absences - first occurrence this school year		
05	Course was passed, but credit was not received due to excessive absences - second occurrence this school year		
06	Course was passed, but credit was not received (other parts of the course have not been taken)		
07	Course was passed, but credit was not received (other parts of the course have been taken but not passed)		

08	Course was failed, but credit was received (other parts of the course have been passed and credit was awarded based on the grades in those parts)
09	Course work is incomplete and no credit has been awarded
10	Course was passed, but credit was not received (course had previously been passed, and was repeated for better mastery)
11	Course was failed and no credit was received - third occurrence this school year
12	Course was passed, but credit was not received due to excessive absences - third occurrence this school year
13	Non-High School Course Passed
14	Non-High School Course Failed

Common Name		XML Name	Complex Type
PEACE-OFFICER-INTERACTION-INSTRUCTION-MET-DATE		POIIMetDate	AcademicStatusType
Definition			
<p>PEACE-OFFICER-INTERACTION-INSTRUCTION-MET DATE is the date (month and year) the student completed the instruction regarding appropriate interactions with peace officers required under TEC 28.025(b-20).</p> <p>A student who has completed the required instruction on proper interactions with peace officers as a part of the required curriculum for students in grade levels 9-12 shall have the completion of the instruction clearly indicated on the academic achievement record (TAC §74.5).</p>			
Special Instructions			
None.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE123		No	yyyy = 1957-2052 mm = 01-12
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	7	DATE	yyyy-mm

Common Name		XML Name	Complex Type		
PERFORMANCE-ACKNOWLEDGMENT-AP-IB-EXAMS		AplbType	AcademicStatusType		
Definition					
PERFORMANCE ACKNOWLEDGMENT: ADVANCED PLACEMENT / INTERNATIONAL BACCALAUREATE EXAMS indicates the student has earned a performance acknowledgment for outstanding performance on a College Board AP test or IB examination.					
Special Instructions					
For students on the Foundation High School graduation plan; The student must earn (1) a score of 3 or above on a College Board AP examination; or (2) a score of 4 or above on an IB examination.					
Data Specifications					
Element ID		Code Table ID	Required?	Domain of Values	
TE110		TC36	No		
Applicable Record		Length	Type	Pattern	
Student Record AAR-Transcript		3	CODED	###	
Table ID	Name	XML Name	Simple Type & Record	Date Issued	Date Updated
TC36	PERFORMANCE-ACKNOWLEDGMENT-AP-IB-EXAMS	AplbCode	PerfAckAplbCode  Student Record AAR-Transcript		7/1/2023
Code		Translation			
0		Student not acknowledged for AP or IB Exam			
1		Acknowledgment for AP: Art History			
2		Acknowledgment for AP: Biology			
3		Acknowledgment for AP: Calculus AB			
4		Acknowledgment for AP: Calculus BC			
5		Acknowledgment for AP: Chemistry			
6		Acknowledgment for AP: Chinese Language and Culture			
7		Acknowledgment for AP: Comparative Government and Politics			
8		Acknowledgment for AP: Computer Science A			
9		Acknowledgment for AP: English Language and Composition			
10		Acknowledgment for AP: English Literature and Composition			
11		Acknowledgment for AP: Environmental Science			
12		Acknowledgment for AP: European History			
13		Acknowledgment for AP: French Language and Culture			

14	Acknowledgment for AP: German Language and Culture
15	Acknowledgment for AP: Human Geography
16	Acknowledgment for AP: Italian Language and Culture
17	Acknowledgment for AP: Japanese Language and Culture
18	Acknowledgment for AP: Latin
19	Acknowledgment for AP: Macroeconomics
20	Acknowledgment for AP: Microeconomics
21	Acknowledgment for AP: Music Theory
22	Acknowledgment for AP: Physics 1: Algebra-Based
23	Acknowledgment for AP: Physics 2: Algebra-Based
24	Acknowledgment for AP: Physics B
25	Acknowledgment for AP: Physics C: Electricity and Magnetism
26	Acknowledgment for AP: Physics C: Mechanics
27	Acknowledgment for AP: Psychology
28	Acknowledgment for AP: Spanish Language and Culture
29	Acknowledgment for AP: Spanish Literature and Culture
30	Acknowledgment for AP: Statistics
31	Acknowledgment for AP: Studio Art 2-D Design Portfolio
32	Acknowledgment for AP: Studio Art 3-D Design Portfolio
33	Acknowledgment for AP: Studio Art Drawing Portfolio
34	Acknowledgment for AP: United States Government and Politics
35	Acknowledgment for AP: United States History
36	Acknowledgment for AP: World History
37	Acknowledgment for IB: Biology HL
38	Acknowledgment for IB: Biology SL
39	Acknowledgment for IB: Business and Management HL
40	Acknowledgment for IB: Business and Management SL
41	Acknowledgment for IB: Chemistry HL
42	Acknowledgment for IB: Chemistry SL
43	Acknowledgment for IB: Chinese A Language & Literature HL
44	Acknowledgment for IB: Chinese A Language & Literature SL
45	Acknowledgment for IB: Chinese A Literature HL
46	Acknowledgment for IB: Chinese A Literature SL
47	Acknowledgment for IB: Chinese ab initio SL
48	Acknowledgment for IB: Chinese B HL
49	Acknowledgment for IB: Chinese B SL
50	Acknowledgment for IB: Classical Greek HL
51	Acknowledgment for IB: Classical Greek SL
52	Acknowledgment for IB: Computer Science HL
53	Acknowledgment for IB: Computer Science SL

54	Acknowledgment for IB: Design Technology HL
55	Acknowledgment for IB: Design Technology SL
56	Acknowledgment for IB: Economics HL
57	Acknowledgment for IB: Economics SL
58	Acknowledgment for IB: English A Language and Literature HL
59	Acknowledgment for IB: English A Language and Literature SL
60	Acknowledgment for IB: English A Literature HL
61	Acknowledgment for IB: English A Literature SL
62	Acknowledgment for IB: English ab initio SL
63	Acknowledgment for IB: English B HL
64	Acknowledgment for IB: English B SL
65	Acknowledgment for IB: Environmental Systems and Societies SL
66	Acknowledgment for IB: French A Language and Literature HL
67	Acknowledgment for IB: French A Language and Literature SL
68	Acknowledgment for IB: French A Literature HL
69	Acknowledgment for IB: French A Literature SL
70	Acknowledgment for IB: French ab initio SL
71	Acknowledgment for IB: French B HL
72	Acknowledgment for IB: French B SL
73	Acknowledgment for IB: Further Mathematics HL
74	Acknowledgment for IB: Geography HL
<del>75</del>	<del>Acknowledgment for IB: Geography HL/SL</del>
76	Acknowledgment for IB: Geography SL
77	Acknowledgment for IB: German A Language and Literature HL
78	Acknowledgment for IB: German A Language and Literature SL
79	Acknowledgment for IB: German A Literature HL
80	Acknowledgment for IB: German A Literature SL
<del>81</del>	<del>Acknowledgment for IB: German ab initio</del>
82	Acknowledgment for IB: German ab initio SL
83	Acknowledgment for IB: German B HL
84	Acknowledgment for IB: German B SL
85	Acknowledgment for IB: Global Politics HL
<del>86</del>	<del>Acknowledgment for IB: Global politics HL/SL</del>
87	Acknowledgment for IB: Global Politics SL
<del>88</del>	<del>Acknowledgment for IB: History HL</del>
89	Acknowledgment for IB: History SL
90	Acknowledgment for IB: Information Technology in a Global Society (ITGS) HL
<del>91</del>	<del>Acknowledgment for IB: Information Technology in a Global Society (ITGS) HL/SL</del>
92	Acknowledgment for IB: Information Technology in a Global Society (ITGS) SL
93	Acknowledgment for IB: Language Studies A: Language and Literature HL



94	Acknowledgment for IB: Language Studies A: Language and Literature SL
95	Acknowledgment for IB: Language Studies A: Literature HL
96	Acknowledgment for IB: Language Studies A: Literature SL
97	Acknowledgment for IB: Language ab initio SL
98	Acknowledgment for IB: Language B HL
99	Acknowledgment for IB: Language B SL
100	Acknowledgment for IB: Latin HL
101	Acknowledgment for IB: Latin SL
102	Acknowledgment for IB: Literature and Performance SL
103	Acknowledgment for IB: Mathematical studies SL
104	Acknowledgment for IB: Mathematics HL
105	Acknowledgment for IB: Mathematics SL
106	Acknowledgment for IB: Music HL
107	Acknowledgment for IB: Music SL
108	Acknowledgment for IB: Philosophy HL
<del>109</del>	<del>Acknowledgment for IB: Philosophy HL/SL</del>
110	Acknowledgment for IB: Philosophy SL
111	Acknowledgment for IB: Physics HL
112	Acknowledgment for IB: Physics SL
113	Acknowledgment for IB: Psychology HL
<del>114</del>	<del>Acknowledgment for IB: Psychology HL/SL</del>
115	Acknowledgment for IB: Psychology SL
116	Acknowledgment for IB: School-based syllabus SL
117	Acknowledgment for IB: Social and Cultural Anthropology HL
118	Acknowledgment for IB: Social and Cultural Anthropology SL
119	Acknowledgment for IB: Spanish A Language and Literature HL
120	Acknowledgment for IB: Spanish A Language and Literature SL
121	Acknowledgment for IB: Spanish A Literature HL
122	Acknowledgment for IB: Spanish A Literature SL
123	Acknowledgment for IB: Spanish ab initio SL
124	Acknowledgment for IB: Spanish B HL
125	Acknowledgment for IB: Spanish B SL
126	Acknowledgment for IB: Sports, Exercise, and Health Science SL
127	Acknowledgment for IB: World Religions SL
128	Acknowledgment for AP: Computer Science Principles
129	Acknowledgment for AP Capstone Seminar
130	Acknowledgment for AP: Research
131	Acknowledgment for AP: Precalculus
150	Acknowledgment for IB: Nature of Science SL
151	Acknowledgment for IB: Sports, Exercise, and Health Science HL

152	Acknowledgment for IB: History of Africa and the Middle East HL
153	Acknowledgment for IB: History of the Americas HL
154	Acknowledgment for IB: History of Asia and Oceania HL
155	Acknowledgment for IB: History of Europe HL
160	Acknowledgment for IB: Film SL
161	Acknowledgment for IB: Film HL
162	Acknowledgment for IB: Dance HL
163	Acknowledgment for IB: Dance SL
164	Acknowledgment for IB: Visual Arts HL
165	Acknowledgment for IB: Visual Arts SL
166	Acknowledgment for IB: Theatre HL
167	Acknowledgment for IB: Theatre SL
168	Acknowledgment for IB: Arabic ab initio SL
169	Acknowledgment for IB: Arabic B HL
170	Acknowledgment for IB: Arabic B SL
171	Acknowledgment for IB: Japanese ab initio SL
172	Acknowledgment for IB: Japanese B HL
173	Acknowledgment for IB: Japanese B SL
174	Acknowledgment for IB: Russian ab initio SL
175	Acknowledgment for IB: Russian A Literature HL
176	Acknowledgment for IB: Russian A Literature SL
177	Acknowledgment for IB: Hebrew ab initio SL
178	Acknowledgment for IB: Hebrew B HL
179	Acknowledgment for IB: Hebrew B SL
180	Acknowledgment for IB: Hindi ab initio SL
181	Acknowledgment for IB: Hindi B HL
182	Acknowledgment for IB: Hindi B SL
183	Acknowledgment for IB: Analysis and Approaches SL
184	Acknowledgment for IB: Analysis and Approaches HL
185	Acknowledgment for IB: Applications and Interpretations SL
186	Acknowledgment for IB: Applications and Interpretations HL

Common Name	XML Name	Complex Type	
<b>PERFORMANCE-ACKNOWLEDGMENT-BILINGUALISM-BILITERACY</b>	BilingBilitType	AcademicStatusType	
Definition			
PERFORMANCE ACKNOWLEDGMENT: BILINGUALISM / BILITERACY indicates the student has earned a performance acknowledgment for outstanding performance in a bilingualism and biliteracy.			
Special Instructions			
<p>For students on the Foundation High School graduation plan;  The student must demonstrate proficiency, in accordance with local school district grading policy, in two or more languages by:</p> <p>(1) completing all English language arts requirements and maintaining a minimum grade point average (GPA) of the equivalent of 80 on a scale of 100; and</p> <p>(2) satisfying one of the following:</p> <ul style="list-style-type: none"> <li>(i) completion of a minimum of three credits in the same language in a language other than English with a minimum GPA of the equivalent of 80 on a scale of 100; or</li> <li>(ii) demonstrated proficiency in the Texas Essential Knowledge and Skills for Level IV or higher in a language other than English with a minimum GPA of the equivalent of 80 on a scale of 100; or</li> <li>(iii) completion of at least three credits in foundation subject area courses in a language other than English with a minimum GPA of 80 on a scale of 100; or</li> <li>(iv) demonstrated proficiency in one or more languages other than English through one of the following methods: <ul style="list-style-type: none"> <li>(I) a score of 3 or higher on a College Board Advanced Placement examination for a language other than English; or</li> <li>(II) a score of 4 or higher on an International Baccalaureate examination for a higher-level languages other than English course; or</li> <li>(III) performance on a national assessment of language proficiency in a language other than English of at least Intermediate High or its equivalent.</li> </ul> </li> </ul> <p>(3) An English language learner must also have:</p> <ul style="list-style-type: none"> <li>(A) participated in and met the exit criteria for a bilingual or English as a second language (ESL) program; and</li> <li>(B) scored at the Advanced High level on the Texas English Language Proficiency Assessment System (TELPAS).</li> </ul>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE111	TC37	No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	###

Table ID	Name	XML Name	Simple Type
TC37	PERFORMANCE ACKNOWLEDGMENT BILINGUALISM BILITERACY	BilingBilitCode	PerfAckBilingBili tCode
Code	Translation		
0	Not Acknowledged for Bilingualism / biliteracy		
1	Acknowledgment for Bilingualism / biliteracy		

Common Name	XML Name	Complex Type
<b>PERFORMANCE-ACKNOWLEDGMENT- CERTIFICATION-LICENSURES</b>	CertLicType	AcademicStatusType
Definition		
PERFORMANCE ACKNOWLEDGMENT: CERTIFICATONS / LICENSURES indicates the student has earned a nationally or internationally recognized business or industry certification or license.		
Special Instructions		
<p>For students on the Minimum, Recommended, Distinguished or Foundation High School graduation plan;</p> <p>(1) A student may earn the Certifications / Licensures performance acknowledgment with:</p> <ul style="list-style-type: none"> <li>(A) performance on an examination or series of examinations sufficient to obtain a nationally or internationally recognized business or industry certification; or</li> <li>(B) performance on an examination sufficient to obtain a government-required credential to practice a profession.</li> </ul> <p>(2) Nationally or internationally recognized business or industry certification shall be defined as an industry validated credential that complies with knowledge and skills standards promulgated by a nationally or internationally recognized business, industry, professional, or government entity representing a particular profession or occupation that is issued by or endorsed by:</p> <ul style="list-style-type: none"> <li>(A) a national or international business, industry, or professional organization;</li> <li>(B) a state agency or other government entity; or</li> <li>(C) a state-based industry association.</li> </ul> <p>(3) Certifications or licensures for performance acknowledgments shall:</p> <ul style="list-style-type: none"> <li>(A) be age appropriate for high school students;</li> <li>(B) represent a student's substantial course of study and/or end-of-program knowledge and skills;</li> <li>(C) include an industry recognized examination or series of examinations, an industry validated skill test, or demonstrated proficiency through documented, supervised field experience; and</li> <li>(D) represent substantial knowledge and multiple skills needed for successful entry into a high-skill occupation.</li> </ul>		

This data element may be repeated, as necessary.

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE112		No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	61	TEXT	*...

Common Name		XML Name	Complex Type		
PERFORMANCE-ACKNOWLEDGMENT-COLLEGE-READINESS-ASSESSMENTS		CollegeAssessType	AcademicStatusType		
Definition					
PERFORMANCE ACKNOWLEDGMENT: COLLEGE READINESS ASSESSMENT indicates the student has earned a performance acknowledgment for outstanding performance on the PSAT®, the ACT-PLAN®, the SAT®, or the ACT®.					
Special Instructions					
For students on the Foundation High School graduation plan; The student may earn a performance acknowledgment by meeting criteria identified in §74.14(b)(1)-(5) for outstanding performance on certain college readiness assessments.					
Data Specifications					
Element ID	Code Table ID	Required?	Domain of Values		
TE113	TC38	No			
Applicable Record	Length	Type	Pattern		
Student Record AAR-Transcript	1	CODED	#		
Table ID	Name	XML Name	Simple Type & Record	Date Issued	Date Updated
TC38	PERFORMANCE ACKNOWLEDGMENT COLLEGE READINESS ASSESSMENTS	CollegeAssess Code	PerfAckCollege AssessCode		7/1/2023
Code	Translation				
0	Student not acknowledged for Assessment				
1	Acknowledgment for PLAN or ASPIRE: College readiness benchmark met on 2 or more of the 4 subject tests				
	July 2014-August 2022				
2	Acknowledgment for PSAT: Commended scholar or higher				
3	Acknowledgment for ACT: Composite score 28 or higher				

	<b>July 2014-August 2016</b>
4	Acknowledgment for SAT: Combined reading and math score 1250 or higher
	<b>August 2016-August 2018</b>
5	Acknowledgment for SAT: Scores of at least 410 on reading and 520 on math
	<b>August 2018-August 2022</b>
6	Acknowledgment for SAT: total score of at least 1310
7	Acknowledgment for ASPIRE: College readiness benchmark met on 3 or more of the 5 subject tests
	<b>Beginning with the 2022-2023 school year:</b>
8	Acknowledgment for PSAT/NMSQT: Commended scholar or higher or awardee of the National Recognition Programs
9	Acknowledgment for ACT Aspire: earning a composite score of 442 on the ACT Aspire examination
10	Acknowledgment for ACT Pre-ACT: earning a composite score of 29 on the ACT PreACT examination
11	Acknowledgment for SAT: earning a total score of at least 1350 on the SAT
12	Acknowledgment for ACT: earning a composite score of 29 on the ACT PreACT examination (excluding writing)

Common Name		XML Name	Complex Type
PERFORMANCE-ACKNOWLEDGMENT-DUAL-CREDIT		DualCreditType	AcademicStatusType
<b>Definition</b>			
PERFORMANCE ACKNOWLEDGMENT: DUAL CREDIT indicates the student has earned a performance acknowledgment for outstanding performance in a dual credit course.			
<b>Special Instructions</b>			
For students on the Foundation High School graduation plan; The student must have successfully completed: <ul style="list-style-type: none"> <li>(1) at least 12 hours of college academic courses with a grade of the equivalent of 3.0 or higher on a scale of 4.0, or</li> <li>(2) an associate degree while in high school.</li> </ul>			
<b>Data Specifications</b>			
Element ID	Code Table ID	Required?	Domain of Values
TE114	TC039	No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	#

Table ID	Name	XML Name	Simple Type & Record
TC39	PERFORMANCE ACKNOWLEDGMENT DUAL CREDIT	DualCreditCode	PerfAckDualCreditCode  Student Record AAR-Transcript
Code	Translation		
0	Student not acknowledged for Dual Credit		
1	Acknowledgment for Associates degree		
2	Acknowledgment for College credit hours		

Common Name		XML Name	Complex Type
PERFORMANCE- ACKNOWLEDGEMENT- MET-DATE		MetDate	AcademicStatusType PerfAckAplbType PerfAckCollegeAssesType PerfAckBillingBilitType PerfAckCertLicType PerfAckDualCreditType
Definition			
PERFORMANCE-ACKNOWLEDGEMENT-MET-DATE indicates the month and year that the student attained one of the Foundation High School Program Performance Acknowledgements.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE115		No	yyyy = 1957-2052 mm = 01-12
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	7	DATE	yyyy-mm

Common Name		XML Name	Complex Type
PERSONAL-GRADUATION-PLAN		PersonalGradPlan	SpecialProgramsType
Definition			
PERSONAL-GRADUATION-PLAN indicates the student is working under a personal graduation plan.			
Middle School - School districts are required to develop <u>and review</u> a personal graduation plan for a <u>middle school/junior high</u> student who did not perform satisfactorily on an assessment			

instrument administered under Subchapter B, Chapter 39; or who is not likely to receive a high school diploma before the fifth school year following the student's enrollment in grade 9 (as determined by the district). (TEC §28.0212)

High School – School districts must designate staff to review graduation plans with each student entering ninth grade and the student's parent/guardian. Before the conclusion of the school year, the student and parent/guardian must confirm and sign a personal graduation plan for the student. (TEC §28.02121)

**Special Instructions**

A student's personal graduation plan must be transmitted as an attachment with the student record in TReX. Reference "File Requirements" in Section 1, Responsibilities-School Districts and Campuses for more information. Students entering ninth grade must have a personal graduation plan confirmed and signed by the student and parent/guardian before the conclusion of the school year.

**Data Specifications**

Element ID	Code Table ID	Required?	Domain of Values
TE063	TC16	No	0, 1
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>PK-ELIGIBLE-PREVIOUS-YEAR-INDICATOR-CODE</b>	PkEligiblePreviousYear	StudentDemographicType	1/1/2021	8/1/2022

**Definition**

PK-ELIGIBLE-PREVIOUS-YEAR-INDICATOR-CODE indicates whether a student is eligible for enrollment in a prekindergarten class because:

- A four-year-old student was eligible for enrollment at the age of three in the previous school year, but are not eligible through other criteria, or
- A five-year-old student was eligible for enrollment at the age of four in the previous school year, and the parent requested they be retained in prekindergarten.

**Special Instructions**

This indicator should only be used to indicate a student is eligible for prekindergarten if they are not eligible for prekindergarten through any other eligibility criteria, such as:

- Limited English proficient (LEP)/English learner (EL)
- Economically Disadvantaged



- Military Connected
- Foster Care
- Homeless
- Child of a person awarded the Star of Texas Award.

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE138 (PEIMS: E1649)	TC16 (C088)	Yes	0, 1
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#

Common Name	XML Name	Complex Type	
PLACED-IN-GRADE	GradePlaced	EnrollmentType	
Definition			
<p>PLACED-IN-GRADE indicates the grade level in which the student was placed when a determination to place the student in a grade level is based on assessment testing rather than documented course completion because an official student record was not available at the time of enrollment.</p>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE064	<a href="#">TC12</a> (PEIMS: C050)	No	
Applicable Record	Length	Type	Pattern
Student Record	2	CODED	**

Common Name		XML Name	Complex Type	Date Issued	Date Updated	
POST-SECONDARY-CERTIFICATION-LICENSURE-CODE		IBCEarned	SpecialProgramsType		12/1/2022	
Definition						
POST-SECONDARY-CERTIFICATION-LICENSURE-CODE indicates a state, nationally or internationally recognized business or industry-based certification examination taken by a student.						
Data Specifications						
Element ID		Code Table ID	Required?	Domain of Values		
TE133 (PEIMS: E1640)		TC44 (PEIMS: C214)	No			
Applicable Record		Length	Type	Pattern		
Student Record		4	CODED	####		
Table ID	Name	XML Name	Simple Type & Applicable Record	Simple Type & Applicable Record	Date Issued	Date Updated
TC44	INDUSTRY-CERTIFICATION-LICENSURE-CODE	IBCCode	TestNameType  Student Record AAR-Transcript	TestNameType  Student Record AAR-Transcript		7/1/2023
Code		Translation				
010		<del>Adobe Certified Associate After Effects</del> Adobe Certified Professional In Visual Effects and Motion Graphics Using Adobe After Effects				
011		<del>Adobe Certified Associate Animate</del> Adobe Certified Professional Animate				
012		Adobe Certified Associate Creative Cloud				
013		Adobe Certified Associate Creative Suite 6				
014		Adobe Certified Associate Flash				
015		<del>Adobe Certified Associate Illustrator</del> Adobe Certified Professional in Graphic Design and Illustration Using Adobe Illustrator				
016		<del>Adobe Certified Associate InDesign</del> Adobe Certified Professional in Print and Digital Media Publication Using Adobe InDesign				
017		<del>Adobe Certified Associate Photoshop</del> Adobe Certified Professional in Visual Design Using Adobe Photoshop				
018		<del>Adobe Certified Associate Premiere Pro</del> Adobe Certified Professional in Digital Video Using Adobe Premiere Pro				

019	<del>Adobe Certified Associate Visual Design Specialist</del> Adobe Certified Professional in Visual Design
020	Adobe Certified Associate Web Design Specialist
030	Adobe Certified Expert After Effects
031	Adobe Certified Expert Illustrator
032	Adobe Certified Expert InDesign
033	Adobe Certified Expert Photoshop
034	Adobe Certified Expert Web Premiere Pro
040	<del>Aerospace Manufacturing</del> Aerospace Manufacturing Certification
100	<del>API 1104 Welding</del> API 1104 Welding Pipelines and Related Facilities
101	Apple App Development with Swift
102	Apple Final Cut Pro X
103	Apple iWork
104	Apple Logic Pro X
120	ASE Auto Transmission
121	<del>ASE Auto Transmission Entry Level</del> ASE Entry-Level Automobile Automatic Transmission/Transaxle (AT)
130	ASE Automobile Service Technology
131	<del>ASE Automobile Service Technology Entry Level</del> ASE Entry-Level Automobile Service Technology
140	ASE Brakes
141	<del>ASE Brakes Entry Level</del> ASE Entry-Level Automobile Brakes (BR)
150	ASE Electrical/Electronic Systems
151	<del>ASE Electrical/Electronic Systems Entry Level</del> ASE Entry-Level Automobile Electronic/Electrical Systems (EE)
160	ASE Engine Performance
161	<del>ASE Engine Performance Entry Level</del> ASE Entry-Level Automobile Engine Performance (EP)
170	ASE Engine Repair
171	<del>ASE Engine Repair Entry Level</del> ASE Entry-Level Automobile Engine Repair (ER)
181	ASE Heating, Ventilation, AC (HVAC)
182	<del>ASE Heating, Ventilation, AC (HVAC) Entry Level</del> ASE Entry-Level Automobile Heating and Air Conditioning (AC)
190	ASE Maintenance Light Repair
191	<del>ASE Maintenance Light Repair Entry Level</del> ASE Entry Level Automobile Maintenance and Light Repair (MR)

200	<del>ASE Manual Drive Train</del> ASE Manual Drive Train Axles
201	<del>ASE Manual Drive Train Axles Entry Level</del> ASE Entry-Level Automobile Manual Drive Train and Axles (MD)
210	ASE Mech Elec Components
211	<del>ASE Mech Elec Components Entry Level</del> ASE Entry-Level Collision Mechanical and Electrical Components (ME)
220	ASE Non-Structural Analysis Damage Repair
221	<del>ASE Non-Structural Analysis Damage Repair Entry Level</del> ASE Entry-Level Collision Non-Structural Analysis and Damage Repair (SR)
230	ASE Painting & Refinishing
231	<del>ASE Painting &amp; Refinishing Entry Level</del> ASE Entry-Level Collision Painting and Refinishing (PR)
240	ASE Refrigerant Recovery and Recycling
250	ASE Structural Analysis Damage Repair
251	<del>ASE Structural Analysis Damage Repair Entry Level</del> ASE Entry-Level Collision Structural Analysis and Damage Repair
260	ASE Suspension and Steering
261	<del>ASE Suspension and Steering Entry Level</del> ASE Entry-Level Automobile Suspension and Steering (SS)
270	ASE Truck Technician Brakes
271	<del>ASE Truck Technician Brakes Entry Level</del> ASE Entry-Level Medium/Heavy Truck, Brakes (TB)
280	ASE Truck Technician Diesel Engines
281	<del>ASE Truck Technician Diesel Engines Entry Level</del> ASE Entry-Level Medium/Heavy Truck, Diesel Engines (DE)
290	ASE Truck Technician Drive Trains
300	ASE Truck Technician Electronic Systems
301	<del>ASE Truck Technician Electronic Systems Entry Level</del> ASE Entry-Level Medium/Heavy Truck, Electrical/Electronic Systems (TE)
310	ASE Truck Technician HVAC
320	ASE Truck Technician Suspension Steering
321	<del>ASE Truck Technician Suspension Steering Entry Level</del> ASE Entry-Level Medium/Heavy Truck, Suspension and Steering (TS)
330	Associate of (ISC)
331	Autodesk Certified Professional or User AutoCAD
332	Autodesk Certified Professional or User AutoCAD Civil 3D
333	Autodesk Certified Professional or User Autodesk Revit Building Systems
334	Autodesk Certified Professional or User Revit Architecture
335	Autodesk Certified Professional or User Revit MEP Electrical

336	Autodesk Certified Professional or User Inventor
340	AWS D1.1 Structural Steel
350	AWS D9.1 Sheet Metal Welding
351	AWS Certified Welder
360	<del>AWS SENSE Welding Level 1</del> AWS SENSE Level 1: Entry Welder
361	Barber Operator License
362	Basic Structure Fire Protection
365	C++ Certified Associate Programmer
366	Certified Aerospace Technician
367	<del>Certified Associate Project Management</del> Certified Associate in Project Management (CAPM)
368	Certified Cardiographic Technician
369	Certified Coding Associate
370	Certified Dental Assistant
380	Certified EKG Technician
381	Certified Electronics Systems Associate
382	Certified Engineering Technician - Audio Systems
383	Certified Fundamentals Cook
384	Certified Fundamentals Pastry Cook
385	<del>Certified Hospitality &amp; Tourism Management</del> Certified Hospitality & Tourism Management Professional
386	Certified Insurance Service Representative
390	<del>Certified Nurse Aide/Assistant</del> Certified Nurse Aide (CNA)
391	Certified Occupational Therapy Assistant
392	Certified Ophthalmic Technician
401	Certified Personal Trainer
402	Certified Respiratory Therapist
410	<del>Certified SOLIDWORKS Associate – Academic</del> Certified SOLIDWORKS Associate
411	Certified Surgical Technologist
420	<del>Certified Veterinary Assistant</del> Certified Veterinary Assistant, Level 1
430	<del>Child Development Associate</del> Child Development Associate (CDA)
439	Cisco Certified Design Associate
440	Cisco Certified Network Associate- Cloud (CCNA Cloud)
450	Cisco Certified Network Associate Security (CCNA Security)
451	Cisco Certified Network Associate- Cyber Ops (CCNA Cyber Ops)

452	Cisco Certified Network Associate - Data Center (CCNA Data Center)
453	Cisco Certified Network Associate- Service Provider (CCNA SP)
460	Cisco Certified Entry Networking Technician (CCENT)
470	<del>Clinical Medical Assistant</del> Certified Clinical Medical Assistant
478	<del>Commercial Non-Commercial Pesticide Applicator</del> Commercial/Non-Commercial Pesticide Applicator
479	<del>Community Health Worker</del> Community Health Workers
480	<del>CompTIA A Plus Certification</del> CompTIA A+ Certification
481	<del>CompTIA IT Fundamentals</del> CompTIA IT Fundamentals+
490	<del>CompTIA Network</del> CompTIA Network+
500	<del>CompTIA Security Plus</del> CompTIA Security+
508	Cosmetology Esthetician License
509	Cosmetology Manicurist License
510	Cosmetology Operator License
511	Educational Aide I
512	Entrepreneurship and Small Business
520	Electrical Apprenticeship Certificate Level 1
530	<del>Emergency Medical Technician</del> Emergency Medical Technician - Basic
531	ESRI ArcGIS Desktop Entry
532	FAA Aviation Maintenance Technician General
533	FAA Aviation Maintenance Technician Airframe
534	FAA Part 107 Remote Drone Pilot
535	FANUC Robot Operator 1
536	Feedyard Technician in Cattle Care and Handling
537	Feedyard Technician in Machinery Operation, Repair and Maintenance
538	Google Analytics Individual Qualification
539	Google Cloud Certified Professional - Cloud Architect
540	ISCET Certified Electronics Technicians
541	<del>Landscape Irrigation Technician</del> Landscape Irrigator
542	Licensed Dental Hygienist
543	Licensed Dietetic Technician
544	<del>Licensed Veterinarian Technician</del>

	Licensed Veterinary Technician
545	Licensed Vocational Nurse
546	<del>Limited License Radiology Technologist</del> Limited Medical Radiologic Technologist
547	Medical Coding and Billing Specialist
548	ManageFirst Professional
549	Mastercam Associate Certification
550	Medical Laboratory Assistant
551	Microsoft Office Specialist Excel
552	Microsoft Office Specialist Word
560	<del>Microsoft Office Expert – Excel</del> Microsoft Office Specialist: Microsoft Excel Expert (Excel and Excel 2019)
570	<del>Microsoft Office Expert – Word</del> Microsoft Office Specialist: Microsoft Word Expert (Word and Word 2019)
580	<del>Microsoft Office Specialist (MOS) Master 2016</del> Microsoft Office Specialist 2016 Master
581	Microsoft Office Specialist (MOS) Master-2013 (Track 1)
582	Microsoft Office Specialist (MOS) Master-2013 (Track 2)
583	Microsoft Office Specialist (MOS) Master-2013 (Track 3)
590	Microsoft Technology Associate (MTA) Cloud Fundamentals
591	Microsoft Technology Associate (MTA) Database Administration Fundamentals
592	Microsoft Technology Associate (MTA) HTML5 App Development Fundamentals
593	Microsoft Technology Associate (MTA) Intro Programming Using HTML and CSS
594	Microsoft Technology Associate (MTA) Intro Programming Using Java
595	Microsoft Technology Associate (MTA) Intro Programming Using JavaScript
596	Microsoft Technology Associate (MTA) Intro Programming Using Python
597	Microsoft Technology Associate (MTA) Mobility and Device Fundamentals
598	Microsoft Technology Associate (MTA) Networking Fundamentals
599	Microsoft Technology Associate (MTA) Security Fundamentals
600	<del>National Metal Working Skills Certification – ITM Basic Mechanical Systems</del> Industrial Technology Maintenance (ITM) - Basic Mechanical Systems
601	<del>National Metal Working Skills Certification – ITM Basic Pneumatic Systems</del> Industrial Technology Maintenance (ITM) - Basic Pneumatic Systems
602	<del>National Metal Working Skills Certification – ITM Electrical Systems</del> Industrial Technology Maintenance (ITM) - Electrical Systems
603	<del>National Metal Working Skills Certification – ITM Electronic Control Systems</del> Industrial Technology Maintenance (ITM) - Electronic Control Systems
604	<del>National Metal Working Skills Certification – ITM Maintenance Operations</del> Industrial Technology Maintenance (ITM) - Maintenance Operations
605	<del>National Metal Working Skills Certification – ITM Maintenance Piping</del>

	Industrial Technology Maintenance (ITM) - Maintenance Piping
606	<del>National Metal Working Skills Certification - ITM Maintenance Welding</del> Industrial Technology Maintenance (ITM) - Maintenance Welding
607	<del>National Metal Working Skills Certification - ITM Process Control Systems</del> Industrial Technology Maintenance (ITM) - Process Control Systems
610	NCCER Carpentry Level I
611	NCCER Carpentry Level II
612	NCCER Commercial Carpenter
613	NCCER Construction Site Safety Technician
620	NCCER Construction Technology Certification Level I
630	<del>NCCER Core Level I</del> NCCER Core
640	NCCER Electrical Level I
641	NCCER Electrical Level II
642	NCCER Commercial Electrician
650	NCCER Electronic System Technician Level I
651	NCCER Electronic System Technician Level II
660	<del>NCCER Heating Ventilation Air Conditioning Level I</del> NCCER Heating, Ventilation, Air Conditioning Level I
670	<del>NCCER Industrial Maintenance Level I</del> NCCER Industrial Maintenance Mechanic Level I
680	NCCER Instrumentation Level I
690	NCCER Masonry Level I
691	NCCER Masonry Level II
700	NCCER Millwright Level I
701	NCCER Millwright Level II
710	<del>NCCER Painting Level I</del> NCCER Painting: Commercial and Residential Level I
720	NCCER Pipefitting Level I
730	NCCER Plumbing Level I
731	NCCER Plumbing Level II
740	NCCER Sheet Metal Level I
750	<del>NCCER Weatherization Level I</del> NCCER Weatherization Technician Level I
760	NCCER Welding Level I
761	Non-Commissioned Security Officer Level II
770	Oracle Certified Associate Java SE 8 Programmer
780	<del>Oracle Certified Database Associate</del> Oracle Database SQL Certified Associate
781	Orthopedic Exercise Specialty Certification



782	Orthopedic Technologist
783	OSHA 30 Hour Construction
784	OSHA 30 Hour General
785	OSHA Hazardous Waste Operations and Emergency Response
786	Patient Care Technician
790	Pharmacy Technician
800	Phlebotomy Technician
810	<del>QuickBooks Certified User</del> Intuit QuickBooks Certified User
811	ServSafe Manager
812	<del>Texas State Floral Association Floral Skills Knowledge Based</del> Texas State Florist's Association Knowledge Based Floral Certification
813	<del>Texas State Floral Association Level I</del> Texas State Florist's Association Level I Floral Certification
814	<del>Texas State Floral Association Level II</del> Texas State Florist's Association Level II Floral Certification
815	<del>Tradesman Plumber Limited License</del> Tradesman Plumber - Limited
816	<del>Unity Certified Programmer</del> Certified Professional Programmer
820	Wastewater Collections
830	<del>Water Operators</del> Water Operators, Class D
831	WD Certified Web Design
832	Google Cloud Certified Professional- G Suite
833	IAED Emergency Telecommunicator
834	ISA Certified Control Systems Technician
835	Mastercam Associate Certification Mill Design and Toolpaths
836	Mastercam Certified Professional Mill Level 1
837	Mastercam Professional Level Certification
838	Microsoft Technology Associate (MTA) Software Development Fundamentals
839	Microsoft Technology Associate (MTA) Windows Operating System Fundamentals
840	Microsoft Technology Associate (MTA) Windows Server Administration Fundamentals
841	<del>MSSC Certified Logistics Technician (CLT)</del> Certified Logistics Technician (CLT)
842	<del>MSSC Certified Production Technician (CPT)</del> Certified Production Technician (CPT) 4.0
843	<del>National Metal Working Skills Machining CNC Milling Operations</del> Machining CNC Mill Operations Level I

844	<del>National Metal Working Skills Machining CNC Milling Programming Set Up</del> Machining CNC Mill Programming Setup and Operations Level I
845	<del>National Metal Working Skills Machining CNC Turning Operations</del> CNC Lathe Operations
846	<del>National Metal Working Skills Machining CNC Turning Programming Set Up</del> CNC Lathe Set Up and Operations
847	<del>National Metal Working Skills Machining Drill Press Skills 1</del> Machining Drill Press Level I
848	<del>National Metal Working Skills Machining Grinding Skills 1</del> Machining Grinding Level I
849	<del>National Metal Working Skills Machining Manual Milling Skills 1</del> Machining Milling Level I
850	<del>National Metal Working Skills Machining Measurement, Material, Safety</del> Machining Measurement, Material, and Safety Level I
860	Real Estate Sales Agent License
870	Refrigerant Handling (EPA 608)
880	<del>Registered Dental Assistant</del> Registered Dental Assistant X-Ray Certification
890	Registered Diagnostic Medical Sonographer - Abdomen
891	Registered Diagnostic Medical Sonographer - Obstetrics and Gynecology
900	Registered Nurse
910	Registered Technologist - Cardiac-Interventional Radiography
911	Registered Technologist - Computed Tomography
912	Registered Technologist - Magnetic Resonance Imaging
913	Registered Technologist - Mammography
914	Registered Technologist - Nuclear Medicine Technology
915	Registered Technologist - Radiography
916	Registered Technologist - Sonography
917	Registered Technologist - Vascular Sonography
918	Registered Technologist - Vascular-Interventional Radiography
930	Registered Vascular Technology
931	Medical Laboratory Technician
932	Accounting - Basic
933	Accounting Foundations
934	Administrative Assisting
935	Agricultural Biotechnology
936	Agriculture Mechanics
937	Audio-Visual Communications - Job Ready
938	Autodesk Associate (Certified User) 3ds MAX
939	Autodesk Associate (Certified User) AutoCAD

940	Autodesk Associate (Certified User) Fusion 360
941	Autodesk Associate (Certified User) Inventor for Mechanical Design
942	Autodesk Associate (Certified User) Revit Architecture
943	Autodesk Associate (Certified User) Revit for Electrical
944	Autodesk Associate (Certified User) Revit for Structural Design
945	Autodesk Certified Professional Fusion 360
946	Autodesk Certified Professional in AutoCAD for Design and Drafting
947	Autodesk Certified Professional in Inventor for Mechanical Design
948	Autodesk Certified Professional in Revit for Architectural Design
949	Autodesk Certified Professional in Revit for Electrical Design
950	Autodesk Certified Professional in Revit for Structural Design
951	BASF Plant Science Certification
952	Biotechnician Assistant Credentialing Exam (BACE)
953	Broadcasting and Journalism
954	Business Information Processing
955	C-101 Certified Industry 4.0 Associate - Basic Operations
956	C-103 Certified Industry 4.0 Associate - Robot System Operations
957	C-200 Certified Industry 4.0 Automation Systems Specialist I - 201 Electrical Systems 1
958	C-200 Certified Industry 4.0 Automation Systems Specialist I - 202 Electric Motor Control Systems 1
959	C-200 Certified Industry 4.0 Automation Systems Specialist I - 204 Motor Control Troubleshooting 1
960	C-200 Certified Industry 4.0 Automation Systems Specialist I - 208 Programmable Controller Troubleshooting 1
961	C-200 Certified Industry 4.0 Automation Systems Specialist I - 215 Robotic Operations 1
962	C-200 Certified Industry 4.0 Automation System Specialist I - 216 Robotic System Integration 1
963	Certified Entry-Level Python Programmer (PCEP)
964	Certified Manufacturing Associate
965	Certified Technician-Supply Chain Automation (CT-SCA)
966	Certified Web and Mobile App Developer Apprentice
967	Certified Web Animator Associate
968	Cisco 100-490 RSTECH Supporting Cisco Routing and Switching Network Devices
969	Cisco 200-201 CBROPS - Understanding Cisco Cybersecurity Operations Fundamentals
970	Cisco CCNA (200-301) Implementing and Administering Cisco Solutions
971	Cloud Essentials+
972	Commercial Foods

973	Commercial/Noncommercial Pesticide Applicator "Vegetation Management" License
974	CompTIA Linux+
975	CompTIA Server+
976	Computer Networking Fundamentals - Job Ready
977	Computer Repair Technology - Job Ready
978	Culinary Meat Selection & Cookery Certification
979	Cybersecurity Fundamentals
980	CyberSecurity Fundamentals: An ISACA Certificate
981	Diesel Technology - Job Ready
982	Digital Video Production Foundations
983	Early Childhood Education and Care - Advanced
984	Early Childhood Education and Care - Basic
985	ECG Technician
986	Elanco Fundamentals of Animal Science Certification
987	Elanco Veterinary Medical Applications Certification
988	Emergency Medical Responder
989	Engineering Technology Foundations
990	Equine Management & Evaluation Certification
991	Facebook Digital Marketing Associate Certification
992	FESTO Certified Industry 4.0 Associate Fundamentals
993	Food Protection Manager Certification
994	Food Safety & Science Certification
995	General Management
996	Google IT Support Professional Certificate
997	Graphic Production Technology - Job Ready
998	HBI Pre-Apprenticeship Certificate Training (PACT), Brick Masonry
999	HBI Pre-Apprenticeship Certificate Training (PACT), Building Construction Technology
1000	HBI Pre-Apprenticeship Certificate Training (PACT), Basic Carpentry
1001	HBI Pre-Apprenticeship Certificate Training (PACT), Core
1002	HBI Pre-Apprenticeship Certificate Training (PACT), Basic Electrical
1003	HBI Pre-Apprenticeship Certificate Training (PACT), Green Core
1004	HBI Pre-Apprenticeship Certificate Training (PACT), Heating, Ventilation and Air Conditioning
1005	Heavy Equipment Maintenance and Repair - Job Ready
1006	Horticulture - Landscaping - Job Ready
1007	Hospitality Management - Lodging - Job Ready
1008	Insurance and Coding Specialist
1009	Residential Plans Examiner - R3

1010	Lean Six Sigma Green Belt Certification
1011	LEED Green Associate
1013	Machining CNC Milling Skills Level II
1015	Machining CNC Turning Level II
1017	Manufacturing Technology
1018	MB-920: Microsoft Dynamics 365 Fundamentals Finance and Operations Apps
1019	Medical Assistant
1020	Microsoft Office Specialist: Microsoft Access Expert (Access and Access 2019)
1021	Nationally Certified Medical Coding and Billing Specialist
1022	Nationally Registered Certified EKG Technician
1023	Natural Resources Systems
1024	NCCER Industrial Maintenance Support Mechanic
1025	NCCER Industrial Millwright
1026	NCCER Industrial Pipefitter
1027	Precision Machining - Job Ready
1028	Pre-Engineering/Engineering Technology - Job Ready
1029	Pre-Professional Certification in Culinary Arts
1030	Pre-Professional Certification in Early Childhood Education
1031	Pre-Professional Certification in Food Science Fundamentals
1032	Pre-Professional Certification in Nutrition, Food, and Wellness
1033	Principles of Floral Design Certification
1034	Principles of Small Engine Technology Certification
1035	Production Agriculture - Job Ready
1036	Certified Professional Photographer
1037	Project Management Institute (PMI) Project Management Ready
1038	Retail Merchandising - Job Ready
1039	Small Animal Science and Technology
1040	Small Engine Technology
1041	Certified Billing and Coding Specialist (CBCS)
1042	Stukent Social Media Marketing Certification
1043	Texas Certified Landscape Associate (TCLA)
1044	Texas Certified Nursery Professional
1045	Travel and Tourism
1046	Volunteer Income Tax Assistance/Tax Counseling Certification: Advanced
1047	Volunteer Income Tax Assistance/Tax Counseling Certification: Basic
1048	Volunteer Income Tax Assistance/Tax Counseling Certification: Volunteer for Elderly
1049	Web Design - Job Ready
1050	Welding - Job Ready
1051	Autodesk Certified Professional in Civil 3D for Infrastructure Design

1052	Business of Retail: Certified Specialist
1053	Certified SOLIDWORKS Associate (CSWA) - Academic
1054	Certified SOLIDWORKS Associate (CSWA) - Electrical
1055	Certified SOLIDWORKS Associate (CSWA) - Mechanical Design
1056	Certified SOLIDWORKS Associate (CSWA) - Simulation
1057	Certified SOLIDWORKS Associate (CSWA) - Sustainability
1058	Certified SOLIDWORKS Professional (CSWP) - Academic
1059	Certified SOLIDWORKS Professional (CSWP) - Additive Manufacturing
1060	Certified SOLIDWORKS Professional (CSWP) - CAM
1061	Certified SOLIDWORKS Professional (CSWP) - Mechanical Design
1062	Certified SOLIDWORKS Professional (CSWP) - Model Based Definition
1063	Certified SOLIDWORKS Professional (CSWP) - Simulation
1064	Certified SOLIDWORKS Professional (CSWPA) - Drawing Tools
1065	Certified User: Programmer
1066	CodeHS Cybersecurity Level 1 Certification
1067	CodeHS Python Level 1 Certification
1068	CodeHS Web Design Level 1 Certification
1069	Customer Service and Sales: Certified Specialist
1070	Ducks Unlimited Ecology Conservation & Management Certification
1071	Employment Ready Certification - Air Conditioning
1072	Employment Ready Certification - Electrical
1073	Employment Ready Certification - Gas Heat
1074	Employment Ready Certification - Heat Pumps
1075	Employment Ready Certification - Light Commercial Air Conditioning
1076	Heating, Electrical, & Air Conditioning Technology (H.E.A.T.)
1077	Information Technology Specialist: HTML and CSS
1078	Information Technology Specialist: HTML5 Application Development
1079	Information Technology Specialist: Java
1080	Information Technology Specialist: JavaScript
1081	Information Technology Specialist: Networking
1082	Microsoft 365 Fundamentals
1083	Microsoft Azure AI Fundamentals
1084	Microsoft Azure Data Fundamentals
1085	Microsoft Security, Compliance, and Identity Fundamentals
1086	TRIO Electrical Pre-Apprenticeship (EPP) Certification
1087	AgriLife Veterinary Assistant Certificate

Common Name	XML Name	Complex Type	Date Issued	Date Updated
POST-SECONDARY-CERTIFICATION-LICENSURE-RESULT	TX-PostSecondaryCertificationLicenseResult		08/01/2022	7/1/2023
<b>Definition</b>				
POST-SECONDARY-CERTIFICATION-LICENSURE-RESULT indicates the final result of a state, nationally, or internationally recognized industry-based certification exam taken by a student.				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE142 (PEIMS: E1733)	TC47 (PEIMS: C232)	No		
Applicable Record	Length	Type	Pattern	
Student Record	2	CODED	#	
Table ID	Name	XML Name	Simple Type & Applicable Record	
TC47	POST-SECONDARY-CERTIFICATION-LICENSURE-RESULT-CODE	TX-PostSecondaryCertificationLicenseResultCode	Student Record	
Code	Translation			
01	IBC Earned All IBC Requirements completed, including passing examinations and any additional requirements			
02	IBC Examination Passed All IBC requirements have not been completed to earn the certification.			
03	IBC Examination Failed			

Common Name	XML Name	Complex Type
PRIOR-ID	PriorID	StudentIdentificationType
<b>Definition</b>		
PRIOR-ID indicates an identification number under which the student was identified or reported in the past if that number has changed.		
<b>Special Instructions</b>		

An example of when this field may be used is when a student is now using a state-approved student ID but used an SSN in the past.  
This field may be left blank.

Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE065 (PEIMS: E0990)		No	
Applicable Record	Length	Type	Pattern
Student Record	9	TEXT	*#####

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>PRIOR-RA-DAYS-ATTENDED</b>	PriorRADaysAttended		8/1/2022	12/1/2022

**Definition**

PRIOR-RA-DAYS-ATTENDED indicates the total number of days the student was remote asynchronous present during the prior academic year.

**Special Instructions**

Days are reported as full days (x.0) or half-days (x.5).

**Data Specifications**

Element ID	Code Table ID	Required?	Domain of Values
TE147 (PEIMS: E1679)		No	0.0 – 180.0
Applicable Record	Length	Type	Pattern
Student Record	5	Numeric	###.#

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>PRIOR-RS-DAYS-ATTENDED</b>	PriorRSDaysAttended		8/1/2022	12/1/2022

**Definition**



PRIOR-RS-DAYS-ATTENDED indicates the total number of days the student was remote synchronous present during the prior academic year.			
<b>Special Instructions</b>			
Days are reported as full days (x.0) or half-days (x.5).			
<b>Data Specifications</b>			
Element ID	Code Table ID	Required?	Domain of Values
TE146 (PEIMS: E1678)		No	0.0 – 180.0
Applicable Record	Length	Type	Pattern
Student Record	5	Numeric	###.#

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>PRIOR- DAYS-ABSENT</b>	PriorDaysAbsent		8/1/2022	12/1/2022
<b>Definition</b>				
PRIOR-DAYS-ABSENT indicates the total number of days the student was absent during the prior school year.				
<b>Special Instructions</b>				
Days are reported as full days (x.0) or half-days (x.5).				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE144 (PEIMS: E0036)		No	0.0 – 180.0	
Applicable Record	Length	Type	Pattern	
Student Record	5	Numeric	###.#	

Common Name		XML Name	Complex Type	Date Issued	Date Updated
PRIOR- DAYS-ATTENDED		PriorDaysAttended		8/1/2022	12/1/2022
<b>Definition</b>					
PRIOR-DAYS-ATTENDED indicates the total number of days the student was present during the prior academic year.					
<b>Special Instructions</b>					
Days are reported as full days (x.0) or half-days (x.5).					
<b>Data Specifications</b>					
Element ID	Code Table ID	Required?	Domain of Values		
TE145 (PEIMS: E0937)		No	0.0 – 180.0		
Applicable Record	Length	Type	Pattern		
Student Record	5	Numeric	###.#		

Common Name		XML Name	Complex Type
PROMOTED-TO-GRADE		GradePromoted	EnrollmentType
<b>Definition</b>			
PROMOTED-TO-GRADE indicates the grade level to which the student was promoted based on completion of all academic requirements at the preceding grade level.			
<b>Data Specifications</b>			
Element ID	Code Table ID	Required?	Domain of Values
TE066	<a href="#">TC12</a> (PEIMS: C050)	No	
Applicable Record	Length	Type	Pattern
Student Record	2	CODED	**

Common Name		XML Name	Complex Type
PUBLIC-SERVICES-ENDORSEMENT-INDICATOR-CODE		PublicServicesEndorsementCode	AcademicStatusType

<b>Definition</b>			
PUBLIC-SERVICES-ENDORSEMENT-INDICATOR-CODE indicates whether a student is currently enrolled in (pursuing) or has successfully completed a Public Services Endorsement.			
<b>Special Instructions</b>			
<p>No Endorsement may be selected for Students graduating in the 2013-2014 school year (Graduation Program Type code 33).</p> <p>An Endorsement may not be selected if the FHSP-PARTICIPANT-CODE is 0.</p> <p>A student in the Distinguished Level Achievement Plan, must have at least one endorsement. More than one endorsement is allowed.</p>			
<b>Data Specifications</b>			
<b>Element ID</b>	<b>Code Table ID</b>	<b>Required?</b>	<b>Domain of Values</b>
TE107 (PEIMS: E1546)	<a href="#">TC35</a> (PEIMS: C199)	No	
<b>Applicable Record</b>	<b>Length</b>	<b>Type</b>	<b>Pattern</b>
Student Record AAR-Transcript	1	CODED	#

Q

Common Name		XML Name	Complex Type
QUARTILE		Quartile	AcademicSummaryType
Definition			
QUARTILE indicates a quarter percentage within the total class number in which the student is ranked. Quartiles divide the distribution of the class into four groups having equal percentage (i.e., top 25%, top 50%, lower 50%, etc.).			
Special Instructions			
This field is required by policy on a high school transcript by Grade 11.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE067	TC17	No	
Applicable Record	Length	Type	Pattern
AAR-Transcript	1	CODED	#
Table ID	Name	XML Name	Simple Type & Record
<u>TC17</u>	QUARTILE-CODE	Quartile	QuartileType AAR-Transcript
Code	Translation		
1	Student is ranked in the top 25% (1-25%) of the graduating class.		
2	Student is ranked in the top 50% (26-50%) of the graduating class.		
3	Student is ranked in the top 75% (51-75%) of the graduating class.		
4	Student is ranked in the lowest 25% (below 75%) of the graduating class.		

**R**

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>RA-TOTAL-DAYS-PRESENT</b>	RADaysAttended	AttendanceType	8/1/2020	
<b>Definition</b>				
RA-TOTAL-DAYS-PRESENT indicates the total number of days the student was remote asynchronous present during the current academic year.				
Special Instructions				
Days are reported as full days (x.0) or half-days (x.5).				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE137 (PEIMS: E1679)		No	000.0-180.0	
Applicable Record	Length	Type	Pattern	
Student Record	3,1	DECIMAL	###.#	

Common Name	XML Name	Complex Type	Date Issued	Date Updated
<b>RS-TOTAL-DAYS-PRESENT</b>	RSDaysAttended	AttendanceType	8/1/2020	
<b>Definition</b>				
RS-TOTAL-DAYS-PRESENT indicates the total number of days the student was remote synchronous present during the current academic year.				
Special Instructions				
Days are reported as full days (x.0) or half-days (x.5).				
<b>Data Specifications</b>				
Element ID	Code Table ID	Required?	Domain of Values	
TE136 (PEIMS: E1678)		No	000.0-180.0	
Applicable Record	Length	Type	Pattern	
Student Record	3,1	DECIMAL	###.#	

**S**

Common Name		XML Name	Complex Type	Date Issued	Date Updated
SAT-ACT-TSIA-REIMBURSEMENT-INDICATOR		SATACTReimbursement	SpecialProgramsType		9/25/2020
<b>Definition</b>					
SAT-ACT-TSIA-REIMBURSEMENT-INDICATOR indicates that a prior or current LEA has received the one-time allowed SAT or ACT fee reimbursement for the student.					
<b>Data Specifications</b>					
Element ID	Code Table ID	Required?	Domain of Values		
TE134		No	0,1		
Applicable Record	Length	Type	Pattern		
Student Record	1	CODED	#		

Common Name		XML Name	Complex Type
SECTION-504-INDICATOR-CODE		Section504	AcademicStatusType
<b>Definition</b>			
SECTION-504-INDICATOR-CODE indicates that a student received assistance through either an aid, accommodation, or service under Section 504 Rehabilitation Act of 1973 at any time during the school year. (TEC 26.004)			
<b>Special Instructions</b>			
<b>Data Specifications</b>			
Element ID	Code Table ID	Required?	Domain of Values
TE124 (PEIMS: E1603)	<a href="#">TC16</a> (PEIMS: C088)	No	0, 1
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#

Common Name		XML Name	Complex Type
SEMESTER-SEQUENCE		SemesterSeq	CourseType
Definition			
SEMESTER-SEQUENCE indicates a sequence or portion of a course.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE068 (PEIMS: E0948)	TC18 (PEIMS: C135)	No	
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#
Table ID	Name	XML Name	Simple Type
TC18 (C135)	SEMESTER-SEQUENCE	SemesterSeq	SemesterSeqType  Student Record AAR-Transcript
Code	Translation		
0	One semester course		
1	First half of a two-semester course		
2	Second half of a two-semester course		
3	First third of a three-semester course		
4	Second third of a three-semester course		
5	Last third of a three-semester course		
6	First fourth of a four-semester course		
7	Second fourth of a four-semester course		
8	Third fourth of a four-semester course		
9	Last fourth of a four-semester course		
A	Non-High School Year Long Course		
D0	Single Semester Dual Credit Course		
D1	First Half of a Two Semester Dual Credit Course		
D2	Second Half of a Two Semester Dual Credit Course		
D3	First Third of a Three Semester Dual Credit Course		
D4	Second Third of a Three Semester Dual Credit Course		
D5	Last Third of a Three Semester Dual Credit Course		
D6	First Fourth of a Four Semester Dual Credit Course		
D7	Second Fourth of a Four Semester Dual Credit Course		
D8	Third Fourth of a Four Semester Dual Credit Course		

D9	Last Fourth of a Four Semester Dual Credit Course
----	---

Common Name		XML Name	Complex Type
SESSION-TYPE		SessionType	AcademicSessionType CurrentCourseworkType
Definition			
SESSION-TYPE indicates the number of academic terms within a school year. Ex: Semester, Trimester, Quarter			
Special Instructions			
If no type is selected Session Type will default to Semester.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE087		No	Semester, Trimester, Quarter
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	9	CODED	*...

Common Name		XML Name	Complex Type
SPECIAL-ED-INDICATOR		SpecialEd	SpecialProgramsType
Definition			
SPECIAL-ED-INDICATOR indicates whether the student is participating in a special education instructional and related services program or a general education program using special education support services, supplementary aids, or other special arrangements. (See 34 CFR §300.13 and 19 TAC §§89.1060 and 89.1090.)			
Special Instructions			
Any Special Education or ARD-related attachments sent with the TReX student record require a specific naming convention. Please reference "File Requirements" in Section 1, Responsibilities-School Districts and Campuses for more information.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE069 (PEIMS: E0794)	<a href="#">TC16</a> (PEIMS: C088)	No	0, 1
Applicable Record	Length	Type	Pattern



Student Record	1	CODED	#
----------------	---	-------	---

Common Name		XML Name	Complex Type
SPECIAL-EXPLANATION-CODE		Explanation	CourseType
Definition			
SPECIAL-EXPLANATION-CODE is a description authorized by TEA as a means to document on the transcript (AAR) specific information regarding the course to which the code is associated. Examples include explanation codes for course credit earned in middle school or at a college-level.			
Special Instructions			
More than one SPECIAL EXPLANATION CODE may be included with a Course Type. For example, if a student earns credit for Algebra I in middle school as an honors course, codes H and J may be included as special explanations for that course. <b>Note: The Special Explanation Codes will be expanded to allow a length of two characters starting with the 2010 – 2011 school year.</b>			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE070	TC19	No	
Applicable Record	Length	Type	Pattern
AAR-Transcript	2	CODED	*
Table ID	Name	XML Name	Simple Type & Applicable Record
TC19	SPECIAL-EXPLANATION-CODE	Explanation	CourseExplanationType AAR-Transcript
Code	Translation		
A	A high school course for which college credit will be awarded by a college under the conditions of a local articulation agreement or the statewide Advanced Technical Credit Program agreement. Colleges agreeing to award credit under the conditions of a local agreement or under a Tech Prep program agreement must be named.		
C	A course taken by correspondence from an approved institution of higher education (19 TAC §74.23).		
D	A college course taken for which high school and college credit is awarded (19 TAC §74.25).		
E	A course for which credit is awarded by examination in an academic subject in which the student has had <b>no</b> prior instruction (Credit by Exam) (TAC §74.24(c)(1))		
G	A gifted/talented course.		

H	An honors course. (Note: This refers to locally approved honors courses.)
I	An International Baccalaureate course.
J	A high school course satisfactorily completed prior to grade 9 (19 TAC §74.26).
K	A pre-International Baccalaureate course.
L	A local-credit course taken for local credit only. (Note: Local credit is not counted toward state graduation requirements unless the course is required by an ARD Committee for students receiving special education services who entered grade nine prior to the 2011-2012 school year.)
M	A magnet school or course.
P	A College Board Advanced Placement (AP) course.
Q	A pre-Advanced Placement course.
R	A course completed in summer school, night school, or other instructional arrangement outside the regular school year and/or day.
T	A course for which credit is awarded by examination in an academic subject in which the student has had some prior formal instruction (TAC §74.24(c)(3)).
V	A state-approved course in which content as described by the TEKS has been modified because of an ARD Committee decision. This code is used only for students receiving special education services to indicate modifications in TEKS course content. (Additional information is provided in the Minimum Standards for the Academic Achievement Record.) Note: Code V will not be printed on the AAR but will print on the student record. XML files containing a V will upload successfully.
X	An innovative course approved for state graduation credit by the State Board of Education or the Commissioner of Education (19 TAC §74.27).
Z	A course taken by distance learning including but not limited to the Texas Virtual School Network (TXVSN) television instruction, electronic transmission, or satellite broadcast (19 TAC §74.23)
<del>1</del>	<del>A course for which a physical education credit or waiver is awarded through a substitution allowed by <a href="#">19 TAC §74</a></del>
<del>2</del>	<del>A course that is part of a coherent sequence of career and technical education (CTE) courses. (19 TAC §74.3(b)(2)(G))</del>
3	A course for which credit is awarded based on the district's evaluation of the student's records from any school that operates outside of the Texas public or charter school system (i.e., home school, private school, out-of-state school, etc.) (TAC §74.26(a)(2))
4	A CTE course that satisfies a specific graduation requirement as allowed by <a href="#">19 TAC §74</a>
<del>5</del>	<del>Course Grade Average or Final Grade Average includes STAAR® EOC results.</del>
7	A TEKS-based course that includes 100 minutes of moderate to vigorous physical activity per five-day school week taken to satisfy the physical education requirement on the Foundation High School Program ( <a href="#">19 TAC §74.12(b)(6)(B)</a> ).

8	A course other than a Languages other than English (LOTE) course taken to satisfy the LOTE requirement on the Foundation High School Program ( <a href="#">19 TAC §74.12(b)(5)(B) or (D)</a> ).
9	A course taken by a student with written permission from the student's parent/guardian to satisfy the fourth science requirement for the arts and humanities endorsement on the Foundation High School Program ( <a href="#">19 TAC §74.13(e)(5)(EE)</a> ).
10	A course taken as a part of a Foundation High School Program endorsement.

Common Name		XML Name	Complex Type
SPEECH-REQUIREMENT-MET-DATE		SpeechMetDate	AcademicStatusType
Definition			
<p>SPEECH-REQUIREMENT-MET-DATE is the date (month and year) the student met the speech requirement for the Foundation High School Program.</p> <p>To receive a high school diploma, a student must demonstrate proficiency, as determined by the school district in which the student is enrolled, in delivering clear verbal messages; choosing effective nonverbal behaviors; listening for desired results; applying valid critical thinking and problem-solving processes; and identifying, analyzing, developing, and evaluating communication skills needed for professional and social success in interpersonal situations, group interactions, and personal and professional presentations (TAC §74.11(a)(3)).</p>			
Special Instructions			
SPEECH-REQUIREMENT-MET-DATE must be present if GRADUATION-DATE is present, and GRADUATION-PROGRAM-TYPE is 34 or greater.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE116		No	yyyy = 1957-2052 mm = 01-12
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	7	DATE	yyyy-mm

Common Name		XML Name	Complex Type
STAAR-PERFORMANCE-LEVEL		PerformanceLevel	AssessmentType
Definition			
STAAR-PERFORMANCE-LEVEL reflects the level the student achieved on the STAAR® End of Course assessment.			
Special Instructions			
This field may be left blank if the end of course score has not yet been included in one of the grade average elements.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE098	TC31	No	
Applicable Record	Length	Type	Pattern
Student Record AAR Transcript	1	CODED	*
Table ID	Name	XML Name	Simple Type & Applicable Record
TC31	STAAR-PERFORMANCE-LEVEL	PerformanceLevel	PerfLevelType  Student Record AAR-Transcript
Code	Translation		
0	NA - Not Applicable		
4	M - Met Transition Rule Standard		
<del>5</del>	<del>SI - Substitute Assessment, Level I</del>		
6	S - Substitute Assessment		
7	DidNotMeet - Unsatisfactory Academic Performance, Level I (STAAR Alternate) or Did Not Meet Grade Level Performance		
8	Approaches - Approaches Grade Level Performance (Not available for use for STAAR Alternate)		
9	Meets - Satisfactory Academic Performance, Level II (STAAR Alternate) or Meets Grade Level Performance		
A	Masters - Accomplished or Advanced Academic Performance, Level III (STAAR Alternate) or Masters Grade Level Performance		
B	2020 Waived - STAAR testing requirements waived for administrations for the 2019-2020 school year		
	<b>The following codes are applicable for STAAR assessments administered <u>prior to March 2017 only.</u></b>		
1	I - Developing or Unsatisfactory Academic Performance, Level I		

2	II - Satisfactory Academic Performance, Level II
3	III - Accomplished or Advanced Academic Performance, Level III

Common Name		XML Name	Complex Type
STAR-OF-TEXAS-INDICATOR-CODE		StarofTexas	AcademicStatusType
Definition			
STAR-OF-TEXAS-INDICATOR-CODE indicates that the student is eligible for free public prekindergarten because they are the child of a person awarded the Star of Texas Award.			
Special Instructions			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE121 (PEIMS: E1601)	<a href="#">TC16</a> (PEIMS: C088)	No	0, 1
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#

Common Name		XML Name	Complex Type
STATE		StateProvince	SchoolType Address Type
Definition			
STATE is the state in which the student resides or in which a campus is located. This data element defaults to TX for Texas.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE071	TC20	No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	2	CODED	**
Table ID	Name	XML Name	Simple Type & Applicable Record
<a href="#">TC20</a>	STATE	StateProvince	StateType Student Record AAR-Transcript
Code	Translation		

AA	Military-Americas
AB	Alberta
AE	Military-Europe
AK	Alaska
AL	Alabama
AP	Military-Pacific
AR	Arkansas
AS	American Samoa
AZ	Arizona
BC	British Columbia
CA	California
CO	Colorado
CT	Connecticut
CZ	Canal Zone
DC	District Of Columbia
DE	Delaware
FL	Florida
FM	Federated States Of Micronesia
GA	Georgia
GU	Guam
HI	Hawaii
IA	Iowa
ID	Idaho
IL	Illinois
IN	Indiana
KS	Kansas
KY	Kentucky
LA	Louisiana
MA	Massachusetts
MB	Manitoba
MD	Maryland
ME	Maine
MH	Marshall Islands
MI	Michigan
MN	Minnesota
MO	Missouri
MP	Northern Mariana Islands
MS	Mississippi
MT	Montana
NB	New Brunswick

NC	North Carolina
ND	North Dakota
NE	Nebraska
NF	Newfoundland
NH	New Hampshire
NJ	New Jersey
NL	Newfoundland And Labrador
NM	New Mexico
NS	Nova Scotia
NT	Northwest Territories
NU	Nunavut
NV	Nevada
NY	New York
OH	Ohio
OK	Oklahoma
ON	Ontario
OR	Oregon
PA	Pennsylvania
PE	Prince Edward Island
PR	Puerto Rico
PW	Republic Of Palau
QC	Quebec
RI	Rhode Island
SC	South Carolina
SD	South Dakota
SK	Saskatchewan
TN	Tennessee
TX	Texas
UT	Utah
VA	Virginia
VI	Virgin Islands
VT	Vermont
WA	Washington
WI	Wisconsin
WV	West Virginia
WY	Wyoming
YT	Yukon

Common Name		XML Name	Complex Type
STEM-ENDORSEMENT-INDICATOR-CODE		STEMEndorsementCode	AcademicStatusType
Definition			
STEM-ENDORSEMENT-INDICATOR-CODE indicates whether a student is currently enrolled in (pursuing) or has successfully completed a Science, Technology, Engineering, and Mathematics Endorsement.			
Special Instructions			
No Endorsement may be selected for Students graduating in the 2013-2014 school year (Graduation Program Type code 33). An Endorsement may not be selected if the FHSP-PARTICIPANT-CODE is 0. A student in the Distinguished Level Achievement Plan, must have at least one endorsement. More than one endorsement is allowed.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE105 (PEIMS: E1544)	<a href="#">TC35</a> (PEIMS: C199)	No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	#

Common Name		XML Name	Complex Type
STUDENT-ID		StudentID	StudentIdentificationType
Definition			
STUDENT-ID is either the student's Social Security Number (SSN) or a state-approved alternative identification number associated with all student records. Private schools may use SSN or a school assigned identification that includes any characters.			
Special Instructions			
The first character of STUDENT-ID must be "S" or "0"- "8". This field is required and only one is allowed. Length is 8 characters for public schools. Up to 64 characters are allowed for private schools.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE072 (PEIMS: E0001)		Yes	



Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	9 (1-64 for private)	TEXT	*##### (*... for private schools)

Common Name	XML Name	Complex Type
STUDENT-LANGUAGE-CODE	StudentLanguage	StudentDemographicType

**Definition**

STUDENT-LANGUAGE-CODE indicates the language spoken by the student most of the time, as determined by the student's home language survey (19 TAC §89.1215).

**Data Specifications**

Element ID	Code Table ID	Required?	Domain of Values
TE126	<a href="#">IC14</a> (PEIMS: C092)	No	
Applicable Record	Length	Type	Pattern
Student Record	2	CODED	**

**I**

Common Name		XML Name	Complex Type
TEXAS-GRANT-INDICATOR		TexasGrant	AcademicStatusType
Definition			
The TEXAS-GRANT-INDICATOR code is used to show that a student <b>on the Minimum/ Recommended/ Distinguished/ High School Program (RHSP)</b> is on track to graduate by completing the requirements of the State Board of Education-approved Minimum/ Recommended/ Distinguished/ High School Program.			
Special Instructions			
The TEXAS-GRANT-INDICATOR will not be reported for the Foundation High School Program.. This designation is made before the end of the student’s junior year (Grade 11). The Texas Legislature established the TEXAS (Towards Excellence, Access, and Success) Grant to make sure that well-prepared high school graduates with financial need could go to college.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE073	TC21	No	
Applicable Record	Length	Type	Pattern
AAR-Transcript	1	CODED	#
Table ID	Name	XML Name	Simple Type & Applicable Record
TC21	TEXAS-GRANT-INDICATOR	TexasGrant	TexasGrantType AAR-Transcript
Code	Translation		
1	Student is on track to complete the requirements of the SBOE-approved Recommended High School Program.		
2	Student is on track to complete the requirements of the SBOE-approved Distinguished High School Program.		
3	Student is on track to complete the requirements of the SBOE-approved Minimum High School Program.		
5	Student is on track to complete the portion of the recommended graduation program that is available to the student at a high school that certifies to the commissioner of education that not all the necessary courses for the recommended program were offered (TEC §§51.803(d)(2) and 56.304(f)(1)).		

Common Name		XML Name	Complex Type
TITLE-I-PART-A-INDICATOR		TitleI	SpecialProgramsType
Definition			
TITLE-I-PART-A-INDICATOR-CODE indicates whether the student is participating in a program authorized under ESEA, Title I, Part A of the Improving America's Schools Act.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE074 (PEIMS: E0894)	TC22 (PEIMS: C122)	No	
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#
Table ID	Name	XML Name	Simple Type & Applicable Record
TC22 (C122)	TITLE-I-PART-A-INDICATOR	TitleI	TitleType Student Record
Code	Translation		
0	The student attends a school that is not designated by the district as a Title I, Part A school and the student does not receive any services funded by Title I, Part A, or the student attends a Title I, Part A targeted assistance school, but does not presently participate in services funded by Title I, Part A and has not previously participated in Title I, Part A services at the school in which the student is currently enrolled.		
A	The student resides in a facility for the neglected, attends a non-Title I campus, and receives Title I, Part A services through a Title I, Part A program that is run through the central administration office.		
6	The student attends a Title I, Part A schoolwide program school.		
7	The student attends a Title I, Part A targeted assistance school and participates in Title I, Part A programs and/or services.		
8	The student attends a Title I, Part A targeted assistance school and does not currently participate in Title I, Part A programs and/or services, but previously participated in Title I, Part A programs and/or services at this school.		

9	<p>The student does not attend a school that is designated by the district as a Title I, Part A school; however, the student receives Title I, Part A services because the student is homeless. As defined by 42 U.S.C. Section 11434(a), the term “homeless children and youths” –</p> <p>(A) means individuals who lack a fixed, regular, and adequate nighttime residence [within the meaning of section 103(a)(1)]; and</p> <p>(B) includes – (i) children and youths who are sharing the housing of other persons due to loss of housing, economic hardship, or a similar reason; are living in motels, hotels, trailer parks, or camping grounds due to the lack of alternative adequate accommodations; are living in emergency or transitional shelters; are abandoned in hospitals; or are awaiting foster care placement; (ii) children and youths who have a primary nighttime residence that is a public or private place not designed for or ordinarily used as a regular sleeping accommodation for human beings [within the meaning of section 103(a)(2)(C)];</p> <p>(iii) children and youths who are living in cars, parks, public spaces, abandoned buildings, substandard housing, bus or train stations, or similar settings; and</p> <p>(iv) migratory children (as such term is defined in section 1309 of the Elementary and Secondary Education Act of 1965) who qualify as homeless for the purposes of this subtitle because the children are living in circumstances described in clauses (i) - (iii).</p>
---	---

Common Name		XML Name	Complex Type
TOTAL-DAYS-ABSENT		DaysAbsent	AttendanceType
Definition			
TOTAL-DAYS-ABSENT indicates the total number of days the student was absent during the current academic year.			
Special Instructions			
Days are reported as full days (x.0) or half-days (x.5).			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE075 (PEIMS: E0036)		No	000.0-180.0
Applicable Record	Length	Type	Pattern
Student Record	3,1	DECIMAL	###.#

Common Name		XML Name	Complex Type
TOTAL-DAYS-PRESENT		DaysAttended	AttendanceType
Definition			
TOTAL-DAYS-PRESENT indicates the total number of days the student was present during the current academic year.			
Special Instructions			
Days are reported as full days (x.0) or half-days (x.5).			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE076 (PEIMS: E0937)		No	000.0-180.0
Applicable Record	Length	Type	Pattern
Student Record	3,1	DECIMAL	###.#

Common Name		XML Name	Complex Type
TX-UNIQUE -STUDENT -ID		StudentUniqueID	StudentIdentificationType
Definition			
TX-UNIQUE-STUDENT-ID is a unique number assigned to a student by the Texas Education Agency.			
Special Instructions			
TX-UNIQUE-STUDENT-ID is required for all student record transfers for students who were actively enrolled in the Texas Public school system in the 2013-2014 school year.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE099 (PEIMS: E1523)		No	
Applicable Record	Length	Type	Pattern
Student Record	10	Numeric	#####

**U**

Common Name		XML Name	Complex Type
UNSCHOOLED-ASYLEE-REFUGEE		AsyleeRefugeeCode	StudentDemographicType
Definition			
UNSCHOOLED ASYLEE/REFUGEE indicates whether a student's initial enrollment in a school in the United States in grades 7 through 12 was as an unschooled asylee or refugee.			
Special Instructions			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE097 (PEIMS: E1076)	TC30 (PEIMS: C183)	No	0, 1, 2
Applicable Record	Length	Type	Pattern
Student Record	1	CODED	#
Table ID	Name	XML Name	Simple Type & Applicable Record
TC30 (C183)	UNSCHOOLED-ASYLEE- -REFUGEE-CODE	AsyleeRefugee	AsyleeRefugeeType Student Record
Code	Translation		
0	Not applicable to this Student		
1	Refugee		
2	Asylee		

## V

Reserved

## W

Common Name		XML Name	Complex Type
WHITE		WhiteCode	Ethnicity Type
Definition			
White. A person having origins in any of the original peoples of Europe, the Middle East, or North Africa.			
Special Instructions			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE093 (PEIMS: E1063)	<a href="#">TC16</a> (PEIMS: C088)	No	0, 1
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	1	CODED	#

Common Name		XML Name	Complex Type
WITHDRAWAL-COURSE-GRADE		WithdrawGrade	CourseType
Definition			
WITHDRAWAL-COURSE-GRADE indicates the grade earned by the student for the course at the time of withdrawal. This is used only when the student transfers before completing a semester or grade reporting period.			

Special Instructions			
How the withdrawal grade is indicated is at the discretion of the district/campus; for example “Incomplete” may be entered rather than an alpha or numeric grade if appropriate.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE077		No	
Applicable Record	Length	Type	Pattern
Student Record	15	TEXT	*...

Common Name	XML Name	Complex Type			
WITHDRAWAL-REASON	WithdrawReason	EnrollmentType			
Definition					
WITHDRAWAL-REASON indicates the reason a student, in Grades 7-12, withdrew from school.					
Special Instructions					
If this data is not available in the local student information system (SIS), update the SIS with this information before creating the extract file for TReX.					
Data Specifications					
Element ID	Code Table ID	Required?	Domain of Values		
TE078 (PEIMS: E1001)	TC23 (PEIMS: C162)	No			
Applicable Record	Length	Type	Pattern		
Student Record	2	CODED	##		
Table ID	Name	XML Name	Simple Type & Applicable Record	Date Issued	Date Updated
TC23 (C162)	WITHDRAWAL-REASON-CODE	WithdrawReason	WithdrawReason Type		10/9/2020
Code	Translation				
01	Graduated from a Campus in this District or Charter				
03	Died				
08	Pregnancy				
16	Return to Home Country				
20	Medical Injury				
24	College, Pursue Associate’s or Bachelor’s Degree				



60	Home Schooling
66	Removed-Child Protective Svcs
78	Expelled for Offense Under TEC 37.007, Cannot Return
81	Enrolled In TX Private School
82	Enrolled In School Outside Texas
83	Withdrawn By District Because Not Entitled To Enrollment
85	Graduated Outside Texas Before Entering a Texas Public School – Entered a Texas Public School – Left Again
86	GED outside Texas
87	Enrolled in University High School Diploma Program
88	Court-ordered to a GED program, has not earned a GED
89	Incarcerated in a state jail or federal penitentiary as an adult
90	Graduated from another state under provisions of the Interstate Compact on Education Opportunity for Military Children
98	Other, including Transferred to another District

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

X

Reserved

[A](#) | [B](#) | [C](#) | [D](#) | [E](#) | [F](#) | [G](#) | [H](#) | [I](#) | [J](#) | [K](#) | [L](#) | [M](#) | [N](#) | [O](#) | [P](#) | [Q](#) | [R](#) | [S](#) | [T](#) | [U](#) | [V](#) | [W](#) | [X](#) | [Y](#) | [Z](#)

Y

Reserved

## Z

Common Name		XML Name	Complex Type
ZIP-CODE		PostalCode	SchoolType Address Type
Definition			
ZIP-CODE represents the zip code of student or campus address.			
Special Instructions			
Zip codes may be five or ten characters in length. If ten characters are submitted, the 6 <sup>th</sup> position should be a hyphen.			
Data Specifications			
Element ID	Code Table ID	Required?	Domain of Values
TE079		No	
Applicable Record	Length	Type	Pattern
Student Record AAR-Transcript	10	TEXT	#####-####

## CODE TABLES USED BY MULTIPLE DATA ELEMENTS

Table ID	Name	XML Name	Simple Type & Applicable Record
TC12 (C050)	<b>GRADE-LEVEL-CODE</b>	GradeLevel PlacedInGradeCode PromotedToGradeCode GradeOfRetentionCode	
Code	Translation		
EE	Early Education		
PK	Pre-Kindergarten		
KG	Kindergarten		
01	Grade 1		
02	Grade 2		
03	Grade 3		
04	Grade 4		
05	Grade 5		
06	Grade 6		
07	Grade 7		
08	Grade 8		
09	Grade 9		
10	Grade 10		
11	Grade 11		
12	Grade 12		

Table ID	Name	XML Name	Simple Type & Applicable Record
TC16 (C088)	<b>PARTICIPATION-INDICATOR</b>	AtRisk IEP Dyslexia Migrant SpecialEd PersonalGradPlan AmericanIndianAlaskaNativeCode AsianCode BlackAfricanAmericanCode NativeHawaiianPacificIslanderCode WhiteCode HispanicLatinoCode FHSPCollegeCareerInstructionIndicator	
<b>Code</b>	<b>Translation</b>		
0	Not receiving services, or condition or situation not applicable to this person or campus.		
1	Participant in program or service, or condition or situation applicable to this person or campus.		

Table ID	Name	XML Name	Simple Type & Applicable Record
TC35 (C199)	<b>FHSP-INDICATOR-CODE</b>	FHSP	FHSPTYPE AAR Student Record
<b>Code</b>	<b>Translation</b>		
0	Student is not pursuing or participating		
1	Student is Pursuing		
2	Student has Completed		

Table ID	Name	XML Name	Simple Type & Applicable Record
TC14 (C092)	<b>LANGUAGE-CODE</b>	Language	LanguageType Student Record
Code	Translation		
01	Spanish		
02	Vietnamese		
03	Laotian (Lao)		
04	Cambodian (Khmer)		
06	Korean		
07	Japanese		
08	French		
09	German		
98	English		
99	Other languages		
1A	Afrikaans (Taal)		
1B	Akan (Fante, Asante)		
1C	Albanian, Gheg (Kosovo/Macedonia)		
1D	Albanian, Tosk (Albania)		
1E	Algonquin		
1F	Amharic		
1G	Apache		
1H	Arabic		
1I	Armenian		
1J	Assyrian (Syriac, Aramaic)		
1K	Balinese		
1L	Bengali		
1M	Bosnian		
1N	Bulgarian		
1O	Burmese		
1P	Cantonese (Chinese)		
1Q	Cebuano (Visayan)		
1R	Chamorro		
1S	Chaochow/Teochiu (Chinese)		
1T	Cherokee		
1U	Chippewa/Ojibawa/Ottawa		
1V	Choctaw		
1W	Comanche		
1X	Coushatta		

Table ID	Name	XML Name	Simple Type & Applicable Record
TC14 (C092)	LANGUAGE-CODE	Language	LanguageType Student Record
Code	Translation		
1Y	Creek		
1Z	Croatian		
2A	Crow		
2B	Czech		
2C	Danish		
2D	Dard		
2E	Dutch/Flemish		
2F	Efik		
2G	Eskimo		
2H	Estonian		
2I	Ethiopic		
2J	Ewe		
2K	Farsi (Persian)		
2L	Finnish		
2M	Fukien/Hokkien (Chinese)		
2N	Gaelic (Irish)		
2O	Gaelic (Scottish)		
2P	Greek		
2Q	Gujarati		
2R	Guyanese		
2S	Hainanese (Chinese)		
2T	Haitian-Creole		
2U	Hakka (Chinese)		
2V	Hausa		
2W	Hebrew		
2X	Hindi		
2Y	Hmong		
2Z	Hopi		
3A	Hungarian		
3B	Ibo/Igbo		
3C	Icelandic		
3D	Ilonggo (Hiligaynon)		
3E	Indonesian		
3F	Italian		

Table ID	Name	XML Name	Simple Type & Applicable Record
TC14 (C092)	LANGUAGE-CODE	Language	LanguageType Student Record
Code	Translation		
3G	Kache (Kaje, Jju)		
3H	Kannada (Kanarese)		
3I	Kanuri		
3J	Kashmiri		
3K	Kickapoo		
3L	Konkani		
3M	Kpelle		
3N	Krio		
3O	Kurdish		
3P	Kwa		
3Q	Latvian		
3R	Lingala		
3S	Lithuanian		
3T	Luganda		
3U	Lunda		
3V	Luyia (Luhya)		
3W	Macedonian		
3X	Malay		
3Y	Malayalam		
3Z	Maltese		
4A	Mandarin (Chinese)		
4B	Mande		
4C	Marathi		
4D	Menominee		
4E	Mien (Yao)		
4F	Navajo		
4G	Nepali		
4H	Norwegian		
4I	Okinawan		
4J	Oneida		
4K	Oriya		
4L	Orri (Oring)		
4M	Pampangan		
4N	Panjabi (Punjabi)		



Table ID	Name	XML Name	Simple Type & Applicable Record
TC14 (C092)	LANGUAGE-CODE	Language	LanguageType Student Record
Code	Translation		
4O	Pashto (Pushto)		
4P	Pilipino (Tagalog)		
4Q	Pima		
4R	Polish		
4S	Portuguese		
4T	Pueblo		
4U	Romanian		
4V	Romany (Gypsy)		
4W	Russian		
4X	Samoan		
4Y	Serbian		
4Z	Shanghai (Chinese)		
5A	Shona		
5B	Sikkimese		
5C	Sindhi		
5D	Sinhalese (Sri Lanka)		
5E	Sioux (Dakota)		
5F	Slavic		
5G	Slovenian (Slovene)		
5H	Somali		
5I	Sotho		
5J	Swahili		
5K	Swedish		
5L	Taiwanese/Formosan/Min Nan (Chinese)		
5M	Tamil		
5N	Telugu (Telegu)		
5O	Thai		
5P	Tibetan		
5Q	Tigrinya		
5R	Tiwa		
5S	Tuluau		
5T	Turkish		
5U	Ukrainian		
5V	Urdu		

Table ID	Name	XML Name	Simple Type & Applicable Record
TC14 (C092)	LANGUAGE-CODE	Language	LanguageType Student Record
Code	Translation		
5W	Welsh		
5X	Winnebago		
5Y	Yiddish		
5Z	Yombe		
6A	Yoruba		
6B	American Sign Language (ASL)		

## SECTION 4: XML

## Section

# 4

### 4.1 TReX XML Standards Overview

XML schemas function as models for describing the structure of the records being extracted and transmitted through TReX. This includes:

- the sequence in which elements appear;
- the interrelationship between different elements, including parent and child relationships and nesting levels; and
- the types of data that are contained in elements or attributes.

The *TReX Data Standards* manual provides information on the data elements, coded variables, and schema for use by the districts and vendors of local student information systems for the development and maintenance of the extract file process.

**Note:** Similar to the *TReX Data Standards*, the *TReX XSD* will be updated and republished by TEA annually. Student Information System (SIS) vendors should support updates to the *TReX XSD*.

### 4.2 Edits and Validations

The TReX XML schema ensures that student data files from school districts adhere to a common structure and consist of valid elements and attributes. An XML extract file must be syntactically perfect, or it is rendered as unacceptable by an XML parser.

Restrictions control acceptable values for XML data elements. Restrictions on XML elements are called facets. In combination with an element's declared data type, restrictions enable the XSD validation process not only to validate the structure of the XML file but also to validate the data values contained within the file against its XML schema definition.

An example of a restriction to validate data commonly used in TReX is for a range of years. To define a rule for the ACADEMIC-YEAR data element so that the values fall within the range of 1957-2020, the TReX schema declares the restriction as:

```
<xs:element name="SchoolYear">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="1957"/>
      <xs:maxInclusive value="2020"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
```

The XML schema also enforces length restrictions for a given element by either an exact length, minimum length, or maximum length. Patterns represent another restriction on data elements if so defined.

### 4.3 TReX Field Edit Overview

Although the districts/campuses are provided with a manual capability to create a student record or transcript in TReX, most districts/campuses submit data in an XML-based extract file. The file is referred to as an extract file because it is created through a vendor-supported process that extracts data from a district's student information system. The extracted data must be consistent with the TReX XML Schema Definition (XSD).

Prior to transmitting the extract file, TReX verifies the structure of the file against the XSD. In addition, the system verifies the contents of the file against the declared data types and restrictions defined for each element in the TReX XSD for each simple type element. The data types and restrictions defined with the TReX XSD constitute the TReX field edits.

### 4.4 TReX Field Edit Restrictions

As previously described in this section, restrictions control acceptable values for XML data elements. Restrictions on XML elements are called facets. In combination with an element's declared data type, restrictions enable the TReX XSD validation process not only to validate the structure of the XML file but also to validate the data values contained within the file against its XML schema definition. Many simple type elements within the TReX XSD have a restriction that limits the domain of acceptable values.

TReX does not transmit extract files improperly structured or containing unacceptable values.

### 4.5 Available TReX XSD Restrictions

Restriction	Description
enumeration	Specifies a list of acceptable values.
minInclusive	Specifies the lower bounds for numeric values. The value must be greater than or equal to this value.
maxInclusive	Specifies the upper bounds for numeric values. The value must be less than this value.
minLength	Specifies the minimum number of characters or list items allowed. Must be equal to or greater than zero.
maxLength	Specifies the maximum number of characters or list items allowed. Must be equal to or greater than zero.
minOccurs	Specifies minimum number of occurrences allowed.
maxOccurs	Specifies maximum number of occurrences allowed.

Restriction	Description
pattern	Defines the exact sequence of characters that are acceptable.
restriction	Defines the type of data element (e.g. string, integer, etc.).
totalDigits	Specifies the exact number of digits permitted. (Value must be greater than zero.)
whiteSpace	Specifies the use of white space. Denotes line feeds, tabs, spaces, and carriage returns.

## 4.6 Context Edit Overview

TREx uses context edits to verify data elements against the rules set out in the XSD. Each context edit is traced to its associated Edit Number, a description of which follows.

## 4.7 Context Edit Descriptions

Following is a list of TREx Context Edits.

Edit #	Element XML Name	Edit Rule
T001	StudentID	The first character of StudentID must be “S” or “0”-“8”.
T002	StudentID	Each character of StudentID must not be the same number.
T003	StudentID	The first three characters of StudentID must not be “000”.
T004	StudentID	If first character of StudentID is not an “S”, the fourth and fifth characters must not be “00”.
T005	StudentID	If first character of StudentID is not an “S”, the last four characters must not be “0000”.
T006	FirstName, MiddleName, LastName	The FirstName, MiddleName, and/or LastName must only contain the following characters: <ul style="list-style-type: none"> <li>• a-z or A-Z</li> <li>• 0-9</li> <li>• Apostrophe</li> <li>• Hyphen</li> <li>• Space character</li> </ul>
T007	FirstName, MiddleName, LastName	Name must not contain only apostrophes.
T008	FirstName, MiddleName, LastName	Name must not contain only hyphens.
T009	FirstName, LastName	Name must not contain only spaces.

<b>Edit #</b>	<b>Element XML Name</b>	<b>Edit Rule</b>
T010	FirstName, MiddleName, LastName	Data elements cannot be repeated as PersonType (student).
T011	FirstName, MiddleName, LastName	Data elements can be repeated as ParentType (parent) up to nine times.
T012	DistrictID	The DistrictID contained within the CampusID must match an entry registered with the TEA.
T013	CampusID	The CampusID must match an entity registered with TEA.
T014	EntryDate	The EntryDate must not be greater than the file submission date.
T015	WithdrawDate	WithdrawDate must not be greater than the current date.
T016	WithdrawDate	WithdrawDate must be greater than ExitDate by at least one day.
T017	ExitDate	ExitDate must be one day less than (earlier) than WithdrawDate.
T018	WithdrawDate, WithdrawReason	If a student in grades 7-12 has withdrawn from school, both fields are required. For grades up to and including grade 6, Withdraw Reason is not required for students who have withdrawn from school, but Withdraw Date is required and entered.
T019	DisciplineActionDate	Must be greater than date of extract file creation.
T020	DisciplineActionDate, DisciplineActionCode, DisciplineActionReason	If data are present for any single element, all other elements must include data.
T021	DisciplineActionDate, DisciplineActionCode, DisciplineActionReason	Elements can be repeated on student record if at least one element contains different data from other set.
T022	TestScore, TestDate, TestCode	If TestDate (Assessment Date) is present, data are required in TestScore (Assessment Score) and/or TestCode (Assessment Score Code).
T023	GradeRetained	Must be less than Grade 9.
T024	CertificateDate	Must be blank if date exists in GraduationDate element.
T025	GraduationDate	Must be blank if date exists in CertificateDate element.

Edit #	Element XML Name	Edit Rule
T027	ImmunizationDate	If present, data are required for ImmunizationCode.
T028	CreditCampus	CreditCampus must match an entity registered with TEA.

## DATA AND FILE REQUIREMENTS

The TReX extracted data are stored in an XML-based file consistent with the TReX XML Schema Definition (XSD) and must follow the XSD standards to be transmitted by TReX.

### 4.8 Rules for XML Schema

While school districts and campuses are responsible for the accuracy of the data transmitted through TReX, TReX verifies the contents of the file against the declared data types and restrictions defined for each element in the TReX XSD. The following business rules apply to XML schemas and the XSD validation process:

- The XML Schema supports several built-in data types (e.g., date). When an XML element has a defined data type, a restriction is placed on the element content.
- The XML Schema supports restrictions (edits). In conjunction with the element's declared data type, restrictions are used to control acceptable values for XML elements.
- Declared data types and restrictions enable the XSD validation process.
- The client-side XSD validation process is used to validate the XML file structure and data values against the schema definition.
- If the client-side validation fails, TReX does not transfer the extract file.

*Note: For graphical representations of the TReX XSD, reference Appendix C.*

## TREX XSD DATA TYPES AND RESTRICTIONS

Following are the TReX data types and restrictions. Restrictions control acceptable values for XML elements. Restrictions used in the XSD validation process validate both the structure of the XML file and the data values against the XML Schema Definition.

Element Name	XML Name	Data Type	Restriction
<b>Student Identification Type</b>			
Student ID	StudentID	String	<ul style="list-style-type: none"> <li>• Required element.</li> </ul> Public Schools: <ul style="list-style-type: none"> <li>• The only acceptable value for the first position is an “S” or a character in the range of 0 to 8.</li> <li>• For positions two through nine, the only acceptable value is eight characters in a sequence with each character in a range from 0 to 9.</li> </ul> Private Schools: <ul style="list-style-type: none"> <li>• The minimum length is one and the maximum length is 64 characters.</li> </ul>
TX Student Unique ID	StudentUniqueID	String	<ul style="list-style-type: none"> <li>• Required if available.</li> <li>• 10-digit numeric value.</li> </ul>



Element Name	XML Name	Data Type	Restriction
(Student) First Name	FirstName	String	<ul style="list-style-type: none"> <li>• Required element.</li> <li>• Limited to a single occurrence.</li> <li>• The minimum length is one and the maximum length is 30 characters.</li> <li>• White space is preserved.</li> <li>• The only acceptable value is a sequence of at least 1 to 30 characters with each character either a lower-case a through z, upper-case A through Z, an apostrophe, a hyphen, a 0 through 9, or a space.</li> </ul>
(Student) Middle Name	MiddleName	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Limited to a single occurrence.</li> <li>• The minimum length is one and the maximum length is 30 characters.</li> <li>• White space is preserved.</li> <li>• The only acceptable value is a sequence of at least 1 to 30 characters with each character either a lower-case a through z, upper-case A through Z, an apostrophe, a hyphen, a 0 through 9, or a space.</li> </ul>

Element Name	XML Name	Data Type	Restriction
(Student) Last Name	LastName	String	<ul style="list-style-type: none"> <li>• Required element.</li> <li>• Limited to a single occurrence.</li> <li>• The minimum length is one and the maximum length is 40 characters.</li> <li>• White space is preserved.</li> <li>• The only acceptable value is a sequence of at least 1 to 40 characters with each character either a lower-case a through z, upper-case A through Z, an apostrophe, a hyphen, a 0 through 9, or a space.</li> </ul>
(Student) Generation Code	Suffix	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of a single character.</li> <li>• If provided, the only acceptable value is a single character in a rank from 1-9, A- C.</li> </ul>
Prior ID	PriorID	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• If provided, minimum length of one and a maximum length of 9.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWXY  Zabcde fghijk lmnopq rstuvwxy z0123  456789 ~! @ # \$ % ^ &amp; * ( ) - _ + = :  ; " ' , . / &lt; &gt; ?</li> </ul>

Element Name	XML Name	Data Type	Restriction
Local Student ID	LocalID	String	<ul style="list-style-type: none"> <li>Optional element.</li> <li>If provided, minimum length of one and a maximum length of 9.</li> <li>Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWX  YZabc defghijklm nopqrst uvwxyz01  23456789 ~! @ # \$ % ^ &amp; * ( ) _ +  = : ; " ' , . / &lt; &gt; ?</li> </ul>
(Student) Address	Address	String	<ul style="list-style-type: none"> <li>Optional element.</li> <li>Maximum length of fifty characters.</li> <li>White space is preserved.</li> <li>Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWXYZa  bcdefghijklm nopqrst uvwxyz0123456  789 ~! @ # \$ % ^ &amp; * ( ) - _ + = : ; " ' ,  . / &lt; &gt; ?</li> </ul>
(Student) City	City	String	<ul style="list-style-type: none"> <li>Optional element.</li> <li>Maximum length of thirty characters.</li> <li>White space is preserved.</li> <li>Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWXYZa  bcdefghijklm nopqrst uvwxyz0123456  789 ~! @ # \$ % ^ &amp; * ( ) - _ + = : ; " ' ,  . / &lt; &gt; ?</li> </ul>

Element Name	XML Name	Data Type	Restriction
(Student) State	StateProvince	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable values are listed in Code Table TC20.</li> </ul>
(Student) Country	Country	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable values are listed in Code Table TC04.</li> <li>• Should default to US.</li> </ul>
(Student) Zip	PostalCode	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Minimum length of five and a maximum length of ten characters.</li> <li>• If ten characters provided, must include a hyphen in position six.</li> </ul>

Parent			
(Parent) First Name	FirstName	String	<ul style="list-style-type: none"> <li>• Required element.</li> <li>• The minimum length is one and the maximum length is 30 characters.</li> <li>• White space is preserved.</li> <li>• Limited to nine occurrences.</li> <li>• The only acceptable value is a sequence of at least 1 to 30 characters with each character either a lower-case a through z, upper-case A through Z, an apostrophe, a hyphen, a 0 through 9, or a space.</li> </ul>

(Parent) Middle Name	MiddleName	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length is thirty characters.</li> <li>• White space is preserved.</li> <li>• The only acceptable value is a sequence of at least 0 to 30 characters with each character either a lower-case a through z, upper-case A through Z, an apostrophe, a hyphen, a 0 through 9, or a space.</li> </ul>
(Parent) Last Name	LastName	String	<ul style="list-style-type: none"> <li>• Required element.</li> <li>• The minimum length is one and the maximum length is 40 characters.</li> <li>• White space is preserved.</li> <li>• Limited to nine occurrences.</li> <li>• The only acceptable value is a sequence of at least 1 to 40 characters with each character either a lower-case a through z, upper-case A through Z, an apostrophe, a hyphen, a 0 through 9, or a space.</li> </ul>
(Parent) Generation Code	Suffix	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of a single character.</li> <li>• If provided, the only acceptable value is a single character in a rank from 1-9, A-C.</li> </ul>

Student Demographic			
Gender Code	Gender	String	<ul style="list-style-type: none"> <li>• Required element.</li> <li>• Limited to a single occurrence.</li> <li>• Maximum length of a single character.</li> <li>• The only acceptable value is one of the following letters: "M" or "F".</li> </ul>
<b>Ethnicity Code</b>	Race	String	<ul style="list-style-type: none"> <li>• Required for Students prior to 2010-2011 School Year.</li> <li>• Limited to a single occurrence.</li> <li>• Maximum length of a single character.</li> <li>• The only acceptable value is a single character in a range from 1 to 5.</li> </ul>
American Indian-Alaska Native	AmericanIndianAlaskaNativeCode	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC16 (0/1)</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Asian	AsianCode	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC16 (0/1)</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Black-African American	BlackAfricanAmericanCode	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC16 (0/1)</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>

Native Hawaiian-Pacific Islander	NativeHawaiianPacificIslanderCode	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC16 (0/1)</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
White	WhiteCode	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC16 (0/1)</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Hispanic-Latino	HispanicLatinoCode	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC16 (0/1)</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Date of Birth	BirthDate	Date	<ul style="list-style-type: none"> <li>• Required element.</li> <li>• Limited to a single occurrence.</li> <li>• The date type implements an ISO data type in the form of YYYY-MM-DD.</li> <li>• The only acceptable value is a valid date with a minimum value greater than or equal to 1957-01-01 and less than 2040-01-01.</li> </ul>
Home Language	Language	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable values are listed in Code Table TC14.</li> </ul>
Migrant Indicator	Migrant	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• The only acceptable value is a single character of 0 or 1.</li> </ul>

Foster Care Indicator Code	FosterCare	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• The only acceptable values are listed in Code Table TC33</li> </ul>
Military Connected	MilitaryConnected	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• The only acceptable values are listed in Code Table TC34</li> </ul>
Dyslexia Indicator Code	Dyslexia	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC16 (0/1)</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Homeless Indicator	Homeless	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• The only acceptable values are listed in Code Table TC32.</li> </ul>
Unschooler Asylee/Refugee Code	AsyleeRefugee	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• The only acceptable value is a single character of 0,1 or 2.</li> </ul>



School			
Campus ID	SchoolID	String	<ul style="list-style-type: none"> <li>• Required element.</li> <li>• Minimum length of nine characters.</li> <li>• Must be valid TEA-approved campus identification number.</li> <li>• Declared as a string data type to allow for zeros in the first position.</li> <li>• The only acceptable value is nine characters in a sequence with each character in a range from 0 to 9.</li> </ul>
Campus Name	SchoolName	String	<ul style="list-style-type: none"> <li>• Required data element.</li> <li>• Maximum length of thirty-four characters.</li> <li>• White space is preserved.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOPQR STUVWXY Z a  bcdefghijklmnopqrstuvwxyz0123  456789</li> </ul>
District ID	DistrictID	String	<ul style="list-style-type: none"> <li>• Required element.</li> <li>• Minimum length of six characters.</li> <li>• Must be valid TEA-approved district identification number.</li> <li>• Declared as a string data type to allow for zeros in the first position.</li> <li>• The only acceptable value is six characters in a sequence with each character in a range from 0 to 9.</li> </ul>

District Name	DistrictName	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of thirty-four characters.</li> <li>• White space is preserved.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWX  YZabc defghij klmnopq rstuvwxyz01  23456789 ~! @ # \$ % ^ &amp; * ( ) - _  + = : ; " ' , . / &lt; &gt; ?</li> <li>• May not include the following characters: \ { } [ ]  </li> </ul>
(Campus) Address	Address	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of fifty characters.</li> <li>• White space is preserved.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWX  YZabc defghij klmnopq rstuvwxyz01  23456789 ~! @ # \$ % ^ &amp; * ( ) - _  + = : ; " ' , . / &lt; &gt; ?</li> </ul>

(Campus) City	City	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of thirty characters.</li> <li>• White space is preserved.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWX  YZabc defghij klmnopq rstuvwxyz01  23456789 ~! @ # \$ % ^ &amp; * ( ) - _  + = : ; " ' , . / &lt; &gt; ?</li> </ul>
(Campus) State	StateProvince	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable values are listed in Code Table TC20.</li> </ul>
Country	Country	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable values are listed in Code Table TC04.</li> <li>• Should default to US.</li> </ul>
(Campus) Zip	PostalCode	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Minimum length of five and a maximum length of ten characters.</li> <li>• If ten characters provided, must include a hyphen in position six.</li> </ul>

(Campus) Phone	PhoneNumber	String	<ul style="list-style-type: none"> <li>• Required element.</li> <li>• Maximum length of twenty characters.</li> <li>• White space is preserved.</li> <li>• Any of the following characters, including the space character, are valid: EXText0123456789 # () -</li> </ul>
(Campus) Fax	Fax	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of twenty characters.</li> <li>• White space is preserved.</li> <li>• Any of the following characters, including the space character, are valid: EXText0123456789 # () -</li> </ul>

Enrollment			
Grade Level	GradeLevel	String	<ul style="list-style-type: none"> <li>• Required element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable value is EE, PK, KG, and 01 through 12.</li> </ul>
Original Entry Date	EntryDate	Date	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Record must contain only one.</li> <li>• The date type implements an ISO data type in the form of YYYY-MM-DD.</li> <li>• The only acceptable value is a valid date with a minimum value greater than or equal to 1957-01-01 and less than 2040-01-01.</li> </ul>

Last Date of Attendance	ExitDate	Date	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Record may contain only one.</li> <li>• The date type implements an ISO data type in the form of YYYY-MM-DD.</li> <li>• The only acceptable value is a valid date with a minimum value greater than or equal to 1957-01-01 and less than 2040-01-01.</li> </ul>
Last Withdrawal Date	WithdrawDate	Date	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Record may contain only one.</li> <li>• The date type implements an ISO data type in the form of YYYY-MM-DD.</li> <li>• The only acceptable value is a valid date with a minimum value greater than or equal to 1957-01-01 and less than 2040-01-01.</li> </ul>
Withdrawal Reason	WithdrawReason	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable values are listed in Code Table TC23.</li> </ul>
Placed in Grade	GradePlaced	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable value is EE, PK, KG, and 01 through 12.</li> </ul>
Promoted to Grade	GradePromoted	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable value is EE, PK, KG, and 01 through 12.</li> </ul>

Grade of Retention (PK-8)	GradeRetained	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable value is EE, PK, KG, and 01 through 12.</li> </ul>
---------------------------	---------------	--------	---

Special Programs			
Emergent Bilingual Indicator Code	LEP	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• The only acceptable values are 0, 1, F, or S.</li> </ul>
Economically Disadvantaged Indicator	EconomicDisadvantaged	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable values are listed in Code Table TC08.</li> </ul>
At Risk Indicator	AtRisk	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• The only acceptable value is a single character of 0 or 1.</li> </ul>
Title I Part A Indicator	TitleI	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• The only acceptable value is a single character of zero, A, 6, 7, 8, or 9.</li> </ul>
Special Education Indicator	SpecialEd	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• The only acceptable value is a single character of 0 or 1.</li> </ul>

IEP (Individualized Education Program) Indicator	IEP	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• The only acceptable value is a single character of 0 or 1.</li> </ul>
Bilingual Indicator	Bilingual	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• If provided, the only acceptable values are 0, 2, 3, 4, or 5.</li> </ul>
ESL (English as Second Language) Indicator	ESL	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• The only acceptable values are 0, 2, or 3.</li> </ul>
Gifted/Talented Indicator	GiftedTalented	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• If provided, the only acceptable value is a single character in a rank from 0 through 2</li> </ul>
Career Tech Ed Indicator	CTE	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• If provided, the only acceptable value is a single character of 0 through 3.</li> </ul>
Personal Graduation Plan	PersonalGradPlan	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of one character.</li> <li>• The only acceptable value is a single character of 0 or 1.</li> </ul>

Assessment			
Assessment Name	TestName	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each assessment.</li> <li>• Maximum length of two digits.</li> <li>• If provided, the only acceptable values are listed in Code Table TC01.</li> <li>• If provided, then the TestDate and TestScore or TestCode are required.</li> <li>• If provided, then AdditionalTestName must be blank within each assessment.</li> </ul>
Assessment Grade Level	TestLevel	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each assessment.</li> <li>• Maximum length of two characters.</li> <li>• If provided, the only acceptable values are listed in Code Table TC12.</li> </ul>



Assessment Date	TestDate	Date	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each assessment.</li> <li>• If provided, then TestName and TestScore or Test Code are required.</li> <li>• Maximum length of seven characters.</li> <li>• The date type implements an ISO data type in the form of yyyy-mm.</li> <li>• The only acceptable value is a valid date with a minimum value greater than or equal to 1957-01 and less than 2040-01.</li> <li>• For STAAR® EOC, mm value 13 indicates Fall, fifteen indicates Spring and 16 indicates Summer testing windows.</li> </ul>
Assessment Date Exit Requirement Met	ExitRequirementMe tDate	Date	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each assessment.</li> <li>• Maximum length of seven characters.</li> <li>• The date type implements an ISO data type in the form of yyyy-mm.</li> <li>• The only acceptable value is a valid date with a minimum value greater than or equal to 1957-01 and less than 2040-01.</li> </ul>

Assessment Score	TestScore	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each assessment.</li> <li>• If provided, then TestName or AdditionalTestName and TestDate are required.</li> <li>• Maximum length of six characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOPQR STUVWXYZa  bcdefghijklmnopqrstuvwxy0123  456789 ~! @ # \$ % ^ &amp; * ( ) - _ +  = : ; " ' , . / &lt; &gt; ?</li> </ul>
Assessment Score Code	TestCode	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each assessment.</li> <li>• If provided, then TestName or AdditionalTestName and TestDate are required.</li> <li>• Maximum length of a single character.</li> <li>• The only acceptable values are listed in Code Table TC02.</li> </ul>

STAAR Performance Level	PerformanceLevel	String	<ul style="list-style-type: none"> <li>• Optional Element</li> <li>• May be repeated for each assessment.</li> <li>• If provided, then TestName or AdditionalTestName and TestDate are required.</li> <li>• Maximum length of a single character.</li> <li>• The only acceptable values are listed in Code Table TC31.</li> </ul>
Additional Test Name	AdditionalTestName	String	<ul style="list-style-type: none"> <li>• Optional element</li> <li>• If provided, then TestName must be blank within each Assessment.</li> <li>• Maximum length of sixty characters</li> <li>• If provided, then the TestDate and TestScore or TestCode are required.</li> </ul>
Assessment Subtest	SubTestName	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of sixty characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWX  YZabc defghijklm nopqrst uvwxyz01  23456789 ~! @ # \$ % ^ &amp; * ( ) - _  + = : ; " ' , . / &lt; &gt; ?</li> </ul>

Assessment Subtest Score	SubTestScore	String	<ul style="list-style-type: none"> <li>• Optional element</li> <li>• Maximum length of six characters</li> <li>• If provided, then the SubTestName and TestDate are required.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWX  YZabc defghijklmnopqrstuvwxy01  23456789 ~! @ # \$ % ^ &amp; * ( ) - _  + = : ; " ' , . / &lt; &gt; ?</li> </ul>
-----------------------------	--------------	--------	--

Attendance			
Total Days Present	DaysAttended	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Implied decimal within ###. # format.</li> <li>• Must end in .0 or .5 (implied decimal).</li> </ul>
Total Days Absent	DaysAbsent	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Implied decimal within ###. # format.</li> <li>• Must end in .0 or .5 (implied decimal).</li> </ul>

Immunization			
Immunization Name	ImmunizationCode	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of thirty-five characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWX  YZabcd efghijk lmnopq rstuvwxy z01  23456789 ~! @ # \$ % ^ &amp; * ( ) - _  + = : ; " ' , . / &lt; &gt; ?</li> </ul>
Immunization Date	ImmunizationDate	Date	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• The date type implements an ISO data type in the form of YYYY-MM-DD.</li> <li>• The only acceptable value is a valid date with a minimum value greater than or equal to 1957-01-01 and less than 2040-01-01.</li> </ul>
Immunization Dose	ImmunizationDose	Integer	<ul style="list-style-type: none"> <li>• Optional element</li> <li>• Maximum length of two digits.</li> </ul>

Discipline Action			
Disciplinary Action End Date	DisciplineActionDate	Date	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• The date type implements an ISO data type in the form of YYYY-MM-DD.</li> <li>• The only acceptable value is a valid date with a minimum value greater than current date (date record is created).</li> </ul>
Disciplinary Action Number	DisciplineActionNum	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of three characters.</li> </ul>
Disciplinary Action Code	DisciplineActionCode	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• If provided, the only acceptable values are listed in Code Table TC06.</li> </ul>
Disciplinary Action Reason	DisciplineActionReason	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• If provided, the only acceptable values are listed in Code Table TC07.</li> </ul>

Academic Status			
Graduation Date	GraduationDate	Date	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• The date type implements an ISO data type in the form of YYYY-MM.</li> <li>• The only acceptable value is a valid date with a minimum value greater than or equal to 1957-01 and less than 2052-01.</li> </ul>
Speech Requirement Met Date	SpeechMetDate	Date	<ul style="list-style-type: none"> <li>• YYYY-MM</li> <li>• Optional element.</li> </ul>
Graduation Program Type	GraduationDiploma Type	String	<ul style="list-style-type: none"> <li>• Optional element if GradeLevel 10 or lower.</li> <li>• Maximum length of two characters.</li> <li>• If provided, the only acceptable values are listed in Code Table TC13.</li> </ul>
Certification of Coursework Completion Date	CertificateDate	Date	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• The date type implements an ISO data type in the form of YYYY-MM-DD.</li> <li>• The only acceptable value is a valid date with a minimum value greater than or equal to 1957-01-01 and less than 2040-01-01.</li> </ul>
Texas Grant Indicator	TexasGrant	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of a single character.</li> <li>• The only acceptable values are listed in Code Table TC21</li> </ul>
Distinguished Achievement	DistinguishedAchievement	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum occurrence is one.</li> </ul>

Advanced Measure	AdvancedMeasure	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum occurrence is four.</li> <li>• The only acceptable values are listed in Code Table TC29</li> </ul>
FHSP Participant Code	FHSPParticipantCode	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC35</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
FHSP Disting Level Achieve Indicator Code	FHSPDistingIndicatorCode	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC35</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Arts and Humanities Endorsement Indicator Code	ArtsEndorsementCode	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC35</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Business and Industry Endorsement Indicator Code	BusinessEndorsementCode	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC35</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Multi-Disciplinary Studies Endorsement Indicator Code	MultiStudiesEndorsementCode	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC35</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Public Services Endorsement Indicator Code	PublicServicesEndorsementCode	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC35</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>



STEM Endorsement Indicator Code	STEMEndorsement Code	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC35</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Performance Acknowledgment Dual Credit	DualCreditType	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC39</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Performance Acknowledgment Bilingualism/ Biliteracy	BilingBilitType	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC37</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Performance Acknowledgment College Readiness Assessments	CollegeAssessType	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC38</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Performance Acknowledgment AP IB Exams	AplbType	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC36</li> <li>• Maximum length of three characters.</li> <li>• Optional element.</li> </ul>
Performance Acknowledgment Certification Licensures	CertLicType	String	<ul style="list-style-type: none"> <li>• Text field.</li> <li>• Maximum length sixty-one characters.</li> <li>• Optional element.</li> </ul>
Individual- Graduation- Committee- Review-Code	IGCGradReview	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• The only acceptable values are listed in Code Table TC40</li> </ul>

FHSP College Career Instruction Indicator Code	FHSPCollegeCareerInstructionIndicator	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC16</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Associate Degree Indicator Code	AssociateDegree	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC16</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
On-Ramps Dual Enrollment Indicator Code	OnRamps	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC16</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
CPR-Instruction-Met-Date	CPRMetDate	Date	<ul style="list-style-type: none"> <li>• YYYY-MM</li> <li>• Optional element.</li> </ul>
Peace-Officer-Interaction-Instruction-Met-Date	POIIMetDate	Date	<ul style="list-style-type: none"> <li>• YYYY-MM</li> <li>• Optional element.</li> </ul>
Section-504-Indicator-Code	Section504	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC16</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>
Star-Of-Texas-Indicator-Code	StarofTexas	String	<ul style="list-style-type: none"> <li>• The only acceptable values are listed in Code Table TC16</li> <li>• Maximum length of one character.</li> <li>• Optional element.</li> </ul>

Current Course work			
Course Name	CourseTitle	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course or academic period.</li> <li>• Maximum length of one hundred characters.</li> <li>• White space is preserved.</li> <li>• Any of the following characters, including the space character, are valid:            ABCDEFGHIJKLMNOPQRSTUVWXYZ            YZabcdefghijklmnopqrstuvwxyz01            23456789 ~! @ # \$ % ^ &amp; * ( ) - _            + = : ; " ' , . / &lt; &gt; ?</li> </ul>
Course Number	CourseID	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course or academic period.</li> <li>• Maximum length of eight characters for public schools. Maximum length of sixty-four characters for private schools.</li> <li>• Any of the following characters, including the space character, are valid:            ABCDEFGHIJKLMNOPQRSTUVWXYZa            bcdefghijklmnopqrstuvwxyz0123            456789 ~! @ # \$ % ^ &amp; * ( ) - _ +            = : ; " ' , . / &lt; &gt; ?</li> </ul>

Course Abbreviation	Abbreviation	String	<ul style="list-style-type: none"> <li>• Optional element</li> <li>• May be repeated.</li> <li>• Maximum length of one hundred characters.</li> <li>• White space is preserved.</li> <li>• Any of the following characters, including the space character, are valid:</li> <li>• ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789 ~! @ # \$ % ^ &amp; * ( ) - _ + = : ; " ' , . / &lt; &gt; ?</li> </ul>
Course Semester	Semester	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course or academic period.</li> <li>• Maximum length of one digit.</li> </ul>
Class Period	ClassPeriod	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course or academic period.</li> <li>• Maximum length of five characters.</li> <li>• White space is preserved.</li> <li>• Any of the following characters, including the space character, are valid:</li> </ul> <p>ABCDEFGHIJKLMNOPQRSTUVWXYZa  bcdefghijklmnopqrstuvwxyz0123  456789 ~! @ # \$ % ^ &amp; * ( ) - _ +  = : ; " ' , . / &lt; &gt; ?</p>

Course Category	SubjectArea	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course or academic year.</li> <li>• Maximum length of four characters.</li> <li>• The only acceptable values are listed in Code Table TC05</li> </ul>
Course Grade	CourseGrade	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course.</li> <li>• Maximum length of ten characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWX  YZabc defghij klmnopq rstuvwxyz01  23456789 ~! @ # \$ % ^ &amp; * ( ) - _  + = : ; " ' , . / &lt; &gt; ?</li> </ul>
Withdrawal Course Grade	WithdrawGrade	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course.</li> <li>• Maximum length of fifteen characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWX  YZabc defghij klmnopq rstuvwxyz01  23456789 ~! @ # \$ % ^ &amp; * ( ) - _  + = : ; " ' , . / &lt; &gt; ?</li> </ul>

Course Grade Average	GradeAverage	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course.</li> <li>• Maximum length of ten characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJKLMNOPQRSTUVWXYZ  abcdefghijklmnopqrstuvwxyz01  23456789 ~! @ # \$ % ^ &amp; * ( ) - _  + = : ; " ' , . / &lt; &gt; ?</li> </ul>
Course Credit	CourseCredit	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course.</li> <li>• Implied decimal within #. # format.</li> </ul>
Pass/Fail Credit Indicator	PassFailCredit	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course,</li> <li>• Maximum length of two characters.</li> <li>• If present, the only acceptable values are listed in Code Table TC25.</li> </ul>
Special Explanation Code	Explanation	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• May be repeated for each course.</li> <li>• If present, the only acceptable values are listed in Code Table TC19.</li> </ul>

Course Teacher	CourseTeacher	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each CourseTitle.</li> <li>• Maximum length of forty characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJKLMNOPQRSTUVWXYZa  bcdefghijklmnopqrstuvwxyz0123  456789 ~! @ # \$ % ^ &amp; * ( ) - _ +  = : ; " ' , . / &lt; &gt; ?</li> </ul>
Campus Awarding Credit	CreditCampus	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Minimum length of nine characters.</li> <li>• Must be valid TEA-approved campus identification number.</li> <li>• Declared as a string data type to allow for zeros in the first position.</li> <li>• The only acceptable value is nine characters in a sequence with each character in a range from 0 to 9.</li> </ul>
Semester Sequence	SemesterSeq	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of a single character.</li> <li>• May be repeated for each course or AcademicSessionType.</li> <li>• If present, the only acceptable values are zero through A.</li> </ul>

Final Grade Average	FinalGradeAverage	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course.</li> <li>• Maximum length of ten characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWX  YZabc defghijklmnopqrstuvwxy01  23456789 ~! @ # \$ % ^ &amp; * ( ) - _  + = : ; " ' , . / &lt; &gt; ?</li> </ul>
Academic Year	SchoolYear	String	<ul style="list-style-type: none"> <li>• Required element if student has not graduated.</li> <li>• Maximum length of nine characters.</li> <li>• Punctuation allowed includes dash.</li> <li>• Can be repeated as needed.</li> </ul>
Grade Level	GradeLevel	String	<ul style="list-style-type: none"> <li>• Required element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable value is EE, PK, KG, and 01 through 12.</li> </ul>



Academic Session			
Academic Year	SchoolYear	String	<ul style="list-style-type: none"> <li>• Required element if student has not graduated.</li> <li>• Maximum length of nine characters.</li> <li>• Punctuation allowed includes dash.</li> <li>• Can be repeated as needed.</li> </ul>
Grade Level	GradeLevel	String	<ul style="list-style-type: none"> <li>• Required element.</li> <li>• Maximum length of two characters.</li> <li>• The only acceptable value is EE, PK, KG, and 01 through 12.</li> </ul>
Course Name	CourseTitle	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course or academic period.</li> <li>• Maximum length of one hundred characters.</li> <li>• White space is preserved.</li> <li>• Any of the following characters, including the space character, are valid:            ABCDEFGHIJKLMNOPQRSTUVWXYZa            bcdefghijklmnopqrstuvwxyz0123            456789 ~! @ # \$ % ^ &amp; * ( ) - _ +            = : ; " ' , . / &lt; &gt; ?</li> </ul>

Course Number	CourseID	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course or academic period.</li> <li>• Maximum length of eight characters for public schools. Maximum length of sixty-four characters for private schools.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWXYZa  bcdefghijklmnopqrstuvwxyz0123  456789 ~! @ # \$ % ^ &amp; * ( ) - _ +  = : ; " ' , . / &lt; &gt; ?</li> </ul>
Course Abbreviation	Abbreviation	String	<ul style="list-style-type: none"> <li>• Optional element</li> <li>• May be repeated.</li> <li>• Maximum length of one hundred characters.</li> <li>• White space is preserved.</li> <li>• Any of the following characters, including the space character, are valid:</li> <li>• ABCDEF GHIJK LMNOP QRSTUVWX  YZabcdefghijklmnopqrstu vwxyz01  23456789 ~! @ # \$ % ^ &amp; * ( ) - _  + = : ; " ' , . / &lt; &gt; ?</li> </ul>
Course Semester	Semester	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course or academic period.</li> <li>• Maximum length of one digit.</li> </ul>

Class Period	ClassPeriod	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course or academic period.</li> <li>• Maximum length of five characters.</li> <li>• White space is preserved.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWXYZa  bcdefghijklmnopqrstuvwxyz0123  456789 ~! @ # \$ % ^ &amp; * ( ) - _ +  = : ; " ' , . / &lt; &gt; ?</li> </ul>
Course Category	SubjectArea	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course or academic year.</li> <li>• Maximum length of four characters.</li> <li>• The only acceptable values are listed in Code Table TC05</li> </ul>
Course Grade	CourseGrade	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course.</li> <li>• Maximum length of ten characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWXYZa  bcdefghijklmnopqrstuvwxyz0123  456789 ~! @ # \$ % ^ &amp; * ( ) - _ +  = : ; " ' , . / &lt; &gt; ?</li> </ul>

Withdrawal Course Grade	WithdrawGrade	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course.</li> <li>• Maximum length of fifteen characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWXYZa  bcdefghijklmnopqrstuvwxyz0123  456789 ~! @ # \$ % ^ &amp; * ( ) - _ +  = : ; " ' , . / &lt; &gt; ?</li> </ul>
Course Grade Average	GradeAverage	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course.</li> <li>• Maximum length of ten characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWXYZa  bcdefghijklmnopqrstuvwxyz0123  456789 ~! @ # \$ % ^ &amp; * ( ) - _ +  = : ; " ' , . / &lt; &gt; ?</li> </ul>
Course Credit	CourseCredit	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course.</li> <li>• Implied decimal within #. # format.</li> </ul>
Pass/Fail Credit Indicator	PassFailCredit	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course,</li> <li>• Maximum length of two characters.</li> <li>• If present, the only acceptable values are listed in Code Table TC25.</li> </ul>

Special Explanation Code	Explanation	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of two characters.</li> <li>• May be repeated for each course.</li> <li>• If present, the only acceptable values are listed in Code Table TC19.</li> </ul>
Course Teacher	CourseTeacher	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each CourseTitle.</li> <li>• Maximum length of forty characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWXYZa  bcdefghijklmnopqrstuvwxyz0123  456789 ~! @ # \$ % ^ &amp; * ( ) - _ +  = : ; " ' , . / &lt; &gt; ?</li> </ul>
Campus Awarding Credit	CreditCampus	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Minimum length of nine characters.</li> <li>• Must be valid TEA-approved campus identification number.</li> <li>• Declared as a string data type to allow for zeros in the first position.</li> <li>• The only acceptable value is nine characters in a sequence with each character in a range from 0 to 9.</li> </ul>

Semester Sequence	SemesterSeq	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• Maximum length of a single character.</li> <li>• May be repeated for each course or AcademicSessionType.</li> <li>• If present, the only acceptable values are zero through A.</li> </ul>
Final Grade Average	FinalGradeAverage	String	<ul style="list-style-type: none"> <li>• Optional element.</li> <li>• May be repeated for each course.</li> <li>• Maximum length of ten characters.</li> <li>• Any of the following characters, including the space character, are valid:  ABCDEF GHIJK LMNOP QRSTUVWXYZa  bcdefghijklmnopqrstuvwxyz0123  456789 ~! @ # \$ % ^ &amp; * ( ) - _ +  = : ; " ' , . / &lt; &gt; ?</li> </ul>

Academic Summary			
Grade Point Average	GPA	String	<ul style="list-style-type: none"> <li>Optional element.</li> <li>Maximum length of ten characters.</li> <li>Any of the following characters, including the space character, are valid:            ABCDEFGHIJKLMNOPQRSTUVWXYZ            YZabcdefghijklmnopqrstuvwxyz01            23456789 ~! @ # \$ % ^ &amp; * ( ) - _            + = : ; " ' , . / &lt; &gt; ?</li> </ul>
Number in Class	ClassTotalNumber	String	<ul style="list-style-type: none"> <li>Optional element.</li> <li>Maximum length of five digits.</li> <li>If provided, the only acceptable value is a range from 1 through 99999.</li> </ul>
Class Rank	ClassRank	String	<ul style="list-style-type: none"> <li>Optional element.</li> <li>Maximum length of five digits.</li> <li>If provided, the only acceptable value is a range from 0 through 99999.</li> </ul>
Date of Ranking	ClassRankingDate	Date	<ul style="list-style-type: none"> <li>Optional element.</li> <li>The date type implements an ISO data type in the form of YYYY-MM-DD.</li> <li>The only acceptable value is a valid date with a minimum value greater than or equal to 1957-01-01 and less than 2040-01-01.</li> </ul>
Quartile	Quartile	String	<ul style="list-style-type: none"> <li>Optional element.</li> <li>Maximum length of a single character.</li> <li>If present, the only acceptable value is a single character in a rank from 1 through 4.</li> </ul>

College Board Campus Code	CollegeCampusCode	String	<ul style="list-style-type: none"><li>• Optional element.</li><li>• Maximum length of six characters.</li><li>• Declared as a string data type to allow for zeros in the first position.</li><li>• The only acceptable value is six characters in a sequence with each character in a range from 0 to 9.</li></ul>
------------------------------	-------------------	--------	--



## Example of TReX Instance

Following is an example of the XSD for an extract file for a student record. Please reference Appendix B of this manual for an example of the full TReX XML schema.

```
<trex:TReXStudentRecords xmlns:trex="urn:us:tx:state:tea:TReX:v1.20"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
<TReXStudentRecord>
<StudentIdentification>
  <StudentUniqueID>1234567890</StudentUniqueID>
<Name>
  <FirstName>Joe</FirstName>
  <MiddleName>Q</MiddleName>
  <LastName>Jones</LastName>
  <Suffix>1</Suffix>
</Name>
  <StudentID>33322444</StudentID>
  <PriorID>a</PriorID>
  <LocalID>a</LocalID>

<Address>
  <Address>101 Congress Ave.</Address>
  <City>Austin</City>
  <StateProvince>TX</StateProvince>
  <Country>US</Country>
  <PostalCode>78701</PostalCode>
</Address>

</StudentIdentification>
<Parent>
<Name>
  <FirstName>Cassandra</FirstName>
  <MiddleName>a</MiddleName>
  <LastName>Jones</LastName>
  <Suffix>4</Suffix>
</Name>
</Parent>

<StudentDemographic>
  <Gender>F</Gender>
  <Race>5</Race>
```

<Ethnicity>  
 <AmericanIndianAlaskaNativeCode>1</AmericanIndianAlaskaNativeCode>  
 <AsianCode>1</AsianCode>  
 <BlackAfricanAmericanCode>0</BlackAfricanAmericanCode>  
 <HispanicLatinoCode>0</HispanicLatinoCode>  
 <NativeHawaiianPacificIslanderCode>0</NativeHawaiianPacificIslanderCode>  
 <WhiteCode>1</WhiteCode>  
</Ethnicity>

<BirthDate>0000-0-0</BirthDate>  
 <HomeLanguage>5N</HomeLanguage>  
 <StudentLanguage>2N</StudentLanguage>  
 <HomeLanguageSurveyDateAdministered>0000-0-  
0</HomeLanguageSurveyDateAdministered>  
 <Migrant>1</Migrant>  
 <Homeless>0</Homeless>  
 <Dyslexia>0</Dyslexia>  
 <MilitaryConnected>1</MilitaryConnected>  
 <FosterCare>1</FosterCare>  
 <AsyleeRefugeeCode>1</AsyleeRefugeeCode>  
</StudentDemographic>

<School>  
 <SchoolID>000000000</SchoolID>  
 <SchoolName>a</SchoolName>  
 <DistrictID>000000</DistrictID>  
 <DistrictName>a</DistrictName>

<Address>  
 <Address>a</Address>  
 <City>a</City>  
 <StateProvince>PE</StateProvince>  
 <Country>TO</Country>  
 <PostalCode>00000</PostalCode>  
</Address>  
 <PhoneNumber>a</PhoneNumber>  
 <Fax>a</Fax>  
</School>

<Enrollment>  
 <GradeLevel>12</GradeLevel>

<EntryDate>0000-0-0</EntryDate>  
<ExitDate>0000-0-0</ExitDate>  
<WithdrawDate>0000-0-0</WithdrawDate>  
<WithdrawReason>82</WithdrawReason>  
<GradePlaced>EE</GradePlaced>  
<GradePromoted>08</GradePromoted>  
<GradeRetained>03</GradeRetained>  
</Enrollment>  
  
<SpecialPrograms>  
 <LEP>F</LEP>  
 <AlternativeLanguage>02</AlternativeLanguage>  
<DualLanguageImmersion>  
 <ImmersionYear>01</ImmersionYear>  
 <ImmersionLanguage>06</ImmersionLanguage>  
 <AssessmentMetDate>0000-0</AssessmentMetDate>  
 <CompletionSchoolYear>0000-0000</CompletionSchoolYear>  
</DualLanguageImmersion>  
 <EconomicDisadvantaged>99</EconomicDisadvantaged>  
 <AtRisk>0</AtRisk>  
 <TitleI>7</TitleI>  
 <SpecialEd>0</SpecialEd>  
 <IEP>0</IEP>  
 <Bilingual>1</Bilingual>  
 <ESL>1</ESL>  
 <GiftedTalented>2</GiftedTalented>  
 <CTE>2</CTE>  
 <PersonalGradPlan>1</PersonalGradPlan>  
</SpecialPrograms>  
  
<Assessment>  
 <TestName>B2</TestName>  
 <TestLevel>10</TestLevel>  
 <TestDate>0000-0</TestDate>  
 <ExitRequirementMetDate>0000-0</ExitRequirementMetDate>  
 <TestScore>a</TestScore>  
 <TestCode>L</TestCode>  
 <PerformanceLevel>4</PerformanceLevel>  
 <AssessmentSubTest>  
 <SubTestName>a</SubTestName>  
 <SubTestScore>a</SubTestScore>  
 </AssessmentSubTest>

</Assessment>

<Attendance>

<DaysAttended>**0**</DaysAttended>

<DaysAbsent>**0**</DaysAbsent>

</Attendance>

<Immunization>

<ImmunizationCode>**a**</ImmunizationCode>

<ImmunizationDate>**0000-0-0**</ImmunizationDate>

<ImmunizationDose>**0**</ImmunizationDose>

</Immunization>

<DisciplineAction>

<DisciplineActionDate>**0000-0-0**</DisciplineActionDate>

<DisciplineActionNum>**0**</DisciplineActionNum>

<DisciplineActionCode>**25**</DisciplineActionCode>

<DisciplineActionReason>**56**</DisciplineActionReason>

</DisciplineAction>

<AcademicStatus>

<GraduationDate>**0000-0**</GraduationDate>

<SpeechMetDate>**0000-0**</SpeechMetDate>

<GraduationDiplomaType>**24**</GraduationDiplomaType>

<CertificateDate>**0000-0-0**</CertificateDate>

<TexasGrant>**2**</TexasGrant>

<DistinguishedAchievements>

<AdvancedMeasure>**A**</AdvancedMeasure>

</DistinguishedAchievements>

<FHSPParticipationCode>**0**</FHSPParticipationCode>

<FHSPDistingIndicatorCode>**1**</FHSPDistingIndicatorCode>

<STEMEndorsementCode>**1**</STEMEndorsementCode>

<BusinessEndorsementCode>**0**</BusinessEndorsementCode>

<PublicServicesEndorsementCode>**1**</PublicServicesEndorsementCode>

<ArtsEndorsementCode>**1**</ArtsEndorsementCode>

<MultiStudiesEndorsementCode>**1**</MultiStudiesEndorsementCode>

<DualCreditType>

<DualCreditCode>**2**</DualCreditCode>

<MetDate>**2013-05**</MetDate>

</DualCreditType>

<BillingBilitType>

```

        <BillingBilitCode>1</BillingBilitCode>
        <MetDate>2013-01</MetDate>
</BillingBilitType>

<CollegeAssessType>
    <CollegeAssessCode>6</CollegeAssessCode>
    <MetDate>2012-02</MetDate>
</CollegeAssessType>

<ApIbType>
    <ApIbCode>57</ApIbCode>
    <MetDate>2013-05</MetDate>
</ApIbType>

<CertLicType>
    <CertLicCode>Microsoft Developer Network</CertLicCode>
    <MetDate>2012-08</MetDate>
</CertLicType>

<IGCGradReview>00</IGCGradReview>

<FHSPCollegeCareerInstructionIndicator>1</FHSPCollegeCareerInstructionIndicator
>
    <AssociateDegree>1</AssociateDegree>
    <OnRamps>1</OnRamps>
    <Section504>0</Section504>
    <POIIMetDate>2012-09</POIIMetDate>
    <CPRMetDate>2012-09</CPRMetDate>
    <StarOfTexas>1</StarOfTexas>
</AcademicStatus>

<CurrentCoursework>
    <Course>
        <CourseTitle>Algebra I 2092</CourseTitle>
        <CourseID>03100500</CourseID>
        <Abbreviation>1</Abbreviation>
        <Semester>1</Semester>
        <ClassPeriod>2</ClassPeriod>
        <SubjectArea>EL</SubjectArea>
        <CourseGrade>90</CourseGrade>
        <WithdrawGrade>70</WithdrawGrade>

```

<GradeAverage>**85**</GradeAverage>  
<CourseCredit>**1.0**</CourseCredit>  
<PassFailCredit>**05**</PassFailCredit>  
<Explanation>**T**</Explanation>  
<CourseTeacher>**a**</CourseTeacher>  
<CreditCampus>**00000000**</CreditCampus>  
<SemesterSeq>**D8**</SemesterSeq>  
<FinalGradeAverage>**a**</FinalGradeAverage>  
</Course>

<SchoolYear>**2020-2021**</SchoolYear>  
<GradeLevel>**11**</GradeLevel>  
<SessionType>**Quarter**</SessionType>  
</CurrentCoursework>

<AcademicSession>  
<SchoolYear>**2020-2021**</SchoolYear>  
<GradeLevel>**02**</GradeLevel>  
<SessionType>**Trimester**</SessionType>  
<Course>

<CourseTitle>**Biology 3091**</CourseTitle>  
<CourseID>**03010200**</CourseID>  
<Abbreviation>**a**</Abbreviation>  
<Semester>**2**</Semester>  
<ClassPeriod>**1**</ClassPeriod>  
<SubjectArea>**SP**</SubjectArea>  
<CourseGrade>**85**</CourseGrade>  
<WithdrawGrade>**85**</WithdrawGrade>  
<GradeAverage>**85**</GradeAverage>  
<CourseCredit>**1.0**</CourseCredit>  
<PassFailCredit>**13**</PassFailCredit>  
<Explanation>**Z**</Explanation>  
<CourseTeacher>**a**</CourseTeacher>  
<CreditCampus>**00000000**</CreditCampus>  
<SemesterSeq>**A**</SemesterSeq>  
<FinalGradeAverage>**83**</FinalGradeAverage>  
</Course>

<AcademicSummary>  
<GPA>**3.0**</GPA>  
<ClassTotalNumber>**200**</ClassTotalNumber>  
<ClassRank>**15**</ClassRank>

```

    <ClassRankingDate>2006-12-1</ClassRankingDate>
    <Quartile>4</Quartile>
    <CollegeCampusCode>000000</CollegeCampusCode>
  </AcademicSummary>
  </AcademicSession>
  <AcademicSummary>
    <GPA>3.0</GPA>
    <ClassTotalNumber>200</ClassTotalNumber>
    <ClassRank>15</ClassRank>
    <ClassRankingDate>2006-12-1</ClassRankingDate>
    <Quartile>4</Quartile>
    <CollegeCampusCode>000000</CollegeCampusCode>
  </AcademicSummary>
</TRExStudentRecord>
</trex:TRExStudentRecords>

```

## 4.9 TREx Complex Types

Following is a list of the complex types and groups included in the TREx XML schema. Please refer to Appendix B for a full copy of the TREx XML Schema.

Complex Type Name	Element Name Sequence
AcademicSessionType	SchoolYear
	GradeLevel
	SessionType
	Course
	AcademicSummary
AcademicStatusType	GraduationDate
	SpeechMetDate
	GraduationDiplomaType
	CertificateDate
	TexasGrant
	DistinguishedAchievements
	AdvancedMeasure

	FHSPParticipantCode
	FHSPDistingIndicatorCode STEMEndorsementCode BusinessEndorsementCode PublicServicesEndorsementCode
	ArtsEndorsementCode
	MultiStudiesEndorsementCode
	DualCreditType
	BilingBilitType
	CollegeAssesType
	AplbType)
	CertLicType
	IGCGradReview
	FHSPCollegeCareerInstructionndicator
	AssociateDegree
	OnRamps
	Section504
	POIIMetDate
	CPRMetDate
	StarofTexas
AcademicSummaryType	GPA
	ClassTotalNumber
	ClassRank
	ClassRankingDate
	Quartile
	CollegeCampusCode
AddressType	Address
	City
	StateProvince
	Country
	PostalCode
AssessmentSubTestType	SubTestType
	SubTestScore
AssessmentType	TestName
	AdditionalTestName
	TestLevel
	TestDate
	ExitRequirementMetDate
	TestScore
	TestCode
	PerformanceLevel
	AssessmentSubTest



AttendanceType	DaysAttended
	DaysAbsent
CourseType	CourseTitle
	CourseID
	Abbreviation
	Semester
	ClassPeriod
	SubjectArea
	CourseGrade
	WithdrawGrade
	GradeAverage
	CourseCredit
	PassFailCredit
	Explanation
	CourseTeacher
	CreditCampus
	SemesterSeq
	FinalGradeAverage
CrisisCodeType	CrisisCodeCode
CurrentCourseworkType	CourseType
	SchoolYear
	GradeLevel
	SessionType
DisciplineActionType	DisciplineActionDate
	DisciplineActionNum
	DisciplineActionCode
	DisciplineActionReason
DistinguishedAchievementType	AdvancedMeasure
DualLanguageImmersionType	ImmersionYear
	ImmersionLanguage
	AssessmentMetDate
	CompletionSchoolYear
EnrollmentType	GradeLevel
	EntryDate
	ExitDate
	WithdrawDate
	WithdrawReason
	GradePlaced
	GradePromoted

	GradeRetained
EthnicityType	AmericanIndianAlaskaNativeCode
	AsianCode
	BlackAfricanAmericanCode
	HispanicLatinoCode
	NativeHawaiianPacificIslanderCode
	WhiteCode
IBCEarnedType	IBCCode
ImmunizationType	ImmunizationCode
	ImmunizationDate
	ImmunizationDose
ParentType	Name
PerfAckAplbType	AplbCode
	MetDate
PerfAckCollegeAssessType	CollegeAssessCode
	MetDate
PerfAckBilingBilitType	BilingBilitCode
	MetDate
PerfAckCertLicType	CertLicCode
	MetDate
PerfAckDualCreditType	DualCreditCode
	MetDate
PersonNameType	FirstName
	MiddleName
	LastName
	Suffix
SchoolType	SchoolID
	SchoolName
	DistrictID
	DistrictName
	Address
	PhoneNumber
SpecialProgramsType	LEP
	AlternativeLanguage
	DualLanguageImmersion

	EconomicDisadvantaged
	AtRisk
	TitleI
	SpecialEd
	IEP
	Bilingual
	ESL
	GiftedTalented
	CTE
	Personal Graduation Plan
StudentDemographicType	Gender
	Race
	Ethnicity
	BirthDate
	HomeLanguage
	StudentLanguage
	HomeLanguagesurveyDateAdministered
	Migrant
	Homeless
	Dyslexia
	MilitaryConnected
	Foster Care
	AsyleeRefugee
StudentIdentificationType	StudentUniqueID
	Name
	StudentID
	PriorID
	LocalID
	Address
Student RecordsType	StudentIdentificationType
	Parent
	StudentDemographic
	School
	Enrollment
	SpecialPrograms
	Assessment
	Attendance
	Immunization
	DisciplineAction
	AcademicStatus
	CurrentCoursework
	AcademicSession
	AcademicSummary
StudentRecordType	TRExStudentRecord

## 4.10 TReX Simple Types

Following is a list of the simple types found in the TReX XML schema:

COMMON NAME	SIMPLE NAME
Academic Year	SchoolYear
Additional Test Name	AdditionalTestName
Address (Street or PO Box)	Address
Advanced Measure	AdvancedMeasure
American Indian- Alaska Native	AmericanIndianAlaskaNativeCode
Arts and Humanities Endorsement Indicator Code	ArtsEndorsementCode
Asian	AsianCode
Assessment Date	TestDate
Alternative Language Program	AlternativeLanguage
Assessment Date Exit Requirement Met	ExitRequirementMetDate
Assessment Grade Level	TestLevel
Assessment Name	TestName
Assessment Score	TestScore
Assessment Score Code	TestCode
Assessment Subtest	SubTestName
Assessment Subtest Score	SubTestScore
Associate Degree Indicator Code	AssociateDegree
At Risk Indicator	AtRisk
Bilingual Program Type Code	Bilingual
Bilingual Indicator	Bilingual
Black- African American	BlackAfricanAmericanCode
Business and Industry Endorsement Indicator Code	BusinessEndorsementCode
Campus Awarding Credit	CreditCampus
Campus Fax	Fax
Campus ID	SchoolID
Campus Name	SchoolName
Campus Phone	PhoneNumber
Career Tech Ed Indicator	CTE
Certification of Coursework Completion Date	CertificateDate
City	City
Class Period	ClassPeriod
Class Rank	ClassRank
College Board Campus Code	CollegeCampusCode
Course Category	SubjectArea
Country	Country
Course Abbreviation	Abbreviation
Course Category	SubjectArea

Course Credit	CourseCredit
Course Grade	CourseGrade
Course Grade Average	GradeAverage
Course Name	CourseTitle
Course Number	CourseID
Course Semester	Semester
Course Teacher	CourseTeacher
CPR-Instruction-Met-Date	CPRInstructionMetDate
Crisis Code Type	CrisisCodeCodeType
Date of Birth	BirthDate
Date of Ranking	ClassRankingDate
Discipline Action Code	DisciplineActionCode
Disciplinary Action End Date	DisciplineActionDate
Disciplinary Action Number	DisciplineActionNum
Discipline Action Reason	DisciplineActionReason
District ID	DistrictID
District Name	DistrictName
Dual Language Immersion Assessment Met Date	AssessmentMetDate
Dual Language Immersion Completion School Year	CompletionSchoolYear
Dual Language Immersion Language Code	ImmersionLanguage
Dual Language Immersion Year	ImmersionYear
Dyslexia Indicator Code	Dyslexia
Dyslexia Risk Code	DyslexiaRiskCode
Economic Disadvantaged Indicator Code	EconomicDisadvantage
ESL Indicator	ESL
Ethnicity Code (USDE 1977 definitions)	Race
FHSP College Career instruction Indicator Code	FSHPCollegeCareerInstructionIndicator
FHSP Participant Code	FHSPParticipantCode
FHSP Disting Level Achieve Indicator Code	FHSPPDistingIndicatorCode
FHSP	ArtsEndorsementCode
FHSP	BusinessEndorsementCode
FHSP	MultiStudiesEndorsementCode
FHSP	PublicServicesEndorsementCode
FHSP	STEMEndorsementCode
Final Grade Average	FinalGradeAverage
First Name	FirstName
Foster Care Indicator Code	FosterCare
Gender	Gender
Generation Code	Suffix
Gifted Talented Indicator	GiftedTalented
Grade Level	GradeLevel
Grade of Retention (PK-8)	GradeRetained
Grade Point Average	GPA

Graduation Date	GraduationDate
Graduation Program Type	GraduationDiplomaType
Hispanic-Latino	HispanicLatinoCode
Home Language Code	HomeLanguage
Home Language Survey Date Administered	HomeLanguageSurveyDateAdministered
Homeless Indicator	Homeless
IEP (Individualized Education Program) Indicator	IEP
Immunization Date	ImmunizationDate
Immunization Dose	ImmunizationDose
Immunization Name	ImmunizationCode
Individual Graduation Committee Review Code	IGCGradReview
Last Date of Attendance	ExitDate
Last Name	LastName
Last Withdrawal Date	WithdrawDate
Emergent Bilingual Indicator Code	LEP
Local Student ID	LocalID
Middle Name	MiddleName
Migrant Indicator	Migrant
45TMilitary Connected	45TMilitaryConnected
Multi Disciplinary Studies Endorsement Indicator Code	MultiStudiesEndorsementCode
Native Hawaiian-Pacific Islander	NativeHawaiianPacificIslanderCode
Number in Class	ClassTotalNumber
On-Ramps Dual Enrollment Indicator Code	OnRamps
Original Entry Date	EntryDate
Pass/Fail Credit Indicator	PassFailCredit
Peace-Officer-Interaction-Instruction-Met-Date	POIIMetDate
Performance Acknowledgment AP IB	ApIbType
Performance Acknowledgment Bilingualism/Biliteracy	BilingBilitType
Performance Acknowledgment Certification Licensures	CertLicType
Performance Acknowledgment College Readiness Assessment	CollegeAssessType
Performance Acknowledgment Dual Credit	DualCreditType
Performance Acknowledgment Met Date	MetDate
Personal Graduation Plan	PersonalGradPlan
Placed in Grade	GradePlaced
Prior ID	PriorID
Promoted to Grade	GradePromoted
Public Services Endorsement Indicator Code	PublicServicesEndorsementCode
Quartile	Quartile
Participation Indicator Code	SpecialEd
Participation Indicator Code	AtRisk
Participation Indicator Code	Migrant
Participation Indicator Code	IEP

Participation Indicator Code	PersonalGradPlan
Participation Indicator Code	Dyslexia
Participation Indicator Code	FHSPCollegeCareerInstructionIndicator
Participation Indicator Code	AssociateDegree
Participation Indicator Code	OnRamps
Participation Indicator Code	Section504
Participation Indicator Code	StarofTexas
Section-504-Indicator-Code	Section504
Semester Sequence Code	SemesterSeq
Session Type	SessionType
Special Education Indicator	SpecialEd
Special Explanation Code	Explanation
Speech Requirement Met Date	SpeechMetDate
STAAR Performance Level	PerformanceLevel
Star-Of-Texas-Indicator-Code	StarofTexas
State	StateProvince
STEM Endorsement Indicator Code	STEMEndorsementCode
Student ID	StudentID
Student Language Code	StudentLanguage
Texas Grant Indicator Code	TexasGrant
Title I Part A Indicator	TitleI
Total Days Absent	DaysAbsent
Total Days Present	DaysAttended
Tx Student Unique ID	StudentUniqueID
Unschooled Asylee/Refugee	AsyleeRefugeeCode
White	WhiteCode
Withdrawal Course Grade	WithdrawGrade
Withdrawal Reason Code	WithdrawReason
Zip Code	PostalCode

#### 4.11 TReX Enumerated Values

Following is a list of the data elements with enumerated values. These are described further in Sections 2 of this manual, as well as included in the schema in Appendix B.

Code Table Common Name	Element XML Short Name	Location
Academic Year	SchoolYear	Student Record, AAR-Transcript
Additional Test Name	AdditionalTestName	Student Record

Address (Street or PO Box)	Address	Student Record AAR-Transcript
Advanced Measure	AdvancedMeasure	Student Record; AAR - Transcript
Alternative Language Program Code	AlternativeLanguage	Student Record
American Indian- Alaska Native	AmericanIndianAlaskaNativeCode	Student Record AAR-Transcript
Arts and Humanities Endorsement Indicator Code	ArtsEndorsementCode	Student Record AAR-Transcript
Asian	AsianCode	Student Record AAR-Transcript
Assessment Date	TestDate	Student Record AAR-Transcript
Assessment Date Exit Requirement Met	ExitRequirementMetDate	Student Record AAR-Transcript
Assessment Grade Level	TestLevel	Student Record AAR-Transcript
Assessment Name	TestName	Student Record
Assessment Score	TestScore	Student Record
Assessment Score Code	TestCode	Student Record
Assessment Subtest	SubTestName	Student Record
Assessment Subtest Score	SubTestScore	Student Record
Associate Degree Indicator Code	AssociateDegree	Student Record
At Risk Indicator	AtRisk	Student Record
Bilingual Indicator	Bilingual	Student Record
Black- African American	BlackAfricanAmericanCode	Student Record AAR-Transcript
Business and Industry Endorsement Indicator Code	BusinessEndorsementCode	Student Record AAR-Transcript
Campus Awarding Credit	CreditCampus	Student Record AAR-Transcript
Campus Fax	Fax	Student Record
Campus ID	SchoolID	Student Record AAR-Transcript
Campus Name	SchoolName	Student Record AAR-Transcript
Campus Phone	PhoneNumber	Student Record AAR-Transcript
Career Tech Ed Indicator	CTE	Student Record
Certificate Completion Date	CertificateDate	AAR-Transcript
City	City	Student Record AAR-Transcript
Class Period	ClassPeriod	Student Record
Class Rank	ClassRank	AAR-Transcript
College Board Campus Code	CollegeCampusCode	AAR-Transcript
Country	Country	AAR-Transcript



Course Abbreviation	Abbreviation	Student Record AAR-Transcript
Course Category	SubjectArea	Student Record AAR-Transcript
Course Credit	CourseCredit	Student Record AAR-Transcript
Course Grade	CourseGrade	Student Record AAR-Transcript
Course Grade Average	GradeAverage	Student Record AAR-Transcript
Course Name	CourseTitle	Student Record AAR-Transcript
Course Number	CourseID	Student Record AAR-Transcript
Course Semester	Semester	Student Record AAR-Transcript
Course Teacher	CourseTeacher	Student Record
CPR-Instruction-Met-Date	CPRInstructionMetDate	Student Record AAR - Transcript
Crisis Code	CrisisIndicator	Student Record
Date of Birth	BirthDate	Student Record AAR-Transcript
Date of Ranking	ClassRankingDate	AAR-Transcript
Discipline Action Code	DisciplineActionCode	Student Record
Disciplinary Action End Date	DisciplineActionDate	Student Record
Disciplinary Action Number	DisciplineActionNum	Student Record
Discipline Action Reason	DisciplineActionReason	Student Record
District ID	DistrictID	Student Record AAR-Transcript
District Name	DistrictName	Student Record AAR-Transcript
Dual Language Immersion Assessment Met Date	AssessmentMetDate	Student Record
Dual Language Immersion Completion School Year	CompletionSchoolYear	Student Record
Dual Language Immersion Language Code	ImmersionLanguage	Student Record
Dual Language Immersion Year	ImmersionYear	Student Record
Dyslexia Indicator Code	Dyslexia	Student Record
Dyslexia Risk Code	DyslexiaRiskCode	Student Record
Economic Disadvantaged Indicator Code	EconomicDisadvantage	Student Record
ESL Indicator	ESL	Student Record
Ethnicity Code (USDE 1977 definitions)	Race	Student Record AAR - Transcript

FHSP College Career instruction Indicator Code	FSHPCollegeCareerInstructionIndicator	Student Record
FHSP Participant Code	FHSPParticipantCode	Student Record AAR Transcript
FHSP Disting Level Achieve Indicator Code	FHSPDistingIndicatorCode	Student Record AAR Transcript
Final Grade Average	FinalGradeAverage	Student Record AAR Transcript
Financial Aid Application Code	FinancialAidApplication	Student Record
Financial Aid Application Requirement Met Date	FinancialAidApplicationMetDate	Student Record AAR Transcript
First Name	FirstName	Student Record AAR Transcript
Foster Care Indicator Code	FosterCare	Student Record
Generation Code	Suffix	Student Record AAR Transcript
Gifted Talented Indicator	GiftedTalented	Student Record
Grade Level	GradeLevel	Student Record
Grade of Retention (PK-8)	GradeRetained	Student Record
Grade Point Average	GPA	AAR-Transcript
Graduation Date	GraduationDate	AAR-Transcript
Graduation Program Type	GraduationDiplomaType	AAR - Transcript
Hispanic-Latino	HispanicLatinoCode	Student Record AAR Transcript
Home Language Code	HomeLanguage	Student Record
Home Language Survey Date Administered	HomeLanguageSurveyDateAdministered	Student Record
Homeless Indicator	Homeless	Student Record
IBC Reimbursement Indicator	IBCReimbursement	Student Record
IEP (Individualized Education Program) Indicator	IEP	Student Record
Immunization Date	ImmunizationDate	Student Record
Immunization Dose	ImmunizationDose	Student Record
Immunization Name	ImmunizationCode	Student Record
Individual Graduation Committee Review Code	IGCGradReview	Student Record
Last Date of Attendance	ExitDate	Student Record
Last Name	LastName	Student Record AAR-Transcript
Last Withdrawal Date	WithdrawDate	Student Record
Emergent Bilingual Indicator Code	LEP	Student Record
Local Student ID	LocalID	Student Record AAR-Transcript
Middle Name	MiddleName	Student Record AAR-Transcript
Migrant Indicator	Migrant	Student Record

Military Connected	MilitaryConnected	Student Record
Multi-Disciplinary Studies Endorsement Indicator Code	MultiStudiesEndorsementCode	Student Record AAR Transcript
Native Hawaiian-Pacific Islander	NativeHawaiianPacificIslanderCode	Student Record AAR Transcript
Number in Class	ClassTotalNumber	AAR-Transcript
On-Ramps Dual Enrollment Indicator Code	OnRamps	Student Record
Original Entry Date	EntryDate	Student Record
Pass/Fail Credit Indicator	PassFailCredit	Student Record AAR-Transcript
Peace-Officer-Interaction-Instruction-Met-Date	POIIMetDate	Student Record AAR-Transcript
Performance Acknowledgment AP IB	ApIbType	Student Record AAR-Transcript
Performance Acknowledgment Bilingualism/Biliteracy	BilingBilitType	Student Record AAR-Transcript
Performance Acknowledgment Certification Licensures	CertLicType	Student Record AAR-Transcript
Performance Acknowledgment College Readiness Assessment	CollegeAssessType	Student Record AAR-Transcript
Performance Acknowledgment Dual Credit	DualCreditType	Student Record AAR-Transcript
Performance Acknowledgment Met Date	MetDate	Student Record AAR-Transcript
Personal Graduation Plan	PersonalGradPlan	Student Record
PK Eligible Previous Year Indicator Code	PKeligiblePreiousYear	Student Record
Placed in Grade	GradePlaced	Student Record
Post-Secondary Certification Licensure Earned	IBCEarned	Student Record
Prior ID	PriorID	Student Record
Prior Days Absent	PriorDaysAbsent	Student Record
Prior Days Attended	PriorDaysAttended	Student Record
Prior RS Days Attended	PriorRSDaysAttended	Student Record
Prior RA Days Attended	PriorRADaysAttended	Student Record
Promoted to Grade	GradePromoted	Student Record
Public Services Endorsement Indicator Code	PublicServicesEndorsementCode	Student Record AAR Transcript
Quartile	Quartile	AAR - Transcript
RA Total Days Present	RADaysAttended	Student Record
RS Total Days Present	RSDaysAttended	Student Record
SAT-ACT-TSIA Reimbursement Indicator	SATACTReimbursement	Student Record
Section-504-Indicator-Code	Section504	Student Record
Semester Sequence Code	SemesterSeq	Student Record

Session Type	SessionType	Student Record AAR-Transcript
Special Education Indicator	SpecialEd	Student Record
Special Explanation Code	Explanation	AAR-Transcript
Speech Requirement Met Date	SpeechMetDate	Student Record AAR-Transcript
STAAR Performance Level	PerformanceLevel	Student Record AAR Transcript
Star-Of-Texas-Indicator-Code	StarofTexas	Student Record
State	StateProvince	Student Record AAR Transcript
STEM Endorsement Indicator Code	STEMEndorsementCode	Student Record AAR Transcript
Student ID	StudentID	Student Record AAR Transcript
Student Language Code	StudentLanguage	Student Record
Texas Grant Indicator Code	TexasGrant	AAR - Transcript
Title I Part A Indicator	TitleI	Student Record
Total Days Absent	DaysAbsent	Student Record
Total Days Present	DaysAttended	Student Record
Tx Student Unique ID	StudentUniqueID	Student Record
Unschooling Asylee/Refugee	AsyleeRefugeeCode	Student Record
White	WhiteCode	Student Record AAR Transcript
Withdrawal Course Grade	WithdrawGrade	Student Record
Withdrawal Reason Code	WithdrawReason	Student Record
Zip Code	PostalCode	Student Record AAR-Transcript

## 4.12 Hierarchy of XML Elements

TRExStudentRecords

TRExStudentRecord (1 ... n)

StudentIdentificationType (1)

StudentUniqueID (1)

Name (1)

FirstName (1)

MiddleName (0 or 1)

LastName (1)

Suffix (0 or 1)

PriorID (0 or 1)

LocalID (0 or 1)

Address (0 or 1)

Address (0 or 1)

City (0 or 1)

StateProvince (0 or 1)

Country (0 or 1)

PostalCode (0 or 1)

Parent (0 ... 9)

Name (1)

FirstName (1)

MiddleName (0 or 1)

LastName (1)

Suffix (0 or 1)

StudentDemographic (1)

Gender (1)

Race (0 or 1)

Ethnicity (0 or 1)

BirthDate (1)

HomeLanguage (0 or 1)

StudentLanguage (0 or 1)

HomeLanguageSurveyAdministered (0 or 1)

Migrant (0 or 1)

Homeless (0 or 1)

Dyslexia (0 or 1)

MilitaryConnected (0 or 1)

FosterCare(0 or 1)

AsyleeRefugeeCode (0 or 1)

School (1)

SchoolID (1)

SchoolName (1)  
DistrictID (1)  
DistrictName (0 or 1)  
Address (0 or 1)  
    Address (0 or 1)  
    City (0 or 1)  
    StateProvince (0 or 1)  
    Country (0 or 1)  
    PostalCode (0 or 1)  
PhoneNumber (1)  
Fax (0 or 1)  
Enrollment (1)  
    GradeLevel (1)  
    EntryDate (0 or 1)  
    ExitDate (0 or 1)  
    WithdrawDate (0 or 1)  
    WithdrawReason (0 or 1)  
    GradePlaced (0 or 1)  
    GradePromoted (0 or 1)  
    GradeRetained (0 or 1)  
SpecialPrograms (0 or 1)  
    LEP (0 or 1)  
    AlternativeLanguage (0 or 1)  
    DualLanguageImmersion (1)  
        ImmersionYear (1)  
        ImmersionLanguage (0 or 1)  
        AssessmentMetDate (0 or 1)  
        CompletionSchoolYear (0 or 1)  
    EconomicDisadvantaged (0 or 1)  
    AtRisk (0 or 1)  
    TitleI (0 or 1)  
    SpecialEd (0 or 1)  
    IEP (0 or 1)  
    Bilingual (0 or 1)  
    ESL (0 or 1)  
    GiftedTalented (0 or 1)  
    CTE (0 or 1)  
    PersonalGradPlan (0 or 1)  
Assessment (0 ... n)  
    TestName (0 or 1)  
    or  
n (0 ... n)  
    ImmunizationCode (0 or 1)

ImmunizationDate (0 or 1)  
ImmunizationDose (0 or 1)  
DisciplineAction (0 ... n)  
    DisciplineActionDate (0 or 1)  
    DisciplineActionNum (0 or 1)  
    DisciplineActionCode (0 or 1)  
    DisciplineActionReason (0 or 1)  
AcademicStatus (0 or 1)  
    GraduationDate (0 or 1)  
    SpeechMetDate (0 or 1)  
    GraduationDiplomaType (0 or 1)  
    CertificateDate (0 or 1)  
    TexasGrant (0 or 1)  
    DistinguishedAchievements (0 or 1)  
    AdvancedMeasure (0...4)  
    FHSPParticipantCode (0 or 1)  
    FHSPDistingIndicatorCode (0 or 1)  
    STEMEndorsementCode (0 or 1)  
    BusinessEndorsementCode (0 or 1)  
    PublicServiceEndorsementcode (0 or 1)  
    ArtsEndorsementCode (0 or 1)  
    MultiStudiesEndorsementCode (0 or 1)  
    DualCreditType (0... n)  
    DualCreditCode (1)  
        MetDate (1)  
    BillingBilitType (0... n)  
    BillingBilitCode (1)  
        MetDate (1)  
    CollegeAssesType (0... n)  
    CollegeAssesCode (1)  
        MetDate (1)  
    AplbType (0... n)  
    AplbCode(1)  
        MetDate (1)  
    CertLicType (0... n)  
    CertLicCode (1)  
        MetDate (1)  
    IGCGradReview (0 or 1)  
    FHSPCollegeCareerInstructionIndicator (0 or 1)  
    AssociateDegree (0 or 1)  
    OnRamps (0 or 1)  
    Section504  
    POIIMetDate

CPRMetDate(0 or 1)  
StarofTexas

CurrentCoursework (0 or 1)

Course (1 ... n)

CourseTitle (0 or 1)  
CourseID (0 or 1)  
Abbreviation (0 or 1)  
Semester (0 or 1)  
ClassPeriod (0 or 1)  
SubjectArea (0 or 1)  
CourseGrade (0 ... n)  
WithdrawGrade (0 or 1)  
GradeAverage (0 or 1)  
CourseCredit (0 or 1)  
PassFailCredit (0 or 1)  
Explanation (0 ... n)  
CourseTeacher (0 or 1)  
CreditCampus (0 or 1)  
SemesterSeq (0 or 1)  
FinalGradeAverage (0 or 1)

SchoolYear (1)

GradeLevel (1)

AcademicSession (0 ... n)

SchoolYear (1 ... n)

GradeLevel (1)

Course (1 ... n)

CourseTitle (0 or 1)  
CourseID (0 or 1)  
Abbreviation (0 or 1)  
Semester (0 or 1)  
ClassPeriod (0 or 1)  
SubjectArea (0 or 1)  
CourseGrade (0 ... n)  
WithdrawGrade (0 or 1)  
GradeAverage (0 or 1)  
CourseCredit (0 or 1)  
PassFailCredit (0 or 1)  
Explanation (0 ... n)  
CourseTeacher (0 or 1)  
CreditCampus (0 or 1)  
SemesterSeq (0 or 1)  
FinalGradeAverage (0 or 1)



AcademicSummary (0 or 1)  
    GPA (0 or 1)  
    ClassTotalNumber (0 or 1)  
    ClassRank (0 or 1)  
    ClassRankingDate (0 or 1)  
    Quartile (0 or 1)  
    CollegeCampusCode (0 or 1)  
AdditionalTestName (0 or 1)  
TestLevel (0 or 1)  
TestDate (0 or 1)  
ExitRequirementMetDate (0 or 1)  
TestScore (0 or 1)  
TestCode (0 or 1)  
PerformanceLevel(0 or 1)  
AssessmentSubTest (0 ... n)  
    SubTestName (0 or 1)  
    SubTestScore (0 or 1)  
Attendance (0 or 1)  
    DaysAttended (0 or 1)  
    DaysAbsent (0 or 1)  
Immunization

## APPENDIX A – ELEMENT LIST

# Appendix

### A1: Overview

TREx uses a single XML extract file schema for both student record and high school transcript data elements. Not all data elements are used for both record types. There are twelve data elements that must be included in every extract file; otherwise the file will not load. These twelve data elements are

# A

Data Element Common Name	XML Name
Student ID	StudentID
First Name	FirstName
Last Name	LastName
Gender Code	Gender
Hispanic/Latino and one or more of the Race codes; American Indian – Alaska Native Asian Black – African American Native Hawaiian – Pacific Islander White	HispanicLatinoCode  AmericanIndianAlaskaNativeCode AsianCode BlackAfricanAmericanCode NativeHawaiianPacificIslanderCode WhiteCode
Date of Birth	BirthDate
District ID	DistrictID
Campus ID	SchoolID
Campus Name	SchoolName
Campus Phone	PhoneNumber
Academic Year	SchoolYear
Grade Level (Current)	GradeLevel

The Student Attendance Accounting Handbook, Part 3 Section 3-8, “Withdrawal Procedures” describes the minimum information that must be transmitted when a student transfers from one Texas public school district to another.

- Student ID (Social Security Number or State-Approved Alternate ID);
- Prior ID (Social Security Number or State-Approved Alternate ID, if different from above);
- Local Student ID Number, if used;
- County-District-Campus Number;
- Campus Name and Phone Number;
- First, Middle, and Last Name and Suffix of the student;
- Gender, Ethnicity, and Date of Birth of the student;
- Current Grade Level for the student; and

- Immunization records. Texas Education Code (TEC) §25.002(a)(3).

#### Home Language Survey

The U.S. Department of Education, Office of Civil Rights and Texas state law require school districts to collect information about a student’s language background at the time of enrollment/registration to determine whether the student is a potential English learner. When a student enrolls in a Texas school for the very first time, a home language survey is completed. If a language other than English is identified, the student shall be tested to determine the student’s language classification and eligibility for placement into a bilingual education or English as a second language program. This original home language survey is retained in the student’s permanent record for the duration of the student’s education.

- Original Home Language Survey
- Initial/end-of-year Language Proficiency Assessment Committee (LPAC) documentation
- Parent permission/denial forms

In addition, TEC 7.010 requires the following information to be included with the student records sent through TREx. Note that the IEP may be scanned and sent as an attached file.

- Student Course or Grade Completion
- Teachers of Record
- Student Assessment Results
- Receipt of special education services, including placement in a special education program and individualized education program developed (IEP).
- Students Personal Graduation Plan

If you have copies of documents used for student identification purposes during enrollment, those documents should be scanned and attached to the TREx record transaction for use by the receiving campus. In addition, any document that would be useful to the receiving district should also be attached, for example, the student’s Home Language Survey.

Note that attachments may not be send through SPEEDE to colleges and universities.

Please be aware if you are sending a transcript to a college or university on behalf of a student who is applying for college admission, most Texas public colleges require the following information as part of their admission process.

- Class Size
- Class Rank
- Date of Class Rank
- Date of Graduation
- Graduation Program Type
- Exit Level TAKS score by Subject

The following section is a list of the TREx data elements arranged by the record type (as they would appear in a record; not within a complex type). The table indicates a data element as required in the following manner:

- ✓ Mandatory: Required within the file extract by the TREx schema, otherwise, the

- file will not load.
- ✓ Required by TEC: Required by state law and/or Texas Education Code. These data elements may be required for the Transcript for instance, but not for the Student Record, therefore the Schema cannot enforce their inclusion.
  - ✓ Required by TEC if applicable: Required by state law and/or Texas Education Code if the data element pertains to the student. Because some data elements may not apply to every student, Homeless Indicator for instance, the Schema cannot enforce their inclusion.
  - ✓ Recommended if available: Recommended by TEA, institutions of higher education, and user focus groups. If the data is available to the sending school district, it should be included in the extract file.

**Note to Student Information Systems Vendors:**

All Data extract programs must be able to populate all TReX data elements defined in the XML Schema, whether they are designated "Mandatory", "Required by TEC", "Required by TEC, if applicable", or "Recommended if available".

If a data element is shown as not required for the file extract but data are available and relevant to the accuracy and completeness of the student record or transcript, it is the responsibility of the campus/district to include these data.

## A2: Element List by Record Type

The following is a list of the TREx data elements arranged by the record type.

### STUDENT RECORD

<b>STUDENT IDENTIFICATION DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Tx Student Unique ID	StudentUniqueID	Yes	Required if Available
First Name	FirstName	Yes	Mandatory Required by TEC
Middle Name	MiddleName	Yes	Required by TEC if applicable
Last Name	LastName	Yes	Mandatory Required by TEC
Generation Code	Suffix	Yes	Required by TEC if applicable
Prior ID	PriorID	Yes	Required by TEC if applicable
Student ID	StudentID	Yes	Mandatory Required by TEC
Local Student ID	LocalID	Yes	Required by TEC if applicable
(Parent ) First Name	FirstName	No	Recommended if available
(Parent ) Middle Name	MiddleName	No	Recommended if available
(Parent ) Last Name	LastName	No	Recommended if available
(Student) Address	Address	No	Recommended if available
(Student ) City	City	No	Recommended if available
(Student ) State	StateProvince	No	Recommended if available
(Student ) Zip Code	PostalCode	No	Recommended if available

<sup>1</sup> Attachment acceptable

<sup>2</sup> Required by end of student's junior year.

<sup>3</sup> At Least one of the 5 Race Codes is required.

<b>STUDENT DEMOGRAPHICS DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Gender Code	Gender	Yes	Mandatory Required by TEC
Ethnicity Code	Race	No	Required by TEC for Students prior to 2010-2011 School Year
American Indian- Alaska Native	AmericanIndianAlaskaNative Code	Yes	Required by TEC if applicable <sup>3</sup>
Asian	AsianCode	Yes	Required by TEC if applicable <sup>3</sup>
Black- African American	BlackAfricanAmericanCode	Yes	Required by TEC if applicable <sup>3</sup>
Hispanic-Latino	HispanicLatinoCode	Yes	Required by TEC
Native Hawaiian-Pacific Islander	NativeHawaiianPacificIslanderCode	Yes	Required by TEC if applicable <sup>3</sup>
White	WhiteCode	Yes	Required by TEC if applicable <sup>3</sup>
Date of Birth	BirthDate	Yes	Mandatory Required by TEC
Home Language Code	HomeLanguage	Yes	Required by TEC if applicable
Student Language Code	StudentLanguage	Yes	Required by TEC if applicable
Home Language Survey Date Administered	HomeLanguageSurveyDate Administered	Yes	Required by TEC if applicable
Migrant Indicator	Migrant	Yes	Required by TEC if applicable
Homeless Indicator	Homeless	Yes	Required by TEC if applicable
Dyslexia Indicator Code	Dyslexia	Yes	Required by TEC if applicable
Dyslexia Risk Code	DyslexiaRiskCode	Yes	Recommended if available
Military Connected	MilitaryConnected	Yes	Required by TEC if applicable

Foster Care Indicator Code	FosterCare	Yes	Required by TEC if applicable
Unschooling Asylee/Refugee	AsyleeRefugee	Yes	Required by TEC if applicable
Crisis Code	CrisisIndicator	Yes	Required by TEC if applicable
PK Eligible Previous Year	PkEligiblePreviousYear	Yes	Mandatory Required by TEC

<sup>1</sup> Attachment acceptable

<sup>2</sup> Required by end of student's junior year.

<sup>3</sup> At Least one of the 5 Race Codes is required.

---

**SCHOOL DATA**

<b>SCHOOL DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
District ID	DistrictID	Yes	Mandatory Required by TEC
District Name	DistrictName	Yes	Recommended if available
Campus ID	SchoolID	Yes	Mandatory Required by TEC
Campus Name	SchoolName	Yes	Mandatory Required by TEC
(Campus) Address	Address	No	Recommended if available
(Campus) City	City	No	Recommended if available
(Campus) State	StateProvince	No	Recommended if available
(Campus) Zip Code	PostalCode	No	Recommended if available
(Campus) Phone	PhoneNumber	No	Mandatory Required by TEC
(Campus) Fax	Fax	No	Recommended if available

<sup>1</sup> Attachment acceptable

<sup>2</sup> Required by end of student's junior year.

<sup>3</sup> At Least one of the 5 Race Codes is required.

---

**ENROLLMENT AND WITHDRAWAL DATA**

<b>ENROLLMENT AND WITHDRAWAL DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Grade Level (Current)	GradeLevel	Yes	Mandatory Required by TEC
Original Entry Date	EntryDate	No	Recommended if available
Last Date of Attendance	ExitDate	PET	Recommended if available
Last Withdrawal Date	WithdrawDate	PET	Recommended if available
Withdrawal Reason	WithdrawReason	Yes	Recommended if available
Placed in Grade	GradePlaced	No	Recommended if available
Promoted to Grade	GradePromoted	No	Recommended if available
Grade of Retention (PK-8)	GradeRetained	No	Recommended if available

<sup>1</sup> Attachment acceptable

<sup>2</sup> Required by end of student's junior year.

<sup>3</sup> At Least one of the 5 Race Codes is required.

---

**CURRENT YEAR ATTENDANCE DATA**

<b>CURRENT YEAR ATTENDANCE DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Total Days Present	DaysAttended	Yes	Recommended if available
Total Days Absent	DaysAbsent	Yes	Recommended if available
RA-Total Days Present	RADaysAttended	No	Recommended if available



RS-Total Days Absent	RSDaysAttended	No	Recommended if available
Prior Days Absent	PriorDaysAbsent	Yes	Recommended if available
Prior Days Attended	PriorDaysAttended	Yes	Recommended if available
Prior RS Days Attended	PriorRSDaysAttended	Yes	Recommended if available
Prior RA Days Attended	PriorRADaysAttended	Yes	Recommended if available

<sup>1</sup> Attachment acceptable

<sup>2</sup> Required by end of student's junior year.

<sup>3</sup> At Least one of the 5 Race Codes is required.

---

#### COURSEWORK DATA

<b>COURSEWORK DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Academic Year	SchoolYear	No	Mandatory Required by TEC
Class Period	ClassPeriod	No	Required by TEC if applicable
Course Category	SubjectArea	No	Required by TEC if applicable
Course Name	CourseTitle	No	Required by TEC if applicable
Course Number	CourseID	Yes	Required by TEC if applicable
Course Abbreviation	Abbreviation	No	Required by TEC if applicable
Course Semester	Semester	No	Required by TEC if applicable
Semester Sequence	SemesterSeq	Yes	Required by TEC if applicable
Course Grade	CourseGrade	No	Required by TEC if applicable
Withdrawal Course Grade	WithdrawGrade	No	Required by TEC if applicable
Course Grade Average	GradeAverage	No	Required by TEC if applicable

Final Grade Average	FinalGradeAverage	No	Required by TEC if applicable
Course Credit	CourseCredit	No	Required by TEC if applicable
Pass/Fail Credit Indicator	PassFailCredit	Yes	Required by TEC if applicable
Course Teacher	CourseTeacher	No	Required by TEC if applicable
Campus Awarding Credit	CreditCampus	No	Required by TEC if applicable

<sup>1</sup> Attachment acceptable

<sup>2</sup> Required by end of student's junior year.

<sup>3</sup> At Least one of the 5 Race Codes is required.

---

#### SPECIAL PROGRAMS DATA

<b>SPECIAL PROGRAMS DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Emergent Bilingual Indicator Code	LEP	Yes	Required by TEC if applicable
Alternative Language Program Code	AlternativeLanguage	Yes	Required by TEC if applicable
Dual Language Immersion Year	ImmersionYear	No	Mandatory Required by TEC
Dual Language Immersion Language Code	ImmersionLanguage	No	Required by TEC if applicable
Dual Language Immersion Assessment Met Date	AssessmentMetDate	No	Required by TEC if applicable
Dual Language Immersion Completion School Year	CompletionSchoolYear	No	Required by TEC if applicable
Economically Disadvantaged Indicator	Economic Disadvantaged	Yes	Required by TEC if applicable
At Risk Indicator	AtRisk	Yes	Required by TEC if applicable
Title I Part A Indicator	TitleI	Yes	Required by TEC if applicable

Special Education Indicator	SpecialEd	Yes	Required by TEC if applicable
IEP (Individualized Education Program) Indicator	IEP	No	Required by TEC if applicable
Bilingual Indicator	Bilingual	Yes	Required by TEC if applicable
ESL Indicator	ESL	Yes	Required by TEC if applicable
Gifted/Talented Indicator	GiftedTalented	Yes	Required by TEC if applicable
Personal Graduation Plan	PersonalGradPlan	No	Required by TEC if applicable
Career Tech Ed Indicator	CTE	Yes	Required by TEC if applicable

<sup>1</sup> Attachment acceptable

<sup>2</sup> Required by end of student's junior year.

<sup>3</sup> At Least one of the 5 Race Codes is required.

---

#### STUDENT ASSESSMENT DATA

<b>STUDENT ASSESSMENT DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Additional Test Name	AdditionalTestName	No	Required by TEC if applicable
Assessment Name	TestName	No	Required by TEC if applicable
Assessment Grade Level	TestLevel	No	Required by TEC if applicable
Assessment Score	TestScore	No	Required by TEC if applicable
Assessment Date	TestDate	No	Required by TEC if applicable
Assessment Date Exit Requirement Met	ExitRequirementMetDate	No	Required by TEC if applicable
Assessment Score Code	TestCode	No	Required by TEC if applicable
STAAR Performance Level	PerformanceLevel	No	Required by TEC if applicable

Assessment Subtest	SubTestName	No	Required by TEC if applicable
AssessmentSubtestScore	SubtestScore	No	Required by TEC if applicable

<sup>1</sup> Attachment acceptable

<sup>2</sup> Required by end of student's junior year.

<sup>3</sup> At Least one of the 5 Race Codes is required.

---

## ACADEMIC STATUS

<b>ACADEMIC STATUS</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Graduation Date	GraduationDate	No	Required by TEC if applicable
Speech Requirement Met Date	SpeechMetDate	No	Required by TEC if applicable
Individual Graduation Committee Review Code	IGCGradReview	Yes	Required by TEC
Graduation Diploma Type	GraduationDiplomaType	No	Required by TEC if applicable
Certificate Date	CertificateDate	No	Required by TEC if applicable
Texas Grant Indicator	TexasGrant	No	Required by TEC if applicable
FHSP College Career Instruction Indicator Code	FHSPCollegeCareerInstructionIndicator	Yes	Required by TEC if applicable
FHSP Participant Code	FHSPParticipantCode	Yes	Required by TEC if applicable
FHSP Disting Level Achieve Indicator Code	FHSPDistingIndicatorCode	Yes	Required by TEC if applicable
Arts and Humanities Endorsement Indicator Code	ArtsEndorsementCode	Yes	Required by TEC if applicable
Business and Industry Endorsement Indicator Code	BusinessEndorsementCode	Yes	Required by TEC if applicable
Multi Disciplinary Studies Endorsement Indicator Code	MultiStudiesEndorsementCode	Yes	Required by TEC if applicable

Public Services Endorsement Indicator Code	PublicServicesEndorsementCode	Yes	Required by TEC if applicable
STEM Endorsement Indicator Code	STEMEndorsementCode	Yes	Required by TEC if applicable
Performance Acknowledgment AP IB	AplbType	No	Required by TEC if applicable
Performance Acknowledgment Bilingualism/Biliteracy	BilingBilitType	No	Required by TEC if applicable
Performance Acknowledgment Certification Licensures	CertLicType	No	Required by TEC if applicable
Performance Acknowledgment College Readiness Assessment	CollegeAssessType	No	Required by TEC if applicable
Performance Acknowledgment Dual Credit	DualCreditType	No	Required by TEC if applicable
Performance Acknowledgment Met Date	MetDate	No	Required by TEC if applicable
Associate Degree Indicator Code	AssociateDegree	No	Required by TEC if applicable
On-Ramps Dual Enrollment Indicator Code	OnRamps	No	Required by TEC if applicable
CPR-Instruction-Met-Date	CPRMetDate	No	Required by TEC if applicable
Peace-Officer-Interaction-Instruction-Met-Date	POIIMetDate	No	Required by TEC if applicable
Section-504-Indicator-Code	Section504	No	Required by TEC if applicable
Star-Of-Texas-Indicator-Code	StarofTexas	No	Required by TEC if applicable
SAT ACT TSIA Reimbursement	SATACTReimbursement	Yes	Recommended if available
IBC Reimbursement	IBCReimbursement	Yes	Recommended if available
IBC Earned	IBCCode	Yes	Recommended if available
Financial Aid Application	FinancialAidApplication	Yes	Recommended if available

Financial Aid Application Requirement Met Date	FinancialAidApplicationMetDate	Yes	Recommended if available
--	--------------------------------	-----	--------------------------

---

DISTINGUISHED ACHIEVEMENTS DATA

<b>DISTINGUISHED ACHIEVEMENTS DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Advanced Measure	AdvancedMeasure	No	Required by TEC if applicable

---

IMMUNIZATION RECORD DATA

<b>IMMUNIZATION RECORD DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Immunization Name	ImmunizationCode	No	Required by TEC <sup>1</sup>
Immunization Dose	ImmunizationDose	No	Required by TEC <sup>1</sup>
Immunization Date	ImmunizationDate	No	Required by TEC <sup>1</sup>

<sup>1</sup> Attachment acceptable

<sup>2</sup> Required by end of student's junior year.

<sup>3</sup> At Least one of the 5 Race Codes is required.

---

UNEXPIRED DISCIPLINARY ACTION DATA

<b>UNEXPIRED DISCIPLINARY ACTION DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Disciplinary Action End Date	DisciplineActionDate	No	Required by TEC if applicable
Disciplinary Action Number	DisciplineActionNum	Yes	Required by TEC if applicable
Disciplinary Action Code	DisciplineActionCode	Yes	Required by TEC if applicable
Disciplinary Action Reason	DisciplineActionReason	Yes	Required by TEC if applicable

<sup>1</sup> Attachment acceptable

<sup>2</sup> Required by end of student's junior year.

<sup>3</sup> At Least one of the 5 Race Codes is required.

### A3: High School Transcript

#### ACADEMIC ACHIEVEMENT RECORD DATA

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Student First Name	FirstName	Yes	Mandatory Required by TEC
Student Middle Name	MiddleName	Yes	Required by TEC if applicable
Student Last Name	LastName	Yes	Mandatory Required by TEC

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Generation Code	Suffix	Yes	Required by TEC if applicable
Student ID	StudentID	Yes	Mandatory Required by TEC
Local Student ID	LocalID	Yes	Required by TEC if applicable
Student Address	Address	No	Required by TEC
Student City	City	No	Required by TEC
Student State	StateProvince	No	Required by TEC
Student Zip Code	PostalCode	No	Required by TEC
Student Country	Country	No	Recommended if available
Gender Code	Gender	Yes	Mandatory Required by TEC
Ethnicity Code	Race	Yes	Required by TEC for Students prior to 2010-2011 School Year
American Indian- Alaska Native	AmericanIndianAlaskaNativeCode	Yes	Required by TEC if applicable <sup>3</sup>
Asian	AsianCode	Yes	Required by TEC if applicable <sup>3</sup>
Black- African American	BlackAfricanAmericanCode	Yes	Required by TEC if applicable <sup>3</sup>
Hispanic-Latino	HispanicLatinoCode	Yes	Required by TEC
Native Hawaiian-Pacific Islander	NativeHawaiianPacificIslanderCode	Yes	Required by TEC if applicable <sup>3</sup>
White	WhiteCode	Yes	Required by TEC if applicable <sup>3</sup>
Date of Birth	BirthDate	Yes	Mandatory Required by TEC
District ID	DistrictID	Yes	Mandatory Required by TEC
District Name	DistrictName	Yes	Recommended if available
Campus ID	SchoolID	Yes	Mandatory Required by TEC
Campus Name	SchoolName	Yes	Mandatory Required by TEC
Campus Address	Address	No	Recommended if available
Campus City	City	No	Recommended if available



<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Campus State	StateProvince	No	Recommended if available
Campus Zip Code	PostalCode	No	Recommended if available
Campus Country	Country	No	Recommended if available
Campus Phone	PhoneNumber	Yes	Mandatory Required by TEC
Assessment Name (Exit Level or STAAR® EOC)	TestName	No	Required by TEC if applicable
Assessment Score (Exit Level or STAAR® EOC) This information no longer appears on the high school transcript, but is transmitted electronically to colleges if provided.	TestScore	No	Required by TEC if applicable
Assessment Date (Exit Level or STAAR® EOC)	TestDate	No	Required by TEC if applicable
Assessment Date Exit Requirement Met	ExitRequirementMetDate	No	Required by TEC if applicable
STAAR Performance Level	PerformanceLevel	No	Required by TEC if applicable
Assessment Subtest (Exit Level or STAAR® EOC)	SubTestName	No	Required by TEC if applicable
Assessment Subtest Score (Exit Level or STAAR® EOC) This information no longer appears on the high school transcript but is transmitted electronically to colleges if provided.	SubTestScore	No	Required by TEC if applicable
Academic Year	SchoolYear	No	Mandatory Required by TEC
Session Type	SessionType	No	Required by TEC
Campus Awarding Credit	Credit Campus	No	Required by TEC
Course Category	SubjectArea	No	Required by TEC
Course Name	CourseTitle	No	Required by TEC
Course Number	CourseID	Yes	Required by TEC
Course Abbreviation	Abbreviation	No	Required by TEC

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Course Semester	Semester	No	Required by TEC
Course Grade	CourseGrade	No	Required by TEC
Course Grade Average	GradeAverage	No	Required by TEC
Final Grade Average	FinalGradeAverage	No	Required by TEC if applicable
Course Credit	CourseCredit	No	Required by TEC
Special Explanation Code	Explanation	No	Required by TEC if applicable
Pass/Fail Credit Indicator	PassFailCredit	Yes	Required by TEC if applicable
Course Teacher	CourseTeacher	No	Recommended if available
Class Rank	ClassRank	No	Recommended if available Required by IHE for placement
Number in Class	ClassTotalNumber	No	Recommended if available Required by IHE for placement
Date of Ranking	ClassRankingDate	No	Recommended if available Required by IHE for placement
Quartile	Quartile	No	Recommended if available Required by IHE for placement
Grade Point Average	GPA	No	Recommended if available Required by IHE for placement
Graduation Date	GraduationDate	Yes	Required by TEC at time of graduation
Speech Requirement Met Date	SpeechMetDate	No	Required by TEC at time of graduation
Graduation Program Type	GraduationDiplomaType	Yes	Required by TEC <sup>2</sup>
Certification of Coursework Completion Date	CertificateDate	No	Required by TEC if applicable
Texas Grant Indicator	TexasGrant	No	Required by TEC if applicable <sup>2</sup>
Advanced Measure	AdvancedMeasure	No	Required by TEC if applicable

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Arts and Humanities Endorsement Indicator Code	ArtsEndorsementCode	Yes	Required by TEC if applicable
Business and Industry Endorsement Indicator Code	BusinessEndorsementCode	Yes	Required by TEC if applicable
FHSP Disting Level Achieve Indicator Code	FHSPDistingIndicatorCode	Yes	Required by TEC if applicable
Multi Disciplinary Studies Endorsement Indicator Code	MultiStudiesEndorsementCode	Yes	Required by TEC if applicable
Public Services Endorsement Indicator Code	PublicServicesEndorsementCode	Yes	Required by TEC if applicable
STEM Endorsement Indicator Code	STEMEndorsementCode	Yes	Required by TEC if applicable
Performance Acknowledgment AP IB	AplbType	No	Required by TEC if applicable
Performance Acknowledgment Bilingualism/Biliteracy	BilingBilitType	No	Required by TEC if applicable
Performance Acknowledgment Certification Licensures	CertLicType	No	Required by TEC if applicable
Performance Acknowledgment College Readiness Assessment	CollegeAssessType	No	Required by TEC if applicable
Performance Acknowledgment Dual Credit	DualCreditType	No	Required by TEC if applicable
Performance Acknowledgment Met Date	MetDate	No	Required by TEC if applicable
CPR-Instruction-Met-Date	CPRMetDate	No	Required by TEC if applicable
Peace-Officer-Interaction-Instruction-Met-Date	POIIMetDate	No	Required by TEC if applicable

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
College Board Campus Code	CollegeCampusCode	No	Required by TEC

<sup>1</sup> Attachment acceptable

<sup>2</sup> Required by end of student's junior year.

<sup>3</sup> At Least one of the 5 Race Codes is required.

#### **A4: Final High School Transcript with Seal**

##### ACADEMIC ACHIEVEMENT RECORD DATA

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Student First Name	FirstName	Yes	Mandatory Required by TEC
Student Middle Name	MiddleName	Yes	Required by TEC if applicable
Student Last Name	LastName	Yes	Mandatory Required by TEC
Generation Code	Suffix	Yes	Required by TEC if applicable
Student ID	StudentID	Yes	Mandatory Required by TEC
Local Student ID	LocalID	Yes	Required by TEC if applicable
Student Address	Address	No	Required by TEC
Student City	City	No	Required by TEC
Student State	StateProvince	No	Required by TEC
Student Zip Code	PostalCode	No	Required by TEC
Student Country	Country	No	Recommended if available
Gender Code	Gender	Yes	Mandatory Required by TEC
Ethnicity Code	Race	Yes	Required by TEC for Students prior to 2010- 2011 School Year

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
American Indian- Alaska Native	AmericanIndianAlaskaNativeCode	Yes	Required by TEC if applicable <sup>3</sup>
Asian	AsianCode	Yes	Required by TEC if applicable <sup>3</sup>
Black- African American	BlackAfricanAmericanCode	Yes	Required by TEC if applicable <sup>3</sup>
Hispanic-Latino	HispanicLatinoCode	Yes	Required by TEC
Native Hawaiian-Pacific Islander	NativeHawaiianPacificIslanderCode	Yes	Required by TEC if applicable <sup>3</sup>
White	WhiteCode	Yes	Required by TEC if applicable <sup>3</sup>
Date of Birth	BirthDate	Yes	Mandatory Required by TEC
District ID	DistrictID	Yes	Mandatory Required by TEC
District Name	DistrictName	Yes	Required by TEC
Campus ID	SchoolID	Yes	Mandatory Required by TEC
Campus Name	SchoolName	Yes	Mandatory Required by TEC
Campus Address	Address	No	Recommended if available
Campus City	City	No	Recommended if available
Campus State	StateProvince	No	Recommended if available
Campus Zip Code	PostalCode	No	Recommended if available
Campus Country	Country	No	Recommended if available
Campus Phone	PhoneNumber	Yes	Mandatory Required by TEC
Assessment Name (Exit Level or STAAR® EOC)	TestName	No	Required by TEC if applicable
Assessment Score (Exit Level or STAAR® EOC) This information no longer appears on the high school transcript, but is transmitted electronically to colleges if provided.	TestScore	No	Required by TEC if applicable

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
Assessment Date (Exit Level or STAAR® EOC)	TestDate	No	Required by TEC if applicable
Assessment Date Exit Requirement Met	ExitRequirementMetDate	No	Required by TEC if applicable
STAAR Performance Level	PerformanceLevel	No	Required by TEC if applicable
Assessment Subtest (Exit Level or STAAR® EOC)	SubTestName	No	Required by TEC if applicable
Assessment Subtest Score (Exit Level or STAAR® EOC) This information no longer appears on the high school transcript, but is transmitted electronically to colleges if provided.	SubTestScore	No	Required by TEC if applicable
Academic Year	SchoolYear	No	Mandatory Required by TEC
Session Type	SessionType	No	Required by TEC
Campus Awarding Credit	Credit Campus	No	Required by TEC
Course Category	SubjectArea	No	Required by TEC
Course Name	CourseTitle	No	Required by TEC
Course Number	CourseID	Yes	Required by TEC
Course Abbreviation	Abbreviation	No	Required by TEC
Course Semester	Semester	No	Required by TEC
Course Grade	CourseGrade	No	Required by TEC
Course Grade Average	GradeAverage	No	Required by TEC
Final Grade Average	FinalGradeAverage	No	Required by TEC
Course Credit	CourseCredit	No	Required by TEC
Special Explanation Code	Explanation	No	Required by TEC if applicable
Pass/Fail Credit Indicator	PassFailCredit	Yes	Required by TEC if applicable
Course Teacher	CourseTeacher	No	Recommended if available
Class Rank	ClassRank	No	Recommended if available Required by IHE for placement
Number in Class	ClassTotalNumber	No	Recommended if available

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
			Required by IHE for placement
Date of Ranking	ClassRankingDate	No	Recommended if available Required by IHE for placement
Quartile	Quartile	No	Recommended if available Required by IHE for placement
Grade Point Average	GPA	No	Recommended if available Required by IHE for placement
Graduation Date	GraduationDate	Yes	Required by TEC at time of graduation
Speech Requirement Met Date	SpeechMetDate	No	Required by TEC at time of graduation
Graduation Program Type	GraduationDiplomaType	Yes	Required by TEC <sup>2</sup>
Texas Grant Indicator	TexasGrant	No	Required by TEC if applicable <sup>2</sup>
Advanced Measure	AdvancedMeasure	No	Required by TEC if applicable
Certification of Coursework Completion Date	CertificateDate	No	Required by TEC if applicable
Arts and Humanities Endorsement Indicator Code	ArtsEndorsementCode	Yes	Required by TEC if applicable
Business and Industry Endorsement Indicator Code	BusinessEndorsementCode	Yes	Required by TEC if applicable
FHSP Disting Level Achieve Indicator Code	FHSPDistingIndicatorCode	Yes	Required by TEC if applicable
Multi Disciplinary Studies Endorsement Indicator Code	MultiStudiesEndorsementCode	Yes	Required by TEC if applicable
Public Services Endorsement Indicator Code	PublicServicesEndorsementCode	Yes	Required by TEC if applicable

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>PEIMS Element</b>	<b>Element Requirements</b>
STEM Endorsement Indicator Code	STEMEndorsementCode	Yes	Required by TEC if applicable
Performance Acknowledgment AP IB	AplbType	No	Required by TEC if applicable
Performance Acknowledgment Bilingualism/Biliteracy	BilingBilitType	No	Required by TEC if applicable
Performance Acknowledgment Certification Licensures	CertLicType	No	Required by TEC if applicable
Performance Acknowledgment College Readiness Assessment	CollegeAssessType	No	Required by TEC if applicable
Performance Acknowledgment Dual Credit	DualCreditType	No	Required by TEC if applicable
Performance Acknowledgment Met Date	MetDate	No	Required by TEC if applicable
CPR-Instruction-Met-Date	CPRMetDate	No	Required by TEC if applicable
Peace-Officer-Interaction-Instruction-Met-Date	POIIMetDate	No	Required by TEC if applicable
College Board Campus Code	CollegeCampusCode	No	Required by TEC

<sup>1</sup> Attachment acceptable

<sup>2</sup> Required by end of student's junior year.

<sup>3</sup> At Least one of the 5 Race Codes is required.

## **A5: Element List in Alphabetic Order**

### ACADEMIC ACHIEVEMENT RECORD DATA

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>Element Requirement</b>
Academic Year	SchoolYear	Mandatory



<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>Element Requirement</b>
		Required by TEC
Additional Test Name	AdditionalTestName	Required by TEC if applicable
Address (Street or PO Box)	Address	Required by TEC
Advanced Measure	AdvancedMeasure	Required by TEC if applicable
Alternative Language Program	AlternativeLanguage	Recommended if Available
American Indian- Alaska Native	AmericanIndianAlaskaNativeCode	Required by TEC if applicable
Arts and Humanities Endorsement Indicator Code	ArtsEndorsementCode	Required by TEC if applicable
Asian	AsianCode	Required by TEC if applicable
Assessment Date	TestDate	Required by TEC if applicable
Assessment Date Exit Requirement Met	ExitRequirementMetDate	Required by TEC if applicable
Assessment Grade Level	TestLevel	Required by TEC if applicable
Assessment Name	TestName	Required by TEC if applicable
Assessment Score	TestScore	Required by TEC if applicable
Assessment Score Code	TestCode	Required by TEC if applicable
Assessment Subtest	SubTestName	Required by TEC if applicable
Assessment Subtest Score	SubTestScore	Required by TEC if applicable
Associate Degree Indicator Code	AssociateDegree	Required by TEC if applicable
At Risk Indicator	AtRisk	Required by TEC if applicable
Bilingual Indicator	Bilingual	Required by TEC if applicable
Black- African American	BlackAfricanAmericanCode	Required by TEC if applicable

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>Element Requirement</b>
Business and Industry Endorsement Indicator Code	BusinessEndorsementCode	Required by TEC if applicable
Campus Awarding Credit	CreditCampus	Required by TEC if applicable
Campus Fax	Fax	Recommended if Available
Campus ID	SchoolID	Mandatory Required by TEC
Campus Name	SchoolName	Mandatory Required by TEC
Campus Phone	PhoneNumber	Mandatory Required by TEC
Career Tech Ed Indicator	CareerTechEd	Required by TEC if applicable
Certification of Coursework Completion Date	CertificateDate	Required by TEC if applicable
City	City	Recommended if Available
Class Period	ClassPeriod	Required by TEC if applicable
Class Rank	ClassRank	Recommended if Available
College Board Campus Code	CollegeCampusCode	Required by TEC
Course Category	SubjectArea	Required by TEC if applicable
Country	Country	Recommended if Available
Course Abbreviation	Abbreviation	Required by TEC if applicable
Course Credit	CourseCredit	Required by TEC if applicable
Course Grade	CourseGrade	Required by TEC if applicable
Course Grade Average	GradeAverage	Required by TEC if applicable
Course Name	CourseTitle	Required by TEC if applicable
Course Number	CourseID	Required by TEC if applicable

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>Element Requirement</b>
Course Semester	Semester	Required by TEC if applicable
Course Teacher	CourseTeacher	Required by TEC if applicable
CPR-Instruction-Met-Date	CPRMetDate	Required by TEC if applicable
Crisis Code	CrisisIndicator	Recommended if Available
Date of Birth	BirthDate	Mandatory Required by TEC
Date of Ranking	ClassRankingDate	Recommended if Available
Disciplinary Action Code	DisciplineActionCode	Required by TEC if applicable
Disciplinary Action End Date	DisciplineActionDate	Required by TEC if applicable
Disciplinary Action Number	DisciplineActionNum	Required by TEC if applicable
Disciplinary Action Reason	DisciplineActionReason	Required by TEC if applicable
District ID	DistrictID	Mandatory Required by TEC
District Name	DistrictName	Recommended if Available
Dual Language Immersion Assessment Met Date	AssessmentMetDate	Recommended if Available
Dual Language Immersion Completion School Year	CompletionSchoolYear	Recommended if Available
Dual Language Immersion Language Code	ImmersionLanguage	Recommended if Available
Dual Language Immersion Year	ImmersionYear	Student Record
Dyslexia Indicator Code	Dyslexia	Recommended if Available
Dyslexia Risk Code	DyslexiaRiskCode	Recommended if available
Economic Disadvantaged Indicator Code	EconomicDisadvantaged	Required by TEC if applicable
ESL Indicator	ESL	Required by TEC if applicable

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>Element Requirement</b>
Ethnicity Code	Race	Required by TEC for Students prior to 2010-2011 School Year
FHSP College Career Instruction Indicator Code	FHSPCollegeCareerInstructionIndicator	Required by TEC if applicable
FHSP Participant Code	FHSPParticipantCode	Required by TEC if applicable
FHSP Disting Level Achieve Indicator Code	FHSPDistingIndicatorCode	Required by TEC if applicable
Final Grade Average	FinalGradeAverage	Required by TEC if applicable
Financial Aid Application Code	FinancialAidApplication	Recommended if available
Financial Aid Application Requirement Met Date	FinancialAidApplicationMetDate	Recommended if available
First Name	FirstName	Required by TEC if applicable
Foster Care Indicator Code	FosterCare	Required by TEC if applicable
Gender Code	Gender	Required by TEC if applicable
Generation Code	Suffix	Required by TEC if applicable
Gifted/Talented Indicator	GiftedTalented	Required by TEC if applicable
Grade Level	GradeLevel	Mandatory Required by TEC
Grade of Retention (PK-8)	GradeRetained	Recommended if Available
Grade Point Average	GPA	Recommended if Available
Graduation Date	GraduationDate	Required by TEC if applicable
Graduation Program Type	GraduationDiplomaType	Required by TEC if applicable
Hispanic-Latino	HispanicLatinoCode	Mandatory Required by TEC
Home Language Code	Language	Required by TEC if applicable

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>Element Requirement</b>
Home Language Survey Date Administered	HomeLanguageSurveyDateAdministered	Recommended if Available
Homeless Indicator	Homeless	Required by TEC if applicable
IBC Reimbursement Indicator	IBCReimbursement	Recommended if Available
IEP (Individualized Education Program) Indicator	IEP	Required by TEC if applicable
Immunization Date	ImmunizationDate	Required by TEC
Immunization Dose	ImmunizationDose	Required by TEC
Immunization Name	ImmunizationCode	Required by TEC
Individual Graduation Committee Review Code	IGCGradReview	Required by TEC
Last Date of Attendance	ExitDate	Recommended if Available
Last Name	LastName	Mandatory Required by TEC
Last Withdrawal Date	WithdrawDate	Recommended if Available
Emergent Bilingual Indicator Code	LEP	Required by TEC if applicable
Local Student ID	LocalID	Required by TEC if applicable
Middle Name	MiddleName	Required by TEC if applicable
Migrant Indicator	Migrant	Required by TEC if applicable
Military Connected	MilitaryConnected	Required by TEC if applicable
Multi Disciplinary Studies Endorsement Indicator Code	MultiStudiesEndorsementCode	Required by TEC if applicable
Native Hawaiian-Pacific Islander	NativeHawaiianPacificIslanderCode	Required by TEC if applicable
Number in Class	ClassTotalNumber	Recommended if Available
On-Ramps Dual Enrollment Indicator Code	OnRamps	Required by TEA if Available
Original Entry Date	EntryDate	Recommended if Available

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>Element Requirement</b>
Pass/Fail Credit Indicator	PassFailCredit	Required by TEC if applicable
Peace-Officer-Interaction-Instruction-Met-Date	POIIMetDate	Required by TEC if applicable
Performance Acknowledgment AP IB	AplbType	Required by TEC if applicable
Performance Acknowledgment Bilingualism/Biliteracy	BilingBilitType	Required by TEC if applicable
Performance Acknowledgment Certification Licensures	CertLicType	Required by TEC if applicable
Performance Acknowledgment College Readiness Assessment	CollegeAssessType	Required by TEC if applicable
Performance Acknowledgment Dual Credit	DualCreditType	Required by TEC if applicable
Performance Acknowledgment Met Date	MetDate	Required by TEC if applicable
Personal Graduation Plan	PersonalGradPlan	Required by TEC if applicable
PK Eligible Previous Year Indicator Code	PKeligiblePreiousYear	Mandatory Required by TEC if applicable
Placed in Grade	GradePlaced	Recommended if Available
Post-Secondary Certification Licensure Code	IBCEarned	Recommended if Available
Post-Secondary Certification Licensure Result	TX-PostSecondaryCertificationLicensureResult	Recommended if Available
Prior ID	PriorID	Required by TEC if applicable
Promoted to Grade	GradePromoted	Recommended if Available
Public Services Endorsement Indicator Code	PublicServicesEndorsementCode	Required by TEC if applicable
Quartile	Quartile	Recommended if Available
RA Total Days Present	RADaysAttended	Recommended if Available

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>Element Requirement</b>
RS Total Days Present	RSDaysAttended	Recommended if Available
SAT-ACT-TSIA Reimbursement Indicator	SATACTReimbursement	Recommended if Available
Section-504-Indicator-Code	Section504	Required by TEC if applicable
Semester Sequence Code	SemesterSeq	Required by TEC if applicable
Session Type	SessionType	Required by TEC if applicable
Special Education Indicator	SpecialEd	Required by TEC if applicable
Special Explanation Code	Explanation	Required by TEC if applicable
Speech Requirement Met Date	SpeechMetDate	Required by TEC if applicable
STAAR Performance Level	PerformanceLevel	Required by TEC if applicable
Star-Of-Texas-Indicator-Code	StarofTexas	Required by TEC if applicable
State	StateProvince	Recommended if Available
STEM Endorsement Indicator Code	STEMEndorsementCode	Required by TEC if applicable
Student ID	StudentID	Mandatory Required by TEC
Student Language Code	StudentLanguage	Recommended if Available
Texas Grant Indicator	TexasGrant	Required by TEC if applicable
Title I Part A Indicator	TitleI	Required by TEC if applicable
Total Days Absent	DaysAbsent	Recommended if Available
Total Days Present	DaysAttended	Recommended if Available
Tx Student Unique ID	StudentUniqueID	Required if Available
Unschooling Asylee/Refugee	AsyleeRefugee	Required by TEC if applicable

<b>ACADEMIC ACHIEVEMENT RECORD DATA</b>	<b>XML Name</b>	<b>Element Requirement</b>
White	WhiteCode	Required by TEC if applicable
Withdrawal Course Grade	WithdrawGrade	Required by TEC if applicable
Withdrawal Reason	WithdrawReason	Recommended if Available
Zip Code	PostalCode	Recommended if Available



## Appendix B – TREx XML Schema

### 5.4 Appendix B

```
<TRExStudentRecord>
  <StudentIdentification>
    <StudentUniqueID>0000000000</StudentUniqueID>
    <Name>
      <FirstName>a</FirstName>
      <MiddleName>a</MiddleName>
      <LastName>a</LastName>
      <Suffix>9</Suffix>
    </Name>
    <StudentID>a</StudentID>
    <PriorID>a</PriorID>
    <LocalID>a</LocalID>
    <Address>
      <Address>a</Address>
      <City>a</City>
      <StateProvince>WY</StateProvince>
      <Country>LY</Country>
      <PostalCode>00000</PostalCode>
    </Address>
  </StudentIdentification>
  <Parent>
    <Name>
      <FirstName>a</FirstName>
      <MiddleName>a</MiddleName>
      <LastName>a</LastName>
```

<Suffix>B</Suffix>  
</Name>  
</Parent>  
<StudentDemographic>  
<Gender>M</Gender>  
<Race>2</Race>  
<Ethnicity>  
  
<AmericanIndianAlaskaNativeCode>0</AmericanIndianAlaskaNativeCode>  
<AsianCode>0</AsianCode>  
<BlackAfricanAmericanCode>0</BlackAfricanAmericanCode>  
<HispanicLatinoCode>0</HispanicLatinoCode>  
  
<NativeHawaiianPacificIslanderCode>0</NativeHawaiianPacificIslanderCode>  
<WhiteCode>1</WhiteCode>  
</Ethnicity>  
<BirthDate>0000-0-0</BirthDate>  
<HomeLanguage>20</HomeLanguage>  
<StudentLanguage>2A</StudentLanguage>  
<HomeLanguageSurveyDateAdministered>0000-0-  
0</HomeLanguageSurveyDateAdministered>  
<Migrant>0</Migrant>  
<Homeless>3</Homeless>  
<Dyslexia>1</Dyslexia>  
<DyslexiaRiskCode>02</DyslexiaRiskCode>  
<MilitaryConnected>0</MilitaryConnected>  
<FosterCare>0</FosterCare>  
<AsyleeRefugeeCode>2</AsyleeRefugeeCode>  
<CrisisCode>  
<CrisisCodeCode>7I</CrisisCodeCode>  
</CrisisCode>  
<PkEligiblePreviousYear>0</PkEligiblePreviousYear>

```
</StudentDemographic>
<School>
  <SchoolID>000000000</SchoolID>
  <SchoolName>a</SchoolName>
  <DistrictID>000000</DistrictID>
  <DistrictName>a</DistrictName>
  <Address>
    <Address>a</Address>
    <City>a</City>
    <StateProvince>DE</StateProvince>
    <Country>IE</Country>
    <PostalCode>00000</PostalCode>
  </Address>
  <PhoneNumber>a</PhoneNumber>
  <Fax>a</Fax>
</School>
<Enrollment>
  <GradeLevel>11</GradeLevel>
  <EntryDate>0000-0-0</EntryDate>
  <ExitDate>0000-0-0</ExitDate>
  <WithdrawDate>0000-0-0</WithdrawDate>
  <WithdrawReason>03</WithdrawReason>
  <GradePlaced>02</GradePlaced>
  <GradePromoted>02</GradePromoted>
  <GradeRetained>06</GradeRetained>
</Enrollment>
<SpecialPrograms>
  <LEP>S</LEP>
  <AlternativeLanguage>02</AlternativeLanguage>
  <DualLanguageImmersion>
    <ImmersionYear>03</ImmersionYear>
  </DualLanguageImmersion>
</SpecialPrograms>
</StudentDemographic>
```

<ImmersionLanguage>09</ImmersionLanguage>  
<AssessmentMetDate>0000-0</AssessmentMetDate>  
<CompletionSchoolYear>0000-0000</CompletionSchoolYear>  
</DualLanguageImmersion>  
<EconomicDisadvantaged>99</EconomicDisadvantaged>  
<AtRisk>1</AtRisk>  
<TitleI>9</TitleI>  
<SpecialEd>0</SpecialEd>  
<IEP>1</IEP>  
<Bilingual>5</Bilingual>  
<ESL>3</ESL>  
<GiftedTalented>0</GiftedTalented>  
<CTE>1</CTE>  
<PersonalGradPlan>1</PersonalGradPlan>  
</SpecialPrograms>  
<Assessment>  
<TestName>66</TestName>  
<AdditionalTestName>a</AdditionalTestName>  
<TestLevel>06</TestLevel>  
<TestDate>0000-0</TestDate>  
<ExitRequirementMetDate>0000-0</ExitRequirementMetDate>  
<TestScore>a</TestScore>  
<TestCode>N</TestCode>  
<PerformanceLevel>B</PerformanceLevel>  
<AssessmentSubTest>  
<SubTestName>a</SubTestName>  
<SubTestScore>a</SubTestScore>  
</AssessmentSubTest>  
</Assessment>  
<Attendance>  
<DaysAttended>0</DaysAttended>

```
<DaysAbsent>0</DaysAbsent>
<RSDaysAttended>0</RSDaysAttended>
<RADaysAttended>0</RADaysAttended>
<PriorDaysAttended>0</PriorDaysAttended>
<PriorDaysAbsent>0</PriorDaysAbsent>
<PriorRSDaysAttended>0</PriorRSDaysAttended>
<PriorRADaysAttended>0</PriorRADaysAttended>
</Attendance>
<Immunization>
  <ImmunizationCode>a</ImmunizationCode>
  <ImmunizationDate>0000-0-0</ImmunizationDate>
  <ImmunizationDose>0</ImmunizationDose>
</Immunization>
<DisciplineAction>
  <DisciplineActionDate>0000-0-0</DisciplineActionDate>
  <DisciplineActionNum>0</DisciplineActionNum>
  <DisciplineActionCode>60</DisciplineActionCode>
  <DisciplineActionReason>19</DisciplineActionReason>
</DisciplineAction>
<AcademicStatus>
  <GraduationDate>0000-0</GraduationDate>
  <SpeechMetDate>0000-0</SpeechMetDate>
  <GraduationDiplomaType>57</GraduationDiplomaType>
  <CertificateDate>0000-0-0</CertificateDate>
  <TexasGrant>1</TexasGrant>
  <DistinguishedAchievements>
    <AdvancedMeasure>E</AdvancedMeasure>
  </DistinguishedAchievements>
  <FHSPParticipationCode>1</FHSPParticipationCode>
  <FHSPDistingIndicatorCode>1</FHSPDistingIndicatorCode>
  <STEMEndorsementCode>0</STEMEndorsementCode>
```

```
<BusinessEndorsementCode>1</BusinessEndorsementCode>
<PublicServicesEndorsementCode>1</PublicServicesEndorsementCode>
<ArtsEndorsementCode>2</ArtsEndorsementCode>
<MultiStudiesEndorsementCode>1</MultiStudiesEndorsementCode>
<DualCreditType>
  <DualCreditCode>0</DualCreditCode>
  <MetDate>0000-0</MetDate>
</DualCreditType>
<BillingBilitType>
  <BillingBilitCode>1</BillingBilitCode>
  <MetDate>0000-0</MetDate>
</BillingBilitType>
<CollegeAssessType>
  <CollegeAssessCode>12</CollegeAssessCode>
  <MetDate>0000-0</MetDate>
</CollegeAssessType>
<AplbType>
  <AplbCode>1</AplbCode>
  <MetDate>0000-0</MetDate>
</AplbType>
<CertLicType>
  <CertLicCode>a</CertLicCode>
  <MetDate>0000-0</MetDate>
</CertLicType>
<IGCGradReview>01</IGCGradReview>

<FHSPCollegeCareerInstructionIndicator>1</FHSPCollegeCareerInstructionIndicator>
  <AssociateDegree>1</AssociateDegree>
  <OnRamps>1</OnRamps>
  <Section504>1</Section504>
  <POIIMetDate>0000-0</POIIMetDate>
```

<CPRMetDate>0000-0</CPRMetDate>  
<StarOfTexas>0</StarOfTexas>  
<SATACTReimbursement>1</SATACTReimbursement>  
<IBCReimbursement>0</IBCReimbursement>  
<IBCEarned>  
    <IBCCode>930</IBCCode>  
    <TX-PostSecondaryCertificationLicensureResult>01</TX-  
PostSecondaryCertificationLicensureResult>  
</IBCEarned>  
<FinancialAidApplication>02</FinancialAidApplication>  
<FinancialAidApplicationMetDate>0000-0</FinancialAidApplicationMetDate>  
</AcademicStatus>  
<CurrentCoursework>  
    <Course>  
        <CourseTitle>a</CourseTitle>  
        <CourseID>a</CourseID>  
        <Abbreviation>a</Abbreviation>  
        <Semester>0</Semester>  
        <ClassPeriod>a</ClassPeriod>  
        <SubjectArea>ELA</SubjectArea>  
        <CourseGrade>a</CourseGrade>  
        <WithdrawGrade>a</WithdrawGrade>  
        <GradeAverage>a</GradeAverage>  
        <CourseCredit>0</CourseCredit>  
        <PassFailCredit>00</PassFailCredit>  
        <Explanation>K</Explanation>  
        <CourseTeacher>a</CourseTeacher>  
        <CreditCampus>000000000</CreditCampus>  
        <SemesterSeq>6</SemesterSeq>  
        <FinalGradeAverage>a</FinalGradeAverage>  
    </Course>

<SchoolYear>0000-0000</SchoolYear>  
<GradeLevel>12</GradeLevel>  
<SessionType>Trimester</SessionType>  
</CurrentCoursework>  
<AcademicSession>  
<SchoolYear>0000-0000</SchoolYear>  
<GradeLevel>04</GradeLevel>  
<SessionType>Semester</SessionType>  
<Course>  
<CourseTitle>a</CourseTitle>  
<CourseID>a</CourseID>  
<Abbreviation>a</Abbreviation>  
<Semester>0</Semester>  
<ClassPeriod>a</ClassPeriod>  
<SubjectArea>PE</SubjectArea>  
<CourseGrade>a</CourseGrade>  
<WithdrawGrade>a</WithdrawGrade>  
<GradeAverage>a</GradeAverage>  
<CourseCredit>0</CourseCredit>  
<PassFailCredit>14</PassFailCredit>  
<Explanation>Q</Explanation>  
<CourseTeacher>a</CourseTeacher>  
<CreditCampus>000000000</CreditCampus>  
<SemesterSeq>8</SemesterSeq>  
<FinalGradeAverage>a</FinalGradeAverage>  
</Course>  
<AcademicSummary>  
<GPA>a</GPA>  
<ClassTotalNumber>0</ClassTotalNumber>  
<ClassRank>0</ClassRank>  
<ClassRankingDate>0000-0-0</ClassRankingDate>



```
        <Quartile>2</Quartile>
        <CollegeCampusCode>000000</CollegeCampusCode>
    </AcademicSummary>
</AcademicSession>
<AcademicSummary>
    <GPA>a</GPA>
    <ClassTotalNumber>0</ClassTotalNumber>
    <ClassRank>0</ClassRank>
    <ClassRankingDate>0000-0-0</ClassRankingDate>
    <Quartile>3</Quartile>
    <CollegeCampusCode>000000</CollegeCampusCode>
</AcademicSummary>
</TReXStudentRecord>
</trex:TReXStudentRecords>
```

## Appendix C – TReX XSD Graphical Representation

TReX.v1.34.xsd

schema location: <C:\Users\lollervi\AppData\Local\Microsoft\Windows\INetCache\Content.Outlook\4S756RNL\TReX.v1.34.xsd>

attributeFormDefault: **unqualified**

elementFormDefault: **unqualified**

targetNamespace: **urn:us:tx:state:tea:TReX:v1.34**

Elements	Groups	Complex types	Simple types
<a href="#">TReXStudentRecords</a>	<a href="#">PhoneNumberGroup</a>	<a href="#">AcademicSessionType</a>	<a href="#">AbbreviationType</a>
		<a href="#">AcademicStatusType</a>	<a href="#">AdditionalTestNameType</a>
		<a href="#">AcademicSummaryType</a>	<a href="#">AddressStringType</a>
		<a href="#">AddressType</a>	<a href="#">AdvancedMeasureType</a>
		<a href="#">AssessmentSubTestType</a>	<a href="#">AlternativeLanguageType</a>
		<a href="#">AssessmentType</a>	<a href="#">AsyleeRefugeeCodeType</a>
		<a href="#">AttendanceType</a>	<a href="#">BilingualType</a>
		<a href="#">CourseType</a>	<a href="#">CareerTechEdType</a>
		<a href="#">CrisisCodeType</a>	<a href="#">CityType</a>
		<a href="#">CurrentCourseworkType</a>	<a href="#">ClassPeriodType</a>
		<a href="#">DisciplineActionType</a>	<a href="#">ClassRankType</a>
		<a href="#">DistinguishedAchievementType</a>	<a href="#">ClassTotalNumberType</a>

<a href="#"><u>DualLanguageImmersionType</u></a>	<a href="#"><u>CollegeCampusCodeType</u></a>
<a href="#"><u>EnrollmentType</u></a>	<a href="#"><u>CountryType</u></a>
<a href="#"><u>EthnicityType</u></a>	<a href="#"><u>CourseCreditType</u></a>
<a href="#"><u>IBCEarnedType</u></a>	<a href="#"><u>CourseExplanationType</u></a>
<a href="#"><u>ImmunizationType</u></a>	<a href="#"><u>CourseGradeType</u></a>
<a href="#"><u>ParentType</u></a>	<a href="#"><u>CourseIDType</u></a>
<a href="#"><u>PerfAckApIbType</u></a>	<a href="#"><u>CourseTeacherType</u></a>
<a href="#"><u>PerfAckBilingBilitType</u></a>	<a href="#"><u>CourseTitleType</u></a>
<a href="#"><u>PerfAckCertLicType</u></a>	<a href="#"><u>CrisisCodeCodeType</u></a>
<a href="#"><u>PerfAckCollegeAssessType</u></a>	<a href="#"><u>DaysType</u></a>
<a href="#"><u>PerfAckDualCreditType</u></a>	<a href="#"><u>DisciplineActionCodeType</u></a>
<a href="#"><u>PersonNameType</u></a>	<a href="#"><u>DisciplineActionNumType</u></a>
<a href="#"><u>SchoolType</u></a>	<a href="#"><u>DisciplineActionReasonType</u></a>
<a href="#"><u>SpecialProgramsType</u></a>	<a href="#"><u>DistrictIDType</u></a>
<a href="#"><u>StudentDemographicType</u></a>	<a href="#"><u>DistrictNameType</u></a>
<a href="#"><u>StudentIdentificationType</u></a>	<a href="#"><u>DualLanguageImmersionLanguageCode</u></a>
<a href="#"><u>StudentRecordsType</u></a>	<a href="#"><u>DualLanguageImmersionYearCode</u></a>
<a href="#"><u>StudentRecordType</u></a>	<a href="#"><u>DyslexiaRiskCodeType</u></a>
	<a href="#"><u>EconomicDisadvantagedType</u></a>
	<a href="#"><u>ESLType</u></a>
	<a href="#"><u>EthnicityYesNoType</u></a>
	<a href="#"><u>FHSP</u></a>
	<a href="#"><u>FinancialAidApplicationType</u></a>
	<a href="#"><u>FirstNameType</u></a>
	<a href="#"><u>FosterCareType</u></a>
	<a href="#"><u>GenderType</u></a>
	<a href="#"><u>GiftedTalentedType</u></a>
	<a href="#"><u>GPAType</u></a>
	<a href="#"><u>GradeLevelType</u></a>

[GraduationDiplomaTypeType](#)

[HomelessType](#)

[IBCCodeType](#)

[IGCCodeType](#)

[ImmunizationCodeType](#)

[ImmunizationDoseType](#)

[LanguageType](#)

[LastNameType](#)

[LEPType](#)

[LocalIDType](#)

[MiddleNameType](#)

[MilitaryConnectedType](#)

[ParticipationType](#)

[PassFailCreditType](#)

[PerfAckApIbCode](#)

[PerfAckBilingBilitCode](#)

[PerfAckCertLicCode](#)

[PerfAckCollegeAssessCode](#)

[PerfAckDualCreditCode](#)

[PerformanceLevelType](#)

[PhoneNumberType](#)

[PostalCodeType](#)

[PriorIDType](#)

[QuartileType](#)

[RaceType](#)

[SchoolIDType](#)

[SchoolNameType](#)

[SemesterSeqType](#)

[SemesterType](#)

[SessionTypeType](#)

[StateProvinceType](#)

[StudentIDType](#)

[StudentUniqueIDType](#)

[SubjectAreaType](#)

[SubTestNameType](#)

[SuffixType](#)

[TestCodeType](#)

[TestNameType](#)

[TestScoreType](#)

[TexasGrantType](#)

[TitleType](#)

[TX-  
PostSecondaryCertificationLicensureResultCodeType](#)

[WithdrawGradeType](#)


[WithdrawReasonType](#)

[YearRangeType](#)

[YMDType](#)


[YMType](#)

element **TRExStudentRecords**


diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
type	<a href="#">trex:StudentRecordsType</a>
properties	content complex
children	<a href="#">TRExStudentRecord</a>

source	<code>&lt;xs:element name="TRExStudentRecords" type="trex:StudentRecordsType"/&gt;</code>
--------	---

### group **PhoneNumberGroup**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">PhoneNumber</a> <a href="#">Fax</a>
used by	complexType <a href="#">SchoolType</a>
source	<pre>&lt;xs:group name="PhoneNumberGroup"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="PhoneNumber" type="trex:PhoneNumberType"/&gt;     &lt;xs:element name="Fax" type="trex:PhoneNumberType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:group&gt;</pre>

### element **PhoneNumberGroup/PhoneNumber**

diagram										
type	<a href="#">trex:PhoneNumberType</a>									
properties	content simple									
facets	<table border="0"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20	
Kind	Value	Annotation								
minLength	1									
maxLength	20									
source	<code>&lt;xs:element name="PhoneNumber" type="trex:PhoneNumberType"/&gt;</code>									

### element **PhoneNumberGroup/Fax**


diagram	
---------	---

type	<a href="#">trex:PhoneNumberType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 20
source	<code>&lt;xs:element name="Fax" type="trex:PhoneNumberType" minOccurs="0"/&gt;</code>


### complexType **AcademicSessionType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">SchoolYear</a> <a href="#">GradeLevel</a> <a href="#">SessionType</a> <a href="#">Course</a> <a href="#">AcademicSummary</a>
used by	element <a href="#">StudentRecordType/AcademicSession</a>
source	<pre> &lt;xs:complexType name="AcademicSessionType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="SchoolYear" type="trex:YearRangeType" maxOccurs="unbounded"/&gt;     &lt;xs:element name="GradeLevel" type="trex:GradeLevelType"/&gt;     &lt;xs:element name="SessionType" type="trex:SessionTypeType" minOccurs="0"/&gt;     &lt;xs:element name="Course" type="trex:CourseType" maxOccurs="unbounded"/&gt;     &lt;xs:element name="AcademicSummary" type="trex:AcademicSummaryType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>

element **AcademicSessionType/SchoolYear**

diagram							
type	<a href="#">trex:YearRangeType</a>						
properties	<p>minOcc 1</p> <p>maxOcc unbounded</p> <p>content simple</p>						
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>pattern</td> <td>[0-9]{4}-[0-9]{4}</td> <td></td> </tr> </table>	Kind	Value	Annotation	pattern	[0-9]{4}-[0-9]{4}	
Kind	Value	Annotation					
pattern	[0-9]{4}-[0-9]{4}						
source	<code>&lt;xs:element name="SchoolYear" type="trex:YearRangeType" maxOccurs="unbounded"/&gt;</code>						


element **AcademicSessionType/GradeLevel**

diagram																																		
type	<a href="#">trex:GradeLevelType</a>																																	
properties	<p>content simple</p>																																	
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>EE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PK</td> <td></td> </tr> <tr> <td>enumeration</td> <td>KG</td> <td></td> </tr> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> <tr> <td>enumeration</td> <td>03</td> <td></td> </tr> <tr> <td>enumeration</td> <td>04</td> <td></td> </tr> <tr> <td>enumeration</td> <td>05</td> <td></td> </tr> <tr> <td>enumeration</td> <td>06</td> <td></td> </tr> <tr> <td>enumeration</td> <td>07</td> <td></td> </tr> </table>	Kind	Value	Annotation	enumeration	EE		enumeration	PK		enumeration	KG		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07	
Kind	Value	Annotation																																
enumeration	EE																																	
enumeration	PK																																	
enumeration	KG																																	
enumeration	01																																	
enumeration	02																																	
enumeration	03																																	
enumeration	04																																	
enumeration	05																																	
enumeration	06																																	
enumeration	07																																	



	enumeration 08 enumeration 09 enumeration 10 enumeration 11 enumeration 12
source	<code>&lt;xs:element name="GradeLevel" type="trex:GradeLevelType"/&gt;</code>

element **AcademicSessionType/SessionType**

diagram	 A diagram showing the element name "SessionType" enclosed in a dashed rectangular box.												
type	<a href="#">trex:SessionTypeType</a>												
properties	minOcc 0 maxOcc 1 content simple												
facets	<table border="0"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Semester</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Trimester</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Quarter</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Semester		enumeration	Trimester		enumeration	Quarter	
Kind	Value	Annotation											
enumeration	Semester												
enumeration	Trimester												
enumeration	Quarter												
source	<code>&lt;xs:element name="SessionType" type="trex:SessionTypeType" minOccurs="0"/&gt;</code>												

element **AcademicSessionType/Course**

<p>diagram</p>	
<p>type</p>	<p><a href="#">trex:CourseType</a></p>
<p>properties</p>	<p>minOcc 1  maxOcc unbounded  content complex</p>
<p>children</p>	<p><a href="#">CourseTitle</a> <a href="#">CourseID</a> <a href="#">Abbreviation</a> <a href="#">Semester</a> <a href="#">ClassPeriod</a> <a href="#">SubjectArea</a> <a href="#">CourseGrade</a> <a href="#">WithdrawGrade</a> <a href="#">GradeAverage</a> <a href="#">CourseCredit</a> <a href="#">PassFailCredit</a> <a href="#">Explanation</a> <a href="#">CourseTeacher</a> <a href="#">CreditCampus</a> <a href="#">SemesterSeq</a> <a href="#">FinalGradeAverage</a></p>


	<a href="#">FinalGradeAverage</a>
source	<code>&lt;xs:element name="Course" type="trex:CourseType" maxOccurs="unbounded"/&gt;</code>

element **AcademicSessionType/AcademicSummary**

diagram	<p>The diagram shows a class named <code>AcademicSummary</code> (represented by a dashed box) connected to a larger container labeled <code>trex:AcademicSummaryType</code> (represented by a yellow dashed box). Inside this container, there are six child elements: <code>GPA</code>, <code>ClassTotalNumber</code>, <code>ClassRank</code>, <code>ClassRankingDate</code>, <code>Quartile</code>, and <code>CollegeCampusCode</code>. Each child element is connected to the container by a dashed line, indicating a composition or containment relationship.</p>
type	<a href="#">trex:AcademicSummaryType</a>
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">GPA</a> <a href="#">ClassTotalNumber</a> <a href="#">ClassRank</a> <a href="#">ClassRankingDate</a> <a href="#">Quartile</a> <a href="#">CollegeCampusCode</a>
source	<code>&lt;xs:element name="AcademicSummary" type="trex:AcademicSummaryType" minOccurs="0"/&gt;</code>

complexType **AcademicStatusType**

diagram




namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">GraduationDate</a> <a href="#">SpeechMetDate</a> <a href="#">GraduationDiplomaType</a> <a href="#">CertificateDate</a> <a href="#">TexasGrant</a> <a href="#">DistinguishedAchievements</a> <a href="#">FHSPParticipationCode</a> <a href="#">FHSPDistingIndicatorCode</a> <a href="#">STEMEndorsementCode</a> <a href="#">BusinessEndorsementCode</a> <a href="#">PublicServicesEndorsementCode</a> <a href="#">ArtsEndorsementCode</a> <a href="#">MultiStudiesEndorsementCode</a> <a href="#">DualCreditType</a> <a href="#">BilingBilitType</a> <a href="#">CollegeAssessType</a> <a href="#">ApIbType</a> <a href="#">CertLicType</a> <a href="#">IGCGradReview</a> <a href="#">FHSPCollegeCareerInstructionIndicator</a> <a href="#">AssociateDegree</a> <a href="#">OnRamps</a> <a href="#">Section504</a> <a href="#">POIIMetDate</a> <a href="#">CPRMetDate</a> <a href="#">StarOfTexas</a> <a href="#">SATACTReimbursement</a> <a href="#">IBCREimbursement</a> <a href="#">IBCEarned</a> <a href="#">FinancialAidApplication</a> <a href="#">FinancialAidApplicationMetDate</a>
used by	element <a href="#">StudentRecordType/AcademicStatus</a>
source	<pre> &lt;xs:complexType name="AcademicStatusType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="GraduationDate" type="trex:YMType" minOccurs="0"/&gt;     &lt;xs:element name="SpeechMetDate" type="trex:YMType" minOccurs="0"/&gt;     &lt;xs:element name="GraduationDiplomaType" type="trex:GraduationDiplomaTypeType" minOccurs="0"/&gt;     &lt;xs:element name="CertificateDate" type="trex:YMDType" minOccurs="0"/&gt;     &lt;xs:element name="TexasGrant" type="trex:TexasGrantType" minOccurs="0"/&gt;     &lt;xs:element name="DistinguishedAchievements" type="trex:DistinguishedAchievementType" minOccurs="0" maxOccurs="1"/&gt;     &lt;xs:element name="FHSPParticipationCode" type="trex:FHSP" minOccurs="0"/&gt;     &lt;xs:element name="FHSPDistingIndicatorCode" type="trex:FHSP" minOccurs="0"/&gt;     &lt;xs:element name="STEMEndorsementCode" type="trex:FHSP" minOccurs="0"/&gt;     &lt;xs:element name="BusinessEndorsementCode" type="trex:FHSP" minOccurs="0"/&gt;     &lt;xs:element name="PublicServicesEndorsementCode" type="trex:FHSP" minOccurs="0"/&gt;     &lt;xs:element name="ArtsEndorsementCode" type="trex:FHSP" minOccurs="0"/&gt;     &lt;xs:element name="MultiStudiesEndorsementCode" type="trex:FHSP" minOccurs="0"/&gt;     &lt;xs:element name="DualCreditType" type="trex:PerfAckDualCreditType" minOccurs="0" maxOccurs="unbounded"/&gt;     &lt;xs:element name="BilingBilitType" type="trex:PerfAckBilingBilitType" minOccurs="0" maxOccurs="unbounded"/&gt;     &lt;xs:element name="CollegeAssessType" type="trex:PerfAckCollegeAssessType" minOccurs="0" maxOccurs="unbounded"/&gt;     &lt;xs:element name="ApIbType" type="trex:PerfAckApIbType" minOccurs="0" maxOccurs="unbounded"/&gt;     &lt;xs:element name="CertLicType" type="trex:PerfAckCertLicType" minOccurs="0" maxOccurs="unbounded"/&gt;     &lt;xs:element name="IGCGradReview" type="trex:IGCCodeType" </pre>

```


minOccurs="0"/>
  <xs:element name="FHSPCollegeCareerInstructionIndicator"
type="trex:ParticipationType" minOccurs="0"/>
  <xs:element name="AssociateDegree" type="trex:ParticipationType"
minOccurs="0"/>
  <xs:element name="OnRamps" type="trex:ParticipationType"
minOccurs="0"/>
  <xs:element name="Section504" type="trex:ParticipationType"
minOccurs="0"/>
  <xs:element name="POIIMetDate" type="trex:YMType" minOccurs="0"/>
  <xs:element name="CPRMetDate" type="trex:YMType" minOccurs="0"/>
  <xs:element name="StarOfTexas" type="trex:ParticipationType"
minOccurs="0"/>
  <xs:element name="SATACTReimbursement" type="trex:ParticipationType"
minOccurs="0"/>
  <xs:element name="IBCReimbursement" type="trex:ParticipationType"
minOccurs="0"/>
  <xs:element name="IBCEarned" type="trex:IBCEarnedType" minOccurs="0"
maxOccurs="unbounded"/>
  <xs:element name="FinancialAidApplication"
type="trex:FinancialAidApplicationType" minOccurs="0"/>
  <xs:element name="FinancialAidApplicationMetDate" type="trex:YMType"
minOccurs="0"/>
</xs:sequence>
</xs:complexType>

```


element **AcademicStatusType/GraduationDate**

diagram	
type	<a href="#">trex:YMType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<code>&lt;xs:element name="GraduationDate" type="trex:YMType" minOccurs="0"/&gt;</code>

element **AcademicStatusType/SpeechMetDate**

diagram	
type	<a href="#">trex:YMType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<code>&lt;xs:element name="SpeechMetDate" type="trex:YMType" minOccurs="0"/&gt;</code>


element **AcademicStatusType/GraduationDiplomaType**

diagram																																								
type	<a href="#">trex:GraduationDiplomaTypeType</a>																																							
properties	minOcc 0 maxOcc 1 content simple																																							
facets	<table border="0"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>13</td><td></td></tr> <tr><td>enumeration</td><td>15</td><td></td></tr> <tr><td>enumeration</td><td>17</td><td></td></tr> <tr><td>enumeration</td><td>18</td><td></td></tr> <tr><td>enumeration</td><td>19</td><td></td></tr> <tr><td>enumeration</td><td>20</td><td></td></tr> <tr><td>enumeration</td><td>21</td><td></td></tr> <tr><td>enumeration</td><td>22</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	13		enumeration	15		enumeration	17		enumeration	18		enumeration	19		enumeration	20		enumeration	21		enumeration	22	
Kind	Value	Annotation																																						
enumeration	04																																							
enumeration	05																																							
enumeration	06																																							
enumeration	07																																							
enumeration	13																																							
enumeration	15																																							
enumeration	17																																							
enumeration	18																																							
enumeration	19																																							
enumeration	20																																							
enumeration	21																																							
enumeration	22																																							




	enumeration 23
	enumeration 24
	enumeration 25
	enumeration 26
	enumeration 27
	enumeration 28
	enumeration 29
	enumeration 30
	enumeration 31
	enumeration 32
	enumeration 33
	enumeration 34
	enumeration 35
	enumeration 54
	enumeration 55
	enumeration 56
	enumeration 57
source	<code>&lt;xs:element name="GraduationDiplomaType" type="trex:GraduationDiplomaType" minOccurs="0"/&gt;</code>


element **AcademicStatusType/CertificateDate**

diagram	
type	<a href="#">trex:YMDType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<code>&lt;xs:element name="CertificateDate" type="trex:YMDType" minOccurs="0"/&gt;</code>


element **AcademicStatusType/TexasGrant**

diagram																			
type	<a href="#">trex:TexasGrantType</a>																		
properties	minOcc 0 maxOcc 1 content simple																		
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	5																		
source	<code>&lt;xs:element name="TexasGrant" type="trex:TexasGrantType" minOccurs="0"/&gt;</code>																		


element **AcademicStatusType/DistinguishedAchievements**

diagram	
type	<a href="#">trex:DistinguishedAchievementType</a>
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">AdvancedMeasure</a>
source	<code>&lt;xs:element name="DistinguishedAchievements" type="trex:DistinguishedAchievementType" minOccurs="0" maxOccurs="1"/&gt;</code>

element **AcademicStatusType/FHSPParticipationCode**

diagram													
type	<a href="#">trex:FHSP</a>												
properties	minOcc 0 maxOcc 1 content simple												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<code>&lt;xs:element name="FHSPParticipationCode" type="trex:FHSP" minOccurs="0"/&gt;</code>												

element **AcademicStatusType/FHSPDistingIndicatorCode**


diagram													
type	<a href="#">trex:FHSP</a>												
properties	minOcc 0 maxOcc 1 content simple												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<code>&lt;xs:element name="FHSPDistingIndicatorCode" type="trex:FHSP" minOccurs="0"/&gt;</code>												

element **AcademicStatusType/STEMEndorsementCode**


diagram	
---------	---

type	<a href="#">trex:FHSP</a>												
properties	minOcc 0 maxOcc 1 content simple												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<code>&lt;xs:element name="STEMEndorsementCode" type="trex:FHSP" minOccurs="0"/&gt;</code>												

element **AcademicStatusType/BusinessEndorsementCode**


diagram													
type	<a href="#">trex:FHSP</a>												
properties	minOcc 0 maxOcc 1 content simple												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<code>&lt;xs:element name="BusinessEndorsementCode" type="trex:FHSP" minOccurs="0"/&gt;</code>												

element **AcademicStatusType/PublicServicesEndorsementCode**


diagram	
type	<a href="#">trex:FHSP</a>
properties	minOcc 0 maxOcc 1

	content simple												
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<code>&lt;xs:element name="PublicServicesEndorsementCode" type="trex:FHSP" minOccurs="0"/&gt;</code>												

element **AcademicStatusType/ArtsEndorsementCode**

diagram													
type	<a href="#">trex:FHSP</a>												
properties	<table border="0"> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple						
minOcc	0												
maxOcc	1												
content	simple												
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<code>&lt;xs:element name="ArtsEndorsementCode" type="trex:FHSP" minOccurs="0"/&gt;</code>												

element **AcademicStatusType/MultiStudiesEndorsementCode**

diagram							
type	<a href="#">trex:FHSP</a>						
properties	<table border="0"> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple
minOcc	0						
maxOcc	1						
content	simple						
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> </table>	Kind	Value	Annotation	enumeration	0	
Kind	Value	Annotation					
enumeration	0						

	enumeration 1 enumeration 2
source	<code>&lt;xs:element name="MultiStudiesEndorsementCode" type="trex:FHSP" minOccurs="0"/&gt;</code>

element **AcademicStatusType/DualCreditType**

diagram	<p>The diagram illustrates the structure of the <code>DualCreditType</code> element. It is shown as a dashed box containing a solid box labeled <code>DualCreditType</code> with a cardinality of <code>0..∞</code>. This element is connected to a larger dashed box labeled <code>trex:PerfAckDualCreditType</code>. Inside this larger box, there are two sub-elements: <code>DualCreditCode</code> and <code>MetDate</code>.</p>
type	<a href="#">trex:PerfAckDualCreditType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">DualCreditCode</a> <a href="#">MetDate</a>
source	<code>&lt;xs:element name="DualCreditType" type="trex:PerfAckDualCreditType" minOccurs="0" maxOccurs="unbounded"/&gt;</code>

element **AcademicStatusType/BilingBilitType**

diagram	<p>The diagram illustrates the structure of the <code>BilingBilitType</code> element. It is shown as a dashed box containing a solid box labeled <code>BilingBilitType</code> with a cardinality of <code>0..∞</code>. This element is connected to a larger dashed box labeled <code>trex:PerfAckBilingBilitType</code>. Inside this larger box, there are two sub-elements: <code>BilingBilitCode</code> and <code>MetDate</code>.</p>
type	<a href="#">trex:PerfAckBilingBilitType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">BilingBilitCode</a> <a href="#">MetDate</a>

source	<code>&lt;xs:element name="BilingBilitType" type="trex:PerfAckBilingBilitType" minOccurs="0" maxOccurs="unbounded"/&gt;</code>
--------	--

element **AcademicStatusType/CollegeAssesType**

diagram	
type	<a href="#">trex:PerfAckCollegeAssesType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">CollegeAssesCode</a> <a href="#">MetDate</a>
source	<code>&lt;xs:element name="CollegeAssesType" type="trex:PerfAckCollegeAssesType" minOccurs="0" maxOccurs="unbounded"/&gt;</code>

element **AcademicStatusType/ApIbType**

diagram	
type	<a href="#">trex:PerfAckApIbType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">ApIbCode</a> <a href="#">MetDate</a>
source	<code>&lt;xs:element name="ApIbType" type="trex:PerfAckApIbType" minOccurs="0" maxOccurs="unbounded"/&gt;</code>

element **AcademicStatusType/CertLicType**


diagram	
type	<a href="#">trex:PerfAckCertLicType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">CertLicCode</a> <a href="#">MetDate</a>
source	<pre>&lt;xs:element name="CertLicType" type="trex:PerfAckCertLicType" minOccurs="0" maxOccurs="unbounded"/&gt;</pre>

element **AcademicStatusType/IGCGradReview**


diagram	
type	<a href="#">trex:IGCCodeType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 00 enumeration 01
source	<pre>&lt;xs:element name="IGCGradReview" type="trex:IGCCodeType" minOccurs="0"/&gt;</pre>




element **AcademicStatusType/FHSPCollegeCareerInstructionIndicator**

diagram	
type	<a href="#">trex:ParticipationType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<code>&lt;xs:element name="FHSPCollegeCareerInstructionIndicator" type="trex:ParticipationType" minOccurs="0"/&gt;</code>

element **AcademicStatusType/AssociateDegree**


diagram	
type	<a href="#">trex:ParticipationType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<code>&lt;xs:element name="AssociateDegree" type="trex:ParticipationType" minOccurs="0"/&gt;</code>

element **AcademicStatusType/OnRamps**


diagram	
type	<a href="#">trex:ParticipationType</a>
properties	minOcc 0

	maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<code>&lt;xs:element name="OnRamps" type="trex:ParticipationType" minOccurs="0"/&gt;</code>


element **AcademicStatusType/Section504**

diagram	
type	<a href="#">trex:ParticipationType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<code>&lt;xs:element name="Section504" type="trex:ParticipationType" minOccurs="0"/&gt;</code>


element **AcademicStatusType/POIIMetDate**

diagram	
type	<a href="#">trex:YMType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<code>&lt;xs:element name="POIIMetDate" type="trex:YMType" minOccurs="0"/&gt;</code>


element **AcademicStatusType/CPRMetDate**

diagram	
type	<a href="#">trex:YMType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<code>&lt;xs:element name="CPRMetDate" type="trex:YMType" minOccurs="0"/&gt;</code>

element **AcademicStatusType/StarOfTexas**


diagram	
type	<a href="#">trex:ParticipationType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<code>&lt;xs:element name="StarOfTexas" type="trex:ParticipationType" minOccurs="0"/&gt;</code>

element **AcademicStatusType/SATACTReimbursement**


diagram	
type	<a href="#">trex:ParticipationType</a>

properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<pre>&lt;xs:element name="SATACTReimbursement" type="trex:ParticipationType" minOccurs="0"/&gt;</pre>

element **AcademicStatusType/IBCReimbursement**


diagram	
type	<a href="#">trex:ParticipationType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<pre>&lt;xs:element name="IBCReimbursement" type="trex:ParticipationType" minOccurs="0"/&gt;</pre>

element **AcademicStatusType/IBCEarned**


diagram	
type	<a href="#">trex:IBCEarnedType</a>
properties	minOcc 0 maxOcc unbounded

	content complex
children	<a href="#">IBCCode TX-PostSecondaryCertificationLicensureResult</a>
source	<code>&lt;xs:element name="IBCEarned" type="trex:IBCEarnedType" minOccurs="0" maxOccurs="unbounded"/&gt;</code>

element **AcademicStatusType/FinancialAidApplication**

diagram	
type	<a href="#">trex:FinancialAidApplicationType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 01 enumeration 02
source	<code>&lt;xs:element name="FinancialAidApplication" type="trex:FinancialAidApplicationType" minOccurs="0"/&gt;</code>

element **AcademicStatusType/FinancialAidApplicationMetDate**

diagram	
type	<a href="#">trex:YMType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<code>&lt;xs:element name="FinancialAidApplicationMetDate" type="trex:YMType" minOccurs="0"/&gt;</code>

complexType **AcademicSummaryType**


diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">GPA</a> <a href="#">ClassTotalNumber</a> <a href="#">ClassRank</a> <a href="#">ClassRankingDate</a> <a href="#">Quartile</a> <a href="#">CollegeCampusCode</a>
used by	elements <a href="#">AcademicSessionType/AcademicSummary</a> <a href="#">StudentRecordType/AcademicSummary</a>
source	<pre> &lt;xs:complexType name="AcademicSummaryType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="GPA" type="trex:GPAType" minOccurs="0"/&gt;     &lt;xs:element name="ClassTotalNumber" type="trex:ClassTotalNumberType" minOccurs="0"/&gt;     &lt;xs:element name="ClassRank" type="trex:ClassRankType" minOccurs="0"/&gt;     &lt;xs:element name="ClassRankingDate" type="trex:YMDType" minOccurs="0"/&gt;     &lt;xs:element name="Quartile" type="trex:QuartileType" minOccurs="0"/&gt;     &lt;xs:element name="CollegeCampusCode" type="trex:CollegeCampusCodeType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>

element **AcademicSummaryType/GPA**


diagram	
type	<a href="#">trex:GPAType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation

	minLength 1 maxLength 10
source	<code>&lt;xs:element name="GPA" type="trex:GPAType" minOccurs="0"/&gt;</code>


element **AcademicSummaryType/ClassTotalNumber**

diagram	
type	<a href="#">trex:ClassTotalNumberType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 5
source	<code>&lt;xs:element name="ClassTotalNumber" type="trex:ClassTotalNumberType" minOccurs="0"/&gt;</code>


element **AcademicSummaryType/ClassRank**

diagram	
type	<a href="#">trex:ClassRankType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 5
source	<code>&lt;xs:element name="ClassRank" type="trex:ClassRankType" minOccurs="0"/&gt;</code>


element **AcademicSummaryType/ClassRankingDate**

diagram	
type	<a href="#">trex:YMDType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<code>&lt;xs:element name="ClassRankingDate" type="trex:YMDType" minOccurs="0"/&gt;</code>

element **AcademicSummaryType/Quartile**

diagram	
type	<a href="#">trex:QuartileType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 1 enumeration 2 enumeration 3 enumeration 4
source	<code>&lt;xs:element name="Quartile" type="trex:QuartileType" minOccurs="0"/&gt;</code>

element **AcademicSummaryType/CollegeCampusCode**

diagram	
type	<a href="#">trex:CollegeCampusCodeType</a>
properties	minOcc 0




	maxOcc 1 content simple
facets	Kind Value Annotation pattern ([0-9]{6})
source	<code>&lt;xs:element name="CollegeCampusCode" type="trex:CollegeCampusCodeType" minOccurs="0"/&gt;</code>


complexType **AddressType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">Address</a> <a href="#">City</a> <a href="#">StateProvince</a> <a href="#">Country</a> <a href="#">PostalCode</a>
used by	elements <a href="#">SchoolType/Address</a> <a href="#">StudentIdentificationType/Address</a>
source	<pre> &lt;xs:complexType name="AddressType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="Address" type="trex:AddressStringType" minOccurs="0"/&gt;     &lt;xs:element name="City" type="trex:CityType" minOccurs="0"/&gt;     &lt;xs:element name="StateProvince" type="trex:StateProvinceType" minOccurs="0"/&gt;     &lt;xs:element name="Country" type="trex:CountryType" minOccurs="0"/&gt;     &lt;xs:element name="PostalCode" type="trex:PostalCodeType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>


element **AddressType/Address**

diagram	
type	<a href="#">trex:AddressStringType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 50
source	<code>&lt;xs:element name="Address" type="trex:AddressStringType" minOccurs="0"/&gt;</code>

element **AddressType/City**

diagram	
type	<a href="#">trex:CityType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 30
source	<code>&lt;xs:element name="City" type="trex:CityType" minOccurs="0"/&gt;</code>

element **AddressType/StateProvince**


diagram	
type	<a href="#">trex:StateProvinceType</a>
properties	minOcc 0 maxOcc 1

	content	simple	
facets	Kind	Value	Annotation
	enumeration	TX	
	enumeration	AA	
	enumeration	AB	
	enumeration	AE	
	enumeration	AK	
	enumeration	AL	
	enumeration	AP	
	enumeration	AR	
	enumeration	AS	
	enumeration	AZ	
	enumeration	BC	
	enumeration	CA	
	enumeration	CO	
	enumeration	CT	
	enumeration	CZ	
	enumeration	DC	
	enumeration	DE	
	enumeration	FL	
	enumeration	FM	
	enumeration	GA	
	enumeration	GU	
	enumeration	HI	
	enumeration	IA	
	enumeration	ID	
	enumeration	IL	
	enumeration	IN	
	enumeration	KS	
	enumeration	KY	

enumeration	LA
enumeration	MA
enumeration	MB
enumeration	MD
enumeration	ME
enumeration	MH
enumeration	MI
enumeration	MN
enumeration	MO
enumeration	MP
enumeration	MS
enumeration	MT
enumeration	NB
enumeration	NC
enumeration	ND
enumeration	NE
enumeration	NF
enumeration	NH
enumeration	NJ
enumeration	NL
enumeration	NM
enumeration	NS
enumeration	NT
enumeration	NU
enumeration	NV
enumeration	NY
enumeration	OH
enumeration	OK
enumeration	ON
enumeration	OR

	enumeration PA
	enumeration PE
	enumeration PR
	enumeration PW
	enumeration QC
	enumeration RI
	enumeration SC
	enumeration SD
	enumeration SK
	enumeration TN
	enumeration UT
	enumeration VA
	enumeration VI
	enumeration VT
	enumeration WA
	enumeration WI
	enumeration WV
	enumeration WY
	enumeration YT
source	<code>&lt;xs:element name="StateProvince" type="trex:StateProvinceType" minOccurs="0"/&gt;</code>

element **AddressType/Country**

diagram	
type	<a href="#">trex:CountryType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation

enumeration	US
enumeration	AD
enumeration	AE
enumeration	AF
enumeration	AG
enumeration	AI
enumeration	AL
enumeration	AM
enumeration	AN
enumeration	AO
enumeration	AQ
enumeration	AR
enumeration	AS
enumeration	AT
enumeration	AU
enumeration	AW
enumeration	AX
enumeration	AZ
enumeration	BA
enumeration	BB
enumeration	BD
enumeration	BE
enumeration	BF
enumeration	BG
enumeration	BH
enumeration	BI
enumeration	BJ
enumeration	BM
enumeration	BN
enumeration	BO

enumeration	BR
enumeration	BS
enumeration	BT
enumeration	BV
enumeration	BW
enumeration	BY
enumeration	BZ
enumeration	CA
enumeration	CC
enumeration	CD
enumeration	CF
enumeration	CG
enumeration	CH
enumeration	CI
enumeration	CK
enumeration	CL
enumeration	CM
enumeration	CN
enumeration	CO
enumeration	CR
enumeration	CS
enumeration	CU
enumeration	CV
enumeration	CX
enumeration	CY
enumeration	CZ
enumeration	DE
enumeration	DJ
enumeration	DK
enumeration	DM

enumeration	DO
enumeration	DZ
enumeration	EC
enumeration	EE
enumeration	EG
enumeration	EH
enumeration	ER
enumeration	ES
enumeration	ET
enumeration	FI
enumeration	FJ
enumeration	FK
enumeration	FM
enumeration	FO
enumeration	FR
enumeration	GA
enumeration	GB
enumeration	GD
enumeration	GE
enumeration	GF
enumeration	GH
enumeration	GI
enumeration	GL
enumeration	GM
enumeration	GN
enumeration	GP
enumeration	GQ
enumeration	GR
enumeration	GS
enumeration	GT



enumeration	GU
enumeration	GW
enumeration	GY
enumeration	HK
enumeration	HM
enumeration	HN
enumeration	HR
enumeration	HT
enumeration	HU
enumeration	ID
enumeration	IE
enumeration	IL
enumeration	IN
enumeration	IO
enumeration	IQ
enumeration	IR
enumeration	IS
enumeration	IT
enumeration	JM
enumeration	JO
enumeration	JP
enumeration	KE
enumeration	KG
enumeration	KH
enumeration	KI
enumeration	KM
enumeration	KN
enumeration	KP
enumeration	KR
enumeration	KW

enumeration	KY
enumeration	KZ
enumeration	LA
enumeration	LB
enumeration	LC
enumeration	LI
enumeration	LK
enumeration	LR
enumeration	LS
enumeration	LT
enumeration	LU
enumeration	LV
enumeration	LY
enumeration	MA
enumeration	MC
enumeration	MD
enumeration	MG
enumeration	MH
enumeration	MK
enumeration	ML
enumeration	MM
enumeration	MN
enumeration	MO
enumeration	MP
enumeration	MQ
enumeration	MR
enumeration	MS
enumeration	MT
enumeration	MU
enumeration	MV


enumeration	MW
enumeration	MX
enumeration	MY
enumeration	MZ
enumeration	NA
enumeration	NC
enumeration	NE
enumeration	NF
enumeration	NG
enumeration	NI
enumeration	NL
enumeration	NO
enumeration	NP
enumeration	NR
enumeration	NU
enumeration	NZ
enumeration	OM
enumeration	PA
enumeration	PE
enumeration	PF
enumeration	PG
enumeration	PH
enumeration	PK
enumeration	PL
enumeration	PM
enumeration	PN
enumeration	PR
enumeration	PS
enumeration	PT
enumeration	PW

enumeration	PY
enumeration	QA
enumeration	RE
enumeration	RO
enumeration	RU
enumeration	RW
enumeration	SA
enumeration	SB
enumeration	SC
enumeration	SD
enumeration	SE
enumeration	SG
enumeration	SH
enumeration	SI
enumeration	SJ
enumeration	SK
enumeration	SL
enumeration	SM
enumeration	SN
enumeration	SO
enumeration	SR
enumeration	ST
enumeration	SV
enumeration	SY
enumeration	SZ
enumeration	TC
enumeration	TD
enumeration	TF
enumeration	TG
enumeration	TH


enumeration	TJ
enumeration	TK
enumeration	TL
enumeration	TM
enumeration	TN
enumeration	TO
enumeration	TR
enumeration	TT
enumeration	TV
enumeration	TW
enumeration	TZ
enumeration	UA
enumeration	UG
enumeration	UM
enumeration	UY
enumeration	UZ
enumeration	VA
enumeration	VC
enumeration	VE
enumeration	VG
enumeration	VI
enumeration	VN
enumeration	VU
enumeration	WF
enumeration	WS
enumeration	YE
enumeration	YT
enumeration	ZA
enumeration	ZM
enumeration	ZW

source	<code>&lt;xs:element name="Country" type="trex:CountryType" minOccurs="0"/&gt;</code>
--------	---


element **AddressType/PostalCode**

diagram													
type	<a href="#">trex:PostalCodeType</a>												
properties	minOcc 0 maxOcc 1 content simple												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>5</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>pattern</td> <td>(([0-9]{5}) ([0-9]{5}-[0-9]{4}))</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	5		maxLength	10		pattern	(([0-9]{5}) ([0-9]{5}-[0-9]{4}))	
Kind	Value	Annotation											
minLength	5												
maxLength	10												
pattern	(([0-9]{5}) ([0-9]{5}-[0-9]{4}))												
source	<code>&lt;xs:element name="PostalCode" type="trex:PostalCodeType" minOccurs="0"/&gt;</code>												


complexType **AssessmentSubTestType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">SubTestName</a> <a href="#">SubTestScore</a>
used by	element <a href="#">AssessmentType/AssessmentSubTest</a>
source	<pre>&lt;xs:complexType name="AssessmentSubTestType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="SubTestName" type="trex:SubTestNameType" minOccurs="0"/&gt;     &lt;xs:element name="SubTestScore" type="trex:TestScoreType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>

element **AssessmentSubTestType/SubTestName**

diagram	
type	<a href="#">trex:SubTestNameType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 60
source	<code>&lt;xs:element name="SubTestName" type="trex:SubTestNameType" minOccurs="0"/&gt;</code>

element **AssessmentSubTestType/SubTestScore**

diagram	
type	<a href="#">trex:TestScoreType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 6
source	<code>&lt;xs:element name="SubTestScore" type="trex:TestScoreType" minOccurs="0"/&gt;</code>

complexType **AssessmentType**

<p>diagram</p>	
<p>namespace</p>	<p>urn:us:tx:state:tea:TREx:v1.34</p>
<p>children</p>	<p><a href="#">TestName</a> <a href="#">AdditionalTestName</a> <a href="#">TestLevel</a> <a href="#">TestDate</a> <a href="#">ExitRequirementMetDate</a> <a href="#">TestScore</a> <a href="#">TestCode</a> <a href="#">PerformanceLevel</a> <a href="#">AssessmentSubTest</a></p>
<p>used by</p>	<p>element <a href="#">StudentRecordType/Assessment</a></p>
<p>source</p>	<pre>&lt;xs:complexType name="AssessmentType"&gt;   &lt;xs:sequence&gt;     &lt;xs:choice&gt;       &lt;xs:element name="TestName" type="trex:TestNameType" minOccurs="0"/&gt;       &lt;xs:element name="AdditionalTestName" type="trex:AdditionalTestNameType" minOccurs="0"/&gt;     &lt;/xs:choice&gt;     &lt;xs:element name="TestLevel" type="trex:GradeLevelType" minOccurs="0"/&gt;     &lt;xs:element name="TestDate" type="trex:YMType" minOccurs="0"/&gt;     &lt;xs:element name="ExitRequirementMetDate" type="trex:YMType" minOccurs="0"/&gt;     &lt;xs:element name="TestScore" type="trex:TestScoreType" minOccurs="0"/&gt;     &lt;xs:element name="TestCode" type="trex:TestCodeType" minOccurs="0"/&gt;     &lt;xs:element name="PerformanceLevel" type="trex:PerformanceLevelType" minOccurs="0"/&gt;     &lt;xs:element name="AssessmentSubTest" type="trex:AssessmentSubTestType" minOccurs="0" maxOccurs="unbounded"/&gt;   &lt;/xs:sequence&gt; &lt;/complexType&gt;</pre>



</xs:complexType>

element **AssessmentType/TestId**

diagram																																																																
type	<a href="#">trex:TestIdType</a>																																																															
properties	minOcc 0 maxOcc 1 content simple																																																															
facets	<table border="1"><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr><tr><td>enumeration</td><td>06</td><td></td></tr><tr><td>enumeration</td><td>07</td><td></td></tr><tr><td>enumeration</td><td>08</td><td></td></tr><tr><td>enumeration</td><td>09</td><td></td></tr><tr><td>enumeration</td><td>10</td><td></td></tr><tr><td>enumeration</td><td>11</td><td></td></tr><tr><td>enumeration</td><td>12</td><td></td></tr><tr><td>enumeration</td><td>13</td><td></td></tr><tr><td>enumeration</td><td>14</td><td></td></tr><tr><td>enumeration</td><td>15</td><td></td></tr><tr><td>enumeration</td><td>16</td><td></td></tr><tr><td>enumeration</td><td>17</td><td></td></tr><tr><td>enumeration</td><td>18</td><td></td></tr><tr><td>enumeration</td><td>19</td><td></td></tr><tr><td>enumeration</td><td>20</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14		enumeration	15		enumeration	16		enumeration	17		enumeration	18		enumeration	19		enumeration	20	
Kind	Value	Annotation																																																														
enumeration	01																																																															
enumeration	02																																																															
enumeration	03																																																															
enumeration	04																																																															
enumeration	05																																																															
enumeration	06																																																															
enumeration	07																																																															
enumeration	08																																																															
enumeration	09																																																															
enumeration	10																																																															
enumeration	11																																																															
enumeration	12																																																															
enumeration	13																																																															
enumeration	14																																																															
enumeration	15																																																															
enumeration	16																																																															
enumeration	17																																																															
enumeration	18																																																															
enumeration	19																																																															
enumeration	20																																																															

enumeration	21	
enumeration	22	
enumeration	23	
enumeration	24	
enumeration	25	
enumeration	26	
enumeration	27	
enumeration	28	
enumeration	29	
enumeration	30	
enumeration	31	
enumeration	32	
enumeration	33	
enumeration	34	
enumeration	35	
enumeration	36	
enumeration	37	
enumeration	38	
enumeration	39	
enumeration	40	
enumeration	41	documentation Deprecated: Use code 'E6'
enumeration	42	documentation Deprecated: Use code 'E7'
enumeration	43	documentation Deprecated: Use code 'E9'
enumeration	44	documentation Deprecated: Use code 'EA'
enumeration	45	documentation Deprecated: Use code 'EC'
enumeration	46	documentation Deprecated: Use code 'EB'

enumeration	47	documentation Deprecated: Use code 'EF'
enumeration	48	documentation Deprecated: Use code 'H0'
enumeration	49	documentation Deprecated: Use code 'E8'
enumeration	50	documentation Deprecated: Use code 'H1'
enumeration	51	documentation Deprecated: Use code 'ED'
enumeration	52	documentation Deprecated: Use code 'H2'
enumeration	53	
enumeration	54	
enumeration	55	
enumeration	56	
enumeration	57	
enumeration	58	
enumeration	59	
enumeration	60	
enumeration	61	
enumeration	62	
enumeration	63	
enumeration	64	
enumeration	65	
enumeration	66	
enumeration	67	
enumeration	68	
enumeration	69	
enumeration	70	
enumeration	71	documentation Deprecated: Use code 'E0'

enumeration	72	documentation Deprecated: Use code 'E1'
enumeration	73	documentation Deprecated: Use code 'E2'
enumeration	74	documentation Deprecated: Use code 'E3'
enumeration	75	documentation Deprecated: Use code 'E4'
enumeration	76	documentation Deprecated: Use code 'E5'
enumeration	77	
enumeration	78	
enumeration	79	
enumeration	80	
enumeration	81	
enumeration	A0	
enumeration	A1	
enumeration	A2	
enumeration	A3	
enumeration	A4	
enumeration	A5	
enumeration	A6	
enumeration	A7	
enumeration	A8	
enumeration	A9	
enumeration	AA	
enumeration	AB	
enumeration	AC	
enumeration	AD	
enumeration	AE	
enumeration	AF	
enumeration	AG	

enumeration	AH
enumeration	AJ
enumeration	AK
enumeration	AL
enumeration	AM
enumeration	AN
enumeration	AP
enumeration	AQ
enumeration	B0
enumeration	B1
enumeration	B2
enumeration	B3
enumeration	B4
enumeration	B5
enumeration	B6
enumeration	B7
enumeration	B8
enumeration	C0
enumeration	C1
enumeration	C2
enumeration	C3
enumeration	C4
enumeration	C5
enumeration	C6
enumeration	C7
enumeration	C8
enumeration	C9
enumeration	CA
enumeration	CB
enumeration	CC

enumeration	CD	
enumeration	CE	
enumeration	CF	
enumeration	CG	
enumeration	D0	
enumeration	D1	
enumeration	D2	
enumeration	D3	
enumeration	D4	
enumeration	D5	
enumeration	D6	
enumeration	D7	
enumeration	D8	
enumeration	D9	
enumeration	DA	
enumeration	DB	
enumeration	DC	
enumeration	DD	
enumeration	DE	
enumeration	DF	
enumeration	DG	
enumeration	E0	documentation Deprecated: Use code 'EG'
enumeration	E1	documentation Deprecated: Use code 'EG'
enumeration	E2	documentation Deprecated: Use code 'EH'
enumeration	E3	documentation Deprecated: Use code 'EH'
enumeration	E4	
enumeration	E5	


enumeration	E6
enumeration	E7
enumeration	E8
enumeration	E9
enumeration	EA
enumeration	EB
enumeration	EC
enumeration	ED
enumeration	EF
enumeration	EG
enumeration	EH
enumeration	EJ
enumeration	F0
enumeration	F1
enumeration	F2
enumeration	F3
enumeration	F4
enumeration	F5
enumeration	F6
enumeration	F7
enumeration	F8
enumeration	G0
enumeration	G1
enumeration	G2
enumeration	G3
enumeration	G4
enumeration	G5
enumeration	G6
enumeration	G7
enumeration	G8

enumeration	G9
enumeration	GA
enumeration	GB
enumeration	GC
enumeration	GD
enumeration	H0
enumeration	H1
enumeration	H2
enumeration	H3
enumeration	H4
enumeration	H5
enumeration	H6
enumeration	H7
enumeration	H8
enumeration	J0
enumeration	J1
enumeration	J2
enumeration	J3
enumeration	J4
enumeration	JA
enumeration	JB
enumeration	JC
enumeration	JD
enumeration	JE
enumeration	JF
enumeration	JG
enumeration	JH
enumeration	JJ
enumeration	JK
enumeration	JL




	enumeration JM
	enumeration JN
	enumeration JP
	enumeration JQ
	enumeration JR
	enumeration JS
	enumeration K0
	enumeration K1
	enumeration K2
	enumeration K3
	enumeration K4
	enumeration KA
	enumeration KB
	enumeration KC
	enumeration KD
	enumeration KE
	enumeration KF
	enumeration KG
	enumeration KH
	enumeration KJ
	enumeration KK
	enumeration KL
	enumeration KM
	enumeration KN
	enumeration KP
	enumeration KQ
	enumeration KR
	enumeration KS
source	<code>&lt;xs:element name="TestName" type="trex:TestNameType" minOccurs="0"/&gt;</code>

element **AssessmentType/AdditionalTestName**


diagram	
type	<a href="#">trex:AdditionalTestNameType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 60
source	<code>&lt;xs:element name="AdditionalTestName" type="trex:AdditionalTestNameType" minOccurs="0"/&gt;</code>

element **AssessmentType/TestLevel**


diagram	
type	<a href="#">trex:GradeLevelType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration EE enumeration PK enumeration KG enumeration 01 enumeration 02 enumeration 03 enumeration 04 enumeration 05 enumeration 06

	enumeration 07 enumeration 08 enumeration 09 enumeration 10 enumeration 11 enumeration 12
source	<code>&lt;xs:element name="TestLevel" type="trex:GradeLevelType" minOccurs="0"/&gt;</code>


element **AssessmentType/TestDate**

diagram	
type	<a href="#">trex:YMType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<code>&lt;xs:element name="TestDate" type="trex:YMType" minOccurs="0"/&gt;</code>


element **AssessmentType/ExitRequirementMetDate**

diagram	
type	<a href="#">trex:YMType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<code>&lt;xs:element name="ExitRequirementMetDate" type="trex:YMType" minOccurs="0"/&gt;</code>

element **AssessmentType/TestScore**


diagram	
type	<a href="#">trex:TestScoreType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 6
source	<code>&lt;xs:element name="TestScore" type="trex:TestScoreType" minOccurs="0"/&gt;</code>

element **AssessmentType/TestCode**

diagram	
type	<a href="#">trex:TestCodeType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration A enumeration B enumeration C enumeration D enumeration E enumeration G enumeration I enumeration L enumeration M

	enumeration N
	enumeration O
	enumeration P
	enumeration Q
	enumeration R
	enumeration S
	enumeration T
	enumeration W
	enumeration X
	enumeration Y
	enumeration Z
	enumeration *
source	<code>&lt;xs:element name="TestCode" type="trex:TestCodeType" minOccurs="0"/&gt;</code>

element **AssessmentType/PerformanceLevel**


diagram																												
type	<a href="#">trex:PerformanceLevelType</a>																											
properties	minOcc 0 maxOcc 1 content simple																											
facets	<table border="0"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6		enumeration	7		enumeration	8	
Kind	Value	Annotation																										
enumeration	0																											
enumeration	1																											
enumeration	2																											
enumeration	3																											
enumeration	4																											
enumeration	6																											
enumeration	7																											
enumeration	8																											

	enumeration 9 enumeration A enumeration B
source	<pre>&lt;xs:element name="PerformanceLevel" type="trex:PerformanceLevelType" minOccurs="0"/&gt;</pre>


element **AssessmentType/AssessmentSubTest**

diagram	
type	<a href="#">trex:AssessmentSubTestType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">SubTestName</a> <a href="#">SubTestScore</a>
source	<pre>&lt;xs:element name="AssessmentSubTest" type="trex:AssessmentSubTestType" minOccurs="0" maxOccurs="unbounded"/&gt;</pre>


complexType **AttendanceType**

<p>diagram</p>	
<p>namespace</p>	<p>urn:us:tx:state:tea:TREx:v1.34</p>
<p>children</p>	<p><a href="#">DaysAttended</a> <a href="#">DaysAbsent</a> <a href="#">RSDaysAttended</a> <a href="#">RADaysAttended</a> <a href="#">PriorDaysAttended</a> <a href="#">PriorDaysAbsent</a> <a href="#">PriorRSDaysAttended</a> <a href="#">PriorRADaysAttended</a></p>
<p>used by</p>	<p>element <a href="#">StudentRecordType/Attendance</a></p>
<p>source</p>	<pre>&lt;xs:complexType name="AttendanceType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="DaysAttended" type="trex:DaysType" minOccurs="0"/&gt;     &lt;xs:element name="DaysAbsent" type="trex:DaysType" minOccurs="0"/&gt;     &lt;xs:element name="RSDaysAttended" type="trex:DaysType" minOccurs="0"/&gt;     &lt;xs:element name="RADaysAttended" type="trex:DaysType" minOccurs="0"/&gt;     &lt;xs:element name="PriorDaysAttended" type="trex:DaysType" minOccurs="0"/&gt;     &lt;xs:element name="PriorDaysAbsent" type="trex:DaysType" minOccurs="0"/&gt;     &lt;xs:element name="PriorRSDaysAttended" type="trex:DaysType" minOccurs="0"/&gt;     &lt;xs:element name="PriorRADaysAttended" type="trex:DaysType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>


element **AttendanceType/DaysAttended**

diagram	
type	<a href="#">trex:DaysType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 4 fractionDigits 1
source	<code>&lt;xs:element name="DaysAttended" type="trex:DaysType" minOccurs="0"/&gt;</code>

element **AttendanceType/DaysAbsent**

diagram	
type	<a href="#">trex:DaysType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 4 fractionDigits 1
source	<code>&lt;xs:element name="DaysAbsent" type="trex:DaysType" minOccurs="0"/&gt;</code>


element **AttendanceType/RSDaysAttended**

diagram	
type	<a href="#">trex:DaysType</a>
properties	minOcc 0 maxOcc 1




	content simple
facets	Kind Value Annotation totalDigits 4 fractionDigits 1
source	<code>&lt;xs:element name="RSDaysAttended" type="trex:DaysType" minOccurs="0"/&gt;</code>


element **AttendanceType/RADaysAttended**

diagram	
type	<a href="#">trex:DaysType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 4 fractionDigits 1
source	<code>&lt;xs:element name="RADaysAttended" type="trex:DaysType" minOccurs="0"/&gt;</code>


element **AttendanceType/PriorDaysAttended**

diagram	
type	<a href="#">trex:DaysType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 4 fractionDigits 1
source	<code>&lt;xs:element name="PriorDaysAttended" type="trex:DaysType" minOccurs="0"/&gt;</code>


element **AttendanceType/PriorDaysAbsent**

diagram	
type	<a href="#">trex:DaysType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 4 fractionDigits 1
source	<code>&lt;xs:element name="PriorDaysAbsent" type="trex:DaysType" minOccurs="0"/&gt;</code>

element **AttendanceType/PriorRSDaysAttended**

diagram	
type	<a href="#">trex:DaysType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 4 fractionDigits 1
source	<code>&lt;xs:element name="PriorRSDaysAttended" type="trex:DaysType" minOccurs="0"/&gt;</code>

element **AttendanceType/PriorRADaysAttended**

diagram	
type	<a href="#">trex:DaysType</a>

properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 4 fractionDigits 1
source	<xs:element name="PriorRADaysAttended" type="trex:DaysType" minOccurs="0"/>

complexType **CourseType**


<p>diagram</p>	
<p>namespace</p>	<p>urn:us:tx:state:tea:TREx:v1.34</p>
<p>children</p>	<p><a href="#">CourseTitle</a> <a href="#">CourseID</a> <a href="#">Abbreviation</a> <a href="#">Semester</a> <a href="#">ClassPeriod</a> <a href="#">SubjectArea</a> <a href="#">CourseGrade</a> <a href="#">WithdrawGrade</a> <a href="#">GradeAverage</a> <a href="#">CourseCredit</a> <a href="#">PassFailCredit</a> <a href="#">Explanation</a> <a href="#">CourseTeacher</a> <a href="#">CreditCampus</a> <a href="#">SemesterSeq</a> <a href="#">FinalGradeAverage</a></p>
<p>used by</p>	<p>elements <a href="#">AcademicSessionType/Course</a> <a href="#">CurrentCourseworkType/Course</a></p>
<p>source</p>	<pre>&lt;xs:complexType name="CourseType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="CourseTitle" type="trex:CourseTitleType"       minOccurs="0"/&gt;</pre>

```

<xs:element name="CourseID" type="trex:CourseIDType" minOccurs="0"/>
<xs:element name="Abbreviation" type="trex:AbbreviationType"
minOccurs="0"/>
<xs:element name="Semester" type="trex:SemesterType" minOccurs="0"/>
<xs:element name="ClassPeriod" type="trex:ClassPeriodType"
minOccurs="0"/>
<xs:element name="SubjectArea" type="trex:SubjectAreaType"
minOccurs="0"/>
<xs:element name="CourseGrade" type="trex:CourseGradeType"
minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="WithdrawGrade" type="trex:WithdrawGradeType"
minOccurs="0"/>
<xs:element name="GradeAverage" type="trex:CourseGradeType"
minOccurs="0"/>
<xs:element name="CourseCredit" type="trex:CourseCreditType"
minOccurs="0"/>
<xs:element name="PassFailCredit" type="trex:PassFailCreditType"
minOccurs="0"/>
<xs:element name="Explanation" type="trex:CourseExplanationType"
minOccurs="0" maxOccurs="unbounded"/>
<xs:element name="CourseTeacher" type="trex:CourseTeacherType"
minOccurs="0"/>
<xs:element name="CreditCampus" type="trex:SchoolIDType"
minOccurs="0"/>
<xs:element name="SemesterSeq" type="trex:SemesterSeqType"
minOccurs="0"/>
<xs:element name="FinalGradeAverage" type="trex:CourseGradeType"
minOccurs="0"/>
</xs:sequence>
</xs:complexType>


```

element **CourseType/CourseTitle**


diagram										
type	<a href="#">trex:CourseTitleType</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table border="0"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>100</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	100	
Kind	Value	Annotation								
minLength	1									
maxLength	100									

source	<code>&lt;xs:element name="CourseTitle" type="trex:CourseTitleType" minOccurs="0"/&gt;</code>
--------	---


#### element **CourseType/CourseID**

diagram	
type	<a href="#">trex:CourseIDType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 64
source	<code>&lt;xs:element name="CourseID" type="trex:CourseIDType" minOccurs="0"/&gt;</code>


#### element **CourseType/Abbreviation**

diagram	
type	<a href="#">trex:AbbreviationType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 100
source	<code>&lt;xs:element name="Abbreviation" type="trex:AbbreviationType" minOccurs="0"/&gt;</code>


element **CourseType/Semester**

diagram	
type	<a href="#">trex:SemesterType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 1
source	<code>&lt;xs:element name="Semester" type="trex:SemesterType" minOccurs="0"/&gt;</code>

element **CourseType/ClassPeriod**


diagram	
type	<a href="#">trex:ClassPeriodType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 5
source	<code>&lt;xs:element name="ClassPeriod" type="trex:ClassPeriodType" minOccurs="0"/&gt;</code>

element **CourseType/SubjectArea**

diagram	
type	<a href="#">trex:SubjectAreaType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation


	enumeration ELA enumeration SP enumeration MA enumeration SC enumeration SS enumeration ECFE enumeration HL enumeration PE enumeration LOTE enumeration FA enumeration TA enumeration CTE enumeration EL enumeration LC
source	<code>&lt;xs:element name="SubjectArea" type="trex:SubjectAreaType" minOccurs="0"/&gt;</code>

element **CourseType/CourseGrade**


diagram	
type	<a href="#">trex:CourseGradeType</a>
properties	minOcc 0 maxOcc unbounded content simple
facets	Kind Value Annotation minLength 1 maxLength 10
source	<code>&lt;xs:element name="CourseGrade" type="trex:CourseGradeType" minOccurs="0" maxOccurs="unbounded"/&gt;</code>




element **CourseType/WithdrawGrade**

diagram	
type	<a href="#">trex:WithdrawGradeType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 15
source	<code>&lt;xs:element name="WithdrawGrade" type="trex:WithdrawGradeType" minOccurs="0"/&gt;</code>

element **CourseType/GradeAverage**

diagram	
type	<a href="#">trex:CourseGradeType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 10
source	<code>&lt;xs:element name="GradeAverage" type="trex:CourseGradeType" minOccurs="0"/&gt;</code>

element **CourseType/CourseCredit**

diagram	
type	<a href="#">trex:CourseCreditType</a>

properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 2 fractionDigits 1
source	<code>&lt;xs:element name="CourseCredit" type="trex:CourseCreditType" minOccurs="0"/&gt;</code>

element **CourseType/PassFailCredit**

diagram	
type	<a href="#">trex:PassFailCreditType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 00 enumeration 01 enumeration 02 enumeration 03 enumeration 04 enumeration 05 enumeration 06 enumeration 07 enumeration 08 enumeration 09 enumeration 10 enumeration 11 enumeration 12 enumeration 13


	enumeration 14
source	<code>&lt;xs:element name="PassFailCredit" type="trex:PassFailCreditType" minOccurs="0"/&gt;</code>

element **CourseType/Explanation**


diagram																																																							
type	<a href="#">trex:CourseExplanationType</a>																																																						
properties	minOcc 0 maxOcc unbounded content simple																																																						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>D</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>G</td><td></td></tr> <tr><td>enumeration</td><td>H</td><td></td></tr> <tr><td>enumeration</td><td>I</td><td></td></tr> <tr><td>enumeration</td><td>J</td><td></td></tr> <tr><td>enumeration</td><td>K</td><td></td></tr> <tr><td>enumeration</td><td>L</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>P</td><td></td></tr> <tr><td>enumeration</td><td>Q</td><td></td></tr> <tr><td>enumeration</td><td>R</td><td></td></tr> <tr><td>enumeration</td><td>T</td><td></td></tr> <tr><td>enumeration</td><td>V</td><td></td></tr> <tr><td>enumeration</td><td>X</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	C		enumeration	D		enumeration	E		enumeration	G		enumeration	H		enumeration	I		enumeration	J		enumeration	K		enumeration	L		enumeration	M		enumeration	P		enumeration	Q		enumeration	R		enumeration	T		enumeration	V		enumeration	X	
Kind	Value	Annotation																																																					
enumeration	A																																																						
enumeration	C																																																						
enumeration	D																																																						
enumeration	E																																																						
enumeration	G																																																						
enumeration	H																																																						
enumeration	I																																																						
enumeration	J																																																						
enumeration	K																																																						
enumeration	L																																																						
enumeration	M																																																						
enumeration	P																																																						
enumeration	Q																																																						
enumeration	R																																																						
enumeration	T																																																						
enumeration	V																																																						
enumeration	X																																																						

	enumeration 2 enumeration 1 enumeration 2 enumeration 3 enumeration 4 enumeration 5 enumeration 7 enumeration 8 enumeration 9 enumeration 10
source	<pre>&lt;xs:element name="Explanation" type="trex:CourseExplanationType" minOccurs="0" maxOccurs="unbounded"/&gt;</pre>

element **CourseType/CourseTeacher**


diagram	 <pre>classDiagram     class CourseTeacher</pre>									
type	<a href="#">trex:CourseTeacherType</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>40</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	40	
Kind	Value	Annotation								
minLength	1									
maxLength	40									
source	<pre>&lt;xs:element name="CourseTeacher" type="trex:CourseTeacherType" minOccurs="0"/&gt;</pre>									

element **CourseType/CreditCampus**

diagram	 <pre>classDiagram     class CreditCampus</pre>
type	<a href="#">trex:SchoolIDType</a>

properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern ([0-9]{9})
source	<xs:element name="CreditCampus" type="trex:SchoolIDType" minOccurs="0"/>

element **CourseType/SemesterSeq**

diagram																																																	
type	<a href="#">trex:SemesterSeqType</a>																																																
properties	minOcc 0 maxOcc 1 content simple																																																
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>0</td><td></td></tr> <tr><td>enumeration</td><td>1</td><td></td></tr> <tr><td>enumeration</td><td>2</td><td></td></tr> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>4</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>6</td><td></td></tr> <tr><td>enumeration</td><td>7</td><td></td></tr> <tr><td>enumeration</td><td>8</td><td></td></tr> <tr><td>enumeration</td><td>9</td><td></td></tr> <tr><td>enumeration</td><td>D0</td><td></td></tr> <tr><td>enumeration</td><td>D1</td><td></td></tr> <tr><td>enumeration</td><td>D2</td><td></td></tr> <tr><td>enumeration</td><td>D3</td><td></td></tr> <tr><td>enumeration</td><td>D4</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	D0		enumeration	D1		enumeration	D2		enumeration	D3		enumeration	D4	
Kind	Value	Annotation																																															
enumeration	0																																																
enumeration	1																																																
enumeration	2																																																
enumeration	3																																																
enumeration	4																																																
enumeration	5																																																
enumeration	6																																																
enumeration	7																																																
enumeration	8																																																
enumeration	9																																																
enumeration	D0																																																
enumeration	D1																																																
enumeration	D2																																																
enumeration	D3																																																
enumeration	D4																																																

	enumeration D5 enumeration D6 enumeration D7 enumeration D8 enumeration D9 enumeration A
source	<code>&lt;xs:element name="SemesterSeq" type="trex:SemesterSeqType" minOccurs="0"/&gt;</code>

### element **CourseType/FinalGradeAverage**

diagram	
type	<a href="#">trex:CourseGradeType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 10
source	<code>&lt;xs:element name="FinalGradeAverage" type="trex:CourseGradeType" minOccurs="0"/&gt;</code>

### complexType **CrisisCodeType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">CrisisCodeCode</a>
used by	element <a href="#">StudentDemographicType/CrisisCode</a>
source	<code>&lt;xs:complexType name="CrisisCodeType"&gt;  &lt;xs:sequence&gt;  &lt;xs:element name="CrisisCodeCode" type="trex:CrisisCodeCodeType" minOccurs="0"/&gt;  &lt;/xs:sequence&gt;  &lt;/xs:complexType&gt;</code>

	<pre>&lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>
--	---

element **CrisisCodeType/CrisisCodeCode**

diagram			
type	<a href="#">trex:CrisisCodeCodeType</a>		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	00	
	enumeration	1A	
	enumeration	1B	
	enumeration	1C	
	enumeration	2A	
	enumeration	2B	
	enumeration	2C	
	enumeration	7A	
	enumeration	7B	
	enumeration	7C	
	enumeration	7D	
	enumeration	7E	
	enumeration	7F	
	enumeration	7G	
	enumeration	7H	
	enumeration	7I	
	enumeration	8A	
	enumeration	8B	
	enumeration	8C	

	enumeration 9A enumeration 9B enumeration 9C enumeration 10A enumeration 10B
source	<pre>&lt;xs:element name="CrisisCodeCode" type="trex:CrisisCodeCodeType" minOccurs="0"/&gt;</pre>

complexType **CurrentCourseworkType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">Course</a> <a href="#">SchoolYear</a> <a href="#">GradeLevel</a> <a href="#">SessionType</a>
used by	element <a href="#">StudentRecordType/CurrentCoursework</a>
source	<pre>&lt;xs:complexType name="CurrentCourseworkType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="Course" type="trex:CourseType" maxOccurs="unbounded"/&gt;     &lt;xs:element name="SchoolYear" type="trex:YearRangeType"/&gt;     &lt;xs:element name="GradeLevel" type="trex:GradeLevelType"/&gt;     &lt;xs:element name="SessionType" type="trex:SessionTypeType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>




element **CurrentCourseworkType/Course**


<p>diagram</p>	
<p>type</p>	<p><a href="#">trex:CourseType</a></p>
<p>properties</p>	<p>minOcc 1 maxOcc unbounded content complex</p>
<p>children</p>	<p><a href="#">CourseTitle</a> <a href="#">CourseID</a> <a href="#">Abbreviation</a> <a href="#">Semester</a> <a href="#">ClassPeriod</a> <a href="#">SubjectArea</a> <a href="#">CourseGrade</a> <a href="#">WithdrawGrade</a> <a href="#">GradeAverage</a> <a href="#">CourseCredit</a> <a href="#">PassFailCredit</a> <a href="#">Explanation</a> <a href="#">CourseTeacher</a> <a href="#">CreditCampus</a> <a href="#">SemesterSeq</a> <a href="#">FinalGradeAverage</a></p>

	<a href="#">FinalGradeAverage</a>
source	<code>&lt;xs:element name="Course" type="trex:CourseType" maxOccurs="unbounded"/&gt;</code>

element **CurrentCourseworkType/SchoolYear**

diagram							
type	<a href="#">trex:YearRangeType</a>						
properties	content simple						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[0-9]{4}-[0-9]{4}</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	pattern	[0-9]{4}-[0-9]{4}	
Kind	Value	Annotation					
pattern	[0-9]{4}-[0-9]{4}						
source	<code>&lt;xs:element name="SchoolYear" type="trex:YearRangeType"/&gt;</code>						

element **CurrentCourseworkType/GradeLevel**

diagram																																					
type	<a href="#">trex:GradeLevelType</a>																																				
properties	content simple																																				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>EE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PK</td> <td></td> </tr> <tr> <td>enumeration</td> <td>KG</td> <td></td> </tr> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> <tr> <td>enumeration</td> <td>03</td> <td></td> </tr> <tr> <td>enumeration</td> <td>04</td> <td></td> </tr> <tr> <td>enumeration</td> <td>05</td> <td></td> </tr> <tr> <td>enumeration</td> <td>06</td> <td></td> </tr> <tr> <td>enumeration</td> <td>07</td> <td></td> </tr> <tr> <td>enumeration</td> <td>08</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	EE		enumeration	PK		enumeration	KG		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08	
Kind	Value	Annotation																																			
enumeration	EE																																				
enumeration	PK																																				
enumeration	KG																																				
enumeration	01																																				
enumeration	02																																				
enumeration	03																																				
enumeration	04																																				
enumeration	05																																				
enumeration	06																																				
enumeration	07																																				
enumeration	08																																				

	enumeration 09 enumeration 10 enumeration 11 enumeration 12
source	<code>&lt;xs:element name="GradeLevel" type="trex:GradeLevelType"/&gt;</code>

element **CurrentCourseworkType/SessionType**

diagram	
type	<a href="#">trex:SessionTypeType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration Semester enumeration Trimester enumeration Quarter
source	<code>&lt;xs:element name="SessionType" type="trex:SessionTypeType" minOccurs="0"/&gt;</code>

complexType **DisciplineActionType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">DisciplineActionDate</a> <a href="#">DisciplineActionNum</a> <a href="#">DisciplineActionCode</a> <a href="#">DisciplineActionReason</a>
used by	element <a href="#">StudentRecordType/DisciplineAction</a>

source	<pre> &lt;xs:complexType name="DisciplineActionType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="DisciplineActionDate" type="trex:YMDType" minOccurs="0"/&gt;     &lt;xs:element name="DisciplineActionNum" type="trex:DisciplineActionNumType" minOccurs="0"/&gt;     &lt;xs:element name="DisciplineActionCode" type="trex:DisciplineActionCodeType" minOccurs="0"/&gt;     &lt;xs:element name="DisciplineActionReason" type="trex:DisciplineActionReasonType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>
--------	---

element **DisciplineActionType/DisciplineActionDate**

diagram	
type	<a href="#">trex:YMDType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<pre> &lt;xs:element name="DisciplineActionDate" type="trex:YMDType" minOccurs="0"/&gt; </pre>

element **DisciplineActionType/DisciplineActionNum**

diagram	
type	<a href="#">trex:DisciplineActionNumType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 3


source	<code>&lt;xs:element name="DisciplineActionNum" type="trex:DisciplineActionNumType" minOccurs="0"/&gt;</code>
--------	---

element **DisciplineActionType/DisciplineActionCode**

diagram																																																													
type	<a href="#">trex:DisciplineActionCodeType</a>																																																												
properties	minOcc 0 maxOcc 1 content simple																																																												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>02</td><td></td></tr> <tr><td>enumeration</td><td>03</td><td></td></tr> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> <tr><td>enumeration</td><td>09</td><td></td></tr> <tr><td>enumeration</td><td>10</td><td></td></tr> <tr><td>enumeration</td><td>11</td><td></td></tr> <tr><td>enumeration</td><td>12</td><td></td></tr> <tr><td>enumeration</td><td>13</td><td></td></tr> <tr><td>enumeration</td><td>14</td><td></td></tr> <tr><td>enumeration</td><td>15</td><td></td></tr> <tr><td>enumeration</td><td>25</td><td></td></tr> <tr><td>enumeration</td><td>26</td><td></td></tr> <tr><td>enumeration</td><td>27</td><td></td></tr> <tr><td>enumeration</td><td>28</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14		enumeration	15		enumeration	25		enumeration	26		enumeration	27		enumeration	28	
Kind	Value	Annotation																																																											
enumeration	01																																																												
enumeration	02																																																												
enumeration	03																																																												
enumeration	04																																																												
enumeration	05																																																												
enumeration	06																																																												
enumeration	07																																																												
enumeration	08																																																												
enumeration	09																																																												
enumeration	10																																																												
enumeration	11																																																												
enumeration	12																																																												
enumeration	13																																																												
enumeration	14																																																												
enumeration	15																																																												
enumeration	25																																																												
enumeration	26																																																												
enumeration	27																																																												
enumeration	28																																																												

	enumeration 50 enumeration 51 enumeration 52 enumeration 53 enumeration 54 enumeration 55 enumeration 56 enumeration 57 enumeration 58 enumeration 59 enumeration 60 enumeration 61
source	<code>&lt;xs:element name="DisciplineActionCode" type="trex:DisciplineActionCodeType" minOccurs="0"/&gt;</code>

element **DisciplineActionType/DisciplineActionReason**

diagram	 A diagram showing a dashed rectangular box containing the text "DisciplineActionReason".																								
type	<a href="#">trex:DisciplineActionReasonType</a>																								
properties	minOcc 0 maxOcc 1 content simple																								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>02</td><td></td></tr> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08	
Kind	Value	Annotation																							
enumeration	01																								
enumeration	02																								
enumeration	04																								
enumeration	05																								
enumeration	06																								
enumeration	07																								
enumeration	08																								

enumeration	09	
enumeration	10	
enumeration	11	
enumeration	12	
enumeration	13	
enumeration	14	
enumeration	16	
enumeration	17	
enumeration	18	
enumeration	19	
enumeration	20	
enumeration	21	
enumeration	22	
enumeration	23	
enumeration	26	
enumeration	27	
enumeration	28	
enumeration	29	
enumeration	30	
enumeration	31	
enumeration	32	
enumeration	33	documentation Deprecated
enumeration	34	documentation Deprecated
enumeration	35	
enumeration	36	
enumeration	37	
enumeration	41	
enumeration	46	
enumeration	47	


	enumeration 48 enumeration 49 enumeration 50      documentation Deprecated enumeration 51 enumeration 52 enumeration 53 enumeration 54 enumeration 55 enumeration 56 enumeration 57 enumeration 58 enumeration 59 enumeration 60 enumeration 61
source	<pre>&lt;xs:element name="DisciplineActionReason" type="trex:DisciplineActionReasonType" minOccurs="0"/&gt;</pre>

complexType **DistinguishedAchievementType**


diagram	<pre> classDiagram     class DistinguishedAchievementType {         +AdvancedMeasure*     }     class AdvancedMeasure     DistinguishedAchievementType "1" -- "*" AdvancedMeasure </pre>
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">AdvancedMeasure</a>
used by	element <a href="#">AcademicStatusType/DistinguishedAchievements</a>
source	<pre>&lt;xs:complexType name="DistinguishedAchievementType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="AdvancedMeasure" type="trex:AdvancedMeasureType" minOccurs="0" maxOccurs="12"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>



element **DistinguishedAchievementType/AdvancedMeasure**

diagram	
type	<a href="#">trex:AdvancedMeasureType</a>
properties	minOcc 0 maxOcc 12 content simple
facets	Kind Value Annotation enumeration A enumeration B enumeration C enumeration D enumeration E enumeration F
source	<code>&lt;xs:element name="AdvancedMeasure" type="trex:AdvancedMeasureType" minOccurs="0" maxOccurs="12"/&gt;</code>

complexType **DualLanguageImmersionType**


diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">ImmersionYear</a> <a href="#">ImmersionLanguage</a> <a href="#">AssessmentMetDate</a> <a href="#">CompletionSchoolYear</a>
used by	element <a href="#">SpecialProgramsType/DualLanguageImmersion</a>
source	<code>&lt;xs:complexType name="DualLanguageImmersionType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="ImmersionYear"</code>

```


type="trex:DualLanguageImmersionYearCode"/>
  <xs:element name="ImmersionLanguage"
type="trex:DualLanguageImmersionLanguageCode" minOccurs="0"/>
  <xs:element name="AssessmentMetDate" type="trex:YMType"
minOccurs="0"/>
  <xs:element name="CompletionSchoolYear" type="trex:YearRangeType"
minOccurs="0"/>
</xs:sequence>
</xs:complexType>

```

element **DualLanguageImmersionType/ImmersionYear**


diagram																						
type	<a href="#">trex:DualLanguageImmersionYearCode</a>																					
properties	content simple																					
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>00</td> <td></td> </tr> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> <tr> <td>enumeration</td> <td>03</td> <td></td> </tr> <tr> <td>enumeration</td> <td>04</td> <td></td> </tr> <tr> <td>enumeration</td> <td>05</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05	
Kind	Value	Annotation																				
enumeration	00																					
enumeration	01																					
enumeration	02																					
enumeration	03																					
enumeration	04																					
enumeration	05																					
source	<pre>&lt;xs:element name="ImmersionYear" type="trex:DualLanguageImmersionYearCode"/&gt;</pre>																					

element **DualLanguageImmersionType/ImmersionLanguage**


diagram							
type	<a href="#">trex:DualLanguageImmersionLanguageCode</a>						
properties	<table border="1"> <tbody> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </tbody> </table>	minOcc	0	maxOcc	1	content	simple
minOcc	0						
maxOcc	1						
content	simple						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> </tbody> </table>	Kind	Value	Annotation			
Kind	Value	Annotation					

	enumeration 01
	enumeration 02
	enumeration 03
	enumeration 04
	enumeration 05
	enumeration 06
	enumeration 07
	enumeration 08
	enumeration 09
	enumeration 10
	enumeration 11
	enumeration 12
	enumeration 13
	enumeration 14
	enumeration 15
	enumeration 16
source	<code>&lt;xs:element name="ImmersionLanguage" type="trex:DualLanguageImmersionLanguageCode" minOccurs="0"/&gt;</code>


element **DualLanguageImmersionType/AssessmentMetDate**

diagram	
type	<a href="#">trex:YMType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<code>&lt;xs:element name="AssessmentMetDate" type="trex:YMType" minOccurs="0"/&gt;</code>

element **DualLanguageImmersionType/CompletionSchoolYear**

diagram	
type	<a href="#">trex:YearRangeType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[0-9]{4}
source	<pre>&lt;xs:element name="CompletionSchoolYear" type="trex:YearRangeType" minOccurs="0"/&gt;</pre>

complexType **EnrollmentType**


diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">GradeLevel</a> <a href="#">EntryDate</a> <a href="#">ExitDate</a> <a href="#">WithdrawDate</a> <a href="#">WithdrawReason</a> <a href="#">GradePlaced</a> <a href="#">GradePromoted</a> <a href="#">GradeRetained</a>
used by	element <a href="#">StudentRecordType/Enrollment</a>
source	<pre>&lt;xs:complexType name="EnrollmentType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="GradeLevel" type="trex:GradeLevelType"</pre>

```

minOccurs="0"/>
  <xs:element name="EntryDate" type="trex:YMDType" minOccurs="0"/>
  <xs:element name="ExitDate" type="trex:YMDType" minOccurs="0"/>
  <xs:element name="WithdrawDate" type="trex:YMDType" minOccurs="0"/>
  <xs:element name="WithdrawReason" type="trex:WithdrawReasonType"
minOccurs="0"/>
  <xs:element name="GradePlaced" type="trex:GradeLevelType"
minOccurs="0"/>
  <xs:element name="GradePromoted" type="trex:GradeLevelType"
minOccurs="0"/>
  <xs:element name="GradeRetained" type="trex:GradeLevelType"
minOccurs="0"/>
</xs:sequence>
</xs:complexType>


```

element **EnrollmentType/GradeLevel**


diagram																																								
type	<a href="#">trex:GradeLevelType</a>																																							
properties	minOcc 0 maxOcc 1 content simple																																							
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>EE</td><td></td></tr> <tr><td>enumeration</td><td>PK</td><td></td></tr> <tr><td>enumeration</td><td>KG</td><td></td></tr> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>02</td><td></td></tr> <tr><td>enumeration</td><td>03</td><td></td></tr> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> <tr><td>enumeration</td><td>09</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	EE		enumeration	PK		enumeration	KG		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09	
Kind	Value	Annotation																																						
enumeration	EE																																							
enumeration	PK																																							
enumeration	KG																																							
enumeration	01																																							
enumeration	02																																							
enumeration	03																																							
enumeration	04																																							
enumeration	05																																							
enumeration	06																																							
enumeration	07																																							
enumeration	08																																							
enumeration	09																																							

	enumeration 10 enumeration 11 enumeration 12
source	<code>&lt;xs:element name="GradeLevel" type="trex:GradeLevelType" minOccurs="0"/&gt;</code>


element **EnrollmentType/EntryDate**

diagram	 A diagram showing a rectangular box with a dashed border and a small icon in the top-left corner, containing the text "EntryDate".
type	<a href="#">trex:YMDType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<code>&lt;xs:element name="EntryDate" type="trex:YMDType" minOccurs="0"/&gt;</code>


element **EnrollmentType/ExitDate**

diagram	 A diagram showing a rectangular box with a dashed border and a small icon in the top-left corner, containing the text "ExitDate".
type	<a href="#">trex:YMDType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<code>&lt;xs:element name="ExitDate" type="trex:YMDType" minOccurs="0"/&gt;</code>

element **EnrollmentType/WithdrawDate**


diagram							
type	<a href="#">trex:YMDType</a>						
properties	minOcc 0 maxOcc 1 content simple						
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>pattern</td> <td colspan="2">[0-9]{4}-[01]?[0-9]-[0123]?[0-9]</td> </tr> </table>	Kind	Value	Annotation	pattern	[0-9]{4}-[01]?[0-9]-[0123]?[0-9]	
Kind	Value	Annotation					
pattern	[0-9]{4}-[01]?[0-9]-[0123]?[0-9]						
source	<code>&lt;xs:element name="WithdrawDate" type="trex:YMDType" minOccurs="0"/&gt;</code>						

element **EnrollmentType/WithdrawReason**

diagram																																								
type	<a href="#">trex:WithdrawReasonType</a>																																							
properties	minOcc 0 maxOcc 1 content simple																																							
facets	<table border="0"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>03</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> <tr><td>enumeration</td><td>16</td><td></td></tr> <tr><td>enumeration</td><td>20</td><td></td></tr> <tr><td>enumeration</td><td>24</td><td></td></tr> <tr><td>enumeration</td><td>60</td><td></td></tr> <tr><td>enumeration</td><td>66</td><td></td></tr> <tr><td>enumeration</td><td>78</td><td></td></tr> <tr><td>enumeration</td><td>81</td><td></td></tr> <tr><td>enumeration</td><td>82</td><td></td></tr> <tr><td>enumeration</td><td>83</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01		enumeration	03		enumeration	08		enumeration	16		enumeration	20		enumeration	24		enumeration	60		enumeration	66		enumeration	78		enumeration	81		enumeration	82		enumeration	83	
Kind	Value	Annotation																																						
enumeration	01																																							
enumeration	03																																							
enumeration	08																																							
enumeration	16																																							
enumeration	20																																							
enumeration	24																																							
enumeration	60																																							
enumeration	66																																							
enumeration	78																																							
enumeration	81																																							
enumeration	82																																							
enumeration	83																																							

	enumeration 85 enumeration 86 enumeration 87 enumeration 88 enumeration 89 enumeration 90 enumeration 98 enumeration 99
source	<pre>&lt;xs:element name="WithdrawReason" type="trex:WithdrawReasonType" minOccurs="0"/&gt;</pre>


element **EnrollmentType/GradePlaced**

diagram																																					
type	<a href="#">trex:GradeLevelType</a>																																				
properties	minOcc 0 maxOcc 1 content simple																																				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>EE</td><td></td></tr> <tr><td>enumeration</td><td>PK</td><td></td></tr> <tr><td>enumeration</td><td>KG</td><td></td></tr> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>02</td><td></td></tr> <tr><td>enumeration</td><td>03</td><td></td></tr> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	EE		enumeration	PK		enumeration	KG		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08	
Kind	Value	Annotation																																			
enumeration	EE																																				
enumeration	PK																																				
enumeration	KG																																				
enumeration	01																																				
enumeration	02																																				
enumeration	03																																				
enumeration	04																																				
enumeration	05																																				
enumeration	06																																				
enumeration	07																																				
enumeration	08																																				




	enumeration 09 enumeration 10 enumeration 11 enumeration 12
source	<code>&lt;xs:element name="GradePlaced" type="trex:GradeLevelType" minOccurs="0"/&gt;</code>

element **EnrollmentType/GradePromoted**

diagram																																																	
type	<a href="#">trex:GradeLevelType</a>																																																
properties	minOcc 0 maxOcc 1 content simple																																																
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>EE</td><td></td></tr> <tr><td>enumeration</td><td>PK</td><td></td></tr> <tr><td>enumeration</td><td>KG</td><td></td></tr> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>02</td><td></td></tr> <tr><td>enumeration</td><td>03</td><td></td></tr> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> <tr><td>enumeration</td><td>09</td><td></td></tr> <tr><td>enumeration</td><td>10</td><td></td></tr> <tr><td>enumeration</td><td>11</td><td></td></tr> <tr><td>enumeration</td><td>12</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	EE		enumeration	PK		enumeration	KG		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12	
Kind	Value	Annotation																																															
enumeration	EE																																																
enumeration	PK																																																
enumeration	KG																																																
enumeration	01																																																
enumeration	02																																																
enumeration	03																																																
enumeration	04																																																
enumeration	05																																																
enumeration	06																																																
enumeration	07																																																
enumeration	08																																																
enumeration	09																																																
enumeration	10																																																
enumeration	11																																																
enumeration	12																																																
source	<code>&lt;xs:element name="GradePromoted" type="trex:GradeLevelType"</code>																																																

<code>minOccurs="0"/&gt;</code>
---------------------------------

element **EnrollmentType/GradeRetained**

diagram	 A diagram showing the element 'GradeRetained' enclosed in a dashed rectangular box.																																																
type	<a href="#">trex:GradeLevelType</a>																																																
properties	minOcc 0 maxOcc 1 content simple																																																
facets	<table border="1"><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>EE</td><td></td></tr><tr><td>enumeration</td><td>PK</td><td></td></tr><tr><td>enumeration</td><td>KG</td><td></td></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr><tr><td>enumeration</td><td>06</td><td></td></tr><tr><td>enumeration</td><td>07</td><td></td></tr><tr><td>enumeration</td><td>08</td><td></td></tr><tr><td>enumeration</td><td>09</td><td></td></tr><tr><td>enumeration</td><td>10</td><td></td></tr><tr><td>enumeration</td><td>11</td><td></td></tr><tr><td>enumeration</td><td>12</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	EE		enumeration	PK		enumeration	KG		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12	
Kind	Value	Annotation																																															
enumeration	EE																																																
enumeration	PK																																																
enumeration	KG																																																
enumeration	01																																																
enumeration	02																																																
enumeration	03																																																
enumeration	04																																																
enumeration	05																																																
enumeration	06																																																
enumeration	07																																																
enumeration	08																																																
enumeration	09																																																
enumeration	10																																																
enumeration	11																																																
enumeration	12																																																
source	<code>&lt;xs:element name="GradeRetained" type="trex:GradeLevelType" minOccurs="0"/&gt;</code>																																																

complexType **EthnicityType**


diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">AmericanIndianAlaskaNativeCode</a> <a href="#">AsianCode</a> <a href="#">BlackAfricanAmericanCode</a> <a href="#">HispanicLatinoCode</a> <a href="#">NativeHawaiianPacificIslanderCode</a> <a href="#">WhiteCode</a>
used by	element <a href="#">StudentDemographicType/Ethnicity</a>
source	<pre> &lt;xs:complexType name="EthnicityType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="AmericanIndianAlaskaNativeCode" type="trex:EthnicityYesNoType"/&gt;     &lt;xs:element name="AsianCode" type="trex:EthnicityYesNoType"/&gt;     &lt;xs:element name="BlackAfricanAmericanCode" type="trex:EthnicityYesNoType"/&gt;     &lt;xs:element name="HispanicLatinoCode" type="trex:EthnicityYesNoType"/&gt;     &lt;xs:element name="NativeHawaiianPacificIslanderCode" type="trex:EthnicityYesNoType"/&gt;     &lt;xs:element name="WhiteCode" type="trex:EthnicityYesNoType"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>

element **EthnicityType/AmericanIndianAlaskaNativeCode**


diagram							
type	<a href="#">trex:EthnicityYesNoType</a>						
properties	content simple						
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> </table>	Kind	Value	Annotation	enumeration	0	
Kind	Value	Annotation					
enumeration	0						

	enumeration 1
source	<code>&lt;xs:element name="AmericanIndianAlaskaNativeCode" type="trex:EthnicityYesNoType"/&gt;</code>

element **EthnicityType/AsianCode**

diagram										
type	<a href="#">trex:EthnicityYesNoType</a>									
properties	content simple									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<code>&lt;xs:element name="AsianCode" type="trex:EthnicityYesNoType"/&gt;</code>									

element **EthnicityType/BlackAfricanAmericanCode**

diagram										
type	<a href="#">trex:EthnicityYesNoType</a>									
properties	content simple									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<code>&lt;xs:element name="BlackAfricanAmericanCode" type="trex:EthnicityYesNoType"/&gt;</code>									

element **EthnicityType/HispanicLatinoCode**


diagram	
---------	---

type	<a href="#">trex:EthnicityYesNoType</a>									
properties	content simple									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<code>&lt;xs:element name="HispanicLatinoCode" type="trex:EthnicityYesNoType"/&gt;</code>									

element **EthnicityType/NativeHawaiianPacificIslanderCode**

diagram										
type	<a href="#">trex:EthnicityYesNoType</a>									
properties	content simple									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<code>&lt;xs:element name="NativeHawaiianPacificIslanderCode" type="trex:EthnicityYesNoType"/&gt;</code>									

element **EthnicityType/WhiteCode**

diagram										
type	<a href="#">trex:EthnicityYesNoType</a>									
properties	content simple									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<code>&lt;xs:element name="WhiteCode" type="trex:EthnicityYesNoType"/&gt;</code>									

complexType **IBCEarnedType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">IBCCode</a> <a href="#">TX-PostSecondaryCertificationLicensureResult</a>
used by	element <a href="#">AcademicStatusType/IBCEarned</a>
source	<pre> &lt;xs:complexType name="IBCEarnedType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="IBCCode" type="trex:IBCCodeType"/&gt;     &lt;xs:element name="TX-PostSecondaryCertificationLicensureResult" type="trex:TX-PostSecondaryCertificationLicensureResultCodeType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>

element **IBCEarnedType/IBCCode**

diagram																																		
type	<a href="#">trex:IBCCodeType</a>																																	
properties	content simple																																	
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>010</td><td></td></tr> <tr><td>enumeration</td><td>011</td><td></td></tr> <tr><td>enumeration</td><td>012</td><td></td></tr> <tr><td>enumeration</td><td>013</td><td></td></tr> <tr><td>enumeration</td><td>014</td><td></td></tr> <tr><td>enumeration</td><td>015</td><td></td></tr> <tr><td>enumeration</td><td>016</td><td></td></tr> <tr><td>enumeration</td><td>017</td><td></td></tr> <tr><td>enumeration</td><td>018</td><td></td></tr> <tr><td>enumeration</td><td>019</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	010		enumeration	011		enumeration	012		enumeration	013		enumeration	014		enumeration	015		enumeration	016		enumeration	017		enumeration	018		enumeration	019	
Kind	Value	Annotation																																
enumeration	010																																	
enumeration	011																																	
enumeration	012																																	
enumeration	013																																	
enumeration	014																																	
enumeration	015																																	
enumeration	016																																	
enumeration	017																																	
enumeration	018																																	
enumeration	019																																	

enumeration	020
enumeration	030
enumeration	031
enumeration	032
enumeration	033
enumeration	034
enumeration	040
enumeration	100
enumeration	101
enumeration	102
enumeration	103
enumeration	104
enumeration	120
enumeration	121
enumeration	130
enumeration	131
enumeration	140
enumeration	141
enumeration	150
enumeration	151
enumeration	160
enumeration	161
enumeration	170
enumeration	171
enumeration	181
enumeration	182
enumeration	190
enumeration	191
enumeration	200
enumeration	201

enumeration	210
enumeration	211
enumeration	220
enumeration	221
enumeration	230
enumeration	231
enumeration	240
enumeration	250
enumeration	251
enumeration	260
enumeration	261
enumeration	270
enumeration	271
enumeration	280
enumeration	281
enumeration	290
enumeration	300
enumeration	301
enumeration	310
enumeration	320
enumeration	321
enumeration	330
enumeration	331
enumeration	332
enumeration	333
enumeration	334
enumeration	335
enumeration	336
enumeration	340
enumeration	350



enumeration	351
enumeration	360
enumeration	361
enumeration	362
enumeration	365
enumeration	366
enumeration	367
enumeration	368
enumeration	369
enumeration	370
enumeration	380
enumeration	381
enumeration	382
enumeration	383
enumeration	384
enumeration	385
enumeration	386
enumeration	390
enumeration	391
enumeration	392
enumeration	401
enumeration	402
enumeration	410
enumeration	411
enumeration	420
enumeration	430
enumeration	439
enumeration	440
enumeration	450
enumeration	451

enumeration	452
enumeration	453
enumeration	460
enumeration	470
enumeration	478
enumeration	479
enumeration	480
enumeration	481
enumeration	490
enumeration	500
enumeration	508
enumeration	509
enumeration	510
enumeration	511
enumeration	512
enumeration	520
enumeration	530
enumeration	531
enumeration	532
enumeration	533
enumeration	534
enumeration	535
enumeration	536
enumeration	537
enumeration	538
enumeration	539
enumeration	540
enumeration	541
enumeration	542
enumeration	543

enumeration	544
enumeration	545
enumeration	546
enumeration	547
enumeration	548
enumeration	549
enumeration	550
enumeration	551
enumeration	552
enumeration	560
enumeration	570
enumeration	580
enumeration	581
enumeration	582
enumeration	583
enumeration	590
enumeration	591
enumeration	592
enumeration	593
enumeration	594
enumeration	595
enumeration	596
enumeration	597
enumeration	598
enumeration	599
enumeration	600
enumeration	601
enumeration	602
enumeration	603
enumeration	604

enumeration	605
enumeration	606
enumeration	607
enumeration	610
enumeration	611
enumeration	612
enumeration	613
enumeration	620
enumeration	630
enumeration	640
enumeration	641
enumeration	642
enumeration	650
enumeration	651
enumeration	660
enumeration	670
enumeration	680
enumeration	690
enumeration	691
enumeration	700
enumeration	701
enumeration	710
enumeration	720
enumeration	730
enumeration	731
enumeration	740
enumeration	750
enumeration	760
enumeration	761
enumeration	770

enumeration	780
enumeration	781
enumeration	782
enumeration	783
enumeration	784
enumeration	785
enumeration	786
enumeration	790
enumeration	800
enumeration	810
enumeration	811
enumeration	812
enumeration	813
enumeration	814
enumeration	815
enumeration	816
enumeration	820
enumeration	830
enumeration	831
enumeration	832
enumeration	833
enumeration	834
enumeration	835
enumeration	836
enumeration	837
enumeration	838
enumeration	839
enumeration	840
enumeration	841
enumeration	842

enumeration	843
enumeration	844
enumeration	845
enumeration	846
enumeration	847
enumeration	848
enumeration	849
enumeration	850
enumeration	860
enumeration	870
enumeration	880
enumeration	890
enumeration	891
enumeration	900
enumeration	910
enumeration	911
enumeration	912
enumeration	913
enumeration	914
enumeration	915
enumeration	916
enumeration	917
enumeration	918
enumeration	930
enumeration	931
enumeration	932
enumeration	933
enumeration	934
enumeration	935
enumeration	936

enumeration	937
enumeration	938
enumeration	939
enumeration	940
enumeration	941
enumeration	942
enumeration	943
enumeration	944
enumeration	945
enumeration	946
enumeration	947
enumeration	948
enumeration	949
enumeration	950
enumeration	951
enumeration	952
enumeration	953
enumeration	954
enumeration	955
enumeration	956
enumeration	957
enumeration	958
enumeration	959
enumeration	960
enumeration	961
enumeration	962
enumeration	963
enumeration	964
enumeration	965
enumeration	966

enumeration	967
enumeration	968
enumeration	969
enumeration	970
enumeration	971
enumeration	972
enumeration	973
enumeration	974
enumeration	975
enumeration	976
enumeration	977
enumeration	978
enumeration	979
enumeration	980
enumeration	981
enumeration	982
enumeration	983
enumeration	984
enumeration	985
enumeration	986
enumeration	987
enumeration	988
enumeration	989
enumeration	990
enumeration	991
enumeration	992
enumeration	993
enumeration	994
enumeration	995
enumeration	996




enumeration	997
enumeration	998
enumeration	999
enumeration	1000
enumeration	1001
enumeration	1002
enumeration	1003
enumeration	1004
enumeration	1005
enumeration	1006
enumeration	1007
enumeration	1008
enumeration	1009
enumeration	1010
enumeration	1011
enumeration	1013
enumeration	1015
enumeration	1017
enumeration	1018
enumeration	1019
enumeration	1020
enumeration	1021
enumeration	1022
enumeration	1023
enumeration	1024
enumeration	1025
enumeration	1026
enumeration	1027
enumeration	1028
enumeration	1029


enumeration	1030
enumeration	1031
enumeration	1032
enumeration	1033
enumeration	1034
enumeration	1035
enumeration	1036
enumeration	1037
enumeration	1038
enumeration	1039
enumeration	1040
enumeration	1041
enumeration	1042
enumeration	1043
enumeration	1044
enumeration	1045
enumeration	1046
enumeration	1047
enumeration	1048
enumeration	1049
enumeration	1050
enumeration	1051
enumeration	1052
enumeration	1053
enumeration	1054
enumeration	1055
enumeration	1056
enumeration	1057
enumeration	1058
enumeration	1059

	enumeration 1060
	enumeration 1061
	enumeration 1062
	enumeration 1063
	enumeration 1064
	enumeration 1065
	enumeration 1066
	enumeration 1067
	enumeration 1068
	enumeration 1069
	enumeration 1070
	enumeration 1071
	enumeration 1072
	enumeration 1073
	enumeration 1074
	enumeration 1075
	enumeration 1076
	enumeration 1077
	enumeration 1078
	enumeration 1079
	enumeration 1080
	enumeration 1081
	enumeration 1082
	enumeration 1083
	enumeration 1084
	enumeration 1085
	enumeration 1086
	enumeration 1087
source	<xs:element name="IBCCode" type="trex:IBCCodeType"/>

element **IBCEarnedType/TX-PostSecondaryCertificationLicensureResult**


diagram													
type	<a href="#">trex:TX-PostSecondaryCertificationLicensureResultCodeType</a>												
properties	minOcc 0 maxOcc 1 content simple												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>01</td> <td>documentation IBC Earned All IBC Requirements completed, including passing examinations and any additional requirements.</td> </tr> <tr> <td>enumeration</td> <td>02</td> <td>documentation IBC Examination Passed All IBC requirements have not been completed to earn the certification.</td> </tr> <tr> <td>enumeration</td> <td>03</td> <td>documentation IBC Examination Failed</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01	documentation IBC Earned All IBC Requirements completed, including passing examinations and any additional requirements.	enumeration	02	documentation IBC Examination Passed All IBC requirements have not been completed to earn the certification.	enumeration	03	documentation IBC Examination Failed
Kind	Value	Annotation											
enumeration	01	documentation IBC Earned All IBC Requirements completed, including passing examinations and any additional requirements.											
enumeration	02	documentation IBC Examination Passed All IBC requirements have not been completed to earn the certification.											
enumeration	03	documentation IBC Examination Failed											
source	<pre>&lt;xs:element name="TX-PostSecondaryCertificationLicensureResult" type="trex:TX-PostSecondaryCertificationLicensureResultCodeType" minOccurs="0"/&gt;</pre>												

complexType **ImmunizationType**


diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">ImmunizationCode</a> <a href="#">ImmunizationDate</a> <a href="#">ImmunizationDose</a>
used by	element <a href="#">StudentRecordType/Immunization</a>
source	<pre>&lt;xs:complexType name="ImmunizationType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="ImmunizationCode" type="trex:ImmunizationCodeType" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>

	<pre> minOccurs="0"/&gt;   &lt;xs:element name="ImmunizationDate" type="trex:YMDType" minOccurs="0"/&gt;   &lt;xs:element name="ImmunizationDose" type="trex:ImmunizationDoseType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>
--	---


element **ImmunizationType/ImmunizationCode**

diagram	
type	<a href="#">trex:ImmunizationCodeType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 35
source	<pre> &lt;xs:element name="ImmunizationCode" type="trex:ImmunizationCodeType" minOccurs="0"/&gt; </pre>


element **ImmunizationType/ImmunizationDate**

diagram	
type	<a href="#">trex:YMDType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<pre> &lt;xs:element name="ImmunizationDate" type="trex:YMDType" minOccurs="0"/&gt; </pre>

element **ImmunizationType/ImmunizationDose**

diagram	
type	<a href="#">trex:ImmunizationDoseType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 2
source	<pre>&lt;xs:element name="ImmunizationDose" type="trex:ImmunizationDoseType" minOccurs="0"/&gt;</pre>

complexType **ParentType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">Name</a>
used by	element <a href="#">StudentRecordType/Parent</a>
source	<pre>&lt;xs:complexType name="ParentType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="Name" type="trex:PersonNameType"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>

element **ParentType/Name**

diagram	
type	<a href="#">trex:PersonNameType</a>
properties	content complex
children	<a href="#">FirstName</a> <a href="#">MiddleName</a> <a href="#">LastName</a> <a href="#">Suffix</a>
source	<code>&lt;xs:element name="Name" type="trex:PersonNameType"/&gt;</code>

complexType **PerfAckAplbType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">AplbCode</a> <a href="#">MetDate</a>
used by	element <a href="#">AcademicStatusType/AplbType</a>
source	<pre> &lt;xs:complexType name="PerfAckApIbType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="ApIbCode" type="trex:PerfAckApIbCode"/&gt;     &lt;xs:element name="MetDate" type="trex:YMTType"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>

element **PerfAckAplbType/AplbCode**

diagram	
---------	--

type	<a href="#">trex:PerfAckAplbCode</a>		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	0	
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	5	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
	enumeration	10	
	enumeration	11	
	enumeration	12	
	enumeration	13	
	enumeration	14	
	enumeration	15	
	enumeration	16	
	enumeration	17	
	enumeration	18	
	enumeration	19	
	enumeration	20	
	enumeration	21	
	enumeration	22	
	enumeration	23	
	enumeration	24	
	enumeration	25	
	enumeration	26	



enumeration	27
enumeration	28
enumeration	29
enumeration	30
enumeration	31
enumeration	32
enumeration	33
enumeration	34
enumeration	35
enumeration	36
enumeration	37
enumeration	38
enumeration	39
enumeration	40
enumeration	41
enumeration	42
enumeration	43
enumeration	44
enumeration	45
enumeration	46
enumeration	47
enumeration	48
enumeration	49
enumeration	50
enumeration	51
enumeration	52
enumeration	53
enumeration	54
enumeration	55
enumeration	56


enumeration	57
enumeration	58
enumeration	59
enumeration	60
enumeration	61
enumeration	62
enumeration	63
enumeration	64
enumeration	65
enumeration	66
enumeration	67
enumeration	68
enumeration	69
enumeration	70
enumeration	71
enumeration	72
enumeration	73
enumeration	74
enumeration	75
enumeration	76
enumeration	77
enumeration	78
enumeration	79
enumeration	80
enumeration	81
enumeration	82
enumeration	83
enumeration	84
enumeration	85
enumeration	86

enumeration	87
enumeration	88
enumeration	89
enumeration	90
enumeration	91
enumeration	92
enumeration	93
enumeration	94
enumeration	95
enumeration	96
enumeration	97
enumeration	98
enumeration	99
enumeration	100
enumeration	101
enumeration	102
enumeration	103
enumeration	104
enumeration	105
enumeration	106
enumeration	107
enumeration	108
enumeration	109
enumeration	110
enumeration	111
enumeration	112
enumeration	113
enumeration	114
enumeration	115
enumeration	116


enumeration	117
enumeration	118
enumeration	119
enumeration	120
enumeration	121
enumeration	122
enumeration	123
enumeration	124
enumeration	125
enumeration	126
enumeration	127
enumeration	128
enumeration	129
enumeration	130
enumeration	131
enumeration	150
enumeration	151
enumeration	152
enumeration	153
enumeration	154
enumeration	155
enumeration	160
enumeration	161
enumeration	162
enumeration	163
enumeration	164
enumeration	165
enumeration	166
enumeration	167
enumeration	168

	enumeration 169
	enumeration 170
	enumeration 171
	enumeration 172
	enumeration 173
	enumeration 174
	enumeration 175
	enumeration 176
	enumeration 177
	enumeration 178
	enumeration 179
	enumeration 180
	enumeration 181
	enumeration 182
	enumeration 183
	enumeration 184
	enumeration 185
	enumeration 186
source	<code>&lt;xs:element name="ApIbCode" type="trex:PerfAckApIbCode"/&gt;</code>


element **PerfAckApIbType/MetDate**

diagram							
type	<a href="#">trex:YMType</a>						
properties	content simple						
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>pattern</td> <td>[0-9]{4}-[01]?[0-9]</td> <td></td> </tr> </table>	Kind	Value	Annotation	pattern	[0-9]{4}-[01]?[0-9]	
Kind	Value	Annotation					
pattern	[0-9]{4}-[01]?[0-9]						
source	<code>&lt;xs:element name="MetDate" type="trex:YMType"/&gt;</code>						


complexType **PerfAckBilingBilitType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">BilingBilitCode</a> <a href="#">MetDate</a>
used by	element <a href="#">AcademicStatusType/BilingBilitType</a>
source	<pre>&lt;xs:complexType name="PerfAckBilingBilitType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="BilingBilitCode" type="trex:PerfAckBilingBilitCode"/&gt;     &lt;xs:element name="MetDate" type="trex:YMType"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>

element **PerfAckBilingBilitType/BilingBilitCode**


diagram										
type	<a href="#">trex:PerfAckBilingBilitCode</a>									
properties	content simple									
facets	<table border="0"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<pre>&lt;xs:element name="BilingBilitCode" type="trex:PerfAckBilingBilitCode"/&gt;</pre>									

element **PerfAckBilingBilitType/MetDate**


diagram	
type	<a href="#">trex:YMType</a>
properties	content simple

facets	Kind	Value	Annotation
	pattern	[0-9]{4}-[01]?[0-9]	
source	<code>&lt;xs:element name="MetDate" type="trex:YMTYPE"/&gt;</code>		


### complexType **PerfAckCertLicType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">CertLicCode</a> <a href="#">MetDate</a>
used by	element <a href="#">AcademicStatusType/CertLicType</a>
source	<code>&lt;xs:complexType name="PerfAckCertLicType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="CertLicCode" type="trex:PerfAckCertLicCode"/&gt;     &lt;xs:element name="MetDate" type="trex:YMTYPE"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</code>


### element **PerfAckCertLicType/CertLicCode**

diagram	
type	<a href="#">trex:PerfAckCertLicCode</a>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 61
source	<code>&lt;xs:element name="CertLicCode" type="trex:PerfAckCertLicCode"/&gt;</code>


element **PerfAckCertLicType/MetDate**

diagram	
type	<a href="#">trex:YMType</a>
properties	content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<code>&lt;xs:element name="MetDate" type="trex:YMType"/&gt;</code>

complexType **PerfAckCollegeAssessType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">CollegeAssessCode</a> <a href="#">MetDate</a>
used by	element <a href="#">AcademicStatusType/CollegeAssessType</a>
source	<pre>&lt;xs:complexType name="PerfAckCollegeAssessType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="CollegeAssessCode" type="trex:PerfAckCollegeAssessCode"/&gt;     &lt;xs:element name="MetDate" type="trex:YMType"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>


element **PerfAckCollegeAssessType/CollegeAssessCode**

diagram	
type	<a href="#">trex:PerfAckCollegeAssessCode</a>
properties	content simple
facets	Kind Value Annotation enumeration 0




	enumeration 1
	enumeration 2
	enumeration 3
	enumeration 4
	enumeration 5
	enumeration 6
	enumeration 7
	enumeration 8
	enumeration 9
	enumeration 10
	enumeration 11
	enumeration 12
source	<code>&lt;xs:element name="CollegeAssessCode" type="trex:PerfAckCollegeAssessCode"/&gt;</code>

element **PerfAckCollegeAssessType/MetDate**


diagram	
type	<a href="#">trex:YMType</a>
properties	content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<code>&lt;xs:element name="MetDate" type="trex:YMType"/&gt;</code>

complexType **PerfAckDualCreditType**


diagram	
---------	---

namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">DualCreditCode</a> <a href="#">MetDate</a>
used by	element <a href="#">AcademicStatusType/DualCreditType</a>
source	<pre>&lt;xs:complexType name="PerfAckDualCreditType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="DualCreditCode" type="trex:PerfAckDualCreditCode"/&gt;     &lt;xs:element name="MetDate" type="trex:YMType"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>

element **PerfAckDualCreditType/DualCreditCode**

diagram													
type	<a href="#">trex:PerfAckDualCreditCode</a>												
properties	content simple												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<pre>&lt;xs:element name="DualCreditCode" type="trex:PerfAckDualCreditCode"/&gt;</pre>												

element **PerfAckDualCreditType/MetDate**

diagram							
type	<a href="#">trex:YMType</a>						
properties	content simple						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[0-9]{4}-[01]?[0-9]</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	pattern	[0-9]{4}-[01]?[0-9]	
Kind	Value	Annotation					
pattern	[0-9]{4}-[01]?[0-9]						
source	<pre>&lt;xs:element name="MetDate" type="trex:YMType"/&gt;</pre>						


complexType **PersonNameType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">FirstName</a> <a href="#">MiddleName</a> <a href="#">LastName</a> <a href="#">Suffix</a>
used by	elements <a href="#">ParentType/Name</a> <a href="#">StudentIdentificationType/Name</a>
source	<pre>&lt;xs:complexType name="PersonNameType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="FirstName" type="trex:FirstNameType"/&gt;     &lt;xs:element name="MiddleName" type="trex:MiddleNameType" minOccurs="0"/&gt;     &lt;xs:element name="LastName" type="trex:LastNameType"/&gt;     &lt;xs:element name="Suffix" type="trex:SuffixType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>


element **PersonNameType/FirstName**

diagram										
type	<a href="#">trex:FirstNameType</a>									
properties	content simple									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60	
Kind	Value	Annotation								
minLength	1									
maxLength	60									
source	<pre>&lt;xs:element name="FirstName" type="trex:FirstNameType"/&gt;</pre>									


element **PersonNameType/MiddleName**

diagram	
type	<a href="#">trex:MiddleNameType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 60
source	<code>&lt;xs:element name="MiddleName" type="trex:MiddleNameType" minOccurs="0"/&gt;</code>

element **PersonNameType/LastName**

diagram	
type	<a href="#">trex:LastNameType</a>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 60
source	<code>&lt;xs:element name="LastName" type="trex:LastNameType"/&gt;</code>

element **PersonNameType/Suffix**

diagram	
type	<a href="#">trex:SuffixType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation


	enumeration 1
	enumeration 2
	enumeration 3
	enumeration 4
	enumeration 5
	enumeration 6
	enumeration 7
	enumeration 8
	enumeration 9
	enumeration A
	enumeration B
	enumeration C
source	<code>&lt;xs:element name="Suffix" type="trex:SuffixType" minOccurs="0"/&gt;</code>

complexType **SchoolType**


diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">SchoolID</a> <a href="#">SchoolName</a> <a href="#">DistrictID</a> <a href="#">DistrictName</a> <a href="#">Address</a> <a href="#">PhoneNumber</a> <a href="#">Fax</a>
used by	element <a href="#">StudentRecordType/School</a>
source	<code>&lt;xs:complexType name="SchoolType"&gt; &lt;xs:sequence&gt;</code>

	<pre> &lt;xs:element name="SchoolID" type="trex:SchoolIDType"/&gt; &lt;xs:element name="SchoolName" type="trex:SchoolNameType"/&gt; &lt;xs:element name="DistrictID" type="trex:DistrictIDType"/&gt; &lt;xs:element name="DistrictName" type="trex:DistrictNameType" minOccurs="0"/&gt; &lt;xs:element name="Address" type="trex:AddressType" minOccurs="0"/&gt; &lt;xs:group ref="trex:PhoneNumberGroup"/&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>
--	--


element **SchoolType/SchoolID**

diagram	
type	<a href="#">trex:SchoolIDType</a>
properties	content simple
facets	Kind Value Annotation pattern ([0-9]{9})
source	<pre>&lt;xs:element name="SchoolID" type="trex:SchoolIDType"/&gt;</pre>


element **SchoolType/SchoolName**

diagram	
type	<a href="#">trex:SchoolNameType</a>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 75
source	<pre>&lt;xs:element name="SchoolName" type="trex:SchoolNameType"/&gt;</pre>


element **SchoolType/DistrictID**

diagram	
type	<a href="#">trex:DistrictIDType</a>
properties	content simple
facets	Kind Value Annotation pattern ([0-9]{6})
source	<code>&lt;xs:element name="DistrictID" type="trex:DistrictIDType"/&gt;</code>

element **SchoolType/DistrictName**

diagram	
type	<a href="#">trex:DistrictNameType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 75
source	<code>&lt;xs:element name="DistrictName" type="trex:DistrictNameType" minOccurs="0"/&gt;</code>

element **SchoolType/Address**

<p>diagram</p>	
<p>type</p>	<p><a href="#">trex:AddressType</a></p>
<p>properties</p>	<p>minOcc 0 maxOcc 1 content complex</p>
<p>children</p>	<p><a href="#">Address</a> <a href="#">City</a> <a href="#">StateProvince</a> <a href="#">Country</a> <a href="#">PostalCode</a></p>
<p>source</p>	<pre>&lt;xs:element name="Address" type="trex:AddressType" minOccurs="0"/&gt;</pre>



complexType **SpecialProgramsType**


<p>diagram</p>	
<p>namespace</p>	<p>urn:us:tx:state:tea:TREx:v1.34</p>
<p>children</p>	<p><a href="#">LEP</a> <a href="#">AlternativeLanguage</a> <a href="#">DualLanguageImmersion</a> <a href="#">EconomicDisadvantaged</a> <a href="#">AtRisk</a> <a href="#">TitleI</a> <a href="#">SpecialEd</a> <a href="#">IEP</a> <a href="#">Bilingual</a> <a href="#">ESL</a> <a href="#">GiftedTalented</a> <a href="#">CTE</a> <a href="#">PersonalGradPlan</a></p>
<p>used by</p>	<p>element <a href="#">StudentRecordType/SpecialPrograms</a></p>
<p>source</p>	<pre>&lt;xs:complexType name="SpecialProgramsType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="LEP" type="trex:LEPType" minOccurs="0"/&gt;     &lt;xs:element name="AlternativeLanguage" type="trex:AlternativeLanguageType" minOccurs="0"/&gt;     &lt;xs:element name="DualLanguageImmersion" type="trex:DualLanguageImmersionType"/&gt;     &lt;xs:element name="EconomicDisadvantaged" type="trex:EconomicDisadvantagedType" minOccurs="0"/&gt;     &lt;xs:element name="AtRisk" type="trex:ParticipationType" minOccurs="0"/&gt;     &lt;xs:element name="TitleI" type="trex:TitleIType" minOccurs="0"/&gt;     &lt;xs:element name="SpecialEd" type="trex:ParticipationType"</pre>

```


minOccurs="0"/>
  <xs:element name="IEP" type="trex:ParticipationType" minOccurs="0"/>
  <xs:element name="Bilingual" type="trex:BilingualType"
minOccurs="0"/>
  <xs:element name="ESL" type="trex:ESLType" minOccurs="0"/>
  <xs:element name="GiftedTalented" type="trex:GiftedTalentedType"
minOccurs="0"/>
  <xs:element name="CTE" type="trex:CareerTechEdType" minOccurs="0"/>
  <xs:element name="PersonalGradPlan" type="trex:ParticipationType"
minOccurs="0"/>
</xs:sequence>
</xs:complexType>

```

element **SpecialProgramsType/LEP**

diagram																									
type	<a href="#">trex:LEPType</a>																								
properties	minOcc 0 maxOcc 1 content simple																								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	F		enumeration	S		enumeration	3		enumeration	4		enumeration	5	
Kind	Value	Annotation																							
enumeration	0																								
enumeration	1																								
enumeration	F																								
enumeration	S																								
enumeration	3																								
enumeration	4																								
enumeration	5																								
source	<code>&lt;xs:element name="LEP" type="trex:LEPType" minOccurs="0"/&gt;</code>																								

element **SpecialProgramsType/AlternativeLanguage**

diagram	
---------	---

type	<a href="#">trex:AlternativeLanguageType</a>												
properties	minOcc 0 maxOcc 1 content simple												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>00</td> <td></td> </tr> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02	
Kind	Value	Annotation											
enumeration	00												
enumeration	01												
enumeration	02												
source	<code>&lt;xs:element name="AlternativeLanguage" type="trex:AlternativeLanguageType" minOccurs="0"/&gt;</code>												

element **SpecialProgramsType/DualLanguageImmersion**


diagram	
type	<a href="#">trex: DualLanguageImmersionType</a>
properties	content complex
children	<a href="#">ImmersionYear</a> <a href="#">ImmersionLanguage</a> <a href="#">AssessmentMetDate</a> <a href="#">CompletionSchoolYear</a>
source	<code>&lt;xs:element name="DualLanguageImmersion" type="trex: DualLanguageImmersionType"/&gt;</code>

element **SpecialProgramsType/EconomicDisadvantaged**


diagram	
type	<a href="#">trex: EconomicDisadvantagedType</a>

properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 00 enumeration 01 enumeration 02 enumeration 99
source	<code>&lt;xs:element name="EconomicDisadvantaged" type="trex:EconomicDisadvantagedType" minOccurs="0"/&gt;</code>

element **SpecialProgramsType/AtRisk**


diagram	
type	<a href="#">trex:ParticipationType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<code>&lt;xs:element name="AtRisk" type="trex:ParticipationType" minOccurs="0"/&gt;</code>

element **SpecialProgramsType/Title**


diagram	
type	<a href="#">trex:TitleType</a>
properties	minOcc 0 maxOcc 1 content simple

facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>9</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	A		enumeration	6		enumeration	7		enumeration	8		enumeration	9	
Kind	Value	Annotation																				
enumeration	0																					
enumeration	A																					
enumeration	6																					
enumeration	7																					
enumeration	8																					
enumeration	9																					
source	<code>&lt;xs:element name="TitleI" type="trex:TitleIType" minOccurs="0"/&gt;</code>																					

element **SpecialProgramsType/SpecialEd**


diagram										
type	<a href="#">trex:ParticipationType</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<code>&lt;xs:element name="SpecialEd" type="trex:ParticipationType" minOccurs="0"/&gt;</code>									

element **SpecialProgramsType/IEP**


diagram							
type	<a href="#">trex:ParticipationType</a>						
properties	minOcc 0 maxOcc 1 content simple						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0	
Kind	Value	Annotation					
enumeration	0						

	enumeration 1
source	<code>&lt;xs:element name="IEP" type="trex:ParticipationType" minOccurs="0"/&gt;</code>

element **SpecialProgramsType/Bilingual**


diagram																						
type	<a href="#">trex:BilingualType</a>																					
properties	minOcc 0 maxOcc 1 content simple																					
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5	
Kind	Value	Annotation																				
enumeration	0																					
enumeration	1																					
enumeration	2																					
enumeration	3																					
enumeration	4																					
enumeration	5																					
source	<code>&lt;xs:element name="Bilingual" type="trex:BilingualType" minOccurs="0"/&gt;</code>																					

element **SpecialProgramsType/ESL**


diagram										
type	<a href="#">trex:ESLType</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									

	enumeration 2 enumeration 3
source	<code>&lt;xs:element name="ESL" type="trex:ESLType" minOccurs="0"/&gt;</code>

element **SpecialProgramsType/GiftedTalented**


diagram	
type	<a href="#">trex:GiftedTalentedType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1 enumeration 2
source	<code>&lt;xs:element name="GiftedTalented" type="trex:GiftedTalentedType" minOccurs="0"/&gt;</code>

element **SpecialProgramsType/CTE**

diagram	
type	<a href="#">trex:CareerTechEdType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1 enumeration 2 enumeration 3

	enumeration 4 enumeration 5 enumeration E enumeration 6 enumeration 7
source	<code>&lt;xs:element name="CTE" type="trex:CareerTechEdType" minOccurs="0"/&gt;</code>

element **SpecialProgramsType/PersonalGradPlan**

diagram										
type	<a href="#">trex:ParticipationType</a>									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table border="0"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<code>&lt;xs:element name="PersonalGradPlan" type="trex:ParticipationType" minOccurs="0"/&gt;</code>									



complexType **StudentDemographicType**


<p>diagram</p>	
<p>namespace</p>	<p>urn:us:tx:state:tea:TREx:v1.34</p>
<p>children</p>	<p><a href="#">Gender</a> <a href="#">Race</a> <a href="#">Ethnicity</a> <a href="#">BirthDate</a> <a href="#">HomeLanguage</a> <a href="#">StudentLanguage</a> <a href="#">HomeLanguageSurveyDateAdministered</a> <a href="#">Migrant</a> <a href="#">Homeless</a> <a href="#">Dyslexia</a> <a href="#">DyslexiaRiskCode</a> <a href="#">MilitaryConnected</a> <a href="#">FosterCare</a> <a href="#">AsyleeRefugeeCode</a> <a href="#">CrisisCode</a> <a href="#">PkEligiblePreviousYear</a></p>
<p>used by</p>	<p>element <a href="#">StudentRecordType/StudentDemographic</a></p>
<p>source</p>	<pre>&lt;xs:complexType name="StudentDemographicType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="Gender" type="trex:GenderType"/&gt;     &lt;xs:element name="Race" type="trex:RaceType" minOccurs="0"/&gt;     &lt;xs:element name="Ethnicity" type="trex:EthnicityType"</pre>

```


minOccurs="0"/>
  <xs:element name="BirthDate" type="trex:YMDType"/>
  <xs:element name="HomeLanguage" type="trex:LanguageType"
minOccurs="0"/>
  <xs:element name="StudentLanguage" type="trex:LanguageType"
minOccurs="0"/>
  <xs:element name="HomeLanguageSurveyDateAdministered"
type="trex:YMDType" minOccurs="0"/>
  <xs:element name="Migrant" type="trex:ParticipationType"
minOccurs="0"/>
  <xs:element name="Homeless" type="trex:HomelessType" minOccurs="0"/>
  <xs:element name="Dyslexia" type="trex:ParticipationType"
minOccurs="0"/>
  <xs:element name="DyslexiaRiskCode" type="trex:DyslexiaRiskCodeType"
minOccurs="0"/>
  <xs:element name="MilitaryConnected"
type="trex:MilitaryConnectedType" minOccurs="0"/>
  <xs:element name="FosterCare" type="trex:FosterCareType"
minOccurs="0"/>
  <xs:element name="AsyleeRefugeeCode"
type="trex:AsyleeRefugeeCodeType" minOccurs="0"/>
  <xs:element name="CrisisCode" type="trex:CrisisCodeType"
minOccurs="0" maxOccurs="5"/>
  <xs:element name="PkEligiblePreviousYear"
type="trex:ParticipationType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>

```


element **StudentDemographicType/Gender**

diagram										
type	<a href="#">trex:GenderType</a>									
properties	content simple									
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> </table>	Kind	Value	Annotation	enumeration	F		enumeration	M	
Kind	Value	Annotation								
enumeration	F									
enumeration	M									
source	<code>&lt;xs:element name="Gender" type="trex:GenderType"/&gt;</code>									

element **StudentDemographicType/Race**


diagram																			
type	<a href="#">trex:RaceType</a>																		
properties	minOcc 0 maxOcc 1 content simple																		
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	5																		
source	<code>&lt;xs:element name="Race" type="trex:RaceType" minOccurs="0"/&gt;</code>																		

element **StudentDemographicType/Ethnicity**


diagram	
type	<a href="#">trex:EthnicityType</a>
properties	minOcc 0 maxOcc 1 content complex

children	<a href="#">AmericanIndianAlaskaNativeCode</a> <a href="#">AsianCode</a> <a href="#">BlackAfricanAmericanCode</a> <a href="#">HispanicLatinoCode</a> <a href="#">NativeHawaiianPacificIslanderCode</a> <a href="#">WhiteCode</a>
source	<code>&lt;xs:element name="Ethnicity" type="trex:EthnicityType" minOccurs="0"/&gt;</code>

element **StudentDemographicType/BirthDate**

diagram							
type	<a href="#">trex:YMDType</a>						
properties	content simple						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[0-9]{4}-[01]?[0-9]-[0123]?[0-9]</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	pattern	[0-9]{4}-[01]?[0-9]-[0123]?[0-9]	
Kind	Value	Annotation					
pattern	[0-9]{4}-[01]?[0-9]-[0123]?[0-9]						
source	<code>&lt;xs:element name="BirthDate" type="trex:YMDType"/&gt;</code>						

element **StudentDemographicType/HomeLanguage**

diagram																												
type	<a href="#">trex:LanguageType</a>																											
properties	<table border="1"> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	minOcc	0	maxOcc	1	content	simple																					
minOcc	0																											
maxOcc	1																											
content	simple																											
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> <tr> <td>enumeration</td> <td>03</td> <td></td> </tr> <tr> <td>enumeration</td> <td>04</td> <td></td> </tr> <tr> <td>enumeration</td> <td>06</td> <td></td> </tr> <tr> <td>enumeration</td> <td>07</td> <td></td> </tr> <tr> <td>enumeration</td> <td>08</td> <td></td> </tr> <tr> <td>enumeration</td> <td>09</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	06		enumeration	07		enumeration	08		enumeration	09	
Kind	Value	Annotation																										
enumeration	01																											
enumeration	02																											
enumeration	03																											
enumeration	04																											
enumeration	06																											
enumeration	07																											
enumeration	08																											
enumeration	09																											

enumeration	98
enumeration	99
enumeration	1A
enumeration	1B
enumeration	1C
enumeration	1D
enumeration	1E
enumeration	1F
enumeration	1G
enumeration	1H
enumeration	1I
enumeration	1J
enumeration	1K
enumeration	1L
enumeration	1M
enumeration	1N
enumeration	1O
enumeration	1P
enumeration	1Q
enumeration	1R
enumeration	1S
enumeration	1T
enumeration	1U
enumeration	1V
enumeration	1W
enumeration	1X
enumeration	1Y
enumeration	1Z
enumeration	2A
enumeration	2B

enumeration	2C
enumeration	2D
enumeration	2E
enumeration	2F
enumeration	2G
enumeration	2H
enumeration	2I
enumeration	2J
enumeration	2K
enumeration	2L
enumeration	2M
enumeration	2N
enumeration	2O
enumeration	2P
enumeration	2Q
enumeration	2R
enumeration	2S
enumeration	2T
enumeration	2U
enumeration	2V
enumeration	2W
enumeration	2X
enumeration	2Y
enumeration	2Z
enumeration	3A
enumeration	3B
enumeration	3C
enumeration	3D
enumeration	3E
enumeration	3F


enumeration	3G
enumeration	3H
enumeration	3I
enumeration	3J
enumeration	3K
enumeration	3L
enumeration	3M
enumeration	3N
enumeration	3O
enumeration	3P
enumeration	3Q
enumeration	3R
enumeration	3S
enumeration	3T
enumeration	3U
enumeration	3V
enumeration	3W
enumeration	3X
enumeration	3Y
enumeration	3Z
enumeration	4A
enumeration	4B
enumeration	4C
enumeration	4D
enumeration	4E
enumeration	4F
enumeration	4G
enumeration	4H
enumeration	4I
enumeration	4J

enumeration	4K
enumeration	4L
enumeration	4M
enumeration	4N
enumeration	4O
enumeration	4P
enumeration	4Q
enumeration	4R
enumeration	4S
enumeration	4T
enumeration	4U
enumeration	4V
enumeration	4W
enumeration	4X
enumeration	4Y
enumeration	4Z
enumeration	5A
enumeration	5B
enumeration	5C
enumeration	5D
enumeration	5E
enumeration	5F
enumeration	5G
enumeration	5H
enumeration	5I
enumeration	5J
enumeration	5K
enumeration	5L
enumeration	5M
enumeration	5N



	enumeration 5O enumeration 5P enumeration 5Q enumeration 5R enumeration 5S enumeration 5T enumeration 5U enumeration 5V enumeration 5W enumeration 5X enumeration 5Y enumeration 5Z enumeration 6A enumeration 6B
source	<code>&lt;xs:element name="HomeLanguage" type="trex:LanguageType" minOccurs="0"/&gt;</code>

element **StudentDemographicType/StudentLanguage**

diagram	 A diagram showing a dashed rectangular box containing the text "StudentLanguage".																					
type	<a href="#">trex:LanguageType</a>																					
properties	minOcc 0 maxOcc 1 content simple																					
facets	<table border="0"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> <tr> <td>enumeration</td> <td>03</td> <td></td> </tr> <tr> <td>enumeration</td> <td>04</td> <td></td> </tr> <tr> <td>enumeration</td> <td>06</td> <td></td> </tr> <tr> <td>enumeration</td> <td>07</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	06		enumeration	07	
Kind	Value	Annotation																				
enumeration	01																					
enumeration	02																					
enumeration	03																					
enumeration	04																					
enumeration	06																					
enumeration	07																					

enumeration	08
enumeration	09
enumeration	98
enumeration	99
enumeration	1A
enumeration	1B
enumeration	1C
enumeration	1D
enumeration	1E
enumeration	1F
enumeration	1G
enumeration	1H
enumeration	1I
enumeration	1J
enumeration	1K
enumeration	1L
enumeration	1M
enumeration	1N
enumeration	1O
enumeration	1P
enumeration	1Q
enumeration	1R
enumeration	1S
enumeration	1T
enumeration	1U
enumeration	1V
enumeration	1W
enumeration	1X
enumeration	1Y
enumeration	1Z


enumeration	2A
enumeration	2B
enumeration	2C
enumeration	2D
enumeration	2E
enumeration	2F
enumeration	2G
enumeration	2H
enumeration	2I
enumeration	2J
enumeration	2K
enumeration	2L
enumeration	2M
enumeration	2N
enumeration	2O
enumeration	2P
enumeration	2Q
enumeration	2R
enumeration	2S
enumeration	2T
enumeration	2U
enumeration	2V
enumeration	2W
enumeration	2X
enumeration	2Y
enumeration	2Z
enumeration	3A
enumeration	3B
enumeration	3C
enumeration	3D

enumeration	3E
enumeration	3F
enumeration	3G
enumeration	3H
enumeration	3I
enumeration	3J
enumeration	3K
enumeration	3L
enumeration	3M
enumeration	3N
enumeration	3O
enumeration	3P
enumeration	3Q
enumeration	3R
enumeration	3S
enumeration	3T
enumeration	3U
enumeration	3V
enumeration	3W
enumeration	3X
enumeration	3Y
enumeration	3Z
enumeration	4A
enumeration	4B
enumeration	4C
enumeration	4D
enumeration	4E
enumeration	4F
enumeration	4G
enumeration	4H


enumeration	4I
enumeration	4J
enumeration	4K
enumeration	4L
enumeration	4M
enumeration	4N
enumeration	4O
enumeration	4P
enumeration	4Q
enumeration	4R
enumeration	4S
enumeration	4T
enumeration	4U
enumeration	4V
enumeration	4W
enumeration	4X
enumeration	4Y
enumeration	4Z
enumeration	5A
enumeration	5B
enumeration	5C
enumeration	5D
enumeration	5E
enumeration	5F
enumeration	5G
enumeration	5H
enumeration	5I
enumeration	5J
enumeration	5K
enumeration	5L

	enumeration 5M enumeration 5N enumeration 5O enumeration 5P enumeration 5Q enumeration 5R enumeration 5S enumeration 5T enumeration 5U enumeration 5V enumeration 5W enumeration 5X enumeration 5Y enumeration 5Z enumeration 6A enumeration 6B
source	<pre>&lt;xs:element name="StudentLanguage" type="trex:LanguageType" minOccurs="0"/&gt;</pre>


element **StudentDemographicType/HomeLanguageSurveyDateAdministered**

diagram	
type	<a href="#">trex:YMDType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<pre>&lt;xs:element name="HomeLanguageSurveyDateAdministered" type="trex:YMDType" minOccurs="0"/&gt;</pre>


element **StudentDemographicType/Migrant**

diagram	
type	<a href="#">trex:ParticipationType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<code>&lt;xs:element name="Migrant" type="trex:ParticipationType" minOccurs="0"/&gt;</code>


element **StudentDemographicType/Homeless**

diagram	
type	<a href="#">trex:HomelessType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1 enumeration 2 enumeration 3 enumeration 4 enumeration 5
source	<code>&lt;xs:element name="Homeless" type="trex:HomelessType" minOccurs="0"/&gt;</code>

element **StudentDemographicType/Dyslexia**

diagram	
type	<a href="#">trex:ParticipationType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<code>&lt;xs:element name="Dyslexia" type="trex:ParticipationType" minOccurs="0"/&gt;</code>

element **StudentDemographicType/DyslexiaRiskCode**

diagram	
type	<a href="#">trex:DyslexiaRiskCodeType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 01 enumeration 02 enumeration 03
source	<code>&lt;xs:element name="DyslexiaRiskCode" type="trex:DyslexiaRiskCodeType" minOccurs="0"/&gt;</code>


element **StudentDemographicType/MilitaryConnected**

diagram	
type	<a href="#">trex:MilitaryConnectedType</a>




properties	minOcc 0 maxOcc 1 content simple																								
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>0</td><td></td></tr> <tr><td>enumeration</td><td>1</td><td></td></tr> <tr><td>enumeration</td><td>2</td><td></td></tr> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>4</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>6</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6	
Kind	Value	Annotation																							
enumeration	0																								
enumeration	1																								
enumeration	2																								
enumeration	3																								
enumeration	4																								
enumeration	5																								
enumeration	6																								
source	<code>&lt;xs:element name="MilitaryConnected" type="trex:MilitaryConnectedType" minOccurs="0"/&gt;</code>																								


element **StudentDemographicType/FosterCare**

diagram																
type	<a href="#">trex:FosterCareType</a>															
properties	minOcc 0 maxOcc 1 content simple															
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>0</td><td></td></tr> <tr><td>enumeration</td><td>1</td><td></td></tr> <tr><td>enumeration</td><td>2</td><td></td></tr> <tr><td>enumeration</td><td>3</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3	
Kind	Value	Annotation														
enumeration	0															
enumeration	1															
enumeration	2															
enumeration	3															
source	<code>&lt;xs:element name="FosterCare" type="trex:FosterCareType" minOccurs="0"/&gt;</code>															


element **StudentDemographicType/AsyleeRefugeeCode**

diagram													
type	<a href="#">trex:AsyleeRefugeeCodeType</a>												
properties	minOcc 0 maxOcc 1 content simple												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<code>&lt;xs:element name="AsyleeRefugeeCode" type="trex:AsyleeRefugeeCodeType" minOccurs="0"/&gt;</code>												

element **StudentDemographicType/CrisisCode**

diagram	
type	<a href="#">trex:CrisisCodeType</a>
properties	minOcc 0 maxOcc 5 content complex
children	<a href="#">CrisisCodeCode</a>
source	<code>&lt;xs:element name="CrisisCode" type="trex:CrisisCodeType" minOccurs="0" maxOccurs="5"/&gt;</code>

element **StudentDemographicType/PkEligiblePreviousYear**


diagram	
type	<a href="#">trex:ParticipationType</a>

properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<pre>&lt;xs:element name="PkEligiblePreviousYear" type="trex:ParticipationType" minOccurs="0"/&gt;</pre>


complexType **StudentIdentificationType**

diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">StudentUniqueID</a> <a href="#">Name</a> <a href="#">StudentID</a> <a href="#">PriorID</a> <a href="#">LocalID</a> <a href="#">Address</a>
used by	element <a href="#">StudentRecordType/StudentIdentification</a>
source	<pre>&lt;xs:complexType name="StudentIdentificationType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="StudentUniqueID" type="trex:StudentUniqueIDType" minOccurs="0"/&gt;     &lt;xs:element name="Name" type="trex:PersonNameType"/&gt;     &lt;xs:element name="StudentID" type="trex:StudentIDType"/&gt;     &lt;xs:element name="PriorID" type="trex:PriorIDType" minOccurs="0"/&gt;     &lt;xs:element name="LocalID" type="trex:LocalIDType" minOccurs="0"/&gt;     &lt;xs:element name="Address" type="trex:AddressType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>


element **StudentIdentificationType/StudentUniqueID**

diagram	
type	<a href="#">trex:StudentUniqueIDType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{10}
source	<code>&lt;xs:element name="StudentUniqueID" type="trex:StudentUniqueIDType" minOccurs="0"/&gt;</code>

element **StudentIdentificationType/Name**


diagram	
type	<a href="#">trex:PersonNameType</a>
properties	content complex
children	<a href="#">FirstName</a> <a href="#">MiddleName</a> <a href="#">LastName</a> <a href="#">Suffix</a>
source	<code>&lt;xs:element name="Name" type="trex:PersonNameType"/&gt;</code>

element **StudentIdentificationType/StudentID**


diagram	
---------	---

type	<a href="#">trex:StudentIDType</a>
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 64
source	<code>&lt;xs:element name="StudentID" type="trex:StudentIDType"/&gt;</code>

element **StudentIdentificationType/PriorID**

diagram	
type	<a href="#">trex:PriorIDType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 9
source	<code>&lt;xs:element name="PriorID" type="trex:PriorIDType" minOccurs="0"/&gt;</code>

element **StudentIdentificationType/LocalID**

diagram	
type	<a href="#">trex:LocalIDType</a>
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 9
source	<code>&lt;xs:element name="LocalID" type="trex:LocalIDType" minOccurs="0"/&gt;</code>

element **StudentIdentificationType/Address**

diagram	
type	<a href="#">trex:AddressType</a>
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">Address</a> <a href="#">City</a> <a href="#">StateProvince</a> <a href="#">Country</a> <a href="#">PostalCode</a>
source	<code>&lt;xs:element name="Address" type="trex:AddressType" minOccurs="0"/&gt;</code>

complexType **StudentRecordsType**


diagram	
namespace	urn:us:tx:state:tea:TREx:v1.34
children	<a href="#">TRExStudentRecord</a>
used by	element <a href="#">TRExStudentRecords</a>
source	<pre> &lt;xs:complexType name="StudentRecordsType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="TRExStudentRecord" type="trex:StudentRecordType" maxOccurs="unbounded"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>

element **StudentRecordsType/TRExStudentRecord**

<p>diagram</p>	
<p>type</p>	<p><a href="#">trex:StudentRecordType</a></p>
<p>properties</p>	<p>minOcc 1 maxOcc unbounded content complex</p>
<p>children</p>	<p><a href="#">StudentIdentification</a> <a href="#">Parent</a> <a href="#">StudentDemographic</a> <a href="#">School</a> <a href="#">Enrollment</a> <a href="#">SpecialPrograms</a> <a href="#">Assessment</a></p>

	<a href="#">Attendance</a> <a href="#">Immunization</a> <a href="#">DisciplineAction</a> <a href="#">AcademicStatus</a> <a href="#">CurrentCoursework</a> <a href="#">AcademicSession</a> <a href="#">AcademicSummary</a>
source	<code>&lt;xs:element name="TRExStudentRecord" type="trex:StudentRecordType" maxOccurs="unbounded"/&gt;</code>

complexType **StudentRecordType**





children	<a href="#">StudentIdentification</a> <a href="#">Parent</a> <a href="#">StudentDemographic</a> <a href="#">School</a> <a href="#">Enrollment</a> <a href="#">SpecialPrograms</a> <a href="#">Assessment</a> <a href="#">Attendance</a> <a href="#">Immunization</a> <a href="#">DisciplineAction</a> <a href="#">AcademicStatus</a> <a href="#">CurrentCoursework</a> <a href="#">AcademicSession</a> <a href="#">AcademicSummary</a>
used by	element <a href="#">StudentRecordsType/TRExStudentRecord</a>
source	<pre> &lt;xs:complexType name="StudentRecordType"&gt;   &lt;xs:sequence&gt;     &lt;xs:element name="StudentIdentification" type="trex:StudentIdentificationType"/&gt;     &lt;xs:element name="Parent" type="trex:ParentType" minOccurs="0" maxOccurs="unbounded"/&gt;     &lt;xs:element name="StudentDemographic" type="trex:StudentDemographicType"/&gt;     &lt;xs:element name="School" type="trex:SchoolType"/&gt;     &lt;xs:element name="Enrollment" type="trex:EnrollmentType"/&gt;     &lt;xs:element name="SpecialPrograms" type="trex:SpecialProgramsType"/&gt;     &lt;xs:element name="Assessment" type="trex:AssessmentType" minOccurs="0" maxOccurs="unbounded"/&gt;     &lt;xs:element name="Attendance" type="trex:AttendanceType" minOccurs="0"/&gt;     &lt;xs:element name="Immunization" type="trex:ImmunizationType" minOccurs="0" maxOccurs="unbounded"/&gt;     &lt;xs:element name="DisciplineAction" type="trex:DisciplineActionType" minOccurs="0" maxOccurs="unbounded"/&gt;     &lt;xs:element name="AcademicStatus" type="trex:AcademicStatusType" minOccurs="0"/&gt;     &lt;xs:element name="CurrentCoursework" type="trex:CurrentCourseworkType" minOccurs="0"/&gt;     &lt;xs:element name="AcademicSession" type="trex:AcademicSessionType" minOccurs="0" maxOccurs="unbounded"/&gt;     &lt;xs:element name="AcademicSummary" type="trex:AcademicSummaryType" minOccurs="0"/&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>

element **StudentRecordType/StudentIdentification**

diagram	
type	<a href="#">trex:StudentIdentificationType</a>
properties	content complex
children	<a href="#">StudentUniqueID</a> <a href="#">Name</a> <a href="#">StudentID</a> <a href="#">PriorID</a> <a href="#">LocalID</a> <a href="#">Address</a>
source	<code>&lt;xs:element name="StudentIdentification" type="trex:StudentIdentificationType"/&gt;</code>

element **StudentRecordType/Parent**

diagram	
type	<a href="#">trex:ParentType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">Name</a>
source	<code>&lt;xs:element name="Parent" type="trex:ParentType" minOccurs="0" maxOccurs="unbounded"/&gt;</code>


element **StudentRecordType/StudentDemographic**

<p>diagram</p>	
<p>type</p>	<p><a href="#">trex:StudentDemographicType</a></p>
<p>properties</p>	<p>content complex</p>
<p>children</p>	<p><a href="#">Gender</a> <a href="#">Race</a> <a href="#">Ethnicity</a> <a href="#">BirthDate</a> <a href="#">HomeLanguage</a> <a href="#">StudentLanguage</a> <a href="#">HomeLanguageSurveyDateAdministered</a> <a href="#">Migrant</a> <a href="#">Homeless</a> <a href="#">Dyslexia</a> <a href="#">DyslexiaRiskCode</a> <a href="#">MilitaryConnected</a> <a href="#">FosterCare</a> <a href="#">AsyleeRefugeeCode</a> <a href="#">CrisisCode</a> <a href="#">PkEligiblePreviousYear</a></p>
<p>source</p>	<p><code>&lt;xs:element name="StudentDemographic" type="trex:StudentDemographicType"/&gt;</code></p>

element **StudentRecordType/School**

<p>diagram</p>	
<p>type</p>	<p><a href="#">trex:SchoolType</a></p>
<p>properties</p>	<p>content complex</p>
<p>children</p>	<p><a href="#">SchoolID</a> <a href="#">SchoolName</a> <a href="#">DistrictID</a> <a href="#">DistrictName</a> <a href="#">Address</a> <a href="#">PhoneNumber</a> <a href="#">Fax</a></p>
<p>source</p>	<p><code>&lt;xs:element name="School" type="trex:SchoolType"/&gt;</code></p>

element **StudentRecordType/Enrollment**

<p>diagram</p>	
<p>type</p>	<p><a href="#">trex:EnrollmentType</a></p>
<p>properties</p>	<p>content complex</p>
<p>children</p>	<p><a href="#">GradeLevel</a> <a href="#">EntryDate</a> <a href="#">ExitDate</a> <a href="#">WithdrawDate</a> <a href="#">WithdrawReason</a> <a href="#">GradePlaced</a> <a href="#">GradePromoted</a> <a href="#">GradeRetained</a></p>
<p>source</p>	<p><code>&lt;xs:element name="Enrollment" type="trex:EnrollmentType"/&gt;</code></p>

element **StudentRecordType/SpecialPrograms**

<p>diagram</p>	
<p>type</p>	<p><a href="#">trex:SpecialProgramsType</a></p>
<p>properties</p>	<p>content complex</p>
<p>children</p>	<p><a href="#">LEP</a> <a href="#">AlternativeLanguage</a> <a href="#">DualLanguageImmersion</a> <a href="#">EconomicDisadvantaged</a> <a href="#">AtRisk</a> <a href="#">Title</a> <a href="#">SpecialEd</a> <a href="#">IEP</a> <a href="#">Bilingual</a> <a href="#">ESL</a> <a href="#">GiftedTalented</a> <a href="#">CTE</a> <a href="#">PersonalGradPlan</a></p>
<p>source</p>	<p><code>&lt;xs:element name="SpecialPrograms" type="trex:SpecialProgramsType"/&gt;</code></p>

element **StudentRecordType/Assessment**

<p>diagram</p>	
<p>type</p>	<p><a href="#">trex:AssessmentType</a></p>
<p>properties</p>	<p>minOcc 0 maxOcc unbounded content complex</p>
<p>children</p>	<p><a href="#">TestName</a> <a href="#">AdditionalTestName</a> <a href="#">TestLevel</a> <a href="#">TestDate</a> <a href="#">ExitRequirementMetDate</a> <a href="#">TestScore</a> <a href="#">TestCode</a> <a href="#">PerformanceLevel</a> <a href="#">AssessmentSubTest</a></p>
<p>source</p>	<pre>&lt;xs:element name="Assessment" type="trex:AssessmentType" minOccurs="0" maxOccurs="unbounded"/&gt;</pre>

element **StudentRecordType/Attendance**

<p>diagram</p>	
<p>type</p>	<p><a href="#">trex:AttendanceType</a></p>
<p>properties</p>	<p>minOcc 0 maxOcc 1 content complex</p>
<p>children</p>	<p><a href="#">DaysAttended</a> <a href="#">DaysAbsent</a> <a href="#">RSDaysAttended</a> <a href="#">RADaysAttended</a> <a href="#">PriorDaysAttended</a> <a href="#">PriorDaysAbsent</a> <a href="#">PriorRSDaysAttended</a> <a href="#">PriorRADaysAttended</a></p>
<p>source</p>	<p><code>&lt;xs:element name="Attendance" type="trex:AttendanceType" minOccurs="0"/&gt;</code></p>

element **StudentRecordType/Immunization**

<p>diagram</p>	
<p>type</p>	<p><a href="#">trex:ImmunizationType</a></p>





properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">ImmunizationCode</a> <a href="#">ImmunizationDate</a> <a href="#">ImmunizationDose</a>
source	<code>&lt;xs:element name="Immunization" type="trex:ImmunizationType" minOccurs="0" maxOccurs="unbounded"/&gt;</code>

element **StudentRecordType/DisciplineAction**

diagram	<p>The diagram shows a class <code>DisciplineAction</code> with a multiplicity of <code>0..∞</code>. It contains a reference to a class <code>trex:DisciplineActionType</code>. This class contains four attributes: <code>DisciplineActionDate</code>, <code>DisciplineActionNum</code>, <code>DisciplineActionCode</code>, and <code>DisciplineActionReason</code>.</p>
type	<a href="#">trex:DisciplineActionType</a>
properties	minOcc 0 maxOcc unbounded content complex
children	<a href="#">DisciplineActionDate</a> <a href="#">DisciplineActionNum</a> <a href="#">DisciplineActionCode</a> <a href="#">DisciplineActionReason</a>
source	<code>&lt;xs:element name="DisciplineAction" type="trex:DisciplineActionType" minOccurs="0" maxOccurs="unbounded"/&gt;</code>

element **StudentRecordType/AcademicStatus**

diagram



type	<a href="#">trex:AcademicStatusType</a>
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">GraduationDate</a> <a href="#">SpeechMetDate</a> <a href="#">GraduationDiplomaType</a> <a href="#">CertificateDate</a> <a href="#">TexasGrant</a> <a href="#">DistinguishedAchievements</a> <a href="#">FHSPParticipationCode</a> <a href="#">FHSPDistingIndicatorCode</a> <a href="#">STEMEndorsementCode</a> <a href="#">BusinessEndorsementCode</a> <a href="#">PublicServicesEndorsementCode</a> <a href="#">ArtsEndorsementCode</a> <a href="#">MultiStudiesEndorsementCode</a> <a href="#">DualCreditType</a> <a href="#">BilingBilitType</a> <a href="#">CollegeAssessType</a> <a href="#">AplbType</a> <a href="#">CertLicType</a> <a href="#">IGCGradReview</a> <a href="#">FHSPCollegeCareerInstructionIndicator</a> <a href="#">AssociateDegree</a> <a href="#">OnRamps</a> <a href="#">Section504</a> <a href="#">POIIMetDate</a> <a href="#">CPRMetDate</a> <a href="#">StarOfTexas</a> <a href="#">SATACTReimbursement</a> <a href="#">IBCTReimbursement</a> <a href="#">IBCEarned</a> <a href="#">FinancialAidApplication</a> <a href="#">FinancialAidApplicationMetDate</a>
source	<pre>&lt;xs:element name="AcademicStatus" type="trex:AcademicStatusType" minOccurs="0"/&gt;</pre>

element **StudentRecordType/CurrentCoursework**

diagram	<pre> classDiagram     class CurrentCoursework {     }     class trexCurrentCourseworkType {     }     class Course {     }     class SchoolYear {     }     class GradeLevel {     }     class SessionType {     }     CurrentCoursework ..&gt; trexCurrentCourseworkType     trexCurrentCourseworkType --&gt; "1..∞" Course     trexCurrentCourseworkType --&gt; SchoolYear     trexCurrentCourseworkType --&gt; GradeLevel     trexCurrentCourseworkType ..&gt; SessionType </pre>
type	<a href="#">trex:CurrentCourseworkType</a>
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">Course</a> <a href="#">SchoolYear</a> <a href="#">GradeLevel</a> <a href="#">SessionType</a>
source	<pre>&lt;xs:element name="CurrentCoursework" type="trex:CurrentCourseworkType" minOccurs="0"/&gt;</pre>

element **StudentRecordType/AcademicSession**

<p>diagram</p>	
<p>type</p>	<p><a href="#">trex:AcademicSessionType</a></p>
<p>properties</p>	<p>minOcc 0 maxOcc unbounded content complex</p>
<p>children</p>	<p><a href="#">SchoolYear</a> <a href="#">GradeLevel</a> <a href="#">SessionType</a> <a href="#">Course</a> <a href="#">AcademicSummary</a></p>
<p>source</p>	<pre>&lt;xs:element name="AcademicSession" type="trex:AcademicSessionType" minOccurs="0" maxOccurs="unbounded"/&gt;</pre>

element **StudentRecordType/AcademicSummary**

<p>diagram</p>	
----------------	--

type	<a href="#">trex:AcademicSummaryType</a>
properties	minOcc 0 maxOcc 1 content complex
children	<a href="#">GPA</a> <a href="#">ClassTotalNumber</a> <a href="#">ClassRank</a> <a href="#">ClassRankingDate</a> <a href="#">Quartile</a> <a href="#">CollegeCampusCode</a>
source	<pre>&lt;xs:element name="AcademicSummary" type="trex:AcademicSummaryType" minOccurs="0"/&gt;</pre>

### simpleType **AbbreviationType**

namespace	urn:us:tx:state:tea:TREx:v1.34									
type	restriction of <b>xs:token</b>									
properties	base xs:token									
used by	element <a href="#">CourseType/Abbreviation</a>									
facets	<table border="0"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>100</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	100	
Kind	Value	Annotation								
minLength	1									
maxLength	100									
source	<pre>&lt;xs:simpleType name="AbbreviationType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="100"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>									

### simpleType **AdditionalTestNameType**

namespace	urn:us:tx:state:tea:TREx:v1.34									
type	restriction of <b>xs:token</b>									
properties	base xs:token									
used by	element <a href="#">AssessmentType/AdditionalTestName</a>									
facets	<table border="0"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60	
Kind	Value	Annotation								
minLength	1									
maxLength	60									

source	<pre> &lt;xs:simpleType name="AdditionalTestNameType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="60"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--------	---

### simpleType **AddressStringType**

namespace	urn:us:tx:state:tea:TREx:v1.34									
type	restriction of <b>xs:token</b>									
properties	base xs:token									
used by	element <a href="#">AddressType/Address</a>									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50	
Kind	Value	Annotation								
minLength	1									
maxLength	50									
source	<pre> &lt;xs:simpleType name="AddressStringType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="50"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>									

### simpleType **AdvancedMeasureType**

namespace	urn:us:tx:state:tea:TREx:v1.34															
type	restriction of <b>xs:token</b>															
properties	base xs:token															
used by	element <a href="#">DistinguishedAchievementType/AdvancedMeasure</a>															
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	C		enumeration	D	
Kind	Value	Annotation														
enumeration	A															
enumeration	B															
enumeration	C															
enumeration	D															

	enumeration E enumeration F
source	<pre> &lt;xs:simpleType name="AdvancedMeasureType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="A"/&gt;     &lt;xs:enumeration value="B"/&gt;     &lt;xs:enumeration value="C"/&gt;     &lt;xs:enumeration value="D"/&gt;     &lt;xs:enumeration value="E"/&gt;     &lt;xs:enumeration value="F"/&gt;     &lt;!-- Original research/project --&gt;     &lt;!-- AP score 3 or above --&gt;     &lt;!-- B score 4 or above. --&gt;     &lt;!-- Qualifying PSAT score --&gt;     &lt;!-- College course - 3.0 or higher --&gt;     &lt;!-- Articulated course - 3.0 or higher --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>

#### simpleType **AlternativeLanguageType**

namespace	urn:us:tx:state:tea:TREx:v1.34												
type	restriction of <b>xs:token</b>												
properties	base xs:token												
used by	element <a href="#">SpecialProgramsType/AlternativeLanguage</a>												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>00</td> <td></td> </tr> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02	
Kind	Value	Annotation											
enumeration	00												
enumeration	01												
enumeration	02												
source	<pre> &lt;xs:simpleType name="AlternativeLanguageType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="00"/&gt;     &lt;xs:enumeration value="01"/&gt;     &lt;xs:enumeration value="02"/&gt;     &lt;!-- Student does not participate in the alternative language program --&gt;     &lt;!-- Alternative Bilingual Language Program --&gt;     &lt;!-- Alternative ESL Language Program --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>												



### simpleType **AsyleeRefugeeCodeType**

namespace	urn:us:tx:state:tea:TREx:v1.34												
type	restriction of <b>xs:token</b>												
properties	base xs:token												
used by	element <a href="#">StudentDemographicType/AsyleeRefugeeCode</a>												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<pre>&lt;xs:simpleType name="AsyleeRefugeeCodeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;!-- Not applicable to this student --&gt;     &lt;!-- Asylee --&gt;     &lt;!-- Refugee --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>												

### simpleType **BilingualType**

namespace	urn:us:tx:state:tea:TREx:v1.34																		
type	restriction of <b>xs:token</b>																		
properties	base xs:token																		
used by	element <a href="#">SpecialProgramsType/Bilingual</a>																		
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4	
Kind	Value	Annotation																	
enumeration	0																		
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		

	enumeration 5
source	<pre> &lt;xs:simpleType name="BilingualType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="4"/&gt;     &lt;xs:enumeration value="5"/&gt;     &lt;!-- Not receiving services. --&gt;     &lt;!-- Participant in program or service. --&gt;     &lt;!-- Transitional bilingual/early exit. --&gt;     &lt;!-- Transitional bilingual/late exit. --&gt;     &lt;!-- Dual language immersion/two-way. --&gt;     &lt;!-- Dual language immersion/one-way. --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>

### simpleType CareerTechEdType

namespace	urn:us:tx:state:tea:TREx:v1.34																														
type	restriction of <b>xs:token</b>																														
properties	base xs:token																														
used by	element <a href="#">SpecialProgramsType/CTE</a>																														
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>0</td><td></td></tr> <tr><td>enumeration</td><td>1</td><td></td></tr> <tr><td>enumeration</td><td>2</td><td></td></tr> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>4</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>6</td><td></td></tr> <tr><td>enumeration</td><td>7</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	E		enumeration	6		enumeration	7	
Kind	Value	Annotation																													
enumeration	0																														
enumeration	1																														
enumeration	2																														
enumeration	3																														
enumeration	4																														
enumeration	5																														
enumeration	E																														
enumeration	6																														
enumeration	7																														
source	<pre> &lt;xs:simpleType name="CareerTechEdType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt; </pre>																														

	<pre> &lt;xs:enumeration value="1"/&gt; &lt;xs:enumeration value="2"/&gt; &lt;xs:enumeration value="3"/&gt; &lt;xs:enumeration value="4"/&gt; &lt;xs:enumeration value="5"/&gt; &lt;xs:enumeration value="E"/&gt; &lt;xs:enumeration value="6"/&gt; &lt;xs:enumeration value="7"/&gt; &lt;!-- Not enrolled in a CTE course --&gt; &lt;!-- Enrolled in a CTE course --&gt; &lt;!-- Participant in a coherent sequence of courses --&gt; &lt;!-- Participant in Tech Prep program --&gt; &lt;!-- Not CTE --&gt; &lt;!-- CTE Program Participant --&gt; &lt;!-- CTE Program Explorer --&gt; &lt;!-- CTE Program Concentrator --&gt; &lt;!-- CTE Program Completer --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	---

### simpleType **CityType**

namespace	urn:us:tx:state:tea:TREx:v1.34									
type	restriction of <b>xs:token</b>									
properties	base xs:token									
used by	element <a href="#">AddressType/City</a>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30	
Kind	Value	Annotation								
minLength	1									
maxLength	30									
source	<pre> &lt;xs:simpleType name="CityType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="30"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>									

### simpleType **ClassPeriodType**

namespace	urn:us:tx:state:tea:TREx:v1.34
-----------	--------------------------------

type	restriction of <b>xs:token</b>									
properties	base xs:token									
used by	element <a href="#">CourseType/ClassPeriod</a>									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	5	
Kind	Value	Annotation								
minLength	1									
maxLength	5									
source	<pre>&lt;xs:simpleType name="ClassPeriodType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="5"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>									

### simpleType **ClassRankType**

namespace	urn:us:tx:state:tea:TREx:v1.34						
type	restriction of <b>xs:integer</b>						
properties	base xs:integer						
used by	element <a href="#">AcademicSummaryType/ClassRank</a>						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>5</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	5	
Kind	Value	Annotation					
totalDigits	5						
source	<pre>&lt;xs:simpleType name="ClassRankType"&gt;   &lt;xs:restriction base="xs:integer"&gt;     &lt;xs:totalDigits value="5"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>						

### simpleType **ClassTotalNumberType**

namespace	urn:us:tx:state:tea:TREx:v1.34			
type	restriction of <b>xs:integer</b>			
properties	base xs:integer			
used by	element <a href="#">AcademicSummaryType/ClassTotalNumber</a>			
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> </tbody> </table>	Kind	Value	Annotation
Kind	Value	Annotation		

	totalDigits 5
source	<pre>&lt;xs:simpleType name="ClassTotalNumberType"&gt;   &lt;xs:restriction base="xs:integer"&gt;     &lt;xs:totalDigits value="5"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>

### simpleType **CollegeCampusCodeType**

namespace	urn:us:tx:state:tea:TREx:v1.34						
type	restriction of <b>xs:token</b>						
properties	base xs:token						
used by	element <a href="#">AcademicSummaryType/CollegeCampusCode</a>						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>([0-9]{6})</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	pattern	([0-9]{6})	
Kind	Value	Annotation					
pattern	([0-9]{6})						
source	<pre>&lt;xs:simpleType name="CollegeCampusCodeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:pattern value="([0-9]{6})"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>						

### simpleType **CountryType**

namespace	urn:us:tx:state:tea:TREx:v1.34																		
type	restriction of <b>xs:token</b>																		
properties	base xs:token																		
used by	element <a href="#">AddressType/Country</a>																		
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>US</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AG</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	US		enumeration	AD		enumeration	AE		enumeration	AF		enumeration	AG	
Kind	Value	Annotation																	
enumeration	US																		
enumeration	AD																		
enumeration	AE																		
enumeration	AF																		
enumeration	AG																		

enumeration	AI
enumeration	AL
enumeration	AM
enumeration	AN
enumeration	AO
enumeration	AQ
enumeration	AR
enumeration	AS
enumeration	AT
enumeration	AU
enumeration	AW
enumeration	AX
enumeration	AZ
enumeration	BA
enumeration	BB
enumeration	BD
enumeration	BE
enumeration	BF
enumeration	BG
enumeration	BH
enumeration	BI
enumeration	BJ
enumeration	BM
enumeration	BN
enumeration	BO
enumeration	BR
enumeration	BS
enumeration	BT
enumeration	BV
enumeration	BW

enumeration	BY
enumeration	BZ
enumeration	CA
enumeration	CC
enumeration	CD
enumeration	CF
enumeration	CG
enumeration	CH
enumeration	CI
enumeration	CK
enumeration	CL
enumeration	CM
enumeration	CN
enumeration	CO
enumeration	CR
enumeration	CS
enumeration	CU
enumeration	CV
enumeration	CX
enumeration	CY
enumeration	CZ
enumeration	DE
enumeration	DJ
enumeration	DK
enumeration	DM
enumeration	DO
enumeration	DZ
enumeration	EC
enumeration	EE
enumeration	EG

enumeration	EH
enumeration	ER
enumeration	ES
enumeration	ET
enumeration	FI
enumeration	FJ
enumeration	FK
enumeration	FM
enumeration	FO
enumeration	FR
enumeration	GA
enumeration	GB
enumeration	GD
enumeration	GE
enumeration	GF
enumeration	GH
enumeration	GI
enumeration	GL
enumeration	GM
enumeration	GN
enumeration	GP
enumeration	GQ
enumeration	GR
enumeration	GS
enumeration	GT
enumeration	GU
enumeration	GW
enumeration	GY
enumeration	HK
enumeration	HM



enumeration	HN
enumeration	HR
enumeration	HT
enumeration	HU
enumeration	ID
enumeration	IE
enumeration	IL
enumeration	IN
enumeration	IO
enumeration	IQ
enumeration	IR
enumeration	IS
enumeration	IT
enumeration	JM
enumeration	JO
enumeration	JP
enumeration	KE
enumeration	KG
enumeration	KH
enumeration	KI
enumeration	KM
enumeration	KN
enumeration	KP
enumeration	KR
enumeration	KW
enumeration	KY
enumeration	KZ
enumeration	LA
enumeration	LB
enumeration	LC

enumeration	LI
enumeration	LK
enumeration	LR
enumeration	LS
enumeration	LT
enumeration	LU
enumeration	LV
enumeration	LY
enumeration	MA
enumeration	MC
enumeration	MD
enumeration	MG
enumeration	MH
enumeration	MK
enumeration	ML
enumeration	MM
enumeration	MN
enumeration	MO
enumeration	MP
enumeration	MQ
enumeration	MR
enumeration	MS
enumeration	MT
enumeration	MU
enumeration	MV
enumeration	MW
enumeration	MX
enumeration	MY
enumeration	MZ
enumeration	NA

enumeration	NC
enumeration	NE
enumeration	NF
enumeration	NG
enumeration	NI
enumeration	NL
enumeration	NO
enumeration	NP
enumeration	NR
enumeration	NU
enumeration	NZ
enumeration	OM
enumeration	PA
enumeration	PE
enumeration	PF
enumeration	PG
enumeration	PH
enumeration	PK
enumeration	PL
enumeration	PM
enumeration	PN
enumeration	PR
enumeration	PS
enumeration	PT
enumeration	PW
enumeration	PY
enumeration	QA
enumeration	RE
enumeration	RO
enumeration	RU

enumeration	RW
enumeration	SA
enumeration	SB
enumeration	SC
enumeration	SD
enumeration	SE
enumeration	SG
enumeration	SH
enumeration	SI
enumeration	SJ
enumeration	SK
enumeration	SL
enumeration	SM
enumeration	SN
enumeration	SO
enumeration	SR
enumeration	ST
enumeration	SV
enumeration	SY
enumeration	SZ
enumeration	TC
enumeration	TD
enumeration	TF
enumeration	TG
enumeration	TH
enumeration	TJ
enumeration	TK
enumeration	TL
enumeration	TM
enumeration	TN

	enumeration TO
	enumeration TR
	enumeration TT
	enumeration TV
	enumeration TW
	enumeration TZ
	enumeration UA
	enumeration UG
	enumeration UM
	enumeration UY
	enumeration UZ
	enumeration VA
	enumeration VC
	enumeration VE
	enumeration VG
	enumeration VI
	enumeration VN
	enumeration VU
	enumeration WF
	enumeration WS
	enumeration YE
	enumeration YT
	enumeration ZA
	enumeration ZM
	enumeration ZW
source	<pre> &lt;xs:simpleType name="CountryType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="US"/&gt;     &lt;xs:enumeration value="AD"/&gt;     &lt;xs:enumeration value="AE"/&gt;     &lt;xs:enumeration value="AF"/&gt;     &lt;xs:enumeration value="AG"/&gt;     &lt;xs:enumeration value="AI"/&gt; </pre>

```
<xs:enumeration value="AL"/>
<xs:enumeration value="AM"/>
<xs:enumeration value="AN"/>
<xs:enumeration value="AO"/>
<xs:enumeration value="AQ"/>
<xs:enumeration value="AR"/>
<xs:enumeration value="AS"/>
<xs:enumeration value="AT"/>
<xs:enumeration value="AU"/>
<xs:enumeration value="AW"/>
<xs:enumeration value="AX"/>
<xs:enumeration value="AZ"/>
<xs:enumeration value="BA"/>
<xs:enumeration value="BB"/>
<xs:enumeration value="BD"/>
<xs:enumeration value="BE"/>
<xs:enumeration value="BF"/>
<xs:enumeration value="BG"/>
<xs:enumeration value="BH"/>
<xs:enumeration value="BI"/>
<xs:enumeration value="BJ"/>
<xs:enumeration value="BM"/>
<xs:enumeration value="BN"/>
<xs:enumeration value="BO"/>
<xs:enumeration value="BR"/>
<xs:enumeration value="BS"/>
<xs:enumeration value="BT"/>
<xs:enumeration value="BV"/>
<xs:enumeration value="BW"/>
<xs:enumeration value="BY"/>
<xs:enumeration value="BZ"/>
<xs:enumeration value="CA"/>
<xs:enumeration value="CC"/>
<xs:enumeration value="CD"/>
<xs:enumeration value="CF"/>
<xs:enumeration value="CG"/>
<xs:enumeration value="CH"/>
<xs:enumeration value="CI"/>
<xs:enumeration value="CK"/>
<xs:enumeration value="CL"/>
<xs:enumeration value="CM"/>
<xs:enumeration value="CN"/>
<xs:enumeration value="CO"/>
<xs:enumeration value="CR"/>
<xs:enumeration value="CS"/>
<xs:enumeration value="CU"/>
<xs:enumeration value="CV"/>
<xs:enumeration value="CX"/>
<xs:enumeration value="CY"/>
```

```
<xs:enumeration value="CZ"/>
<xs:enumeration value="DE"/>
<xs:enumeration value="DJ"/>
<xs:enumeration value="DK"/>
<xs:enumeration value="DM"/>
<xs:enumeration value="DO"/>
<xs:enumeration value="DZ"/>
<xs:enumeration value="EC"/>
<xs:enumeration value="EE"/>
<xs:enumeration value="EG"/>
<xs:enumeration value="EH"/>
<xs:enumeration value="ER"/>
<xs:enumeration value="ES"/>
<xs:enumeration value="ET"/>
<xs:enumeration value="FI"/>
<xs:enumeration value="FJ"/>
<xs:enumeration value="FK"/>
<xs:enumeration value="FM"/>
<xs:enumeration value="FO"/>
<xs:enumeration value="FR"/>
<xs:enumeration value="GA"/>
<xs:enumeration value="GB"/>
<xs:enumeration value="GD"/>
<xs:enumeration value="GE"/>
<xs:enumeration value="GF"/>
<xs:enumeration value="GH"/>
<xs:enumeration value="GI"/>
<xs:enumeration value="GL"/>
<xs:enumeration value="GM"/>
<xs:enumeration value="GN"/>
<xs:enumeration value="GP"/>
<xs:enumeration value="GQ"/>
<xs:enumeration value="GR"/>
<xs:enumeration value="GS"/>
<xs:enumeration value="GT"/>
<xs:enumeration value="GU"/>
<xs:enumeration value="GW"/>
<xs:enumeration value="GY"/>
<xs:enumeration value="HK"/>
<xs:enumeration value="HM"/>
<xs:enumeration value="HN"/>
<xs:enumeration value="HR"/>
<xs:enumeration value="HT"/>
<xs:enumeration value="HU"/>
<xs:enumeration value="ID"/>
<xs:enumeration value="IE"/>
<xs:enumeration value="IL"/>
<xs:enumeration value="IN"/>
<xs:enumeration value="IO"/>
```

```
<xs:enumeration value="IQ"/>
<xs:enumeration value="IR"/>
<xs:enumeration value="IS"/>
<xs:enumeration value="IT"/>
<xs:enumeration value="JM"/>
<xs:enumeration value="JO"/>
<xs:enumeration value="JP"/>
<xs:enumeration value="KE"/>
<xs:enumeration value="KG"/>
<xs:enumeration value="KH"/>
<xs:enumeration value="KI"/>
<xs:enumeration value="KM"/>
<xs:enumeration value="KN"/>
<xs:enumeration value="KP"/>
<xs:enumeration value="KR"/>
<xs:enumeration value="KW"/>
<xs:enumeration value="KY"/>
<xs:enumeration value="KZ"/>
<xs:enumeration value="LA"/>
<xs:enumeration value="LB"/>
<xs:enumeration value="LC"/>
<xs:enumeration value="LI"/>
<xs:enumeration value="LK"/>
<xs:enumeration value="LR"/>
<xs:enumeration value="LS"/>
<xs:enumeration value="LT"/>
<xs:enumeration value="LU"/>
<xs:enumeration value="LV"/>
<xs:enumeration value="LY"/>
<xs:enumeration value="MA"/>
<xs:enumeration value="MC"/>
<xs:enumeration value="MD"/>
<xs:enumeration value="MG"/>
<xs:enumeration value="MH"/>
<xs:enumeration value="MK"/>
<xs:enumeration value="ML"/>
<xs:enumeration value="MM"/>
<xs:enumeration value="MN"/>
<xs:enumeration value="MO"/>
<xs:enumeration value="MP"/>
<xs:enumeration value="MQ"/>
<xs:enumeration value="MR"/>
<xs:enumeration value="MS"/>
<xs:enumeration value="MT"/>
<xs:enumeration value="MU"/>
<xs:enumeration value="MV"/>
<xs:enumeration value="MW"/>
<xs:enumeration value="MX"/>
<xs:enumeration value="MY"/>
```



```
<xs:enumeration value="MZ"/>
<xs:enumeration value="NA"/>
<xs:enumeration value="NC"/>
<xs:enumeration value="NE"/>
<xs:enumeration value="NF"/>
<xs:enumeration value="NG"/>
<xs:enumeration value="NI"/>
<xs:enumeration value="NL"/>
<xs:enumeration value="NO"/>
<xs:enumeration value="NP"/>
<xs:enumeration value="NR"/>
<xs:enumeration value="NU"/>
<xs:enumeration value="NZ"/>
<xs:enumeration value="OM"/>
<xs:enumeration value="PA"/>
<xs:enumeration value="PE"/>
<xs:enumeration value="PF"/>
<xs:enumeration value="PG"/>
<xs:enumeration value="PH"/>
<xs:enumeration value="PK"/>
<xs:enumeration value="PL"/>
<xs:enumeration value="PM"/>
<xs:enumeration value="PN"/>
<xs:enumeration value="PR"/>
<xs:enumeration value="PS"/>
<xs:enumeration value="PT"/>
<xs:enumeration value="PW"/>
<xs:enumeration value="PY"/>
<xs:enumeration value="QA"/>
<xs:enumeration value="RE"/>
<xs:enumeration value="RO"/>
<xs:enumeration value="RU"/>
<xs:enumeration value="RW"/>
<xs:enumeration value="SA"/>
<xs:enumeration value="SB"/>
<xs:enumeration value="SC"/>
<xs:enumeration value="SD"/>
<xs:enumeration value="SE"/>
<xs:enumeration value="SG"/>
<xs:enumeration value="SH"/>
<xs:enumeration value="SI"/>
<xs:enumeration value="SJ"/>
<xs:enumeration value="SK"/>
<xs:enumeration value="SL"/>
<xs:enumeration value="SM"/>
<xs:enumeration value="SN"/>
<xs:enumeration value="SO"/>
<xs:enumeration value="SR"/>
<xs:enumeration value="ST"/>
```

```
<xs:enumeration value="SV"/>
<xs:enumeration value="SY"/>
<xs:enumeration value="SZ"/>
<xs:enumeration value="TC"/>
<xs:enumeration value="TD"/>
<xs:enumeration value="TF"/>
<xs:enumeration value="TG"/>
<xs:enumeration value="TH"/>
<xs:enumeration value="TJ"/>
<xs:enumeration value="TK"/>
<xs:enumeration value="TL"/>
<xs:enumeration value="TM"/>
<xs:enumeration value="TN"/>
<xs:enumeration value="TO"/>
<xs:enumeration value="TR"/>
<xs:enumeration value="TT"/>
<xs:enumeration value="TV"/>
<xs:enumeration value="TW"/>
<xs:enumeration value="TZ"/>
<xs:enumeration value="UA"/>
<xs:enumeration value="UG"/>
<xs:enumeration value="UM"/>
<xs:enumeration value="UY"/>
<xs:enumeration value="UZ"/>
<xs:enumeration value="VA"/>
<xs:enumeration value="VC"/>
<xs:enumeration value="VE"/>
<xs:enumeration value="VG"/>
<xs:enumeration value="VI"/>
<xs:enumeration value="VN"/>
<xs:enumeration value="VU"/>
<xs:enumeration value="WF"/>
<xs:enumeration value="WS"/>
<xs:enumeration value="YE"/>
<xs:enumeration value="YT"/>
<xs:enumeration value="ZA"/>
<xs:enumeration value="ZM"/>
<xs:enumeration value="ZW"/>
<!-- United States -->
<!-- Andorra -->
<!-- United Arab Emirates -->
<!-- Afghanistan -->
<!-- Antigua And Barbuda -->
<!-- Anguilla -->
<!-- Albania -->
<!-- Armenia -->
<!-- Netherlands Antilles -->
<!-- Angola -->
<!-- Antarctica -->
```

<!-- Argentina -->  
<!-- American Samoa -->  
<!-- Austria -->  
<!-- Australia -->  
<!-- Aruba -->  
<!-- Aland Islands -->  
<!-- Azerbaijan -->  
<!-- Bosnia And Herzegovina -->  
<!-- Barbados -->  
<!-- Bangladesh -->  
<!-- Belgium -->  
<!-- Burkina Faso -->  
<!-- Bulgaria -->  
<!-- Bahrain -->  
<!-- Burundi -->  
<!-- Benin -->  
<!-- Bermuda -->  
<!-- Brunei Darussalam -->  
<!-- Bolivia -->  
<!-- Brazil -->  
<!-- Bahamas -->  
<!-- Bhutan -->  
<!-- Bouvet Island -->  
<!-- Botswana -->  
<!-- Belarus -->  
<!-- Belize -->  
<!-- Canada -->  
<!-- Cocos (Keeling) Islands -->  
<!-- Congo -->  
<!-- Central African Republic -->  
<!-- Congo , The Democratic Republic Of The -->  
<!-- Switzerland -->  
<!-- Cote D'ivoire -->  
<!-- Cook Islands -->  
<!-- Chile -->  
<!-- Cameroon -->  
<!-- China -->  
<!-- Colombia -->  
<!-- Costa Rica -->  
<!-- Serbia And Montenegro -->  
<!-- Cuba -->  
<!-- Cape Verde -->  
<!-- Christmas Island -->  
<!-- Cyprus -->  
<!-- Czech Republic -->  
<!-- Germany -->  
<!-- Djibouti -->  
<!-- Denmark -->  
<!-- Dominica -->

<!-- Dominican Republic -->  
<!-- Algeria -->  
<!-- Ecuador -->  
<!-- Estonia -->  
<!-- Egypt -->  
<!-- Western Sahara -->  
<!-- Eritrea -->  
<!-- Spain -->  
<!-- Ethiopia -->  
<!-- Finland -->  
<!-- Fiji -->  
<!-- Falkland Islands (Malvinas) -->  
<!-- Micronesia, Federated States Of -->  
<!-- Faroe Islands -->  
<!-- France -->  
<!-- Gabon -->  
<!-- United Kingdom -->  
<!-- Grenada -->  
<!-- Georgia -->  
<!-- French Guiana -->  
<!-- Ghana -->  
<!-- Gibraltar -->  
<!-- Greenland -->  
<!-- Gambia -->  
<!-- Guinea -->  
<!-- Guadeloupe -->  
<!-- Equatorial Guinea -->  
<!-- Greece -->  
<!-- South Georgia And The South Sandwich Islands -->  
<!-- Guatemala -->  
<!-- Guam -->  
<!-- Guinea - Bissau -->  
<!-- Guyana -->  
<!-- Hong Kong -->  
<!-- Heard Island and Mcdonald Islands -->  
<!-- Honduras -->  
<!-- Croatia -->  
<!-- Haiti -->  
<!-- Hungary -->  
<!-- Indonesia -->  
<!-- Ireland -->  
<!-- Israel -->  
<!-- India -->  
<!-- British Indian Ocean Territory -->  
<!-- Iraq -->  
<!-- Iran, Islamic Republic Of -->  
<!-- Iceland -->  
<!-- Italy -->  
<!-- Jamaica -->

<!-- Jordan -->  
<!-- Japan -->  
<!-- Kenya -->  
<!-- Kyrgyzstan -->  
<!-- Cambodia -->  
<!-- Kiribati -->  
<!-- Comoros -->  
<!-- Saint Kitts And Nevis -->  
<!-- Korea, Democratic People's Republic Of -->  
<!-- Korea, Republic Of -->  
<!-- Kuwait -->  
<!-- Cayman Islands -->  
<!-- Kazakhstan -->  
<!-- Lao People's Democratic Republic -->  
<!-- Lebanon -->  
<!-- Saint Lucia -->  
<!-- Liechtenstein -->  
<!-- Sri Lanka -->  
<!-- Liberia -->  
<!-- Lesotho -->  
<!-- Lithuania -->  
<!-- Luxembourg -->  
<!-- Latvia -->  
<!-- Libyan Arab Jamahiriya -->  
<!-- Morocco -->  
<!-- Monaco -->  
<!-- Moldova, Republic Of -->  
<!-- Madagascar -->  
<!-- Marshall Islands -->  
<!-- Macedonia, The Former Yugoslav Republic Of -->  
<!-- Mali -->  
<!-- Myanmar -->  
<!-- Mongolia -->  
<!-- Macao -->  
<!-- Northern Mariana Islands -->  
<!-- Martinique -->  
<!-- Mauritania -->  
<!-- Montserrat -->  
<!-- Malta -->  
<!-- Mauritius -->  
<!-- Maldives -->  
<!-- Malawi -->  
<!-- Mexico -->  
<!-- Malaysia -->  
<!-- Mozambique -->  
<!-- Namibia -->  
<!-- New Caledonia -->  
<!-- Niger -->  
<!-- Norfolk Island -->

<!-- Nigeria -->  
<!-- Nicaragua -->  
<!-- Netherlands -->  
<!-- Norway -->  
<!-- Nepal -->  
<!-- Nauru -->  
<!-- Niue -->  
<!-- New Zealand -->  
<!-- Oman -->  
<!-- Panama -->  
<!-- Peru -->  
<!-- French Polynesia -->  
<!-- Papua New Guinea -->  
<!-- Philippines -->  
<!-- Pakistan -->  
<!-- Poland -->  
<!-- Saint Pierre And Miquelon -->  
<!-- Pitcairn -->  
<!-- Puerto Rico -->  
<!-- Palestinian Territory, Occupied -->  
<!-- Portugal -->  
<!-- Palau -->  
<!-- Paraguay -->  
<!-- Qatar -->  
<!-- Reunion -->  
<!-- Romania -->  
<!-- Russian Federation -->  
<!-- Rwanda -->  
<!-- Saudi Arabia -->  
<!-- Solomon Islands -->  
<!-- Seychelles -->  
<!-- Sudan -->  
<!-- Sweden -->  
<!-- Singapore -->  
<!-- Saint Helena -->  
<!-- Slovenia -->  
<!-- Svalbard And Jan Mayen -->  
<!-- Slovakia -->  
<!-- Sierra Leone -->  
<!-- San Marino -->  
<!-- Senegal -->  
<!-- Somalia -->  
<!-- Suriname -->  
<!-- Sao Tome And Principe -->  
<!-- El Salvador -->  
<!-- Syrian Arab Republic -->  
<!-- Swaziland -->  
<!-- Turks And Caicos Islands -->  
<!-- Chad -->

	<pre> &lt;!-- French Southern Territories --&gt; &lt;!-- Togo --&gt; &lt;!-- Thailand --&gt; &lt;!-- Tajikistan --&gt; &lt;!-- Tokelau --&gt; &lt;!-- Timor - Leste --&gt; &lt;!-- Turkmenistan --&gt; &lt;!-- Tunisia --&gt; &lt;!-- Tonga --&gt; &lt;!-- Turkey --&gt; &lt;!-- Trinidad And Tobago --&gt; &lt;!-- Tuvalu --&gt; &lt;!-- Taiwan, Province Of China --&gt; &lt;!-- Tanzania, United Republic Of --&gt; &lt;!-- Ukraine --&gt; &lt;!-- Uganda --&gt; &lt;!-- United States Minor Outlying Islands --&gt; &lt;!-- Uruguay --&gt; &lt;!-- Uzbekistan --&gt; &lt;!-- Holy See (Vatican City State) --&gt; &lt;!-- Saint Vincent And The Grenadines --&gt; &lt;!-- Venezuela --&gt; &lt;!-- Virgin Islands, British --&gt; &lt;!-- Virgin Islands, U.S. --&gt; &lt;!-- Viet Nam --&gt; &lt;!-- Vanuatu --&gt; &lt;!-- Wallis And Futuna --&gt; &lt;!-- Samoa --&gt; &lt;!-- Yemen --&gt; &lt;!-- Mayotte --&gt; &lt;!-- South Africa --&gt; &lt;!-- Zambia --&gt; &lt;!-- Zimbabwe --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	--

simpleType **CourseCreditType**

namespace	urn:us:tx:state:tea:TREx:v1.34
type	restriction of <b>xs:decimal</b>
properties	base xs:decimal
used by	element <a href="#">CourseType/CourseCredit</a>
facets	Kind Value Annotation

	totalDigits 2 fractionDigits 1
source	<pre>&lt;xs:simpleType name="CourseCreditType"&gt;   &lt;xs:restriction base="xs:decimal"&gt;     &lt;xs:totalDigits value="2"/&gt;     &lt;xs:fractionDigits value="1"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>

### simpleType CourseExplanationType

namespace	urn:us:tx:state:tea:TREx:v1.34																																																			
type	restriction of <b>xs:token</b>																																																			
properties	base xs:token																																																			
used by	element <a href="#">CourseType/Explanation</a>																																																			
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>D</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>G</td><td></td></tr> <tr><td>enumeration</td><td>H</td><td></td></tr> <tr><td>enumeration</td><td>I</td><td></td></tr> <tr><td>enumeration</td><td>J</td><td></td></tr> <tr><td>enumeration</td><td>K</td><td></td></tr> <tr><td>enumeration</td><td>L</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>P</td><td></td></tr> <tr><td>enumeration</td><td>Q</td><td></td></tr> <tr><td>enumeration</td><td>R</td><td></td></tr> <tr><td>enumeration</td><td>T</td><td></td></tr> <tr><td>enumeration</td><td>V</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	C		enumeration	D		enumeration	E		enumeration	G		enumeration	H		enumeration	I		enumeration	J		enumeration	K		enumeration	L		enumeration	M		enumeration	P		enumeration	Q		enumeration	R		enumeration	T		enumeration	V	
Kind	Value	Annotation																																																		
enumeration	A																																																			
enumeration	C																																																			
enumeration	D																																																			
enumeration	E																																																			
enumeration	G																																																			
enumeration	H																																																			
enumeration	I																																																			
enumeration	J																																																			
enumeration	K																																																			
enumeration	L																																																			
enumeration	M																																																			
enumeration	P																																																			
enumeration	Q																																																			
enumeration	R																																																			
enumeration	T																																																			
enumeration	V																																																			



	<p>enumeration X</p> <p>enumeration Z</p> <p>enumeration 1</p> <p>enumeration 2</p> <p>enumeration 3</p> <p>enumeration 4</p> <p>enumeration 5</p> <p>enumeration 7</p> <p>enumeration 8</p> <p>enumeration 9</p> <p>enumeration 10</p>
source	<pre> &lt;xs:simpleType name="CourseExplanationType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="A"/&gt;     &lt;xs:enumeration value="C"/&gt;     &lt;xs:enumeration value="D"/&gt;     &lt;xs:enumeration value="E"/&gt;     &lt;xs:enumeration value="G"/&gt;     &lt;xs:enumeration value="H"/&gt;     &lt;xs:enumeration value="I"/&gt;     &lt;xs:enumeration value="J"/&gt;     &lt;xs:enumeration value="K"/&gt;     &lt;xs:enumeration value="L"/&gt;     &lt;xs:enumeration value="M"/&gt;     &lt;xs:enumeration value="P"/&gt;     &lt;xs:enumeration value="Q"/&gt;     &lt;xs:enumeration value="R"/&gt;     &lt;xs:enumeration value="T"/&gt;     &lt;xs:enumeration value="V"/&gt;     &lt;xs:enumeration value="X"/&gt;     &lt;xs:enumeration value="Z"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="4"/&gt;     &lt;xs:enumeration value="5"/&gt;     &lt;xs:enumeration value="7"/&gt;     &lt;xs:enumeration value="8"/&gt;     &lt;xs:enumeration value="9"/&gt;     &lt;xs:enumeration value="10"/&gt;     &lt;!-- A high school course for which college credit will be awarded by a college under the conditions of a local articulation agreement or the </pre>

statewide Advanced Technical Credit Program agreement. Colleges agreeing to award credit under the conditions of a local agreement or under a Tech Prep program agreement must be named. -->

- <!-- A course taken by correspondence from an approved institution of higher education (19 TAC 74.23). -->
- <!-- A college course for taken dual credit (19 TAC 74.25). -->
- <!-- A course for which credit is awarded by examination in an academic subject in which the student has had no prior instruction (Credit by Exam) (TAC §74.24(c)(1)). -->
- <!-- A gifted/talented course. -->
- <!-- An honors course. (Note: This refers to locally-approved honors courses.) -->
- <!-- An International Baccalaureate course. -->
- <!-- A high school course completed prior to grade 9 (19 TAC 74.26). -->
- <!-- A pre-International Baccalaureate course. -->
- <!-- A local-credit course taken for local credit only. (Note: Local credit is not counted toward state graduation requirements unless the course is required by an ARD Committee for students receiving special education services who entered grade nine prior to the 2011-2012 school year.) -->
- <!-- A magnet course. -->
- <!-- A College Board Advanced Placement (AP) course. -->
- <!-- A pre-Advanced Placement course -->
- <!-- A course completed in summer school, night school, or other instructional arrangement outside the regular school year and/or day. -->
- <!-- A course for which credit is awarded by examination in an academic subject in which the student has had some prior formal instruction (TAC §74.24(c)(3)). -->
- <!-- A state-approved course in which content as described by the TEKS has been modified as a result of an ARD Committee decision. This code is used only for students receiving special education services to indicate modifications in TEKS course content. -->
- <!-- An innovative course approved for state graduation elective credit by the State Board of Education or the Commissioner of Education (19 TAC 74.27). -->
- <!-- A course taken by distance learning including but not limited to the Texas Virtual School Network (TXVSN) television instruction, electronic transmission, or satellite broadcast (19 TAC 74.23) -->
- <!-- A course for which a physical education credit or waiver is awarded through a substitution allowed by 19 TAC 74. -->
- <!-- A course that is part of a coherent sequence of career and technical education (CTE) courses (19 TAC 74.3(b)(2)(G)). -->
- <!-- A course for which credit is awarded based on the district's evaluation of the student's records from a school that operates outside the Texas public or charter school system (i.e., home schools, private schools, out of state schools, etc.) (TAC 74.26(A)(2)) -->
- <!-- A Career & Technical Education course that satisfies a specific graduation requirement as allowed by 19 TAC 74. -->

	<pre> &lt;!-- Course Grade Average or Final Grade Average includes STAAR EOC results --&gt; &lt;!-- A TEKS-based course that includes 100 minutes of moderate to vigorous physical activity per five-day school week taken to satisfy the physical education requirement on the Foundation High School Program (19 TAC 74.12(b)(6)(B)). --&gt; &lt;!-- A course other than a languages other than English (LOTE) course taken to satisfy the LOTE requirement on the Foundation High School Program (19 TAC 74.12(b)(5)(B) or (D)). --&gt; &lt;!-- A course taken by a student with written permission from the student's parent/guardian to satisfy the fourth science requirement for the arts and humanities endorsement on the Foundation High School Program (19 TAC 74.13(e)(5)(EE)). --&gt; &lt;!-- A course taken as a part of a Foundation High School Program endorsement. --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	---

simpleType **CourseGradeType**

namespace	urn:us:tx:state:tea:TREx:v1.34									
type	restriction of <b>xs:token</b>									
properties	base <b>xs:token</b>									
used by	elements <a href="#">CourseType/CourseGrade</a> <a href="#">CourseType/FinalGradeAverage</a> <a href="#">CourseType/GradeAverage</a>									
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	10	
Kind	Value	Annotation								
minLength	1									
maxLength	10									
source	<pre> &lt;xs:simpleType name="CourseGradeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="10"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>									

simpleType **CourseIDType**

namespace	urn:us:tx:state:tea:TREx:v1.34
type	restriction of <b>xs:token</b>

properties	base xs:token
used by	element <a href="#">CourseType/CourseID</a>
facets	Kind Value Annotation minLength 1 maxLength 64
source	<pre>&lt;xs:simpleType name="CourseIDType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="64"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>

### simpleType **CourseTeacherType**

namespace	urn:us:tx:state:tea:TREx:v1.34
type	restriction of <b>xs:token</b>
properties	base xs:token
used by	element <a href="#">CourseType/CourseTeacher</a>
facets	Kind Value Annotation minLength 1 maxLength 40
source	<pre>&lt;xs:simpleType name="CourseTeacherType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="40"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>

### simpleType **CourseTitleType**

namespace	urn:us:tx:state:tea:TREx:v1.34
type	restriction of <b>xs:token</b>
properties	base xs:token
used by	element <a href="#">CourseType/CourseTitle</a>

facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>100</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	100	
Kind	Value	Annotation								
minLength	1									
maxLength	100									
source	<pre>&lt;xs:simpleType name="CourseTitleType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="100"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>									

### simpleType **CrisisCodeCodeType**

namespace	urn:us:tx:state:tea:TREx:v1.34																																																
type	restriction of <b>xs:token</b>																																																
properties	base xs:token																																																
used by	element <a href="#">CrisisCodeType/CrisisCodeCode</a>																																																
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>00</td><td></td></tr> <tr><td>enumeration</td><td>1A</td><td></td></tr> <tr><td>enumeration</td><td>1B</td><td></td></tr> <tr><td>enumeration</td><td>1C</td><td></td></tr> <tr><td>enumeration</td><td>2A</td><td></td></tr> <tr><td>enumeration</td><td>2B</td><td></td></tr> <tr><td>enumeration</td><td>2C</td><td></td></tr> <tr><td>enumeration</td><td>7A</td><td></td></tr> <tr><td>enumeration</td><td>7B</td><td></td></tr> <tr><td>enumeration</td><td>7C</td><td></td></tr> <tr><td>enumeration</td><td>7D</td><td></td></tr> <tr><td>enumeration</td><td>7E</td><td></td></tr> <tr><td>enumeration</td><td>7F</td><td></td></tr> <tr><td>enumeration</td><td>7G</td><td></td></tr> <tr><td>enumeration</td><td>7H</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	00		enumeration	1A		enumeration	1B		enumeration	1C		enumeration	2A		enumeration	2B		enumeration	2C		enumeration	7A		enumeration	7B		enumeration	7C		enumeration	7D		enumeration	7E		enumeration	7F		enumeration	7G		enumeration	7H	
Kind	Value	Annotation																																															
enumeration	00																																																
enumeration	1A																																																
enumeration	1B																																																
enumeration	1C																																																
enumeration	2A																																																
enumeration	2B																																																
enumeration	2C																																																
enumeration	7A																																																
enumeration	7B																																																
enumeration	7C																																																
enumeration	7D																																																
enumeration	7E																																																
enumeration	7F																																																
enumeration	7G																																																
enumeration	7H																																																

	enumeration 7I enumeration 8A enumeration 8B enumeration 8C enumeration 9A enumeration 9B enumeration 9C enumeration 10A enumeration 10B
source	<pre> &lt;xs:simpleType name="CrisisCodeCodeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="00"/&gt;     &lt;xs:enumeration value="1A"/&gt;     &lt;xs:enumeration value="1B"/&gt;     &lt;xs:enumeration value="1C"/&gt;     &lt;xs:enumeration value="2A"/&gt;     &lt;xs:enumeration value="2B"/&gt;     &lt;xs:enumeration value="2C"/&gt;     &lt;xs:enumeration value="7A"/&gt;     &lt;xs:enumeration value="7B"/&gt;     &lt;xs:enumeration value="7C"/&gt;     &lt;xs:enumeration value="7D"/&gt;     &lt;xs:enumeration value="7E"/&gt;     &lt;xs:enumeration value="7F"/&gt;     &lt;xs:enumeration value="7G"/&gt;     &lt;xs:enumeration value="7H"/&gt;     &lt;xs:enumeration value="7I"/&gt;     &lt;xs:enumeration value="8A"/&gt;     &lt;xs:enumeration value="8B"/&gt;     &lt;xs:enumeration value="8C"/&gt;     &lt;xs:enumeration value="9A"/&gt;     &lt;xs:enumeration value="9B"/&gt;     &lt;xs:enumeration value="9C"/&gt;     &lt;xs:enumeration value="10A"/&gt;     &lt;xs:enumeration value="10B"/&gt;     &lt;!-- COVID-19: Student was not affected by a health or weather related crisis --&gt;     &lt;!-- COVID-19: On January 29, 2021 student is being instructed on- campus --&gt;     &lt;!-- COVID-19: On January 29, 2021 student is being instructed through the remote synchronous method --&gt;     &lt;!-- COVID-19: On January 29, 2021 student is being instructed through the remote asynchronous method --&gt; </pre>

	<pre> &lt;!-- COVID-19: On March 31, 2021 student is being instructed on- campus --&gt; &lt;!-- COVID-19: On March 31, 2021 student is being instructed through the remote synchronous method --&gt; &lt;!-- COVID-19: On March 31, 2021 student is being instructed through the remote asynchronous method --&gt; &lt;!-- COVID-19: Engaged for the majority of the time period --&gt; &lt;!-- COVID-19: Not contactable for the entire time period --&gt; &lt;!-- COVID-19: Not contactable prior to May 1st; Contact made May 1st or after but not engaged through end of the school year --&gt; &lt;!-- COVID-19: Not contactable prior to May 1st; Contact made May 1st or after and engaged through end of the school year --&gt; &lt;!-- COVID-19: Contactable but not engaged for the majority of the time period --&gt; &lt;!-- COVID-19: Contactable but not engaged prior to May 1st; Not contactable May 1st or after --&gt; &lt;!-- COVID-19: Contactable but not engaged prior to May 1st; Engaged May 1st or after through end of the school year --&gt; &lt;!-- COVID-19: Engaged prior to May 1st; Not contactable May 1st through end of the school year --&gt; &lt;!-- COVID-19: Engaged prior to May 1st; Not engaged May 1st through end of the school year --&gt; &lt;!-- COVID-19: On September 28, 2020 student is being instructed on- campus --&gt; &lt;!-- COVID-19: On September 28, 2020 student is being instructed through the remote synchronous method --&gt; &lt;!-- COVID-19: On September 28, 2020 student is being instructed through the remote asynchronous method --&gt; &lt;!-- COVID-19: On October 30, 2020 student is being instructed on- campus --&gt; &lt;!-- COVID-19: On October 30, 2020 student is being instructed through the remote synchronous method --&gt; &lt;!-- COVID-19: On October 30, 2020 student is being instructed through the remote asynchronous method --&gt; &lt;!-- Student Was Enrolled, Not In Membership Due To Virtual Learning On January 14, 2022 --&gt; &lt;!-- Student Was Enrolled, Not In Membership Due To Virtual Learning On May 13, 2022 --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	---

simpleType **DaysType**

namespace	urn:us:tx:state:tea:TREx:v1.34
type	restriction of <b>xs:decimal</b>

properties	base xs:decimal									
used by	elements <a href="#">AttendanceType/DaysAbsent</a> <a href="#">AttendanceType/DaysAttended</a> <a href="#">AttendanceType/PriorDaysAbsent</a> <a href="#">AttendanceType/PriorDaysAttended</a> <a href="#">AttendanceType/PriorRADaysAttended</a> <a href="#">AttendanceType/PriorRSDaysAttended</a> <a href="#">AttendanceType/RADaysAttended</a> <a href="#">AttendanceType/RSDaysAttended</a>									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>4</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	4		fractionDigits	1	
Kind	Value	Annotation								
totalDigits	4									
fractionDigits	1									
source	<pre>&lt;xs:simpleType name="DaysType"&gt;   &lt;xs:restriction base="xs:decimal"&gt;     &lt;xs:totalDigits value="4"/&gt;     &lt;xs:fractionDigits value="1"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>									

### simpleType **DisciplineActionCodeType**

namespace	urn:us:tx:state:tea:TREx:v1.34																																							
type	restriction of <b>xs:token</b>																																							
properties	base xs:token																																							
used by	element <a href="#">DisciplineActionType/DisciplineActionCode</a>																																							
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>02</td><td></td></tr> <tr><td>enumeration</td><td>03</td><td></td></tr> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> <tr><td>enumeration</td><td>09</td><td></td></tr> <tr><td>enumeration</td><td>10</td><td></td></tr> <tr><td>enumeration</td><td>11</td><td></td></tr> <tr><td>enumeration</td><td>12</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12	
Kind	Value	Annotation																																						
enumeration	01																																							
enumeration	02																																							
enumeration	03																																							
enumeration	04																																							
enumeration	05																																							
enumeration	06																																							
enumeration	07																																							
enumeration	08																																							
enumeration	09																																							
enumeration	10																																							
enumeration	11																																							
enumeration	12																																							



	enumeration 13 enumeration 14 enumeration 15 enumeration 25 enumeration 26 enumeration 27 enumeration 28 enumeration 50 enumeration 51 enumeration 52 enumeration 53 enumeration 54 enumeration 55 enumeration 56 enumeration 57 enumeration 58 enumeration 59 enumeration 60 enumeration 61
source	<pre> &lt;xs:simpleType name="DisciplineActionCodeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="01"/&gt;     &lt;xs:enumeration value="02"/&gt;     &lt;xs:enumeration value="03"/&gt;     &lt;xs:enumeration value="04"/&gt;     &lt;xs:enumeration value="05"/&gt;     &lt;xs:enumeration value="06"/&gt;     &lt;xs:enumeration value="07"/&gt;     &lt;xs:enumeration value="08"/&gt;     &lt;xs:enumeration value="09"/&gt;     &lt;xs:enumeration value="10"/&gt;     &lt;xs:enumeration value="11"/&gt;     &lt;xs:enumeration value="12"/&gt;     &lt;xs:enumeration value="13"/&gt;     &lt;xs:enumeration value="14"/&gt;     &lt;xs:enumeration value="15"/&gt;     &lt;xs:enumeration value="25"/&gt; </pre>

	<pre> &lt;xs:enumeration value="26"/&gt; &lt;xs:enumeration value="27"/&gt; &lt;xs:enumeration value="28"/&gt; &lt;xs:enumeration value="50"/&gt; &lt;xs:enumeration value="51"/&gt; &lt;xs:enumeration value="52"/&gt; &lt;xs:enumeration value="53"/&gt; &lt;xs:enumeration value="54"/&gt; &lt;xs:enumeration value="55"/&gt; &lt;xs:enumeration value="56"/&gt; &lt;xs:enumeration value="57"/&gt; &lt;xs:enumeration value="58"/&gt; &lt;xs:enumeration value="59"/&gt; &lt;xs:enumeration value="60"/&gt; &lt;xs:enumeration value="61"/&gt; &lt;!-- Expulsion (TEC 37.007) without placement in another educational setting as a result of a formal expulsion hearing [TEC 37.009(f)]. (This code does not apply if a student continues to receive educational services during the term of expulsion.) --&gt; &lt;!-- Expulsion (TEC 37.007) with placement in a juvenile justice alternative education program (JJAEP) as a result of a formal expulsion hearing [TEC 37.009(f)]. --&gt; &lt;!-- Expulsion (TEC 37.007) with placement in an on-campus disciplinary alternative education program (DAEP) as a result of a formal expulsion hearing [TEC 37.009(f)]. (Do not use this code when a student has been placed in a DAEP, but not expelled.) --&gt; &lt;!-- Expulsion (TEC 37.007) with placement in an off-campus DAEP as a result of a formal expulsion hearing [TEC 37.009(f)]. (Do not use this code when a student has been placed in a DAEP, but not expelled.) --&gt; &lt;!-- Out-of-school suspension (Suspension may not exceed three days under TEC 37.005.) --&gt; &lt;!-- In-school suspension (For students eligible for special education and related services, this includes any setting that has not been addressed by an admission, review, and dismissal committee within the placement determination of the student's current IEP.) (Suspension may not exceed three days under TEC 37.005.) --&gt; &lt;!-- Placement in an on-campus or off-campus DAEP (TEC 37.008) as a result of a conference [TEC 37.009(a)], rather than a formal hearing as required for expulsion. --&gt; &lt;!-- Continuation of other district's DAEP placement --&gt; &lt;!-- Continuation of other district's expulsion order --&gt; &lt;!-- Continuation of the district's DAEP placement from the prior school year --&gt; &lt;!-- Continuation of the district's expulsion order from the prior school year --&gt; &lt;!-- Continuation of the district's expulsion with placement to JJAEP from the prior school year --&gt; &lt;!-- Placement in a JJAEP by Court order --&gt; &lt;!-- Placement in a DAEP by Court order --&gt; </pre>
--	---

```

<!-- Continuation of other district's expulsion with placement to
JJAEP -->
<!-- Partial day Out-of-School Suspension -->
<!-- Partial day In-School Suspension -->
<!-- Mandatory disciplinary action not taken by district as a result
of ARD committee manifestation hearing determination, made in accordance
with IDEA for a student receiving special education services, that the
student's behavior is linked to the student's disability. -->
<!-- Mandatory disciplinary action not taken - (TEC 37.001(a)(4) -
The mandatory disciplinary action was not taken because the district's
Student Code of Conduct includes one or more of the TEC, 37.001(a)(4)
provisions that allows the district to consider self defense, intent or
lack of intent, student's disciplinary history, or disability that
substantially impairs the student's capacity to appreciate the
wrongfulness of the student's conduct as a factor in a decision to order
suspension, removal to a disciplinary alternative education program, or
expulsion. -->
<!-- Expulsion without placement in another educational setting as a
result of a determination by a special education hearing officer (not a
hearing officer employed or appointed by the district) -->
<!-- Expulsion with placement to a JJAEP as a result of a
determination by a special education hearing officer (not a hearing
officer employed or appointed by the district) -->
<!-- Expulsion with placement to an on-campus DAEP as a result of a
determination by a special education hearing officer -->
<!-- Expulsion with placement to an off-campus DAEP as a result of a
determination by a special education hearing officer -->
<!-- Placement in an alternative education program established under
TEC, 37.008 as a result of a determination by a special education hearing
officer -->
<!-- Continuation of other district's DAEP placement as a result by a
special education determination of a hearing officer -->
<!-- Continuation of other district's expulsion order as a result by
a special education determination of a hearing officer -->
<!-- Continuation of the district's DAEP placement from the prior
school year as a result of a determination by a special education hearing
officer -->
<!-- Continuation of the district's expulsion order from the prior
school year as a result of a determination by a special education hearing
officer -->
<!-- Continuation of the district's expulsion with placement to JJAEP
from the prior school year as a result of a determination by a special
education hearing officer -->
<!-- Placement in a JJAEP as a result of a determination by a special
education hearing officer -->
<!-- Continuation of other district's expulsion with placement to
JJAEP as a result of a determination by a special education hearing
officer -->
</xs:restriction>

```

	</xs:simpleType>
--	------------------

simpleType **DisciplineActionNumType**

namespace	urn:us:tx:state:tea:TREx:v1.34						
type	restriction of <b>xs:integer</b>						
properties	base xs:integer						
used by	element <a href="#">DisciplineActionType/DisciplineActionNum</a>						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>3</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	3	
Kind	Value	Annotation					
totalDigits	3						
source	<pre>&lt;xs:simpleType name="DisciplineActionNumType"&gt;   &lt;xs:restriction base="xs:integer"&gt;     &lt;xs:totalDigits value="3"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>						

simpleType **DisciplineActionReasonType**

namespace	urn:us:tx:state:tea:TREx:v1.34																														
type	restriction of <b>xs:token</b>																														
properties	base xs:token																														
used by	element <a href="#">DisciplineActionType/DisciplineActionReason</a>																														
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>02</td><td></td></tr> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> <tr><td>enumeration</td><td>09</td><td></td></tr> <tr><td>enumeration</td><td>10</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10	
Kind	Value	Annotation																													
enumeration	01																														
enumeration	02																														
enumeration	04																														
enumeration	05																														
enumeration	06																														
enumeration	07																														
enumeration	08																														
enumeration	09																														
enumeration	10																														

enumeration	11	
enumeration	12	
enumeration	13	
enumeration	14	
enumeration	16	
enumeration	17	
enumeration	18	
enumeration	19	
enumeration	20	
enumeration	21	
enumeration	22	
enumeration	23	
enumeration	26	
enumeration	27	
enumeration	28	
enumeration	29	
enumeration	30	
enumeration	31	
enumeration	32	
enumeration	33	documentation Deprecated
enumeration	34	documentation Deprecated
enumeration	35	
enumeration	36	
enumeration	37	
enumeration	41	
enumeration	46	
enumeration	47	
enumeration	48	
enumeration	49	

	<p>enumeration 50 documentation Deprecated</p> <p>enumeration 51</p> <p>enumeration 52</p> <p>enumeration 53</p> <p>enumeration 54</p> <p>enumeration 55</p> <p>enumeration 56</p> <p>enumeration 57</p> <p>enumeration 58</p> <p>enumeration 59</p> <p>enumeration 60</p> <p>enumeration 61</p>
source	<pre> &lt;xs:simpleType name="DisciplineActionReasonType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="01"/&gt;     &lt;xs:enumeration value="02"/&gt;     &lt;xs:enumeration value="04"/&gt;     &lt;xs:enumeration value="05"/&gt;     &lt;xs:enumeration value="06"/&gt;     &lt;xs:enumeration value="07"/&gt;     &lt;xs:enumeration value="08"/&gt;     &lt;xs:enumeration value="09"/&gt;     &lt;xs:enumeration value="10"/&gt;     &lt;xs:enumeration value="11"/&gt;     &lt;xs:enumeration value="12"/&gt;     &lt;xs:enumeration value="13"/&gt;     &lt;xs:enumeration value="14"/&gt;     &lt;xs:enumeration value="16"/&gt;     &lt;xs:enumeration value="17"/&gt;     &lt;xs:enumeration value="18"/&gt;     &lt;xs:enumeration value="19"/&gt;     &lt;xs:enumeration value="20"/&gt;     &lt;xs:enumeration value="21"/&gt;     &lt;xs:enumeration value="22"/&gt;     &lt;xs:enumeration value="23"/&gt;     &lt;xs:enumeration value="26"/&gt;     &lt;xs:enumeration value="27"/&gt;     &lt;xs:enumeration value="28"/&gt;     &lt;xs:enumeration value="29"/&gt;     &lt;xs:enumeration value="30"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>

```

<xs:enumeration value="31"/>
<xs:enumeration value="32"/>
<xs:enumeration value="33">
  <xs:annotation>
    <xs:documentation>Deprecated</xs:documentation>
  </xs:annotation>
  <!-- Deleted from PEIMS in 2019-2020, valid for TReX for records
prior to 2019-2020 school year -->
</xs:enumeration>
<xs:enumeration value="34">
  <xs:annotation>
    <xs:documentation>Deprecated</xs:documentation>
  </xs:annotation>
  <!-- Deleted from PEIMS in 2019-2020, valid for TReX for records
prior to 2019-2020 school year -->
</xs:enumeration>
<xs:enumeration value="35"/>
<xs:enumeration value="36"/>
<xs:enumeration value="37"/>
<xs:enumeration value="41"/>
<xs:enumeration value="46"/>
<xs:enumeration value="47"/>
<xs:enumeration value="48"/>
<xs:enumeration value="49"/>
<xs:enumeration value="50">
  <xs:annotation>
    <xs:documentation>Deprecated</xs:documentation>
  </xs:annotation>
  <!-- Used, exhibited, or possessed a non-illegal knife as defined
by student code of conduct and as allowed under TEC 37.007. (Knife blade
equal to or less than 5.5 inches.) -->
</xs:enumeration>
<xs:enumeration value="51"/>
<xs:enumeration value="52"/>
<xs:enumeration value="53"/>
<xs:enumeration value="54"/>
<xs:enumeration value="55"/>
<xs:enumeration value="56"/>
<xs:enumeration value="57"/>
<xs:enumeration value="58"/>
<xs:enumeration value="59"/>
<xs:enumeration value="60"/>
<xs:enumeration value="61"/>
  <!-- Permanent Removal by a Teacher from Class (Teacher has removed
the student from classroom and denied the student the right to return.
TEC 37.003 has been invoked.) -->
  <!-- Conduct punishable as a felony - TEC 37.006(a)(2)(A) -->
  <!-- Possessed, sold, used, or was under the influence of marihuana
or other controlled substance TEC 37.006(a)(2)(C) and 37.007(b) -->

```

<!-- Possessed, sold, used, or was under the influence of an alcoholic beverage -->  
 <!-- Abuse of a volatile chemical - TEC 37.006(a)(2)(E) -->  
 <!-- Public lewdness or indecent exposure - TEC 37.006(a)(2)(F) -->  
 <!-- Retaliation against school employee - TEC 37.006(b) and 37.007(d) -->  
 <!-- Based on conduct occurring off campus and while the student is not in attendance at a school-sponsored or school-related activity for felony offenses in Title 5, Penal Code - TEC 37.006(c), TEC 37.007(b)(4), and TEC 37.0081. -->  
 <!-- Based on conduct occurring off campus and while the student is not in attendance at a school-sponsored or school-related activity for felony offenses not in Title 5, Penal Code -->  
 <!-- Brought a Firearm to School - TEC 37.007(e) or Unlawful Carrying of a Handgun under Penal Code 46.02 - TEC 37.007(a)(1) -->  
 <!-- Unlawful Carrying of a Location-Restricted Knife under Penal Code 46.02 - TEC 37.007(a)(1) (Illegal knife - blade longer than 5.5 inches) -->  
 <!-- Unlawful Carrying of a Club under Penal Code 46.02 - TEC 37.007(a)(1) -->  
 <!-- Conduct Containing the Elements of an Offense Relating to Prohibited Weapons Under Penal Code 46.05 - TEC 37.007(a)(1) -->  
 <!-- Arson - TEC 37.007(a)(2)(B) -->  
 <!-- Murder, capital murder, criminal attempt to commit murder, or capital murder - -->  
 <!-- Indecency with a child - TEC 37.007(a)(2)(D) -->  
 <!-- Aggravated kidnapping - TEC 37.007(a)(2)(E) -->  
 <!-- Serious or persistent misconduct violating the student code of conduct while placed in a disciplinary alternative education program - TEC 37.007(c) -->  
 <!-- Violation of student code of conduct not included under TEC 37.002(b), 37.006 or 37.007 -->  
 <!-- Criminal mischief - TEC 37.007(f) -->  
 <!-- Emergency Placement/expulsion - TEC 37.019 -->  
 <!-- Terroristic threat - TEC 37.006(a)(1) and TEC 37.007(b) -->  
 <!-- Assault under Penal Code 22.01(a)(1) against a school district employee or volunteer - -->  
 <!-- Assault under Penal Code 22.01(a)(1) against someone other than a school district employee or volunteer - TEC 37.006(a)(2)(B) -->  
 <!-- Aggravated assault under Penal Code 22.02 against a school district employee or volunteer-TEC 37.007(d) -->  
 <!-- Aggravated assault under Penal Code 22.02 against someone other than a school district employee or volunteer - TEC 37.007 (a)(2)(A) -->  
 <!-- Sexual assault under Penal Code 22.011 or aggravated sexual assault under Penal Code 22.021 against a school district employee or volunteer - TEC 37.007(d) -->  
 <!-- Sexual assault under Penal Code 22.011 or aggravated sexual assault under Penal Code 22.021 against someone other than a school district employee or volunteer - -->



<!-- False alarm/false report - TEC 37.006(a)(1) and 37.007(b) -->  
 <!-- Felony controlled substance violation - TEC 37.007(a)(3) -->  
 <!-- Felony alcohol violation - TEC 37.007(a)(3) -->  
 <!-- Fighting/Mutual Combat - Excludes all offenses under Penal Code  
 22.01 -->  
 <!-- Aggravated robbery - TEC 37.007(a)(2)(F), TEC 37.006 (C)-(D) -->  
 <!-- Manslaughter - TEC 37.007(a)(2)(G) -->  
 <!-- Criminally negligent homicide TEC 37.007(a)(2)(H) -->  
 <!-- Engages in deadly conduct - TEC 37.007(b)(3) -->  
 <!-- Firearm (Off Campus 300 ft. Zone) Used, exhibited or possessed a  
 firearm specified in TEC 37.007(a)(1)(A) [as defined by 18 USC Section  
 921 or Penal Code 46.01(3)] off-campus but within 300 feet of school  
 property as specified in TEC 37.007(b)(3). -->  
 <!-- Illegal Knife, Club, or Prohibited Weapon (Off Campus 300 ft.  
 Zone) Used, exhibited or possessed an illegal knife, club, or prohibited  
 weapon specified in TEC 37.007(a)(1)(B-D) off campus but within 300 feet  
 of school property as specified in TEC 37.007(b)(3). -->  
 <!-- Serious Offense Conduct (Off Campus 300 ft. Zone) Engaged in  
 conduct that contains the elements of the offenses specified by TEC  
 37.007(a)(2)(A-H) occurring off-campus but within 300 feet of school  
 property. This includes criminal conduct specified in TEC 37.007(b)(3) of  
 aggravated assault, sexual assault, aggravated sexual assault, arson,  
 murder, capital murder, criminal attempted murder or capital murder,  
 indecency with a child, aggravated kidnapping, aggravated robbery,  
 manslaughter, or criminally negligent homicide. -->  
 <!-- Felony Marihuana, Controlled Substance, Dangerous Drug, or  
 Alcoholic Beverage (Off Campus 300 ft. Zone) Engages in conduct  
 punishable as a felony as specified by TEC 37.006(a)(2)(C) or (D) of  
 selling, giving, or delivering to another person, or the possession, or  
 use, or being under the influence of: marihuana, a controlled substance,  
 a dangerous drug, or alcoholic beverage; or committing a serious offense  
 while under the influence of alcohol, off-campus but within 300 feet of  
 school property. -->  
 <!-- Student is required to register as a sex offender under Chapter  
 62 of the Code of Criminal Procedure and is under court supervision - TEC  
 37.304. The offense(s) for which the student is required to register as a  
 sex offender must have occurred on or after Sept. 1, 2007. -->  
 <!-- Student is required to register as a sex offender under Chapter  
 62 of the Code of Criminal Procedure and is not under court supervision -  
 TEC 37.305. The offense(s) for which the student is required to register  
 as a sex offender must have occurred on or after Sept. 1, 2007. -->  
 <!-- Continuous sexual abuse of young child or disabled individual  
 under §21.02 Penal Code - TEC §37.007(a)(2)(I) -->  
 <!-- Breach of Computer Security - TEC 37.007 (a) (5) -->  
 <!-- Serious Misbehavior, as defined by TEC 37.007(c), while expelled  
 to/placed in a DAEP -->  
 <!-- Harassment Against an Employee of the School District under  
 Texas Penal Code 42.07(a)(1), (2), (3), or (7) - TEC 37.006(a)(2)(G) -->  
 <!-- Bullying - TEC 37.0052(b) -->

	<pre>&lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
--	---

### simpleType **DistrictIDType**

namespace	urn:us:tx:state:tea:TREx:v1.34						
type	restriction of <b>xs:token</b>						
properties	base xs:token						
used by	element <a href="#">SchoolType/DistrictID</a>						
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>([0-9]{6})</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	pattern	([0-9]{6})	
Kind	Value	Annotation					
pattern	([0-9]{6})						
source	<pre>&lt;xs:simpleType name="DistrictIDType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:pattern value="([0-9]{6})"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>						

### simpleType **DistrictNameType**

namespace	urn:us:tx:state:tea:TREx:v1.34									
type	restriction of <b>xs:token</b>									
properties	base xs:token									
used by	element <a href="#">SchoolType/DistrictName</a>									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>75</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	75	
Kind	Value	Annotation								
minLength	1									
maxLength	75									
source	<pre>&lt;xs:simpleType name="DistrictNameType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="75"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>									

### simpleType DualLanguageImmersionLanguageCode

namespace	urn:us:tx:state:tea:TREx:v1.34																																																			
type	restriction of <b>xs:token</b>																																																			
properties	base xs:token																																																			
used by	element <a href="#">DualLanguageImmersionType/ImmersionLanguage</a>																																																			
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>02</td><td></td></tr> <tr><td>enumeration</td><td>03</td><td></td></tr> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> <tr><td>enumeration</td><td>09</td><td></td></tr> <tr><td>enumeration</td><td>10</td><td></td></tr> <tr><td>enumeration</td><td>11</td><td></td></tr> <tr><td>enumeration</td><td>12</td><td></td></tr> <tr><td>enumeration</td><td>13</td><td></td></tr> <tr><td>enumeration</td><td>14</td><td></td></tr> <tr><td>enumeration</td><td>15</td><td></td></tr> <tr><td>enumeration</td><td>16</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14		enumeration	15		enumeration	16	
Kind	Value	Annotation																																																		
enumeration	01																																																			
enumeration	02																																																			
enumeration	03																																																			
enumeration	04																																																			
enumeration	05																																																			
enumeration	06																																																			
enumeration	07																																																			
enumeration	08																																																			
enumeration	09																																																			
enumeration	10																																																			
enumeration	11																																																			
enumeration	12																																																			
enumeration	13																																																			
enumeration	14																																																			
enumeration	15																																																			
enumeration	16																																																			
source	<pre>&lt;xs:simpleType name="DualLanguageImmersionLanguageCode"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="01"/&gt;     &lt;xs:enumeration value="02"/&gt;     &lt;xs:enumeration value="03"/&gt;     &lt;xs:enumeration value="04"/&gt;     &lt;xs:enumeration value="05"/&gt;     &lt;xs:enumeration value="06"/&gt;     &lt;xs:enumeration value="07"/&gt;     &lt;xs:enumeration value="08"/&gt;     &lt;xs:enumeration value="09"/&gt;     &lt;xs:enumeration value="10"/&gt;     &lt;xs:enumeration value="11"/&gt;     &lt;xs:enumeration value="12"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>																																																			

	<pre> &lt;xs:enumeration value="13"/&gt; &lt;xs:enumeration value="14"/&gt; &lt;xs:enumeration value="15"/&gt; &lt;xs:enumeration value="16"/&gt; &lt;!-- American Sign Language --&gt; &lt;!-- Arabic --&gt; &lt;!-- Chinese --&gt; &lt;!-- French --&gt; &lt;!-- German --&gt; &lt;!-- Hindi --&gt; &lt;!-- Italian --&gt; &lt;!-- Japanese --&gt; &lt;!-- Korean --&gt; &lt;!-- Latin --&gt; &lt;!-- Portuguese --&gt; &lt;!-- Russian --&gt; &lt;!-- Spanish --&gt; &lt;!-- Turkish --&gt; &lt;!-- Urdu --&gt; &lt;!-- Vietnamese --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	--

### simpleType **DualLanguageImmersionYearCode**

namespace	urn:us:tx:state:tea:TREx:v1.34																					
type	restriction of <b>xs:token</b>																					
properties	base xs:token																					
used by	element <a href="#">DualLanguageImmersionType/ImmersionYear</a>																					
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>00</td> <td></td> </tr> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> <tr> <td>enumeration</td> <td>03</td> <td></td> </tr> <tr> <td>enumeration</td> <td>04</td> <td></td> </tr> <tr> <td>enumeration</td> <td>05</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05	
Kind	Value	Annotation																				
enumeration	00																					
enumeration	01																					
enumeration	02																					
enumeration	03																					
enumeration	04																					
enumeration	05																					
source	<pre> &lt;xs:simpleType name="DualLanguageImmersionYearCode"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="00"/&gt;     &lt;xs:enumeration value="01"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>																					

	<pre> &lt;xs:enumeration value="02"/&gt; &lt;xs:enumeration value="03"/&gt; &lt;xs:enumeration value="04"/&gt; &lt;xs:enumeration value="05"/&gt; &lt;!-- Not in a Dual Language Immersion Program --&gt; &lt;!-- First Year in a Dual Language Immersion Program --&gt; &lt;!-- Second Year in a Dual Language Immersion Program --&gt; &lt;!-- Third Year in a Dual Language Immersion Program --&gt; &lt;!-- Fourth Year in a Dual Language Immersion Program --&gt; &lt;!-- Fifth Year in a Dual Language Immersion Program --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	--

simpleType **DyslexiaRiskCodeType**

namespace	urn:us:tx:state:tea:TREx:v1.34												
type	restriction of <b>xs:token</b>												
properties	base xs:token												
used by	element <a href="#">StudentDemographicType/DyslexiaRiskCode</a>												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> <tr> <td>enumeration</td> <td>03</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03	
Kind	Value	Annotation											
enumeration	01												
enumeration	02												
enumeration	03												
source	<pre> &lt;xs:simpleType name="DyslexiaRiskCodeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="01"/&gt;     &lt;xs:enumeration value="02"/&gt;     &lt;xs:enumeration value="03"/&gt;     &lt;!-- Screened and determined to be not at risk for dyslexia or related disorders --&gt;     &lt;!-- Screened and determined to be at risk for dyslexia or related disorders --&gt;     &lt;!-- Not screened for dyslexia or related disorders --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>												

simpleType **EconomicDisadvantagedType**

namespace	urn:us:tx:state:tea:TREx:v1.34
-----------	--------------------------------

type	restriction of <b>xs:token</b>															
properties	base xs:token															
used by	element <a href="#">SpecialProgramsType/EconomicDisadvantaged</a>															
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>00</td> <td></td> </tr> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> <tr> <td>enumeration</td> <td>99</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02		enumeration	99	
Kind	Value	Annotation														
enumeration	00															
enumeration	01															
enumeration	02															
enumeration	99															
source	<pre> &lt;xs:simpleType name="EconomicDisadvantagedType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="00"/&gt;     &lt;xs:enumeration value="01"/&gt;     &lt;xs:enumeration value="02"/&gt;     &lt;xs:enumeration value="99"/&gt;     &lt;!-- Not identified as economically disadvantaged. --&gt;     &lt;!-- Eligible for free meals under the National School Lunch and Child Nutrition Program. --&gt;     &lt;!-- Eligible for reduced-price meals under the National School Lunch and Child Nutrition Program. --&gt;     &lt;!-- Other economic disadvantage --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>															

### simpleType **ESLType**

namespace	urn:us:tx:state:tea:TREx:v1.34															
type	restriction of <b>xs:token</b>															
properties	base xs:token															
used by	element <a href="#">SpecialProgramsType/ESL</a>															
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3	
Kind	Value	Annotation														
enumeration	0															
enumeration	1															
enumeration	2															
enumeration	3															
source	<pre> &lt;xs:simpleType name="ESLType"&gt;   &lt;xs:restriction base="xs:token"&gt; </pre>															

	<pre> &lt;xs:enumeration value="0"/&gt; &lt;xs:enumeration value="1"/&gt; &lt;xs:enumeration value="2"/&gt; &lt;xs:enumeration value="3"/&gt; &lt;!-- Not receiving services, or condition or situation not applicable to this person or campus. --&gt; &lt;!-- Participant in program or service, or condition or situation applicable to this person or campus. --&gt; &lt;!-- English as a second language/content-based. --&gt; &lt;!-- English as a second language/pull-out. --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	---

### simpleType **EthnicityYesNoType**

namespace	urn:us:tx:state:tea:TREx:v1.34									
type	restriction of <b>xs:token</b>									
properties	base xs:token									
used by	elements <a href="#">EthnicityType/AmericanIndianAlaskaNativeCode</a> <a href="#">EthnicityType/AsianCode</a> <a href="#">EthnicityType/BlackAfricanAmericanCode</a> <a href="#">EthnicityType/HispanicLatinoCode</a> <a href="#">EthnicityType/NativeHawaiianPacificIslanderCode</a> <a href="#">EthnicityType/WhiteCode</a>									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<pre> &lt;xs:simpleType name="EthnicityYesNoType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;!-- No, not part of this ethnicity --&gt;     &lt;!-- Yes, part of this ethnicity --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>									

### simpleType **FHSP**

namespace	urn:us:tx:state:tea:TREx:v1.34
type	restriction of <b>xs:token</b>
properties	base xs:token

used by	elements <a href="#">AcademicStatusType/ArtsEndorsementCode</a> <a href="#">AcademicStatusType/BusinessEndorsementCode</a> <a href="#">AcademicStatusType/FHSPDistingIndicatorCode</a> <a href="#">AcademicStatusType/FHSPParticipationCode</a> <a href="#">AcademicStatusType/MultiStudiesEndorsementCode</a> <a href="#">AcademicStatusType/PublicServicesEndorsementCode</a> <a href="#">AcademicStatusType/STEMEndorsementCode</a>												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<pre>&lt;xs:simpleType name="FHSP"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;!-- Student is not pursuing or participating --&gt;     &lt;!-- Student is Pursuing --&gt;     &lt;!-- Student has Completed --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>												

### simpleType **FinancialAidApplicationType**

namespace	urn:us:tx:state:tea:TREx:v1.34									
type	restriction of <b>xs:token</b>									
properties	base xs:token									
used by	element <a href="#">AcademicStatusType/FinancialAidApplication</a>									
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01		enumeration	02	
Kind	Value	Annotation								
enumeration	01									
enumeration	02									
source	<pre>&lt;xs:simpleType name="FinancialAidApplicationType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="01"/&gt;     &lt;xs:enumeration value="02"/&gt;     &lt;!-- Financial application form completed. --&gt;     &lt;!-- Exception Submitted/Opt-Out. --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>									



### simpleType **FirstNameType**

namespace	urn:us:tx:state:tea:TREx:v1.34									
type	restriction of <b>xs:token</b>									
properties	base xs:token									
used by	element <a href="#">PersonNameType/FirstName</a>									
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	60	
Kind	Value	Annotation								
minLength	1									
maxLength	60									
source	<pre>&lt;xs:simpleType name="FirstNameType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="60"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>									

### simpleType **FosterCareType**

namespace	urn:us:tx:state:tea:TREx:v1.34															
type	restriction of <b>xs:token</b>															
properties	base xs:token															
used by	element <a href="#">StudentDemographicType/FosterCare</a>															
facets	<table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3	
Kind	Value	Annotation														
enumeration	0															
enumeration	1															
enumeration	2															
enumeration	3															
source	<pre>&lt;xs:simpleType name="FosterCareType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;!-- Student is not currently in the conservatorship of the Department of Family and Protective Services. --&gt;     &lt;!-- Student is currently in the conservatorship of the Department of</pre>															

	<pre> Family and Protective Services. --&gt;   &lt;!-- Pre-Kindergarten student was previously in the conservatorship of the Department of Family and Protective Services following an adversary hearing held as provided by Section 262.201, Family Code. --&gt;   &lt;!-- Pre-Kindergarten student is or ever has been in foster care in another state or territory, if the child resides in this state (Texas). TEC, §29.153(b) --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
--	---

### simpleType **GenderType**

namespace	urn:us:tx:state:tea:TREx:v1.34
type	restriction of <b>xs:token</b>
properties	base xs:token
used by	element <a href="#">StudentDemographicType/Gender</a>
facets	Kind            Value    Annotation enumeration    F enumeration    M
source	<pre> &lt;xs:simpleType name="GenderType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="F"/&gt;     &lt;xs:enumeration value="M"/&gt;     &lt;!-- Female --&gt;     &lt;!-- Male --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>

### simpleType **GiftedTalentedType**

namespace	urn:us:tx:state:tea:TREx:v1.34
type	restriction of <b>xs:token</b>
properties	base xs:token
used by	element <a href="#">SpecialProgramsType/GiftedTalented</a>
facets	Kind            Value    Annotation enumeration    0

	enumeration 1 enumeration 2
source	<pre> &lt;xs:simpleType name="GiftedTalentedType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;!-- Not receiving services. --&gt;     &lt;!-- Participant in program or service. --&gt;     &lt;!-- Furloughed from Gifted and Talented program; student identified but not participating in GT program. --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>

### simpleType **GPAType**

namespace	urn:us:tx:state:tea:TREx:v1.34									
type	restriction of <b>xs:token</b>									
properties	base xs:token									
used by	element <a href="#">AcademicSummaryType/GPA</a>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10	
Kind	Value	Annotation								
minLength	1									
maxLength	10									
source	<pre> &lt;xs:simpleType name="GPAType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="10"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>									

### simpleType **GradeLevelType**

namespace	urn:us:tx:state:tea:TREx:v1.34
type	restriction of <b>xs:token</b>
properties	base xs:token
used by	elements <a href="#">AcademicSessionType/GradeLevel</a> <a href="#">CurrentCourseworkType/GradeLevel</a>

	<a href="#">EnrollmentType/GradeLevel</a> <a href="#">EnrollmentType/GradePlaced</a> <a href="#">EnrollmentType/GradePromoted</a> <a href="#">EnrollmentType/GradeRetained</a> <a href="#">AssessmentType/TestLevel</a>																																																
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>EE</td><td></td></tr> <tr><td>enumeration</td><td>PK</td><td></td></tr> <tr><td>enumeration</td><td>KG</td><td></td></tr> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>02</td><td></td></tr> <tr><td>enumeration</td><td>03</td><td></td></tr> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> <tr><td>enumeration</td><td>09</td><td></td></tr> <tr><td>enumeration</td><td>10</td><td></td></tr> <tr><td>enumeration</td><td>11</td><td></td></tr> <tr><td>enumeration</td><td>12</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	EE		enumeration	PK		enumeration	KG		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12	
Kind	Value	Annotation																																															
enumeration	EE																																																
enumeration	PK																																																
enumeration	KG																																																
enumeration	01																																																
enumeration	02																																																
enumeration	03																																																
enumeration	04																																																
enumeration	05																																																
enumeration	06																																																
enumeration	07																																																
enumeration	08																																																
enumeration	09																																																
enumeration	10																																																
enumeration	11																																																
enumeration	12																																																
source	<pre> &lt;xs:simpleType name="GradeLevelType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="EE"/&gt;     &lt;xs:enumeration value="PK"/&gt;     &lt;xs:enumeration value="KG"/&gt;     &lt;xs:enumeration value="01"/&gt;     &lt;xs:enumeration value="02"/&gt;     &lt;xs:enumeration value="03"/&gt;     &lt;xs:enumeration value="04"/&gt;     &lt;xs:enumeration value="05"/&gt;     &lt;xs:enumeration value="06"/&gt;     &lt;xs:enumeration value="07"/&gt;     &lt;xs:enumeration value="08"/&gt;     &lt;xs:enumeration value="09"/&gt;     &lt;xs:enumeration value="10"/&gt;     &lt;xs:enumeration value="11"/&gt;     &lt;xs:enumeration value="12"/&gt;     &lt;!-- Early Education --&gt;     &lt;!-- Pre-Kindergarten --&gt;     &lt;!-- Kindergarten --&gt;     &lt;!-- Grade 1 --&gt; </pre>																																																

```

<!-- Grade 2 -->
<!-- Grade 3 -->
<!-- Grade 4 -->
<!-- Grade 5 -->
<!-- Grade 6 -->
<!-- Grade 7 -->
<!-- Grade 8 -->
<!-- Grade 9 -->
<!-- Grade 10 -->
<!-- Grade 11 -->
<!-- Grade 12 -->
</xs:restriction>
</xs:simpleType>

```

simpleType **GraduationDiplomaType**

namespace	urn:us:tx:state:tea:TREx:v1.34																																													
type	restriction of <b>xs:token</b>																																													
properties	base xs:token																																													
used by	element <a href="#">AcademicStatusType/GraduationDiplomaType</a>																																													
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>13</td><td></td></tr> <tr><td>enumeration</td><td>15</td><td></td></tr> <tr><td>enumeration</td><td>17</td><td></td></tr> <tr><td>enumeration</td><td>18</td><td></td></tr> <tr><td>enumeration</td><td>19</td><td></td></tr> <tr><td>enumeration</td><td>20</td><td></td></tr> <tr><td>enumeration</td><td>21</td><td></td></tr> <tr><td>enumeration</td><td>22</td><td></td></tr> <tr><td>enumeration</td><td>23</td><td></td></tr> <tr><td>enumeration</td><td>24</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	13		enumeration	15		enumeration	17		enumeration	18		enumeration	19		enumeration	20		enumeration	21		enumeration	22		enumeration	23		enumeration	24	
Kind	Value	Annotation																																												
enumeration	04																																													
enumeration	05																																													
enumeration	06																																													
enumeration	07																																													
enumeration	13																																													
enumeration	15																																													
enumeration	17																																													
enumeration	18																																													
enumeration	19																																													
enumeration	20																																													
enumeration	21																																													
enumeration	22																																													
enumeration	23																																													
enumeration	24																																													

	<p>enumeration 25</p> <p>enumeration 26</p> <p>enumeration 27</p> <p>enumeration 28</p> <p>enumeration 29</p> <p>enumeration 30</p> <p>enumeration 31</p> <p>enumeration 32</p> <p>enumeration 33</p> <p>enumeration 34</p> <p>enumeration 35</p> <p>enumeration 54</p> <p>enumeration 55</p> <p>enumeration 56</p> <p>enumeration 57</p>
source	<pre> &lt;xs:simpleType name="GraduationDiplomaTypeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="04"/&gt;     &lt;xs:enumeration value="05"/&gt;     &lt;xs:enumeration value="06"/&gt;     &lt;xs:enumeration value="07"/&gt;     &lt;xs:enumeration value="13"/&gt;     &lt;xs:enumeration value="15"/&gt;     &lt;xs:enumeration value="17"/&gt;     &lt;xs:enumeration value="18"/&gt;     &lt;xs:enumeration value="19"/&gt;     &lt;xs:enumeration value="20"/&gt;     &lt;xs:enumeration value="21"/&gt;     &lt;xs:enumeration value="22"/&gt;     &lt;xs:enumeration value="23"/&gt;     &lt;xs:enumeration value="24"/&gt;     &lt;xs:enumeration value="25"/&gt;     &lt;xs:enumeration value="26"/&gt;     &lt;xs:enumeration value="27"/&gt;     &lt;xs:enumeration value="28"/&gt;     &lt;xs:enumeration value="29"/&gt;     &lt;xs:enumeration value="30"/&gt;     &lt;xs:enumeration value="31"/&gt;     &lt;xs:enumeration value="32"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>

	<pre> &lt;xs:enumeration value="33"/&gt; &lt;xs:enumeration value="34"/&gt; &lt;xs:enumeration value="35"/&gt; &lt;xs:enumeration value="54"/&gt; &lt;xs:enumeration value="55"/&gt; &lt;xs:enumeration value="56"/&gt; &lt;xs:enumeration value="57"/&gt; &lt;!-- Completion of IEP and full-time employment with sufficient self- help skills to maintain employment without public school services - TAC 89.1070(c)(1), revised August 1, 2002. [26 Tex. Reg. 1837] --&gt; &lt;!-- Completion of IEP and demonstrated mastery of specific employability and self-help skills - TAC 89.1070(c)(2), revised August 1, 2002. [26 Tex. Reg. 1837] --&gt; &lt;!-- Completion of IEP and access to services, employment, or education outside of public education - TAC 89.1070(c)(3), revised August 1, 2002. [26 Tex. Reg. 1837] --&gt; &lt;!-- Completion of IEP and reached age 22 - TAC 89.1070(d), revised August 1, 2002. [26 Tex. Reg. 1837] --&gt; &lt;!-- Minimum High School Program - TAC Chapter 74, revised May, 1998; for all students who entered grade 9 in 1998-99, 1999-00, and 2000-01 (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837]) --&gt; &lt;!-- Recommended High School Program - TAC Chapter 74, revised May, 1998; for students who entered grade 9 in 1998-99, 1999-00, and 2000-01 (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837]) --&gt; &lt;!-- Distinguished Achievement Program - TAC Chapter 74, revised May, 1998; for students who entered grade 9 in 1998-99, 1999-00, and 2000-01 (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837]) --&gt; &lt;!-- Completion of minimum curriculum and credit requirements for graduation applicable to students in general education and participated in the exit-level assessment instrument identified in the IEP - Minimum High School Program - TAC 89.1070(b)(2), revised August 1, 2002. [26 Tex. Reg. 1837] (for students who entered grade 9 in 1998-99 and thereafter) - -&gt; &lt;!-- Completion of minimum curriculum and credit requirements for graduation applicable to students in general education and participated in the exit-level assessment instrument identified in the IEP - Recommended High School Program - TAC 89.1070(b)(1), revised August 1, 2002. [26 Tex. Reg. 1837] (for students who entered grade 9 in 1998-99 and thereafter) --&gt; &lt;!-- Completion of minimum curriculum and credit requirements for graduation applicable to students in general education and participated in the exit-level assessment instrument identified in the IEP - Distinguished Achievement Program - TAC 89.1070(b)(1), revised August 1, 2002. [26 Tex. Reg. 1837] (for students who entered grade 9 in 1998-99 and thereafter) --&gt; &lt;!-- Minimum High School Program - TAC Chapter 74, revised June 2000; </pre>
--	--

for students who entered grade 9 in 2001-2002, 2002-2003, and 2003-2004 (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837]) -->

<!-- Recommended High School Program - TAC Chapter 74, revised June 2000; for students who entered grade 9 in 2001-2002, 2002-2003, and 2003-2004 (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837]) -->

<!-- Distinguished Achievement Program - TAC Chapter 74, revised June 2000; for students who entered grade 9 in 2001-2002, 2002-2003, and 2003-2004 (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837]) -->

<!-- Minimum High School Program - TAC Chapter 74, revised November 2003; for students who entered grade 9 in 2004-2005 and thereafter (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002.) -->

<!-- Recommended High School Program - TAC Chapter 74, revised November 2003; for students who entered grade 9 in 2004-2005 and thereafter (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002.) -->

<!-- Distinguished Achievement Program - TAC Chapter 74, revised November 2003; for students who entered grade 9 in 2004-2005 and thereafter (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002.) -->

<!-- Minimum High School Program - TAC Chapter 74.62, revised September 1, 2005; including TAC 89.1070(b)(2) for students receiving special education services, revised August 1, 2002. (For students who entered grade 9 in 2007-2008, 2008-2009, 2009-2010, 2010-2011, and 2011-2012) -->

<!-- Recommended High School Program - TAC Chapter 74.63, revised September 1, 2005; including TAC 89.1070(b) (1) for students receiving special education services, revised August 1, 2002. (For students who entered grade 9 in 2007-2008, 2008-2009, 2009-2010, 2010-2011, and 2011-2012) -->

<!-- Distinguished Achievement Program - TAC Chapter 74.64, revised September 1, 2005; including TAC 89.1070(b) (1) for students receiving special education services, revised August 1, 2002. (For students who entered grade 9 in 2007-2008, 2008-2009, 2009-2010, 2010-2011, and 2011-2012) -->

<!-- Minimum High School Program - TAC Chapter 74.72, revised May 30, 2012; including TAC 89.1070(b)(2) for students receiving special education services, revised August 1, 2002. (For students who entered grade 9 in 2012-2013 and 2013-2014) -->

<!-- Recommended High School Program - TAC Chapter 74.73, revised May 30, 2012; including TAC 89.1070(b) (1) for students receiving special education services, revised August 1, 2002. (For students who entered grade 9 in 2012-2013 and 2013-2014) -->

<!-- Distinguished Achievement Program - TAC Chapter 74.74, revised May 30, 2012; including TAC 89.1070(b) (1) for students receiving special education services, revised August 1, 2002. (For students who entered



```

grade 9 in 2012-2013 and 2013-2014) -->
  <!-- Foundation High School Program (Transitioning Students) - TAC
Chapter 74.1022, revised December 16, 2013; including TAC 89.1070(b)(2)
for students receiving special education services, revised August 1,
2002. (For students who are completing the fourth/final year of high
school during the 2013-2014 school year) -->
  <!-- Foundation High School Program - TAC Chapter 74.1021, revised
December 16, 2013, TAC 74.12; including TAC 89.1070(b)(1) for students
receiving special education services, revised August 1, 2002. (For
students who entered grade 9 in 2014-2015 and thereafter or entered grade
9 prior to the 2014-2015 school year and opted to graduate under the
Foundation High School Program) -->
  <!-- Completion of Minimum Curriculum And Credit Requirements for
Graduation Applicable To Students In General Education And Participated
In The Exit-Level Assessment Instrument Identified in The IEP-Foundation
High School Program (TAC 89.1070(b)(1)) -->
  <!-- Completion Of IEP And Full-Time Employment With Sufficient Self-
Help Skills To Maintain Employment Without Public School Services (TAC
89.1070(b)(2)(A)) -->
  <!-- Completion Of IEP And Demonstrated Mastery Of Specific
Employability And Self-Help Skills That Do Not Require Public School
Services TAC 89.1070(b)(2)(B) -->
  <!-- Completion Of IEP And Access To Services, Employment, Or
Education Outside Of Public Education (TAC 89.1070(b)(2)(C)) -->
  <!-- Completion Of IEP And Reached Age 22 - Foundation (TAC
89.1070(b)(2)(D)) -->
</xs:restriction>
</xs:simpleType>

```

simpleType **HomelessType**

|            |   |       |            |
|------------|---|-------|------------|
| namespace  | urn:us:tx:state:tea:TREx:v1.34                          |       |            |
| type       | restriction of <b>xs:token</b>                          |       |            |
| properties | base xs:token   |       |            |
| used by    | element <a href="#">StudentDemographicType/Homeless</a> |       |            |
| facets     | Kind  | Value | Annotation |
|            | enumeration   | 0     |            |
|            | enumeration   | 1     |            |
|            | enumeration   | 2     |            |
|            | enumeration   | 3     |            |
|            | enumeration   | 4     |            |

|        |   |
|--------|---|
|        | enumeration 5   |
| source | <pre> &lt;xs:simpleType name="HomelessType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="4"/&gt;     &lt;xs:enumeration value="5"/&gt;     &lt;!-- Student is not homeless at any time during current school year. --&gt;     &lt;!-- Student lives in a shelter, transitional housing, or waiting foster care during current school year. --&gt;     &lt;!-- Student lives temporarily doubled-up at any time during current school year. --&gt;     &lt;!-- Student is unsheltered at any time during current school year. - -&gt;     &lt;!-- Student lives in motel or hotel at any time during current school year. --&gt;     &lt;!-- Student lives in a shelter or transitional housing at any time during the current school year. --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |

### simpleType **IBCCCodeType**

| namespace   | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |
|-------------|--|------------|-------|------------|-------------|-----|--|-------------|-----|--|-------------|-----|--|-------------|-----|--|-------------|-----|--|-------------|-----|--|-------------|-----|--|
| type        | restriction of <b>xs:token</b>   |            |       |            |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |
| properties  | base xs:token  |            |       |            |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |
| used by     | element <a href="#">IBCEarnedType/IBCCCode</a>   |            |       |            |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>010</td> <td></td> </tr> <tr> <td>enumeration</td> <td>011</td> <td></td> </tr> <tr> <td>enumeration</td> <td>012</td> <td></td> </tr> <tr> <td>enumeration</td> <td>013</td> <td></td> </tr> <tr> <td>enumeration</td> <td>014</td> <td></td> </tr> <tr> <td>enumeration</td> <td>015</td> <td></td> </tr> <tr> <td>enumeration</td> <td>016</td> <td></td> </tr> </tbody> </table> | Kind       | Value | Annotation | enumeration | 010 |  | enumeration | 011 |  | enumeration | 012 |  | enumeration | 013 |  | enumeration | 014 |  | enumeration | 015 |  | enumeration | 016 |  |
| Kind        | Value  | Annotation |       |            |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |
| enumeration | 010  |            |       |            |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |
| enumeration | 011  |            |       |            |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |
| enumeration | 012  |            |       |            |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |
| enumeration | 013  |            |       |            |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |
| enumeration | 014  |            |       |            |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |
| enumeration | 015  |            |       |            |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |
| enumeration | 016  |            |       |            |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |             |     |  |

|             |     |
|-------------|-----|
| enumeration | 017 |
| enumeration | 018 |
| enumeration | 019 |
| enumeration | 020 |
| enumeration | 030 |
| enumeration | 031 |
| enumeration | 032 |
| enumeration | 033 |
| enumeration | 034 |
| enumeration | 040 |
| enumeration | 100 |
| enumeration | 101 |
| enumeration | 102 |
| enumeration | 103 |
| enumeration | 104 |
| enumeration | 120 |
| enumeration | 121 |
| enumeration | 130 |
| enumeration | 131 |
| enumeration | 140 |
| enumeration | 141 |
| enumeration | 150 |
| enumeration | 151 |
| enumeration | 160 |
| enumeration | 161 |
| enumeration | 170 |
| enumeration | 171 |
| enumeration | 181 |
| enumeration | 182 |
| enumeration | 190 |

|             |     |
|-------------|-----|
| enumeration | 191 |
| enumeration | 200 |
| enumeration | 201 |
| enumeration | 210 |
| enumeration | 211 |
| enumeration | 220 |
| enumeration | 221 |
| enumeration | 230 |
| enumeration | 231 |
| enumeration | 240 |
| enumeration | 250 |
| enumeration | 251 |
| enumeration | 260 |
| enumeration | 261 |
| enumeration | 270 |
| enumeration | 271 |
| enumeration | 280 |
| enumeration | 281 |
| enumeration | 290 |
| enumeration | 300 |
| enumeration | 301 |
| enumeration | 310 |
| enumeration | 320 |
| enumeration | 321 |
| enumeration | 330 |
| enumeration | 331 |
| enumeration | 332 |
| enumeration | 333 |
| enumeration | 334 |
| enumeration | 335 |

|             |     |
|-------------|-----|
| enumeration | 336 |
| enumeration | 340 |
| enumeration | 350 |
| enumeration | 351 |
| enumeration | 360 |
| enumeration | 361 |
| enumeration | 362 |
| enumeration | 365 |
| enumeration | 366 |
| enumeration | 367 |
| enumeration | 368 |
| enumeration | 369 |
| enumeration | 370 |
| enumeration | 380 |
| enumeration | 381 |
| enumeration | 382 |
| enumeration | 383 |
| enumeration | 384 |
| enumeration | 385 |
| enumeration | 386 |
| enumeration | 390 |
| enumeration | 391 |
| enumeration | 392 |
| enumeration | 401 |
| enumeration | 402 |
| enumeration | 410 |
| enumeration | 411 |
| enumeration | 420 |
| enumeration | 430 |
| enumeration | 439 |

|             |     |
|-------------|-----|
| enumeration | 440 |
| enumeration | 450 |
| enumeration | 451 |
| enumeration | 452 |
| enumeration | 453 |
| enumeration | 460 |
| enumeration | 470 |
| enumeration | 478 |
| enumeration | 479 |
| enumeration | 480 |
| enumeration | 481 |
| enumeration | 490 |
| enumeration | 500 |
| enumeration | 508 |
| enumeration | 509 |
| enumeration | 510 |
| enumeration | 511 |
| enumeration | 512 |
| enumeration | 520 |
| enumeration | 530 |
| enumeration | 531 |
| enumeration | 532 |
| enumeration | 533 |
| enumeration | 534 |
| enumeration | 535 |
| enumeration | 536 |
| enumeration | 537 |
| enumeration | 538 |
| enumeration | 539 |
| enumeration | 540 |

|             |     |
|-------------|-----|
| enumeration | 541 |
| enumeration | 542 |
| enumeration | 543 |
| enumeration | 544 |
| enumeration | 545 |
| enumeration | 546 |
| enumeration | 547 |
| enumeration | 548 |
| enumeration | 549 |
| enumeration | 550 |
| enumeration | 551 |
| enumeration | 552 |
| enumeration | 560 |
| enumeration | 570 |
| enumeration | 580 |
| enumeration | 581 |
| enumeration | 582 |
| enumeration | 583 |
| enumeration | 590 |
| enumeration | 591 |
| enumeration | 592 |
| enumeration | 593 |
| enumeration | 594 |
| enumeration | 595 |
| enumeration | 596 |
| enumeration | 597 |
| enumeration | 598 |
| enumeration | 599 |
| enumeration | 600 |
| enumeration | 601 |

|             |     |
|-------------|-----|
| enumeration | 602 |
| enumeration | 603 |
| enumeration | 604 |
| enumeration | 605 |
| enumeration | 606 |
| enumeration | 607 |
| enumeration | 610 |
| enumeration | 611 |
| enumeration | 612 |
| enumeration | 613 |
| enumeration | 620 |
| enumeration | 630 |
| enumeration | 640 |
| enumeration | 641 |
| enumeration | 642 |
| enumeration | 650 |
| enumeration | 651 |
| enumeration | 660 |
| enumeration | 670 |
| enumeration | 680 |
| enumeration | 690 |
| enumeration | 691 |
| enumeration | 700 |
| enumeration | 701 |
| enumeration | 710 |
| enumeration | 720 |
| enumeration | 730 |
| enumeration | 731 |
| enumeration | 740 |
| enumeration | 750 |



|             |     |
|-------------|-----|
| enumeration | 760 |
| enumeration | 761 |
| enumeration | 770 |
| enumeration | 780 |
| enumeration | 781 |
| enumeration | 782 |
| enumeration | 783 |
| enumeration | 784 |
| enumeration | 785 |
| enumeration | 786 |
| enumeration | 790 |
| enumeration | 800 |
| enumeration | 810 |
| enumeration | 811 |
| enumeration | 812 |
| enumeration | 813 |
| enumeration | 814 |
| enumeration | 815 |
| enumeration | 816 |
| enumeration | 820 |
| enumeration | 830 |
| enumeration | 831 |
| enumeration | 832 |
| enumeration | 833 |
| enumeration | 834 |
| enumeration | 835 |
| enumeration | 836 |
| enumeration | 837 |
| enumeration | 838 |
| enumeration | 839 |

|             |     |
|-------------|-----|
| enumeration | 840 |
| enumeration | 841 |
| enumeration | 842 |
| enumeration | 843 |
| enumeration | 844 |
| enumeration | 845 |
| enumeration | 846 |
| enumeration | 847 |
| enumeration | 848 |
| enumeration | 849 |
| enumeration | 850 |
| enumeration | 860 |
| enumeration | 870 |
| enumeration | 880 |
| enumeration | 890 |
| enumeration | 891 |
| enumeration | 900 |
| enumeration | 910 |
| enumeration | 911 |
| enumeration | 912 |
| enumeration | 913 |
| enumeration | 914 |
| enumeration | 915 |
| enumeration | 916 |
| enumeration | 917 |
| enumeration | 918 |
| enumeration | 930 |
| enumeration | 931 |
| enumeration | 932 |
| enumeration | 933 |

|             |     |
|-------------|-----|
| enumeration | 934 |
| enumeration | 935 |
| enumeration | 936 |
| enumeration | 937 |
| enumeration | 938 |
| enumeration | 939 |
| enumeration | 940 |
| enumeration | 941 |
| enumeration | 942 |
| enumeration | 943 |
| enumeration | 944 |
| enumeration | 945 |
| enumeration | 946 |
| enumeration | 947 |
| enumeration | 948 |
| enumeration | 949 |
| enumeration | 950 |
| enumeration | 951 |
| enumeration | 952 |
| enumeration | 953 |
| enumeration | 954 |
| enumeration | 955 |
| enumeration | 956 |
| enumeration | 957 |
| enumeration | 958 |
| enumeration | 959 |
| enumeration | 960 |
| enumeration | 961 |
| enumeration | 962 |
| enumeration | 963 |

|             |     |
|-------------|-----|
| enumeration | 964 |
| enumeration | 965 |
| enumeration | 966 |
| enumeration | 967 |
| enumeration | 968 |
| enumeration | 969 |
| enumeration | 970 |
| enumeration | 971 |
| enumeration | 972 |
| enumeration | 973 |
| enumeration | 974 |
| enumeration | 975 |
| enumeration | 976 |
| enumeration | 977 |
| enumeration | 978 |
| enumeration | 979 |
| enumeration | 980 |
| enumeration | 981 |
| enumeration | 982 |
| enumeration | 983 |
| enumeration | 984 |
| enumeration | 985 |
| enumeration | 986 |
| enumeration | 987 |
| enumeration | 988 |
| enumeration | 989 |
| enumeration | 990 |
| enumeration | 991 |
| enumeration | 992 |
| enumeration | 993 |

|             |      |
|-------------|------|
| enumeration | 994  |
| enumeration | 995  |
| enumeration | 996  |
| enumeration | 997  |
| enumeration | 998  |
| enumeration | 999  |
| enumeration | 1000 |
| enumeration | 1001 |
| enumeration | 1002 |
| enumeration | 1003 |
| enumeration | 1004 |
| enumeration | 1005 |
| enumeration | 1006 |
| enumeration | 1007 |
| enumeration | 1008 |
| enumeration | 1009 |
| enumeration | 1010 |
| enumeration | 1011 |
| enumeration | 1013 |
| enumeration | 1015 |
| enumeration | 1017 |
| enumeration | 1018 |
| enumeration | 1019 |
| enumeration | 1020 |
| enumeration | 1021 |
| enumeration | 1022 |
| enumeration | 1023 |
| enumeration | 1024 |
| enumeration | 1025 |
| enumeration | 1026 |

|             |      |
|-------------|------|
| enumeration | 1027 |
| enumeration | 1028 |
| enumeration | 1029 |
| enumeration | 1030 |
| enumeration | 1031 |
| enumeration | 1032 |
| enumeration | 1033 |
| enumeration | 1034 |
| enumeration | 1035 |
| enumeration | 1036 |
| enumeration | 1037 |
| enumeration | 1038 |
| enumeration | 1039 |
| enumeration | 1040 |
| enumeration | 1041 |
| enumeration | 1042 |
| enumeration | 1043 |
| enumeration | 1044 |
| enumeration | 1045 |
| enumeration | 1046 |
| enumeration | 1047 |
| enumeration | 1048 |
| enumeration | 1049 |
| enumeration | 1050 |
| enumeration | 1051 |
| enumeration | 1052 |
| enumeration | 1053 |
| enumeration | 1054 |
| enumeration | 1055 |
| enumeration | 1056 |

|             |      |
|-------------|------|
| enumeration | 1057 |
| enumeration | 1058 |
| enumeration | 1059 |
| enumeration | 1060 |
| enumeration | 1061 |
| enumeration | 1062 |
| enumeration | 1063 |
| enumeration | 1064 |
| enumeration | 1065 |
| enumeration | 1066 |
| enumeration | 1067 |
| enumeration | 1068 |
| enumeration | 1069 |
| enumeration | 1070 |
| enumeration | 1071 |
| enumeration | 1072 |
| enumeration | 1073 |
| enumeration | 1074 |
| enumeration | 1075 |
| enumeration | 1076 |
| enumeration | 1077 |
| enumeration | 1078 |
| enumeration | 1079 |
| enumeration | 1080 |
| enumeration | 1081 |
| enumeration | 1082 |
| enumeration | 1083 |
| enumeration | 1084 |
| enumeration | 1085 |
| enumeration | 1086 |

|        |   |
|--------|---|
|        | enumeration 1087  |
| source | <pre> &lt;xs:simpleType name="IBCCodeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="010"/&gt;     &lt;xs:enumeration value="011"/&gt;     &lt;xs:enumeration value="012"/&gt;     &lt;xs:enumeration value="013"/&gt;     &lt;xs:enumeration value="014"/&gt;     &lt;xs:enumeration value="015"/&gt;     &lt;xs:enumeration value="016"/&gt;     &lt;xs:enumeration value="017"/&gt;     &lt;xs:enumeration value="018"/&gt;     &lt;xs:enumeration value="019"/&gt;     &lt;xs:enumeration value="020"/&gt;     &lt;xs:enumeration value="030"/&gt;     &lt;xs:enumeration value="031"/&gt;     &lt;xs:enumeration value="032"/&gt;     &lt;xs:enumeration value="033"/&gt;     &lt;xs:enumeration value="034"/&gt;     &lt;xs:enumeration value="040"/&gt;     &lt;xs:enumeration value="100"/&gt;     &lt;xs:enumeration value="101"/&gt;     &lt;xs:enumeration value="102"/&gt;     &lt;xs:enumeration value="103"/&gt;     &lt;xs:enumeration value="104"/&gt;     &lt;xs:enumeration value="120"/&gt;     &lt;xs:enumeration value="121"/&gt;     &lt;xs:enumeration value="130"/&gt;     &lt;xs:enumeration value="131"/&gt;     &lt;xs:enumeration value="140"/&gt;     &lt;xs:enumeration value="141"/&gt;     &lt;xs:enumeration value="150"/&gt;     &lt;xs:enumeration value="151"/&gt;     &lt;xs:enumeration value="160"/&gt;     &lt;xs:enumeration value="161"/&gt;     &lt;xs:enumeration value="170"/&gt;     &lt;xs:enumeration value="171"/&gt;     &lt;xs:enumeration value="181"/&gt;     &lt;xs:enumeration value="182"/&gt;     &lt;xs:enumeration value="190"/&gt;     &lt;xs:enumeration value="191"/&gt;     &lt;xs:enumeration value="200"/&gt;     &lt;xs:enumeration value="201"/&gt;     &lt;xs:enumeration value="210"/&gt;     &lt;xs:enumeration value="211"/&gt;     &lt;xs:enumeration value="220"/&gt;     &lt;xs:enumeration value="221"/&gt;     &lt;xs:enumeration value="230"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |



```
<xs:enumeration value="231"/>
<xs:enumeration value="240"/>
<xs:enumeration value="250"/>
<xs:enumeration value="251"/>
<xs:enumeration value="260"/>
<xs:enumeration value="261"/>
<xs:enumeration value="270"/>
<xs:enumeration value="271"/>
<xs:enumeration value="280"/>
<xs:enumeration value="281"/>
<xs:enumeration value="290"/>
<xs:enumeration value="300"/>
<xs:enumeration value="301"/>
<xs:enumeration value="310"/>
<xs:enumeration value="320"/>
<xs:enumeration value="321"/>
<xs:enumeration value="330"/>
<xs:enumeration value="331"/>
<xs:enumeration value="332"/>
<xs:enumeration value="333"/>
<xs:enumeration value="334"/>
<xs:enumeration value="335"/>
<xs:enumeration value="336"/>
<xs:enumeration value="340"/>
<xs:enumeration value="350"/>
<xs:enumeration value="351"/>
<xs:enumeration value="360"/>
<xs:enumeration value="361"/>
<xs:enumeration value="362"/>
<xs:enumeration value="365"/>
<xs:enumeration value="366"/>
<xs:enumeration value="367"/>
<xs:enumeration value="368"/>
<xs:enumeration value="369"/>
<xs:enumeration value="370"/>
<xs:enumeration value="380"/>
<xs:enumeration value="381"/>
<xs:enumeration value="382"/>
<xs:enumeration value="383"/>
<xs:enumeration value="384"/>
<xs:enumeration value="385"/>
<xs:enumeration value="386"/>
<xs:enumeration value="390"/>
<xs:enumeration value="391"/>
<xs:enumeration value="392"/>
<xs:enumeration value="401"/>
<xs:enumeration value="402"/>
<xs:enumeration value="410"/>
<xs:enumeration value="411"/>
```

```
<xs:enumeration value="420"/>
<xs:enumeration value="430"/>
<xs:enumeration value="439"/>
<xs:enumeration value="440"/>
<xs:enumeration value="450"/>
<xs:enumeration value="451"/>
<xs:enumeration value="452"/>
<xs:enumeration value="453"/>
<xs:enumeration value="460"/>
<xs:enumeration value="470"/>
<xs:enumeration value="478"/>
<xs:enumeration value="479"/>
<xs:enumeration value="480"/>
<xs:enumeration value="481"/>
<xs:enumeration value="490"/>
<xs:enumeration value="500"/>
<xs:enumeration value="508"/>
<xs:enumeration value="509"/>
<xs:enumeration value="510"/>
<xs:enumeration value="511"/>
<xs:enumeration value="512"/>
<xs:enumeration value="520"/>
<xs:enumeration value="530"/>
<xs:enumeration value="531"/>
<xs:enumeration value="532"/>
<xs:enumeration value="533"/>
<xs:enumeration value="534"/>
<xs:enumeration value="535"/>
<xs:enumeration value="536"/>
<xs:enumeration value="537"/>
<xs:enumeration value="538"/>
<xs:enumeration value="539"/>
<xs:enumeration value="540"/>
<xs:enumeration value="541"/>
<xs:enumeration value="542"/>
<xs:enumeration value="543"/>
<xs:enumeration value="544"/>
<xs:enumeration value="545"/>
<xs:enumeration value="546"/>
<xs:enumeration value="547"/>
<xs:enumeration value="548"/>
<xs:enumeration value="549"/>
<xs:enumeration value="550"/>
<xs:enumeration value="551"/>
<xs:enumeration value="552"/>
<xs:enumeration value="560"/>
<xs:enumeration value="570"/>
<xs:enumeration value="580"/>
<xs:enumeration value="581"/>
```

```
<xs:enumeration value="582"/>
<xs:enumeration value="583"/>
<xs:enumeration value="590"/>
<xs:enumeration value="591"/>
<xs:enumeration value="592"/>
<xs:enumeration value="593"/>
<xs:enumeration value="594"/>
<xs:enumeration value="595"/>
<xs:enumeration value="596"/>
<xs:enumeration value="597"/>
<xs:enumeration value="598"/>
<xs:enumeration value="599"/>
<xs:enumeration value="600"/>
<xs:enumeration value="601"/>
<xs:enumeration value="602"/>
<xs:enumeration value="603"/>
<xs:enumeration value="604"/>
<xs:enumeration value="605"/>
<xs:enumeration value="606"/>
<xs:enumeration value="607"/>
<xs:enumeration value="610"/>
<xs:enumeration value="611"/>
<xs:enumeration value="612"/>
<xs:enumeration value="613"/>
<xs:enumeration value="620"/>
<xs:enumeration value="630"/>
<xs:enumeration value="640"/>
<xs:enumeration value="641"/>
<xs:enumeration value="642"/>
<xs:enumeration value="650"/>
<xs:enumeration value="651"/>
<xs:enumeration value="660"/>
<xs:enumeration value="670"/>
<xs:enumeration value="680"/>
<xs:enumeration value="690"/>
<xs:enumeration value="691"/>
<xs:enumeration value="700"/>
<xs:enumeration value="701"/>
<xs:enumeration value="710"/>
<xs:enumeration value="720"/>
<xs:enumeration value="730"/>
<xs:enumeration value="731"/>
<xs:enumeration value="740"/>
<xs:enumeration value="750"/>
<xs:enumeration value="760"/>
<xs:enumeration value="761"/>
<xs:enumeration value="770"/>
<xs:enumeration value="780"/>
<xs:enumeration value="781"/>
```

```
<xs:enumeration value="782"/>
<xs:enumeration value="783"/>
<xs:enumeration value="784"/>
<xs:enumeration value="785"/>
<xs:enumeration value="786"/>
<xs:enumeration value="790"/>
<xs:enumeration value="800"/>
<xs:enumeration value="810"/>
<xs:enumeration value="811"/>
<xs:enumeration value="812"/>
<xs:enumeration value="813"/>
<xs:enumeration value="814"/>
<xs:enumeration value="815"/>
<xs:enumeration value="816"/>
<xs:enumeration value="820"/>
<xs:enumeration value="830"/>
<xs:enumeration value="831"/>
<xs:enumeration value="832"/>
<xs:enumeration value="833"/>
<xs:enumeration value="834"/>
<xs:enumeration value="835"/>
<xs:enumeration value="836"/>
<xs:enumeration value="837"/>
<xs:enumeration value="838"/>
<xs:enumeration value="839"/>
<xs:enumeration value="840"/>
<xs:enumeration value="841"/>
<xs:enumeration value="842"/>
<xs:enumeration value="843"/>
<xs:enumeration value="844"/>
<xs:enumeration value="845"/>
<xs:enumeration value="846"/>
<xs:enumeration value="847"/>
<xs:enumeration value="848"/>
<xs:enumeration value="849"/>
<xs:enumeration value="850"/>
<xs:enumeration value="860"/>
<xs:enumeration value="870"/>
<xs:enumeration value="880"/>
<xs:enumeration value="890"/>
<xs:enumeration value="891"/>
<xs:enumeration value="900"/>
<xs:enumeration value="910"/>
<xs:enumeration value="911"/>
<xs:enumeration value="912"/>
<xs:enumeration value="913"/>
<xs:enumeration value="914"/>
<xs:enumeration value="915"/>
<xs:enumeration value="916"/>
```

```
<xs:enumeration value="917"/>
<xs:enumeration value="918"/>
<xs:enumeration value="930"/>
<xs:enumeration value="931"/>
<xs:enumeration value="932"/>
<xs:enumeration value="933"/>
<xs:enumeration value="934"/>
<xs:enumeration value="935"/>
<xs:enumeration value="936"/>
<xs:enumeration value="937"/>
<xs:enumeration value="938"/>
<xs:enumeration value="939"/>
<xs:enumeration value="940"/>
<xs:enumeration value="941"/>
<xs:enumeration value="942"/>
<xs:enumeration value="943"/>
<xs:enumeration value="944"/>
<xs:enumeration value="945"/>
<xs:enumeration value="946"/>
<xs:enumeration value="947"/>
<xs:enumeration value="948"/>
<xs:enumeration value="949"/>
<xs:enumeration value="950"/>
<xs:enumeration value="951"/>
<xs:enumeration value="952"/>
<xs:enumeration value="953"/>
<xs:enumeration value="954"/>
<xs:enumeration value="955"/>
<xs:enumeration value="956"/>
<xs:enumeration value="957"/>
<xs:enumeration value="958"/>
<xs:enumeration value="959"/>
<xs:enumeration value="960"/>
<xs:enumeration value="961"/>
<xs:enumeration value="962"/>
<xs:enumeration value="963"/>
<xs:enumeration value="964"/>
<xs:enumeration value="965"/>
<xs:enumeration value="966"/>
<xs:enumeration value="967"/>
<xs:enumeration value="968"/>
<xs:enumeration value="969"/>
<xs:enumeration value="970"/>
<xs:enumeration value="971"/>
<xs:enumeration value="972"/>
<xs:enumeration value="973"/>
<xs:enumeration value="974"/>
<xs:enumeration value="975"/>
<xs:enumeration value="976"/>
```

```
<xs:enumeration value="977"/>
<xs:enumeration value="978"/>
<xs:enumeration value="979"/>
<xs:enumeration value="980"/>
<xs:enumeration value="981"/>
<xs:enumeration value="982"/>
<xs:enumeration value="983"/>
<xs:enumeration value="984"/>
<xs:enumeration value="985"/>
<xs:enumeration value="986"/>
<xs:enumeration value="987"/>
<xs:enumeration value="988"/>
<xs:enumeration value="989"/>
<xs:enumeration value="990"/>
<xs:enumeration value="991"/>
<xs:enumeration value="992"/>
<xs:enumeration value="993"/>
<xs:enumeration value="994"/>
<xs:enumeration value="995"/>
<xs:enumeration value="996"/>
<xs:enumeration value="997"/>
<xs:enumeration value="998"/>
<xs:enumeration value="999"/>
<xs:enumeration value="1000"/>
<xs:enumeration value="1001"/>
<xs:enumeration value="1002"/>
<xs:enumeration value="1003"/>
<xs:enumeration value="1004"/>
<xs:enumeration value="1005"/>
<xs:enumeration value="1006"/>
<xs:enumeration value="1007"/>
<xs:enumeration value="1008"/>
<xs:enumeration value="1009"/>
<xs:enumeration value="1010"/>
<xs:enumeration value="1011"/>
<xs:enumeration value="1013"/>
<xs:enumeration value="1015"/>
<xs:enumeration value="1017"/>
<xs:enumeration value="1018"/>
<xs:enumeration value="1019"/>
<xs:enumeration value="1020"/>
<xs:enumeration value="1021"/>
<xs:enumeration value="1022"/>
<xs:enumeration value="1023"/>
<xs:enumeration value="1024"/>
<xs:enumeration value="1025"/>
<xs:enumeration value="1026"/>
<xs:enumeration value="1027"/>
<xs:enumeration value="1028"/>
```

```
<xs:enumeration value="1029"/>
<xs:enumeration value="1030"/>
<xs:enumeration value="1031"/>
<xs:enumeration value="1032"/>
<xs:enumeration value="1033"/>
<xs:enumeration value="1034"/>
<xs:enumeration value="1035"/>
<xs:enumeration value="1036"/>
<xs:enumeration value="1037"/>
<xs:enumeration value="1038"/>
<xs:enumeration value="1039"/>
<xs:enumeration value="1040"/>
<xs:enumeration value="1041"/>
<xs:enumeration value="1042"/>
<xs:enumeration value="1043"/>
<xs:enumeration value="1044"/>
<xs:enumeration value="1045"/>
<xs:enumeration value="1046"/>
<xs:enumeration value="1047"/>
<xs:enumeration value="1048"/>
<xs:enumeration value="1049"/>
<xs:enumeration value="1050"/>
<xs:enumeration value="1051"/>
<xs:enumeration value="1052"/>
<xs:enumeration value="1053"/>
<xs:enumeration value="1054"/>
<xs:enumeration value="1055"/>
<xs:enumeration value="1056"/>
<xs:enumeration value="1057"/>
<xs:enumeration value="1058"/>
<xs:enumeration value="1059"/>
<xs:enumeration value="1060"/>
<xs:enumeration value="1061"/>
<xs:enumeration value="1062"/>
<xs:enumeration value="1063"/>
<xs:enumeration value="1064"/>
<xs:enumeration value="1065"/>
<xs:enumeration value="1066"/>
<xs:enumeration value="1067"/>
<xs:enumeration value="1068"/>
<xs:enumeration value="1069"/>
<xs:enumeration value="1070"/>
<xs:enumeration value="1071"/>
<xs:enumeration value="1072"/>
<xs:enumeration value="1073"/>
<xs:enumeration value="1074"/>
<xs:enumeration value="1075"/>
<xs:enumeration value="1076"/>
<xs:enumeration value="1077"/>
```

```

<xs:enumeration value="1078"/>
<xs:enumeration value="1079"/>
<xs:enumeration value="1080"/>
<xs:enumeration value="1081"/>
<xs:enumeration value="1082"/>
<xs:enumeration value="1083"/>
<xs:enumeration value="1084"/>
<xs:enumeration value="1085"/>
<xs:enumeration value="1086"/>
<xs:enumeration value="1087"/>
<!-- Adobe Certified Professional In Visual Effects and Motion
Graphics Using Adobe After Effects -->
<!-- Adobe Certified Professional Animate -->
<!-- Adobe Certified Associate Creative Cloud -->
<!-- Adobe Certified Associate Creative Suite 6 -->
<!-- Adobe Certified Associate Flash -->
<!-- Adobe Certified Professional in Graphic Design and Illustration
Using Adobe Illustrator -->
<!-- Adobe Certified Professional in Print and Digital Media
Publication Using Adobe InDesign -->
<!-- Adobe Certified Professional in Visual Design Using Adobe
Photoshop -->
<!-- Adobe Certified Professional in Digital Video Using Adobe
Premiere Pro -->
<!-- Adobe Certified Professional in Visual Design -->
<!-- Adobe Certified Associate Web Design Specialist -->
<!-- Adobe Certified Expert After Effects -->
<!-- Adobe Certified Expert Illustrator -->
<!-- Adobe Certified Expert InDesign -->
<!-- Adobe Certified Expert Photoshop -->
<!-- Adobe Certified Expert Web Premiere Pro -->
<!-- Aerospace Manufacturing Certification -->
<!-- API 1104 Welding Pipelines and Related Facilities -->
<!-- Apple App Development with Swift -->
<!-- Apple Final Cut Pro X -->
<!-- Apple iWork -->
<!-- Apple Logic Pro X -->
<!-- ASE Auto Transmission -->
<!-- ASE Entry-Level Automobile Automatic Transmission/Transaxle (AT)
-->
<!-- ASE Automobile Service Technology -->
<!-- ASE Entry-Level Automobile Service Technology -->
<!-- ASE Brakes -->
<!-- ASE Entry-Level Automobile Brakes (BR) -->
<!-- ASE Electrical/Electronic Systems -->
<!-- ASE Entry-Level Automobile Electronic/Electrical Systems (EE) --
>
<!-- ASE Engine Performance -->
<!-- ASE Entry-Level Automobile Engine Performance (EP) -->

```



```

<!-- ASE Engine Repair -->
<!-- ASE Entry-Level Automobile Engine Repair (ER) -->
<!-- ASE Heating, Ventilation, AC (HVAC) -->
<!-- ASE Entry-Level Automobile Heating and Air Conditioning (AC) -->
<!-- ASE Maintenance Light Repair -->
<!-- ASE Entry Level Automobile Maintenance and Light Repair (MR) -->
<!-- ASE Manual Drive Train Axles -->
<!-- ASE Entry-Level Automobile Manual Drive Train and Axles (MD) -->
<!-- ASE Mech Elec Components -->
<!-- ASE Entry-Level Collision Mechanical and Electrical Components
(ME) -->
<!-- ASE Non-Structural Analysis Damage Repair -->
<!-- ASE Entry-Level Collision Non-Structural Analysis and Damage
Repair (SR) -->
<!-- ASE Painting & Refinishing -->
<!-- ASE Entry-Level Collision Painting and Refinishing (PR) -->
<!-- ASE Refrigerant Recovery and Recycling -->
<!-- ASE Structural Analysis Damage Repair -->
<!-- ASE Entry-Level Collision Structural Analysis and Damage Repair
-->
<!-- ASE Suspension and Steering -->
<!-- ASE Entry-Level Automobile Suspension and Steering (SS) -->
<!-- ASE Truck Technician Brakes -->
<!-- ASE Entry-Level Medium/Heavy Truck, Brakes (TB) -->
<!-- ASE Truck Technician Diesel Engines -->
<!-- ASE Entry-Level Medium/Heavy Truck, Diesel Engines (DE) -->
<!-- ASE Truck Technician Drive Trains -->
<!-- ASE Truck Technician Electronic Systems -->
<!-- ASE Entry-Level Medium/Heavy Truck, Electrical/Electronic
Systems (TE) -->
<!-- ASE Truck Technician HVAC -->
<!-- ASE Truck Technician Suspension Steering -->
<!-- ASE Entry-Level Medium/Heavy Truck, Suspension and Steering (TS)
-->
<!-- Associate of (ISC) -->
<!-- Autodesk Certified Professional or User AutoCAD -->
<!-- Autodesk Certified Professional or User AutoCAD Civil 3D -->
<!-- Autodesk Certified Professional or User Autodesk Revit Building
Systems -->
<!-- Autodesk Certified Professional or User Revit Architecture -->
<!-- Autodesk Certified Professional or User Revit MEP Electrical -->
<!-- Autodesk Certified Professional or User Inventor -->
<!-- AWS D1.1 Structural Steel -->
<!-- AWS D9.1 Sheet Metal Welding -->
<!-- AWS Certified Welder -->
<!-- AWS SENSE Level 1: Entry Welder -->
<!-- Barber Operator License -->
<!-- Basic Structure Fire Protection -->
<!-- C++ Certified Associate Programmer -->

```

|  |   |
|--|---|
|  | <pre> &lt;!-- Certified Aerospace Technician --&gt; &lt;!-- Certified Associate in Project Management (CAPM) --&gt; &lt;!-- Certified Cardiographic Technician --&gt; &lt;!-- Certified Coding Associate --&gt; &lt;!-- Certified Dental Assistant --&gt; &lt;!-- Certified EKG Technician --&gt; &lt;!-- Certified Electronics Systems Associate --&gt; &lt;!-- Certified Engineering Technician - Audio Systems --&gt; &lt;!-- Certified Fundamentals Cook --&gt; &lt;!-- Certified Fundamentals Pastry Cook --&gt; &lt;!-- Certified Hospitality &amp; Tourism Management Professional --&gt; &lt;!-- Certified Insurance Service Representative --&gt; &lt;!-- Certified Nurse Aide (CNA) --&gt; &lt;!-- Certified Occupational Therapy Assistant --&gt; &lt;!-- Certified Ophthalmic Technician --&gt; &lt;!-- Certified Personal Trainer --&gt; &lt;!-- Certified Respiratory Therapist --&gt; &lt;!-- Certified SOLIDWORKS Associate --&gt; &lt;!-- Certified Surgical Technologist --&gt; &lt;!-- Certified Veterinary Assistant, Level 1 --&gt; &lt;!-- Child Development Associate (CDA) --&gt; &lt;!-- Cisco Certified Design Associate --&gt; &lt;!-- Cisco Certified Network Associate- Cloud (CCNA Cloud) --&gt; &lt;!-- Cisco Certified Network Associate Security (CCNA Security) --&gt; &lt;!-- Cisco Certified Network Associate- Cyber Ops (CCNA Cyber Ops) -- &gt; &lt;!-- Cisco Certified Network Associate - Data Center (CCNA Data Center) --&gt; &lt;!-- Cisco Certified Network Associate- Service Provider (CCNA SP) -- &gt; &lt;!-- Cisco Certified Entry Networking Technician (CCENT) --&gt; &lt;!-- Certified Clinical Medical Assistant --&gt; &lt;!-- Commercial/Non-Commercial Pesticide Applicator --&gt; &lt;!-- Community Health Workers --&gt; &lt;!-- CompTIA A+ Certification --&gt; &lt;!-- CompTIA IT Fundamentals+ --&gt; &lt;!-- CompTIA Network+ --&gt; &lt;!-- CompTIA Security+ --&gt; &lt;!-- Cosmetology Esthetician License --&gt; &lt;!-- Cosmetology Manicurist License --&gt; &lt;!-- Cosmetology Operator License --&gt; &lt;!-- Educational Aide I --&gt; &lt;!-- Entrepreneurship and Small Business --&gt; &lt;!-- Electrical Apprenticeship Certificate Level 1 --&gt; &lt;!-- Emergency Medical Technician - Basic --&gt; &lt;!-- ESRI ArcGIS Desktop Entry --&gt; &lt;!-- FAA Aviation Maintenance Technician General --&gt; &lt;!-- FAA Aviation Maintenance Technician Airframe --&gt; &lt;!-- FAA Part 107 Remote Drone Pilot --&gt; </pre> |
|--|---|

```

<!-- FANUC Robot Operator 1 -->
<!-- Feedyard Technician in Cattle Care and Handling -->
<!-- Feedyard Technician in Machinery Operation, Repair and
Maintenance -->
<!-- Google Analytics Individual Qualification -->
<!-- Google Cloud Certified Professional - Cloud Architect -->
<!-- ISCET Certified Electronics Technicians -->
<!-- Landscape Irrigator -->
<!-- Licensed Dental Hygienist -->
<!-- Licensed Dietetic Technician -->
<!-- Licensed Veterinary Technician -->
<!-- Licensed Vocational Nurse -->
<!-- Limited Medical Radiologic Technologist -->
<!-- Medical Coding and Billing Specialist -->
<!-- ManageFirst Professional -->
<!-- Mastercam Associate Certification -->
<!-- Medical Laboratory Assistant -->
<!-- Microsoft Office Specialist Excel -->
<!-- Microsoft Office Specialist Word -->
<!-- Microsoft Office Specialist: Microsoft Excel Expert (Excel and
Excel 2019) -->
<!-- Microsoft Office Specialist: Microsoft Word Expert (Word and
Word 2019) -->
<!-- Microsoft Office Specialist 2016 Master -->
<!-- Microsoft Office Specialist (MOS) Master-2013 (Track 1) -->
<!-- Microsoft Office Specialist (MOS) Master-2013 (Track 2) -->
<!-- Microsoft Office Specialist (MOS) Master-2013 (Track 3) -->
<!-- Microsoft Technology Associate (MTA) Cloud Fundamentals -->
<!-- Microsoft Technology Associate (MTA) Database Administration
Fundamentals -->
<!-- Microsoft Technology Associate (MTA) HTML5 App Development
Fundamentals -->
<!-- Microsoft Technology Associate (MTA) Intro Programming Using
HTML and CSS -->
<!-- Microsoft Technology Associate (MTA) Intro Programming Using
Java -->
<!-- Microsoft Technology Associate (MTA) Intro Programming Using
JavaScript -->
<!-- Microsoft Technology Associate (MTA) Intro Programming Using
Python -->
<!-- Microsoft Technology Associate (MTA) Mobility and Device
Fundamentals -->
<!-- Microsoft Technology Associate (MTA) Networking Fundamentals -->
<!-- Microsoft Technology Associate (MTA) Security Fundamentals -->
<!-- Industrial Technology Maintenance (ITM) - Basic Mechanical
Systems -->
<!-- Industrial Technology Maintenance (ITM) - Basic Pneumatic
Systems -->
<!-- Industrial Technology Maintenance (ITM) - Electrical Systems -->

```

```

<!-- Industrial Technology Maintenance (ITM) - Electronic Control
Systems -->
<!-- Industrial Technology Maintenance (ITM) - Maintenance Operations
-->
<!-- Industrial Technology Maintenance (ITM) - Maintenance Piping -->
<!-- Industrial Technology Maintenance (ITM) - Maintenance Welding --
>
<!-- Industrial Technology Maintenance (ITM) - Process Control
Systems -->
<!-- NCCER Carpentry Level I -->
<!-- NCCER Carpentry Level II -->
<!-- NCCER Commercial Carpenter -->
<!-- NCCER Construction Site Safety Technician -->
<!-- NCCER Construction Technology Certification Level I -->
<!-- NCCER Core -->
<!-- NCCER Electrical Level I -->
<!-- NCCER Electrical Level II -->
<!-- NCCER Commercial Electrician -->
<!-- NCCER Electronic System Technician Level I -->
<!-- NCCER Electronic System Technician Level II -->
<!-- NCCER Heating, Ventilation, Air Conditioning Level I -->
<!-- NCCER Industrial Maintenance Mechanic Level I -->
<!-- NCCER Instrumentation Level I -->
<!-- NCCER Masonry Level I -->
<!-- NCCER Masonry Level II -->
<!-- NCCER Millwright Level I -->
<!-- NCCER Millwright Level II -->
<!-- NCCER Painting: Commercial and Residential Level I -->
<!-- NCCER Pipefitting Level I -->
<!-- NCCER Plumbing Level I -->
<!-- NCCER Plumbing Level II -->
<!-- NCCER Sheet Metal Level I -->
<!-- NCCER Weatherization Technician Level I -->
<!-- NCCER Welding Level I -->
<!-- Non-Commissioned Security Officer Level II -->
<!-- Oracle Certified Associate Java SE 8 Programmer -->
<!-- Oracle Database SQL Certified Associate -->
<!-- Orthopedic Exercise Specialty Certification -->
<!-- Orthopedic Technologist -->
<!-- OSHA 30 Hour Construction -->
<!-- OSHA 30 Hour General -->
<!-- OSHA Hazardous Waste Operations and Emergency Response -->
<!-- Patient Care Technician -->
<!-- Pharmacy Technician -->
<!-- Phlebotomy Technician -->
<!-- Intuit QuickBooks Certified User -->
<!-- ServSafe Manager -->
<!-- Texas State Florist's Association Knowledge Based Floral
Certification -->

```

```

<!-- Texas State Florist's Association Level I Floral Certification -
->
<!-- Texas State Florist's Association Level II Floral Certification
-->
<!-- Tradesman Plumber - Limited -->
<!-- Certified Professional Programmer -->
<!-- Wastewater Collections -->
<!-- Water Operators, Class D -->
<!-- WD Certified Web Design -->
<!-- Google Cloud Certified Professional- G Suite -->
<!-- IAED Emergency Telecommunicator -->
<!-- ISA Certified Control Systems Technician -->
<!-- Mastercam Associate Certification Mill Design and Toolpaths -->
<!-- Mastercam Certified Professional Mill Level 1 -->
<!-- Mastercam Professional Level Certification -->
<!-- Microsoft Technology Associate (MTA) Software Development
Fundamentals -->
<!-- Microsoft Technology Associate (MTA) Windows Operating System
Fundamentals -->
<!-- Microsoft Technology Associate (MTA) Windows Server
Administration Fundamentals -->
<!-- Certified Logistics Technician (CLT) -->
<!-- Certified Production Technician (CPT) 4.0 -->
<!-- Machining CNC Mill Operations Level I -->
<!-- Machining CNC Mill Programming Setup and Operations Level I -->
<!-- CNC Lathe Operations -->
<!-- CNC Lathe Set Up and Operations -->
<!-- Machining Drill Press Level I -->
<!-- Machining Grinding Level I -->
<!-- Machining Milling Level I -->
<!-- Machining Measurement, Material, and Safety Level I -->
<!-- Real Estate Sales Agent License -->
<!-- Refrigerant Handling (EPA 608) -->
<!-- Registered Dental Assistant X-Ray Certification -->
<!-- Registered Diagnostic Medical Sonographer - Abdomen -->
<!-- Registered Diagnostic Medical Sonographer - Obstetrics and
Gynecology -->
<!-- Registered Nurse -->
<!-- Registered Technologist - Cardiac-Interventional Radiography -->
<!-- Registered Technologist - Computed Tomography -->
<!-- Registered Technologist - Magnetic Resonance Imaging -->
<!-- Registered Technologist - Mammography -->
<!-- Registered Technologist - Nuclear Medicine Technology -->
<!-- Registered Technologist - Radiography -->
<!-- Registered Technologist - Sonography -->
<!-- Registered Technologist - Vascular Sonography -->
<!-- Registered Technologist - Vascular-Interventional Radiography --
>
<!-- Registered Vascular Technology -->

```

|  |   |
|--|---|
|  | <pre> &lt;!-- Medical Laboratory Technician --&gt; &lt;!-- Accounting - Basic --&gt; &lt;!-- Accounting Foundations --&gt; &lt;!-- Administrative Assisting --&gt; &lt;!-- Agricultural Biotechnology --&gt; &lt;!-- Agriculture Mechanics --&gt; &lt;!-- Audio-Visual Communications - Job Ready --&gt; &lt;!-- Autodesk Associate (Certified User) 3ds MAX --&gt; &lt;!-- Autodesk Associate (Certified User) AutoCAD --&gt; &lt;!-- Autodesk Associate (Certified User) Fusion 360 --&gt; &lt;!-- Autodesk Associate (Certified User) Inventor for Mechanical Design --&gt; &lt;!-- Autodesk Associate (Certified User) Revit Architecture --&gt; &lt;!-- Autodesk Associate (Certified User) Revit for Electrical --&gt; &lt;!-- Autodesk Associate (Certified User) Revit for Structural Design --&gt; &lt;!-- Autodesk Certified Professional Fusion 360 --&gt; &lt;!-- Autodesk Certified Professional in AutoCAD for Design and Drafting --&gt; &lt;!-- Autodesk Certified Professional in Inventor for Mechanical Design --&gt; &lt;!-- Autodesk Certified Professional in Revit for Architectural Design --&gt; &lt;!-- Autodesk Certified Professional in Revit for Electrical Design - -&gt; &lt;!-- Autodesk Certified Professional in Revit for Structural Design - -&gt; &lt;!-- BASF Plant Science Certification --&gt; &lt;!-- Biotechnician Assistant Credentialing Exam (BACE) --&gt; &lt;!-- Broadcasting and Journalism --&gt; &lt;!-- Business Information Processing --&gt; &lt;!-- C-101 Certified Industry 4.0 Associate - Basic Operations --&gt; &lt;!-- C-103 Certified Industry 4.0 Associate - Robot System Operations --&gt; &lt;!-- C-200 Certified Industry 4.0 Automation Systems Specialist I - 201 Electrical Systems 1 --&gt; &lt;!-- C-200 Certified Industry 4.0 Automation Systems Specialist I - 202 Electric Motor Control Systems 1 --&gt; &lt;!-- C-200 Certified Industry 4.0 Automation Systems Specialist I - 204 Motor Control Troubleshooting 1 --&gt; &lt;!-- C-200 Certified Industry 4.0 Automation Systems Specialist I - 208 Programmable Controller Troubleshooting 1 --&gt; &lt;!-- C-200 Certified Industry 4.0 Automation Systems Specialist I - 215 Robotic Operations 1 --&gt; &lt;!-- C-200 Certified Industry 4.0 Automation System Specialist I - 216 Robotic System Integration 1 --&gt; &lt;!-- Certified Entry-Level Python Programmer (PCEP) --&gt; &lt;!-- Certified Manufacturing Associate --&gt; &lt;!-- Certified Technician-Supply Chain Automation (CT-SCA) --&gt; </pre> |
|--|---|

```

<!-- Certified Web and Mobile App Developer Apprentice -->
<!-- Certified Web Animator Associate -->
<!-- Cisco 100-490 RSTech Supporting Cisco Routing and Switching
Network Devices -->
<!-- Cisco 200-201 CBROPS - Understanding Cisco Cybersecurity
Operations Fundamentals -->
<!-- Cisco CCNA (200-301) Implementing and Administering Cisco
Solutions -->
<!-- Cloud Essentials+ -->
<!-- Commercial Foods -->
<!-- Commercial/Noncommercial Pesticide Applicator "Vegetation
Management" License -->
<!-- CompTIA Linux+ -->
<!-- CompTIA Server+ -->
<!-- Computer Networking Fundamentals - Job Ready -->
<!-- Computer Repair Technology - Job Ready -->
<!-- Culinary Meat Selection & Cookery Certification -->
<!-- Cybersecurity Fundamentals -->
<!-- CyberSecurity Fundamentals: An ISACA Certificate -->
<!-- Diesel Technology - Job Ready -->
<!-- Digital Video Production Foundations -->
<!-- Early Childhood Education and Care - Advanced -->
<!-- Early Childhood Education and Care - Basic -->
<!-- ECG Technician -->
<!-- Elanco Fundamentals of Animal Science Certification -->
<!-- Elanco Veterinary Medical Applications Certification -->
<!-- Emergency Medical Responder -->
<!-- Engineering Technology Foundations -->
<!-- Equine Management & Evaluation Certification -->
<!-- Facebook Digital Marketing Associate Certification -->
<!-- FESTO Certified Industry 4.0 Associate Fundamentals -->
<!-- Food Protection Manager Certification -->
<!-- Food Safety & Science Certification -->
<!-- General Management -->
<!-- Google IT Support Professional Certificate -->
<!-- Graphic Production Technology - Job Ready -->
<!-- HBI Pre-Apprenticeship Certificate Training (PACT), Brick
Masonry -->
<!-- HBI Pre-Apprenticeship Certificate Training (PACT), Building
Construction Technology -->
<!-- HBI Pre-Apprenticeship Certificate Training (PACT), Basic
Carpentry -->
<!-- HBI Pre-Apprenticeship Certificate Training (PACT), Core -->
<!-- HBI Pre-Apprenticeship Certificate Training (PACT), Basic
Electrical -->
<!-- HBI Pre-Apprenticeship Certificate Training (PACT), Green Core -
->
<!-- HBI Pre-Apprenticeship Certificate Training (PACT), Heating,
Ventilation and Air Conditioning -->

```

|  |   |
|--|---|
|  | <pre> &lt;!-- Heavy Equipment Maintenance and Repair - Job Ready --&gt; &lt;!-- Horticulture - Landscaping - Job Ready --&gt; &lt;!-- Hospitality Management - Lodging - Job Ready --&gt; &lt;!-- Insurance and Coding Specialist --&gt; &lt;!-- Residential Plans Examiner - R3 --&gt; &lt;!-- Lean Six Sigma Green Belt Certification --&gt; &lt;!-- LEED Green Associate --&gt; &lt;!-- Machining CNC Milling Skills Level II --&gt; &lt;!-- Machining CNC Turning Level II --&gt; &lt;!-- Manufacturing Technology --&gt; &lt;!-- MB-920: Microsoft Dynamics 365 Fundamentals Finance and Operations Apps --&gt; &lt;!-- Medical Assistant --&gt; &lt;!-- Microsoft Office Specialist: Microsoft Access Expert (Access and Access 2019) --&gt; &lt;!-- Nationally Certified Medical Coding and Billing Specialist --&gt; &lt;!-- Nationally Registered Certified EKG Technician --&gt; &lt;!-- Natural Resources Systems --&gt; &lt;!-- NCCER Industrial Maintenance Support Mechanic --&gt; &lt;!-- NCCER Industrial Millwright --&gt; &lt;!-- NCCER Industrial Pipefitter --&gt; &lt;!-- Precision Machining - Job Ready --&gt; &lt;!-- Pre-Engineering/Engineering Technology - Job Ready --&gt; &lt;!-- Pre-Professional Certification in Culinary Arts --&gt; &lt;!-- Pre-Professional Certification in Early Childhood Education --&gt; &lt;!-- Pre-Professional Certification in Food Science Fundamentals --&gt; &lt;!-- Pre-Professional Certification in Nutrition, Food, and Wellness --&gt; &lt;!-- Principles of Floral Design Certification --&gt; &lt;!-- Principles of Small Engine Technology Certification --&gt; &lt;!-- Production Agriculture - Job Ready --&gt; &lt;!-- Certified Professional Photographer --&gt; &lt;!-- Project Management Institute (PMI) Project Management Ready --&gt; &lt;!-- Retail Merchandising - Job Ready --&gt; &lt;!-- Small Animal Science and Technology --&gt; &lt;!-- Small Engine Technology --&gt; &lt;!-- Certified Billing and Coding Specialist (CBCS) --&gt; &lt;!-- Stukent Social Media Marketing Certification --&gt; &lt;!-- Texas Certified Landscape Associate (TCLA) --&gt; &lt;!-- Texas Certified Nursery Professional --&gt; &lt;!-- Travel and Tourism --&gt; &lt;!-- Volunteer Income Tax Assistance/Tax Counseling Certification: Advanced --&gt; &lt;!-- Volunteer Income Tax Assistance/Tax Counseling Certification: Basic --&gt; &lt;!-- Volunteer Income Tax Assistance/Tax Counseling Certification: Volunteer for Elderly --&gt; &lt;!-- Web Design - Job Ready --&gt; &lt;!-- Welding - Job Ready --&gt; </pre> |
|--|---|



```

    <!-- Autodesk Certified Professional in Civil 3D for Infrastructure
Design -->
    <!-- Business of Retail: Certified Specialist -->
    <!-- Certified SOLIDWORKS Associate (CSWA) - Academic -->
    <!-- Certified SOLIDWORKS Associate (CSWA) - Electrical -->
    <!-- Certified SOLIDWORKS Associate (CSWA) - Mechanical Design -->
    <!-- Certified SOLIDWORKS Associate (CSWA) - Simulation -->
    <!-- Certified SOLIDWORKS Associate (CSWA) - Sustainability -->
    <!-- Certified SOLIDWORKS Professional (CSWP) - Academic -->
    <!-- Certified SOLIDWORKS Professional (CSWP) - Additive
Manufacturing -->
    <!-- Certified SOLIDWORKS Professional (CSWP) - CAM -->
    <!-- Certified SOLIDWORKS Professional (CSWP) - Mechanical Design -->
    <!-- Certified SOLIDWORKS Professional (CSWP) - Model Based
Definition -->
    <!-- Certified SOLIDWORKS Professional (CSWP) - Simulation -->
    <!-- Certified SOLIDWORKS Professional (CSWPA) - Drawing Tools -->
    <!-- Certified User: Programmer -->
    <!-- CodeHS Cybersecurity Level 1 Certification -->
    <!-- CodeHS Python Level 1 Certification -->
    <!-- CodeHS Web Design Level 1 Certification -->
    <!-- Customer Service and Sales: Certified Specialist -->
    <!-- Ducks Unlimited Ecology Conservation & Management Certification
-->
    <!-- Employment Ready Certification - Air Conditioning -->
    <!-- Employment Ready Certification - Electrical -->
    <!-- Employment Ready Certification - Gas Heat -->
    <!-- Employment Ready Certification - Heat Pumps -->
    <!-- Employment Ready Certification - Light Commercial Air
Conditioning -->
    <!-- Heating, Electrical, & Air Conditioning Technology (H.E.A.T.) --
>
    <!-- Information Technology Specialist: HTML and CSS -->
    <!-- Information Technology Specialist: HTML5 Application Development
-->
    <!-- Information Technology Specialist: Java -->
    <!-- Information Technology Specialist: JavaScript -->
    <!-- Information Technology Specialist: Networking -->
    <!-- Microsoft 365 Fundamentals -->
    <!-- Microsoft Azure AI Fundamentals -->
    <!-- Microsoft Azure Data Fundamentals -->
    <!-- Microsoft Security, Compliance, and Identity Fundamentals -->
    <!-- TRIO Electrical Pre-Apprenticeship (EPP) Certification -->
    <!-- AgriLife Veterinary Assistant Certificate -->
</xs:restriction>
</xs:simpleType>

```

### simpleType **IGCCodeType**

|             |   |            |       |            |             |    |  |             |    |  |
|-------------|---|------------|-------|------------|-------------|----|--|-------------|----|--|
| namespace   | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |             |    |  |             |    |  |
| type        | restriction of <b>xs:token</b>  |            |       |            |             |    |  |             |    |  |
| properties  | base <b>xs:token</b>  |            |       |            |             |    |  |             |    |  |
| used by     | element <a href="#">AcademicStatusType/IGCGradReview</a>  |            |       |            |             |    |  |             |    |  |
| facets      | <table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>00</td> <td></td> </tr> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> </table>   | Kind       | Value | Annotation | enumeration | 00 |  | enumeration | 01 |  |
| Kind        | Value   | Annotation |       |            |             |    |  |             |    |  |
| enumeration | 00  |            |       |            |             |    |  |             |    |  |
| enumeration | 01  |            |       |            |             |    |  |             |    |  |
| source      | <pre>&lt;xs:simpleType name="IGCCodeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="00"/&gt;     &lt;xs:enumeration value="01"/&gt;     &lt;!-- Not Applicable. --&gt;     &lt;!-- IGC established, not graduated. --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre> |            |       |            |             |    |  |             |    |  |

### simpleType **ImmunizationCodeType**

|            |   |            |       |            |           |   |  |           |    |  |
|------------|---|------------|-------|------------|-----------|---|--|-----------|----|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |           |   |  |           |    |  |
| type       | restriction of <b>xs:token</b>  |            |       |            |           |   |  |           |    |  |
| properties | base <b>xs:token</b>  |            |       |            |           |   |  |           |    |  |
| used by    | element <a href="#">ImmunizationType/ImmunizationCode</a>   |            |       |            |           |   |  |           |    |  |
| facets     | <table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>35</td> <td></td> </tr> </table>                                  | Kind       | Value | Annotation | minLength | 1 |  | maxLength | 35 |  |
| Kind       | Value   | Annotation |       |            |           |   |  |           |    |  |
| minLength  | 1   |            |       |            |           |   |  |           |    |  |
| maxLength  | 35  |            |       |            |           |   |  |           |    |  |
| source     | <pre>&lt;xs:simpleType name="ImmunizationCodeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="35"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre> |            |       |            |           |   |  |           |    |  |

### simpleType **ImmunizationDoseType**

|            |  |
|------------|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34   |
| type       | restriction of <b>xs:integer</b>   |
| properties | base xs:integer  |
| used by    | element <a href="#">ImmunizationType/ImmunizationDose</a>  |
| facets     | Kind Value Annotation<br>totalDigits 2   |
| source     | <pre>&lt;xs:simpleType name="ImmunizationDoseType"&gt;   &lt;xs:restriction base="xs:integer"&gt;     &lt;xs:totalDigits value="2"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre> |

### simpleType **LanguageType**

| namespace   | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
|-------------|---|------------|-------|------------|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|
| type        | restriction of <b>xs:token</b>  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| properties  | base xs:token   |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| used by     | elements <a href="#">StudentDemographicType/HomeLanguage</a> <a href="#">StudentDemographicType/StudentLanguage</a>   |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>02</td><td></td></tr> <tr><td>enumeration</td><td>03</td><td></td></tr> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> <tr><td>enumeration</td><td>09</td><td></td></tr> <tr><td>enumeration</td><td>98</td><td></td></tr> <tr><td>enumeration</td><td>99</td><td></td></tr> <tr><td>enumeration</td><td>1A</td><td></td></tr> <tr><td>enumeration</td><td>1B</td><td></td></tr> </tbody> </table> | Kind       | Value | Annotation | enumeration | 01 |  | enumeration | 02 |  | enumeration | 03 |  | enumeration | 04 |  | enumeration | 06 |  | enumeration | 07 |  | enumeration | 08 |  | enumeration | 09 |  | enumeration | 98 |  | enumeration | 99 |  | enumeration | 1A |  | enumeration | 1B |  |
| Kind        | Value   | Annotation |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 01  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 02  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 03  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 04  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 06  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 07  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 08  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 09  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 98  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 99  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 1A  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 1B  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |

|             |    |
|-------------|----|
| enumeration | 1C |
| enumeration | 1D |
| enumeration | 1E |
| enumeration | 1F |
| enumeration | 1G |
| enumeration | 1H |
| enumeration | 1I |
| enumeration | 1J |
| enumeration | 1K |
| enumeration | 1L |
| enumeration | 1M |
| enumeration | 1N |
| enumeration | 1O |
| enumeration | 1P |
| enumeration | 1Q |
| enumeration | 1R |
| enumeration | 1S |
| enumeration | 1T |
| enumeration | 1U |
| enumeration | 1V |
| enumeration | 1W |
| enumeration | 1X |
| enumeration | 1Y |
| enumeration | 1Z |
| enumeration | 2A |
| enumeration | 2B |
| enumeration | 2C |
| enumeration | 2D |
| enumeration | 2E |
| enumeration | 2F |

|             |    |
|-------------|----|
| enumeration | 2G |
| enumeration | 2H |
| enumeration | 2I |
| enumeration | 2J |
| enumeration | 2K |
| enumeration | 2L |
| enumeration | 2M |
| enumeration | 2N |
| enumeration | 2O |
| enumeration | 2P |
| enumeration | 2Q |
| enumeration | 2R |
| enumeration | 2S |
| enumeration | 2T |
| enumeration | 2U |
| enumeration | 2V |
| enumeration | 2W |
| enumeration | 2X |
| enumeration | 2Y |
| enumeration | 2Z |
| enumeration | 3A |
| enumeration | 3B |
| enumeration | 3C |
| enumeration | 3D |
| enumeration | 3E |
| enumeration | 3F |
| enumeration | 3G |
| enumeration | 3H |
| enumeration | 3I |
| enumeration | 3J |

|             |    |
|-------------|----|
| enumeration | 3K |
| enumeration | 3L |
| enumeration | 3M |
| enumeration | 3N |
| enumeration | 3O |
| enumeration | 3P |
| enumeration | 3Q |
| enumeration | 3R |
| enumeration | 3S |
| enumeration | 3T |
| enumeration | 3U |
| enumeration | 3V |
| enumeration | 3W |
| enumeration | 3X |
| enumeration | 3Y |
| enumeration | 3Z |
| enumeration | 4A |
| enumeration | 4B |
| enumeration | 4C |
| enumeration | 4D |
| enumeration | 4E |
| enumeration | 4F |
| enumeration | 4G |
| enumeration | 4H |
| enumeration | 4I |
| enumeration | 4J |
| enumeration | 4K |
| enumeration | 4L |
| enumeration | 4M |
| enumeration | 4N |

|             |    |
|-------------|----|
| enumeration | 4O |
| enumeration | 4P |
| enumeration | 4Q |
| enumeration | 4R |
| enumeration | 4S |
| enumeration | 4T |
| enumeration | 4U |
| enumeration | 4V |
| enumeration | 4W |
| enumeration | 4X |
| enumeration | 4Y |
| enumeration | 4Z |
| enumeration | 5A |
| enumeration | 5B |
| enumeration | 5C |
| enumeration | 5D |
| enumeration | 5E |
| enumeration | 5F |
| enumeration | 5G |
| enumeration | 5H |
| enumeration | 5I |
| enumeration | 5J |
| enumeration | 5K |
| enumeration | 5L |
| enumeration | 5M |
| enumeration | 5N |
| enumeration | 5O |
| enumeration | 5P |
| enumeration | 5Q |
| enumeration | 5R |

|        |   |
|--------|---|
|        | <p>enumeration 5S</p> <p>enumeration 5T</p> <p>enumeration 5U</p> <p>enumeration 5V</p> <p>enumeration 5W</p> <p>enumeration 5X</p> <p>enumeration 5Y</p> <p>enumeration 5Z</p> <p>enumeration 6A</p> <p>enumeration 6B</p>   |
| source | <pre> &lt;xs:simpleType name="LanguageType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="01"/&gt;     &lt;xs:enumeration value="02"/&gt;     &lt;xs:enumeration value="03"/&gt;     &lt;xs:enumeration value="04"/&gt;     &lt;xs:enumeration value="06"/&gt;     &lt;xs:enumeration value="07"/&gt;     &lt;xs:enumeration value="08"/&gt;     &lt;xs:enumeration value="09"/&gt;     &lt;xs:enumeration value="98"/&gt;     &lt;xs:enumeration value="99"/&gt;     &lt;xs:enumeration value="1A"/&gt;     &lt;xs:enumeration value="1B"/&gt;     &lt;xs:enumeration value="1C"/&gt;     &lt;xs:enumeration value="1D"/&gt;     &lt;xs:enumeration value="1E"/&gt;     &lt;xs:enumeration value="1F"/&gt;     &lt;xs:enumeration value="1G"/&gt;     &lt;xs:enumeration value="1H"/&gt;     &lt;xs:enumeration value="1I"/&gt;     &lt;xs:enumeration value="1J"/&gt;     &lt;xs:enumeration value="1K"/&gt;     &lt;xs:enumeration value="1L"/&gt;     &lt;xs:enumeration value="1M"/&gt;     &lt;xs:enumeration value="1N"/&gt;     &lt;xs:enumeration value="1O"/&gt;     &lt;xs:enumeration value="1P"/&gt;     &lt;xs:enumeration value="1Q"/&gt;     &lt;xs:enumeration value="1R"/&gt;     &lt;xs:enumeration value="1S"/&gt;     &lt;xs:enumeration value="1T"/&gt; </pre> |



```
<xs:enumeration value="1U"/>
<xs:enumeration value="1V"/>
<xs:enumeration value="1W"/>
<xs:enumeration value="1X"/>
<xs:enumeration value="1Y"/>
<xs:enumeration value="1Z"/>
<xs:enumeration value="2A"/>
<xs:enumeration value="2B"/>
<xs:enumeration value="2C"/>
<xs:enumeration value="2D"/>
<xs:enumeration value="2E"/>
<xs:enumeration value="2F"/>
<xs:enumeration value="2G"/>
<xs:enumeration value="2H"/>
<xs:enumeration value="2I"/>
<xs:enumeration value="2J"/>
<xs:enumeration value="2K"/>
<xs:enumeration value="2L"/>
<xs:enumeration value="2M"/>
<xs:enumeration value="2N"/>
<xs:enumeration value="2O"/>
<xs:enumeration value="2P"/>
<xs:enumeration value="2Q"/>
<xs:enumeration value="2R"/>
<xs:enumeration value="2S"/>
<xs:enumeration value="2T"/>
<xs:enumeration value="2U"/>
<xs:enumeration value="2V"/>
<xs:enumeration value="2W"/>
<xs:enumeration value="2X"/>
<xs:enumeration value="2Y"/>
<xs:enumeration value="2Z"/>
<xs:enumeration value="3A"/>
<xs:enumeration value="3B"/>
<xs:enumeration value="3C"/>
<xs:enumeration value="3D"/>
<xs:enumeration value="3E"/>
<xs:enumeration value="3F"/>
<xs:enumeration value="3G"/>
<xs:enumeration value="3H"/>
<xs:enumeration value="3I"/>
<xs:enumeration value="3J"/>
<xs:enumeration value="3K"/>
<xs:enumeration value="3L"/>
<xs:enumeration value="3M"/>
<xs:enumeration value="3N"/>
<xs:enumeration value="3O"/>
<xs:enumeration value="3P"/>
<xs:enumeration value="3Q"/>
```

```
<xs:enumeration value="3R"/>
<xs:enumeration value="3S"/>
<xs:enumeration value="3T"/>
<xs:enumeration value="3U"/>
<xs:enumeration value="3V"/>
<xs:enumeration value="3W"/>
<xs:enumeration value="3X"/>
<xs:enumeration value="3Y"/>
<xs:enumeration value="3Z"/>
<xs:enumeration value="4A"/>
<xs:enumeration value="4B"/>
<xs:enumeration value="4C"/>
<xs:enumeration value="4D"/>
<xs:enumeration value="4E"/>
<xs:enumeration value="4F"/>
<xs:enumeration value="4G"/>
<xs:enumeration value="4H"/>
<xs:enumeration value="4I"/>
<xs:enumeration value="4J"/>
<xs:enumeration value="4K"/>
<xs:enumeration value="4L"/>
<xs:enumeration value="4M"/>
<xs:enumeration value="4N"/>
<xs:enumeration value="4O"/>
<xs:enumeration value="4P"/>
<xs:enumeration value="4Q"/>
<xs:enumeration value="4R"/>
<xs:enumeration value="4S"/>
<xs:enumeration value="4T"/>
<xs:enumeration value="4U"/>
<xs:enumeration value="4V"/>
<xs:enumeration value="4W"/>
<xs:enumeration value="4X"/>
<xs:enumeration value="4Y"/>
<xs:enumeration value="4Z"/>
<xs:enumeration value="5A"/>
<xs:enumeration value="5B"/>
<xs:enumeration value="5C"/>
<xs:enumeration value="5D"/>
<xs:enumeration value="5E"/>
<xs:enumeration value="5F"/>
<xs:enumeration value="5G"/>
<xs:enumeration value="5H"/>
<xs:enumeration value="5I"/>
<xs:enumeration value="5J"/>
<xs:enumeration value="5K"/>
<xs:enumeration value="5L"/>
<xs:enumeration value="5M"/>
<xs:enumeration value="5N"/>
```

```
<xs:enumeration value="50"/>
<xs:enumeration value="5P"/>
<xs:enumeration value="5Q"/>
<xs:enumeration value="5R"/>
<xs:enumeration value="5S"/>
<xs:enumeration value="5T"/>
<xs:enumeration value="5U"/>
<xs:enumeration value="5V"/>
<xs:enumeration value="5W"/>
<xs:enumeration value="5X"/>
<xs:enumeration value="5Y"/>
<xs:enumeration value="5Z"/>
<xs:enumeration value="6A"/>
<xs:enumeration value="6B"/>
<!-- Spanish -->
<!-- Vietnamese -->
<!-- Laotian (Lao) -->
<!-- Cambodian (Khmer) -->
<!-- Korean -->
<!-- Japanese -->
<!-- French -->
<!-- German -->
<!-- English -->
<!-- Other languages -->
<!-- Afrikaans (Taal) -->
<!-- Akan (Fante, Asante) -->
<!-- Albanian, Gheg (Kosovo/Macedonia) -->
<!-- Albanian, Tosk (Albania) -->
<!-- Algonquin -->
<!-- Amharic -->
<!-- Apache -->
<!-- Arabic -->
<!-- Armenian -->
<!-- Assyrian (Syriac, Aramaic) -->
<!-- Balinese -->
<!-- Bengali -->
<!-- Bosnian -->
<!-- Bulgarian -->
<!-- Burmese -->
<!-- Cantonese (Chinese) -->
<!-- Cebuano (Visayan) -->
<!-- Chamorro -->
<!-- Chaochow/Teochiu (Chinese) -->
<!-- Cherokee -->
<!-- Chippewa/Ojibawa/Ottawa -->
<!-- Choctaw -->
<!-- Comanche -->
<!-- Coushatta -->
<!-- Creek -->
```

<!-- Croatian -->  
<!-- Crow -->  
<!-- Czech -->  
<!-- Danish -->  
<!-- Dard -->  
<!-- Dutch/Flemish -->  
<!-- Efik -->  
<!-- Eskimo -->  
<!-- Estonian -->  
<!-- Ethiopic -->  
<!-- Ewe -->  
<!-- Farsi (Persian) -->  
<!-- Finnish -->  
<!-- Fukien/Hokkien (Chinese) -->  
<!-- Gaelic (Irish) -->  
<!-- Gaelic (Scottish) -->  
<!-- Greek -->  
<!-- Gujarati -->  
<!-- Guyanese -->  
<!-- Hainanese (Chinese) -->  
<!-- Haitian-Creole -->  
<!-- Hakka (Chinese) -->  
<!-- Hausa -->  
<!-- Hebrew -->  
<!-- Hindi -->  
<!-- Hmong -->  
<!-- Hopi -->  
<!-- Hungarian -->  
<!-- Ibo/Igbo -->  
<!-- Icelandic -->  
<!-- Ilonggo (Hiligaynon) -->  
<!-- Indonesian -->  
<!-- Italian -->  
<!-- Kache (Kaje, Jju) -->  
<!-- Kannada (Kanarese) -->  
<!-- Kanuri -->  
<!-- Kashmiri -->  
<!-- Kickapoo -->  
<!-- Konkani -->  
<!-- Kpelle -->  
<!-- Krio -->  
<!-- Kurdish -->  
<!-- Kwa -->  
<!-- Latvian -->  
<!-- Lingala -->  
<!-- Lithuanian -->  
<!-- Luganda -->  
<!-- Lunda -->  
<!-- Luyia (Luhya) -->

<!-- Macedonian -->  
<!-- Malay -->  
<!-- Malayalam -->  
<!-- Maltese -->  
<!-- Mandarin (Chinese) -->  
<!-- Mande -->  
<!-- Marathi -->  
<!-- Menominee -->  
<!-- Mien (Yao) -->  
<!-- Navajo -->  
<!-- Nepali -->  
<!-- Norwegian -->  
<!-- Okinawan -->  
<!-- Oneida -->  
<!-- Oriya -->  
<!-- Orri (Oring) -->  
<!-- Pampangan -->  
<!-- Panjabi (Punjabi) -->  
<!-- Pashto (Pushto) -->  
<!-- Pilipino (Tagalog) -->  
<!-- Pima -->  
<!-- Polish -->  
<!-- Portuguese -->  
<!-- Pueblo -->  
<!-- Romanian -->  
<!-- Romany (Gypsy) -->  
<!-- Russian -->  
<!-- Samoan -->  
<!-- Serbian -->  
<!-- Shanghai (Chinese) -->  
<!-- Shona -->  
<!-- Sikkimese -->  
<!-- Sindhi -->  
<!-- Sinhalese (Sri Lanka) -->  
<!-- Sioux (Dakota) -->  
<!-- Slavic -->  
<!-- Slovenian (Slovene) -->  
<!-- Somali -->  
<!-- Sotho -->  
<!-- Swahili -->  
<!-- Swedish -->  
<!-- Taiwanese/Formosan/Min Nan (Chinese) -->  
<!-- Tamil -->  
<!-- Telugu (Telegu) -->  
<!-- Thai -->  
<!-- Tibetan -->  
<!-- Tigrinya -->  
<!-- Tiwa -->  
<!-- Tuluau -->

|  |   |
|--|---|
|  | <pre> &lt;!-- Turkish --&gt; &lt;!-- Ukrainian --&gt; &lt;!-- Urdu --&gt; &lt;!-- Welsh --&gt; &lt;!-- Winnebago --&gt; &lt;!-- Yiddish --&gt; &lt;!-- Yombe --&gt; &lt;!-- Yoruba --&gt; &lt;!-- American Sign Language (ASL) --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |
|--|---|

### simpleType **LastNameType**

|            |   |            |       |            |           |   |  |           |    |  |
|------------|---|------------|-------|------------|-----------|---|--|-----------|----|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |           |   |  |           |    |  |
| type       | restriction of <b>xs:token</b>  |            |       |            |           |   |  |           |    |  |
| properties | base xs:token   |            |       |            |           |   |  |           |    |  |
| used by    | element <a href="#">PersonNameType/LastName</a>   |            |       |            |           |   |  |           |    |  |
| facets     | <table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> </table>                                       | Kind       | Value | Annotation | minLength | 1 |  | maxLength | 60 |  |
| Kind       | Value   | Annotation |       |            |           |   |  |           |    |  |
| minLength  | 1   |            |       |            |           |   |  |           |    |  |
| maxLength  | 60  |            |       |            |           |   |  |           |    |  |
| source     | <pre> &lt;xs:simpleType name="LastNameType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="60"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |            |       |            |           |   |  |           |    |  |

### simpleType **LEPType**

|             |   |            |       |            |             |   |  |
|-------------|---|------------|-------|------------|-------------|---|--|
| namespace   | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |             |   |  |
| type        | restriction of <b>xs:token</b>  |            |       |            |             |   |  |
| properties  | base xs:token   |            |       |            |             |   |  |
| used by     | element <a href="#">SpecialProgramsType/LEP</a>   |            |       |            |             |   |  |
| facets      | <table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> </table> | Kind       | Value | Annotation | enumeration | 0 |  |
| Kind        | Value   | Annotation |       |            |             |   |  |
| enumeration | 0   |            |       |            |             |   |  |

|        |  |
|--------|--|
|        | enumeration 1<br>enumeration F<br>enumeration S<br>enumeration 3<br>enumeration 4<br>enumeration 5   |
| source | <pre> &lt;xs:simpleType name="LEPType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="F"/&gt;     &lt;xs:enumeration value="S"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="4"/&gt;     &lt;xs:enumeration value="5"/&gt;     &lt;!-- Not Emergent Bilingual(EB)/English proficient (EP) --&gt;     &lt;!-- Identified as Emergent Bilingual(EB)/English learner (EL) --&gt;     &lt;!-- Student Reclassified from Emergent Bilingual(EB)/English learner (EL) Status - Monitored 1 (M1) --&gt;     &lt;!-- Student Reclassified from Emergent Bilingual(EB)/English learner (EL) Status - Monitored 2 (M2) --&gt;     &lt;!-- Student Reclassified from Emergent Bilingual(EB)/English learner (EL) Status - Monitored 3 (M3) --&gt;     &lt;!-- Student Reclassified from Emergent Bilingual(EB)/English learner (EL) Status - Monitored 4 (M4) --&gt;     &lt;!-- Former Emergent Bilingual(EB)/EL Student (effective after fourth year of monitoring) --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |

simpleType **LocalIDType**

| namespace  | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |           |   |  |           |   |  |
|------------|---|------------|-------|------------|-----------|---|--|-----------|---|--|
| type       | restriction of <b>xs:token</b>  |            |       |            |           |   |  |           |   |  |
| properties | base xs:token   |            |       |            |           |   |  |           |   |  |
| used by    | element <a href="#">StudentIdentificationType/LocalID</a>   |            |       |            |           |   |  |           |   |  |
| facets     | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> </tbody> </table> | Kind       | Value | Annotation | minLength | 1 |  | maxLength | 9 |  |
| Kind       | Value   | Annotation |       |            |           |   |  |           |   |  |
| minLength  | 1   |            |       |            |           |   |  |           |   |  |
| maxLength  | 9   |            |       |            |           |   |  |           |   |  |

|        |   |
|--------|---|
| source | <pre>&lt;xs:simpleType name="LocalIDType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="9"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre> |
|--------|---|

### simpleType **MiddleNameType**

| namespace  | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |           |   |  |           |    |  |
|------------|--|------------|-------|------------|-----------|---|--|-----------|----|--|
| type       | restriction of <b>xs:token</b>   |            |       |            |           |   |  |           |    |  |
| properties | base xs:token  |            |       |            |           |   |  |           |    |  |
| used by    | element <a href="#">PersonNameType/MiddleName</a>  |            |       |            |           |   |  |           |    |  |
| facets     | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> </tbody> </table> | Kind       | Value | Annotation | minLength | 1 |  | maxLength | 60 |  |
| Kind       | Value  | Annotation |       |            |           |   |  |           |    |  |
| minLength  | 1  |            |       |            |           |   |  |           |    |  |
| maxLength  | 60   |            |       |            |           |   |  |           |    |  |
| source     | <pre>&lt;xs:simpleType name="MiddleNameType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="60"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>        |            |       |            |           |   |  |           |    |  |

### simpleType **MilitaryConnectedType**

| namespace   | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |
|-------------|---|------------|-------|------------|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|
| type        | restriction of <b>xs:token</b>  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |
| properties  | base xs:token   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |
| used by     | element <a href="#">StudentDemographicType/MilitaryConnected</a>  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> </tbody> </table> | Kind       | Value | Annotation | enumeration | 0 |  | enumeration | 1 |  | enumeration | 2 |  | enumeration | 3 |  |
| Kind        | Value   | Annotation |       |            |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 0   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 1   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 2   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 3   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |



|        |  |
|--------|--|
|        | enumeration 4<br>enumeration 5<br>enumeration 6  |
| source | <pre> &lt;xs:simpleType name="MilitaryConnectedType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="4"/&gt;     &lt;xs:enumeration value="5"/&gt;     &lt;xs:enumeration value="6"/&gt;     &lt;!-- Not a military-connected student. --&gt;     &lt;!-- KG-12 student is a dependent of an active duty member of the U.S. Military. --&gt;     &lt;!-- KG-12 student is a dependent of a current member of the Texas National Guard. --&gt;     &lt;!-- KG-12 student is a dependent of a current member of a reserve force in the U.S. Military. --&gt;     &lt;!-- Pre-K dependent of active duty service member, Texas guard, or Reserve injured or killed on active duty. --&gt;     &lt;!-- KG-12 student is a dependent of a former member of U.S. Military, TX National Guard or a reserve force in the U.S. Military. --&gt;     &lt;!-- KG-12 student is a dependent of a member of a military or reserve force in the U.S. Military who was killed in the line of duty. --   &gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |

simpleType **ParticipationType**

|            |   |
|------------|---|
| namespace  | urn:us:tx:state:tea:TREx:v1.34  |
| type       | restriction of <b>xs:token</b>  |
| properties | base xs:token   |
| used by    | elements <ul style="list-style-type: none"> <li><a href="#">AcademicStatusType/AssociateDegree</a></li> <li><a href="#">SpecialProgramsType/AtRisk</a></li> <li><a href="#">StudentDemographicType/Dyslexia</a></li> <li><a href="#">AcademicStatusType/FHSPCollegeCareerInstructionIndicator</a></li> <li><a href="#">AcademicStatusType/IBCReimbursement</a></li> <li><a href="#">SpecialProgramsType/IEP</a></li> <li><a href="#">StudentDemographicType/Migrant</a></li> <li><a href="#">AcademicStatusType/OnRamps</a></li> <li><a href="#">SpecialProgramsType/PersonalGradPlan</a></li> <li><a href="#">StudentDemographicType/PkEligiblePreviousYear</a></li> <li><a href="#">AcademicStatusType/SATACTReimbursement</a></li> <li><a href="#">AcademicStatusType/Section504</a></li> <li><a href="#">SpecialProgramsType/SpecialEd</a></li> <li><a href="#">AcademicStatusType/StarOfTexas</a></li> </ul> |

| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>  | Kind       | Value | Annotation | enumeration | 0 |  | enumeration | 1 |  |
|-------------|--|------------|-------|------------|-------------|---|--|-------------|---|--|
| Kind        | Value  | Annotation |       |            |             |   |  |             |   |  |
| enumeration | 0  |            |       |            |             |   |  |             |   |  |
| enumeration | 1  |            |       |            |             |   |  |             |   |  |
| source      | <pre> &lt;xs:simpleType name="ParticipationType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;!-- Not receiving services, or condition or situation not applicable to this person or campus. --&gt;     &lt;!-- Participant in program or service, or condition or situation applicable to this person or campus. --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |            |       |            |             |   |  |             |   |  |

simpleType **PassFailCreditType**

| namespace   | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
|-------------|---|------------|-------|------------|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|
| type        | restriction of <b>xs:token</b>  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| properties  | base xs:token   |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| used by     | element <a href="#">CourseType/PassFailCredit</a>   |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>00</td><td></td></tr> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>02</td><td></td></tr> <tr><td>enumeration</td><td>03</td><td></td></tr> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> <tr><td>enumeration</td><td>09</td><td></td></tr> <tr><td>enumeration</td><td>10</td><td></td></tr> <tr><td>enumeration</td><td>11</td><td></td></tr> <tr><td>enumeration</td><td>12</td><td></td></tr> </tbody> </table> | Kind       | Value | Annotation | enumeration | 00 |  | enumeration | 01 |  | enumeration | 02 |  | enumeration | 03 |  | enumeration | 04 |  | enumeration | 05 |  | enumeration | 06 |  | enumeration | 07 |  | enumeration | 08 |  | enumeration | 09 |  | enumeration | 10 |  | enumeration | 11 |  | enumeration | 12 |  |
| Kind        | Value   | Annotation |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 00  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 01  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 02  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 03  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 04  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 05  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 06  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 07  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 08  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 09  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 10  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 11  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 12  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |

|        |   |
|--------|---|
|        | enumeration 13  |
|        | enumeration 14  |
| source | <pre> &lt;xs:simpleType name="PassFailCreditType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="00"/&gt;     &lt;xs:enumeration value="01"/&gt;     &lt;xs:enumeration value="02"/&gt;     &lt;xs:enumeration value="03"/&gt;     &lt;xs:enumeration value="04"/&gt;     &lt;xs:enumeration value="05"/&gt;     &lt;xs:enumeration value="06"/&gt;     &lt;xs:enumeration value="07"/&gt;     &lt;xs:enumeration value="08"/&gt;     &lt;xs:enumeration value="09"/&gt;     &lt;xs:enumeration value="10"/&gt;     &lt;xs:enumeration value="11"/&gt;     &lt;xs:enumeration value="12"/&gt;     &lt;xs:enumeration value="13"/&gt;     &lt;xs:enumeration value="14"/&gt;     &lt;!-- Course was passed and credit was received --&gt;     &lt;!-- Not Applicable --&gt;     &lt;!-- Course was failed and no credit was received - first occurrence this school year --&gt;     &lt;!-- Course was failed and no credit was received - second occurrence this school year --&gt;     &lt;!-- Course was passed, but credit was not received due to excessive absences - first occurrence this school year --&gt;     &lt;!-- Course was passed, but credit was not received due to excessive absences - second occurrence this school year --&gt;     &lt;!-- Course was passed, but credit was not received (other parts of the course have not been taken) --&gt;     &lt;!-- Course was passed, but credit was not received (other parts of the course have been taken but not passed) --&gt;     &lt;!-- Course was failed, but credit was received (other parts of the course have been passed and credit was awarded based on the grades in those parts) --&gt;     &lt;!-- Course work is incomplete and no credit has been awarded --&gt;     &lt;!-- Course was passed, but credit was not received (course had previously been passed, and was repeated for better mastery) --&gt;     &lt;!-- Course was failed and no credit was received - third occurrence this school year --&gt;     &lt;!-- Course was passed, but credit was not received due to excessive absences - third occurrence this school year --&gt;     &lt;!-- Non-High School Course Passed --&gt;     &lt;!-- Non-High School Course Failed --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |

simpleType **PerfAckApIbCode**

|            |  |       |            |
|------------|--|-------|------------|
| namespace  | urn:us:tx:state:tea:TREx:v1.34                   |       |            |
| type       | restriction of <b>xs:token</b>                   |       |            |
| properties | base <b>xs:token</b>                             |       |            |
| used by    | element <a href="#">PerfAckApIbType/ApIbCode</a> |       |            |
| facets     | Kind   | Value | Annotation |
|            | enumeration                                      | 0     |            |
|            | enumeration                                      | 1     |            |
|            | enumeration                                      | 2     |            |
|            | enumeration                                      | 3     |            |
|            | enumeration                                      | 4     |            |
|            | enumeration                                      | 5     |            |
|            | enumeration                                      | 6     |            |
|            | enumeration                                      | 7     |            |
|            | enumeration                                      | 8     |            |
|            | enumeration                                      | 9     |            |
|            | enumeration                                      | 10    |            |
|            | enumeration                                      | 11    |            |
|            | enumeration                                      | 12    |            |
|            | enumeration                                      | 13    |            |
|            | enumeration                                      | 14    |            |
|            | enumeration                                      | 15    |            |
|            | enumeration                                      | 16    |            |
|            | enumeration                                      | 17    |            |
|            | enumeration                                      | 18    |            |
|            | enumeration                                      | 19    |            |
|            | enumeration                                      | 20    |            |
|            | enumeration                                      | 21    |            |

|             |    |
|-------------|----|
| enumeration | 22 |
| enumeration | 23 |
| enumeration | 24 |
| enumeration | 25 |
| enumeration | 26 |
| enumeration | 27 |
| enumeration | 28 |
| enumeration | 29 |
| enumeration | 30 |
| enumeration | 31 |
| enumeration | 32 |
| enumeration | 33 |
| enumeration | 34 |
| enumeration | 35 |
| enumeration | 36 |
| enumeration | 37 |
| enumeration | 38 |
| enumeration | 39 |
| enumeration | 40 |
| enumeration | 41 |
| enumeration | 42 |
| enumeration | 43 |
| enumeration | 44 |
| enumeration | 45 |
| enumeration | 46 |
| enumeration | 47 |
| enumeration | 48 |
| enumeration | 49 |
| enumeration | 50 |
| enumeration | 51 |

|             |    |
|-------------|----|
| enumeration | 52 |
| enumeration | 53 |
| enumeration | 54 |
| enumeration | 55 |
| enumeration | 56 |
| enumeration | 57 |
| enumeration | 58 |
| enumeration | 59 |
| enumeration | 60 |
| enumeration | 61 |
| enumeration | 62 |
| enumeration | 63 |
| enumeration | 64 |
| enumeration | 65 |
| enumeration | 66 |
| enumeration | 67 |
| enumeration | 68 |
| enumeration | 69 |
| enumeration | 70 |
| enumeration | 71 |
| enumeration | 72 |
| enumeration | 73 |
| enumeration | 74 |
| enumeration | 75 |
| enumeration | 76 |
| enumeration | 77 |
| enumeration | 78 |
| enumeration | 79 |
| enumeration | 80 |
| enumeration | 81 |

|             |     |
|-------------|-----|
| enumeration | 82  |
| enumeration | 83  |
| enumeration | 84  |
| enumeration | 85  |
| enumeration | 86  |
| enumeration | 87  |
| enumeration | 88  |
| enumeration | 89  |
| enumeration | 90  |
| enumeration | 91  |
| enumeration | 92  |
| enumeration | 93  |
| enumeration | 94  |
| enumeration | 95  |
| enumeration | 96  |
| enumeration | 97  |
| enumeration | 98  |
| enumeration | 99  |
| enumeration | 100 |
| enumeration | 101 |
| enumeration | 102 |
| enumeration | 103 |
| enumeration | 104 |
| enumeration | 105 |
| enumeration | 106 |
| enumeration | 107 |
| enumeration | 108 |
| enumeration | 109 |
| enumeration | 110 |
| enumeration | 111 |

|             |     |
|-------------|-----|
| enumeration | 112 |
| enumeration | 113 |
| enumeration | 114 |
| enumeration | 115 |
| enumeration | 116 |
| enumeration | 117 |
| enumeration | 118 |
| enumeration | 119 |
| enumeration | 120 |
| enumeration | 121 |
| enumeration | 122 |
| enumeration | 123 |
| enumeration | 124 |
| enumeration | 125 |
| enumeration | 126 |
| enumeration | 127 |
| enumeration | 128 |
| enumeration | 129 |
| enumeration | 130 |
| enumeration | 131 |
| enumeration | 150 |
| enumeration | 151 |
| enumeration | 152 |
| enumeration | 153 |
| enumeration | 154 |
| enumeration | 155 |
| enumeration | 160 |
| enumeration | 161 |
| enumeration | 162 |
| enumeration | 163 |



|        |  |
|--------|--|
|        | enumeration 164  |
|        | enumeration 165  |
|        | enumeration 166  |
|        | enumeration 167  |
|        | enumeration 168  |
|        | enumeration 169  |
|        | enumeration 170  |
|        | enumeration 171  |
|        | enumeration 172  |
|        | enumeration 173  |
|        | enumeration 174  |
|        | enumeration 175  |
|        | enumeration 176  |
|        | enumeration 177  |
|        | enumeration 178  |
|        | enumeration 179  |
|        | enumeration 180  |
|        | enumeration 181  |
|        | enumeration 182  |
|        | enumeration 183  |
|        | enumeration 184  |
|        | enumeration 185  |
|        | enumeration 186  |
| source | <pre> &lt;xs:simpleType name="PerfAckApIbCode"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="4"/&gt;     &lt;xs:enumeration value="5"/&gt;     &lt;xs:enumeration value="6"/&gt;     &lt;xs:enumeration value="7"/&gt;     &lt;xs:enumeration value="8"/&gt; </pre> |

```
<xs:enumeration value="9"/>
<xs:enumeration value="10"/>
<xs:enumeration value="11"/>
<xs:enumeration value="12"/>
<xs:enumeration value="13"/>
<xs:enumeration value="14"/>
<xs:enumeration value="15"/>
<xs:enumeration value="16"/>
<xs:enumeration value="17"/>
<xs:enumeration value="18"/>
<xs:enumeration value="19"/>
<xs:enumeration value="20"/>
<xs:enumeration value="21"/>
<xs:enumeration value="22"/>
<xs:enumeration value="23"/>
<xs:enumeration value="24"/>
<xs:enumeration value="25"/>
<xs:enumeration value="26"/>
<xs:enumeration value="27"/>
<xs:enumeration value="28"/>
<xs:enumeration value="29"/>
<xs:enumeration value="30"/>
<xs:enumeration value="31"/>
<xs:enumeration value="32"/>
<xs:enumeration value="33"/>
<xs:enumeration value="34"/>
<xs:enumeration value="35"/>
<xs:enumeration value="36"/>
<xs:enumeration value="37"/>
<xs:enumeration value="38"/>
<xs:enumeration value="39"/>
<xs:enumeration value="40"/>
<xs:enumeration value="41"/>
<xs:enumeration value="42"/>
<xs:enumeration value="43"/>
<xs:enumeration value="44"/>
<xs:enumeration value="45"/>
<xs:enumeration value="46"/>
<xs:enumeration value="47"/>
<xs:enumeration value="48"/>
<xs:enumeration value="49"/>
<xs:enumeration value="50"/>
<xs:enumeration value="51"/>
<xs:enumeration value="52"/>
<xs:enumeration value="53"/>
<xs:enumeration value="54"/>
<xs:enumeration value="55"/>
<xs:enumeration value="56"/>
<xs:enumeration value="57"/>
```

```
<xs:enumeration value="58"/>
<xs:enumeration value="59"/>
<xs:enumeration value="60"/>
<xs:enumeration value="61"/>
<xs:enumeration value="62"/>
<xs:enumeration value="63"/>
<xs:enumeration value="64"/>
<xs:enumeration value="65"/>
<xs:enumeration value="66"/>
<xs:enumeration value="67"/>
<xs:enumeration value="68"/>
<xs:enumeration value="69"/>
<xs:enumeration value="70"/>
<xs:enumeration value="71"/>
<xs:enumeration value="72"/>
<xs:enumeration value="73"/>
<xs:enumeration value="74"/>
<xs:enumeration value="75"/>
<xs:enumeration value="76"/>
<xs:enumeration value="77"/>
<xs:enumeration value="78"/>
<xs:enumeration value="79"/>
<xs:enumeration value="80"/>
<xs:enumeration value="81"/>
<xs:enumeration value="82"/>
<xs:enumeration value="83"/>
<xs:enumeration value="84"/>
<xs:enumeration value="85"/>
<xs:enumeration value="86"/>
<xs:enumeration value="87"/>
<xs:enumeration value="88"/>
<xs:enumeration value="89"/>
<xs:enumeration value="90"/>
<xs:enumeration value="91"/>
<xs:enumeration value="92"/>
<xs:enumeration value="93"/>
<xs:enumeration value="94"/>
<xs:enumeration value="95"/>
<xs:enumeration value="96"/>
<xs:enumeration value="97"/>
<xs:enumeration value="98"/>
<xs:enumeration value="99"/>
<xs:enumeration value="100"/>
<xs:enumeration value="101"/>
<xs:enumeration value="102"/>
<xs:enumeration value="103"/>
<xs:enumeration value="104"/>
<xs:enumeration value="105"/>
<xs:enumeration value="106"/>
```

```
<xs:enumeration value="107"/>
<xs:enumeration value="108"/>
<xs:enumeration value="109"/>
<xs:enumeration value="110"/>
<xs:enumeration value="111"/>
<xs:enumeration value="112"/>
<xs:enumeration value="113"/>
<xs:enumeration value="114"/>
<xs:enumeration value="115"/>
<xs:enumeration value="116"/>
<xs:enumeration value="117"/>
<xs:enumeration value="118"/>
<xs:enumeration value="119"/>
<xs:enumeration value="120"/>
<xs:enumeration value="121"/>
<xs:enumeration value="122"/>
<xs:enumeration value="123"/>
<xs:enumeration value="124"/>
<xs:enumeration value="125"/>
<xs:enumeration value="126"/>
<xs:enumeration value="127"/>
<xs:enumeration value="128"/>
<xs:enumeration value="129"/>
<xs:enumeration value="130"/>
<xs:enumeration value="131"/>
<xs:enumeration value="150"/>
<xs:enumeration value="151"/>
<xs:enumeration value="152"/>
<xs:enumeration value="153"/>
<xs:enumeration value="154"/>
<xs:enumeration value="155"/>
<xs:enumeration value="160"/>
<xs:enumeration value="161"/>
<xs:enumeration value="162"/>
<xs:enumeration value="163"/>
<xs:enumeration value="164"/>
<xs:enumeration value="165"/>
<xs:enumeration value="166"/>
<xs:enumeration value="167"/>
<xs:enumeration value="168"/>
<xs:enumeration value="169"/>
<xs:enumeration value="170"/>
<xs:enumeration value="171"/>
<xs:enumeration value="172"/>
<xs:enumeration value="173"/>
<xs:enumeration value="174"/>
<xs:enumeration value="175"/>
<xs:enumeration value="176"/>
<xs:enumeration value="177"/>
```

```

<xs:enumeration value="178"/>
<xs:enumeration value="179"/>
<xs:enumeration value="180"/>
<xs:enumeration value="181"/>
<xs:enumeration value="182"/>
<xs:enumeration value="183"/>
<xs:enumeration value="184"/>
<xs:enumeration value="185"/>
<xs:enumeration value="186"/>
<!-- Student not acknowledged for AP or IB Exam -->
<!-- Acknowledgment for AP: Art History -->
<!-- Acknowledgment for AP: Biology -->
<!-- Acknowledgment for AP: Calculus AB -->
<!-- Acknowledgment for AP: Calculus BC -->
<!-- Acknowledgment for AP: Chemistry -->
<!-- Acknowledgment for AP: Chinese Language and Culture -->
<!-- Acknowledgment for AP: Comparative Government and Politics -->
<!-- Acknowledgment for AP: Computer Science A -->
<!-- Acknowledgment for AP: English Language and Composition -->
<!-- Acknowledgment for AP: English Literature and Composition -->
<!-- Acknowledgment for AP: Environmental Science -->
<!-- Acknowledgment for AP: European History -->
<!-- Acknowledgment for AP: French Language and Culture -->
<!-- Acknowledgment for AP: German Language and Culture -->
<!-- Acknowledgment for AP: Human Geography -->
<!-- Acknowledgment for AP: Italian Language and Culture -->
<!-- Acknowledgment for AP: Japanese Language and Culture -->
<!-- Acknowledgment for AP: Latin -->
<!-- Acknowledgment for AP: Macroeconomics -->
<!-- Acknowledgment for AP: Microeconomics -->
<!-- Acknowledgment for AP: Music Theory -->
<!-- Acknowledgment for AP: Physics 1: Algebra-Based -->
<!-- Acknowledgment for AP: Physics 2: Algebra-Based -->
<!-- Acknowledgment for AP: Physics B -->
<!-- Acknowledgment for AP: Physics C: Electricity and Magnetism -->
<!-- Acknowledgment for AP: Physics C: Mechanics -->
<!-- Acknowledgment for AP: Psychology -->
<!-- Acknowledgment for AP: Spanish Language and Culture -->
<!-- Acknowledgment for AP: Spanish Literature and Culture -->
<!-- Acknowledgment for AP: Statistics -->
<!-- Acknowledgment for AP: Studio Art 2-D Design Portfolio -->
<!-- Acknowledgment for AP: Studio Art 3-D Design Portfolio -->
<!-- Acknowledgment for AP: Studio Art Drawing Portfolio -->
<!-- Acknowledgment for AP: United States Government and Politics -->
<!-- Acknowledgment for AP: United States History -->
<!-- Acknowledgment for AP: World History -->
<!-- Acknowledgment for IB: Biology HL -->
<!-- Acknowledgment for IB: Biology SL -->
<!-- Acknowledgment for IB: Business and Management HL -->

```

|  |   |
|--|---|
|  | <pre> &lt;!-- Acknowledgment for IB: Business and Management SL --&gt; &lt;!-- Acknowledgment for IB: Chemistry HL --&gt; &lt;!-- Acknowledgment for IB: Chemistry SL --&gt; &lt;!-- Acknowledgment for IB: Chinese A Language and Literature HL --&gt; &lt;!-- Acknowledgment for IB: Chinese A Language and Literature SL --&gt; &lt;!-- Acknowledgment for IB: Chinese A Literature HL --&gt; &lt;!-- Acknowledgment for IB: Chinese A Literature SL --&gt; &lt;!-- Acknowledgment for IB: Chinese ab initio SL --&gt; &lt;!-- Acknowledgment for IB: Chinese B HL --&gt; &lt;!-- Acknowledgment for IB: Chinese B SL --&gt; &lt;!-- Acknowledgment for IB: Classical Greek HL --&gt; &lt;!-- Acknowledgment for IB: Classical Greek SL --&gt; &lt;!-- Acknowledgment for IB: Computer Science HL --&gt; &lt;!-- Acknowledgment for IB: Computer Science SL --&gt; &lt;!-- Acknowledgment for IB: Design Technology HL --&gt; &lt;!-- Acknowledgment for IB: Design Technology SL --&gt; &lt;!-- Acknowledgment for IB: Economics HL --&gt; &lt;!-- Acknowledgment for IB: Economics SL --&gt; &lt;!-- Acknowledgment for IB: English A Language and Literature HL --&gt; &lt;!-- Acknowledgment for IB: English A Language and Literature SL --&gt; &lt;!-- Acknowledgment for IB: English A Literature HL --&gt; &lt;!-- Acknowledgment for IB: English A Literature SL --&gt; &lt;!-- Acknowledgment for IB: English ab initio SL --&gt; &lt;!-- Acknowledgment for IB: English B HL --&gt; &lt;!-- Acknowledgment for IB: English B SL --&gt; &lt;!-- Acknowledgment for IB: Environmental Systems and Societies SL -- &gt; &lt;!-- Acknowledgment for IB: French A Language and Literature HL --&gt; &lt;!-- Acknowledgment for IB: French A Language and Literature SL --&gt; &lt;!-- Acknowledgment for IB: French A Literature HL --&gt; &lt;!-- Acknowledgment for IB: French A Literature SL --&gt; &lt;!-- Acknowledgment for IB: French ab initio SL --&gt; &lt;!-- Acknowledgment for IB: French B HL --&gt; &lt;!-- Acknowledgment for IB: French B SL --&gt; &lt;!-- Acknowledgment for IB: Further Mathematics HL --&gt; &lt;!-- Acknowledgment for IB: Geography HL --&gt; &lt;!-- Acknowledgment for IB: Geography HL/SL --&gt; &lt;!-- Acknowledgment for IB: Geography SL --&gt; &lt;!-- Acknowledgment for IB: German A Language and Literature HL --&gt; &lt;!-- Acknowledgment for IB: German A Language and Literature SL --&gt; &lt;!-- Acknowledgment for IB: German A Literature HL --&gt; &lt;!-- Acknowledgment for IB: German A Literature SL --&gt; &lt;!-- Acknowledgment for IB: German ab initio --&gt; &lt;!-- Acknowledgment for IB: German ab initio SL --&gt; &lt;!-- Acknowledgment for IB: German B HL --&gt; &lt;!-- Acknowledgment for IB: German B SL --&gt; &lt;!-- Acknowledgment for IB: Global Politics HL --&gt; &lt;!-- Acknowledgment for IB: Global Politics HL/SL --&gt; &lt;!-- Acknowledgment for IB: Global Politics SL --&gt; </pre> |
|--|---|

|  |  |
|--|--|
|  | <pre> &lt;!-- Acknowledgment for IB: History HL --&gt; &lt;!-- Acknowledgment for IB: History SL --&gt; &lt;!-- Acknowledgment for IB: Information Technology in a Global Society (ITGS) HL --&gt; &lt;!-- Acknowledgment for IB: Information Technology in a Global Society (ITGS) HL/SL --&gt; &lt;!-- Acknowledgment for IB: Information Technology in a Global Society (ITGS) SL --&gt; &lt;!-- Acknowledgment for IB: Language Studies A: Language and Literature HL --&gt; &lt;!-- Acknowledgment for IB: Language Studies A: Language and Literature SL --&gt; &lt;!-- Acknowledgment for IB: Language Studies A: Literature HL --&gt; &lt;!-- Acknowledgment for IB: Language Studies A: Literature SL --&gt; &lt;!-- Acknowledgment for IB: Language ab initio SL --&gt; &lt;!-- Acknowledgment for IB: Language B HL --&gt; &lt;!-- Acknowledgment for IB: Language B SL --&gt; &lt;!-- Acknowledgment for IB: Latin HL --&gt; &lt;!-- Acknowledgment for IB: Latin SL --&gt; &lt;!-- Acknowledgment for IB: Literature and Performance SL --&gt; &lt;!-- Acknowledgment for IB: Mathematical studies SL --&gt; &lt;!-- Acknowledgment for IB: Mathematics HL --&gt; &lt;!-- Acknowledgment for IB: Mathematics SL --&gt; &lt;!-- Acknowledgment for IB: Music HL --&gt; &lt;!-- Acknowledgment for IB: Music SL --&gt; &lt;!-- Acknowledgment for IB: Philosophy HL --&gt; &lt;!-- Acknowledgment for IB: Philosophy HL/SL --&gt; &lt;!-- Acknowledgment for IB: Philosophy SL --&gt; &lt;!-- Acknowledgment for IB: Physics HL --&gt; &lt;!-- Acknowledgment for IB: Physics SL --&gt; &lt;!-- Acknowledgment for IB: Psychology HL --&gt; &lt;!-- Acknowledgment for IB: Psychology HL/SL --&gt; &lt;!-- Acknowledgment for IB: Psychology SL --&gt; &lt;!-- Acknowledgment for IB: School-based syllabus SL --&gt; &lt;!-- Acknowledgment for IB: Social and Cultural Anthropology HL --&gt; &lt;!-- Acknowledgment for IB: Social and Cultural Anthropology SL --&gt; &lt;!-- Acknowledgment for IB: Spanish A Language and Literature HL --&gt; &lt;!-- Acknowledgment for IB: Spanish A Language and Literature SL --&gt; &lt;!-- Acknowledgment for IB: Spanish A Literature HL --&gt; &lt;!-- Acknowledgment for IB: Spanish A Literature SL --&gt; &lt;!-- Acknowledgment for IB: Spanish ab initio SL --&gt; &lt;!-- Acknowledgment for IB: Spanish B HL --&gt; &lt;!-- Acknowledgment for IB: Spanish B SL --&gt; &lt;!-- Acknowledgment for IB: Sports, Exercise, and Health Science SL - -&gt; &lt;!-- Acknowledgment for IB: World Religions SL --&gt; &lt;!-- Acknowledgment for AP: Computer Science Principles --&gt; &lt;!-- Acknowledgment for AP: Capstone Seminar --&gt; &lt;!-- Acknowledgment for AP: Research --&gt; </pre> |
|--|--|

```

<!-- Acknowledgment for AP: Precalculus -->
<!-- Acknowledgment for IB: Nature of Science SL -->
<!-- Acknowledgment for IB: Sports, Exercise, and Health Science HL -
->
<!-- Acknowledgment for IB: History of Africa and the Middle East HL
-->
<!-- Acknowledgment for IB: History of the Americas HL -->
<!-- Acknowledgment for IB: History of Asia and Oceania HL -->
<!-- Acknowledgment for IB: History of Europe HL -->
<!-- Acknowledgment for IB: Film SL -->
<!-- Acknowledgment for IB: Film HL -->
<!-- Acknowledgment for IB: Dance HL -->
<!-- Acknowledgment for IB: Dance SL -->
<!-- Acknowledgment for IB: Visual Arts HL -->
<!-- Acknowledgment for IB: Visual Arts SL -->
<!-- Acknowledgment for IB: Theatre HL -->
<!-- Acknowledgment for IB: Theatre SL -->
<!-- Acknowledgment for IB: Arabic ab initio SL -->
<!-- Acknowledgment for IB: Arabic B HL -->
<!-- Acknowledgment for IB: Arabic B SL -->
<!-- Acknowledgment for IB: Japanese ab initio SL -->
<!-- Acknowledgment for IB: Japanese B HL -->
<!-- Acknowledgment for IB: Japanese B SL -->
<!-- Acknowledgment for IB: Russian ab initio SL -->
<!-- Acknowledgment for IB: Russian A Literature HL -->
<!-- Acknowledgment for IB: Russian A Literature SL -->
<!-- Acknowledgment for IB: Hebrew ab initio SL -->
<!-- Acknowledgment for IB: Hebrew B HL -->
<!-- Acknowledgment for IB: Hebrew B SL -->
<!-- Acknowledgment for IB: Hindi ab initio SL -->
<!-- Acknowledgment for IB: Hindi B HL -->
<!-- Acknowledgment for IB: Hindi B SL -->
<!-- Acknowledgment for IB: Analysis and Approaches SL -->
<!-- Acknowledgment for IB: Analysis and Approaches HL -->
<!-- Acknowledgment for IB: Applications and Interpretations SL -->
<!-- Acknowledgment for IB: Applications and Interpretations HL -->
</xs:restriction>
</xs:simpleType>

```

simpleType **PerfAckBilingBilitCode**

|            |                                |
|------------|--------------------------------|
| namespace  | urn:us:tx:state:tea:TREx:v1.34 |
| type       | restriction of <b>xs:token</b> |
| properties | base xs:token                  |



| used by     | element <a href="#">PerfAckBilingBilitType/BilingBilitCode</a>   |            |       |            |             |   |  |             |   |  |
|-------------|--|------------|-------|------------|-------------|---|--|-------------|---|--|
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>  | Kind       | Value | Annotation | enumeration | 0 |  | enumeration | 1 |  |
| Kind        | Value  | Annotation |       |            |             |   |  |             |   |  |
| enumeration | 0  |            |       |            |             |   |  |             |   |  |
| enumeration | 1  |            |       |            |             |   |  |             |   |  |
| source      | <pre>&lt;xs:simpleType name="PerfAckBilingBilitCode"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;!-- Not Acknowledged for Bilingualism and biliteracy --&gt;     &lt;!-- Acknowledgment for Bilingualism and biliteracy --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre> |            |       |            |             |   |  |             |   |  |

### simpleType **PerfAckCertLicCode**

| namespace  | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |           |   |  |           |    |  |
|------------|--|------------|-------|------------|-----------|---|--|-----------|----|--|
| type       | restriction of <b>xs:token</b>   |            |       |            |           |   |  |           |    |  |
| properties | base xs:token  |            |       |            |           |   |  |           |    |  |
| used by    | element <a href="#">PerfAckCertLicType/CertLicCode</a>   |            |       |            |           |   |  |           |    |  |
| facets     | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>61</td> <td></td> </tr> </tbody> </table> | Kind       | Value | Annotation | minLength | 1 |  | maxLength | 61 |  |
| Kind       | Value  | Annotation |       |            |           |   |  |           |    |  |
| minLength  | 1  |            |       |            |           |   |  |           |    |  |
| maxLength  | 61   |            |       |            |           |   |  |           |    |  |
| source     | <pre>&lt;xs:simpleType name="PerfAckCertLicCode"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="61"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>    |            |       |            |           |   |  |           |    |  |

### simpleType **PerfAckCollegeAssessCode**

|            |  |
|------------|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34                                     |
| type       | restriction of <b>xs:token</b>                                     |
| properties | base xs:token  |
| used by    | element <a href="#">PerfAckCollegeAssessType/CollegeAssessCode</a> |

| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>0</td><td></td></tr> <tr><td>enumeration</td><td>1</td><td></td></tr> <tr><td>enumeration</td><td>2</td><td></td></tr> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>4</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>6</td><td></td></tr> <tr><td>enumeration</td><td>7</td><td></td></tr> <tr><td>enumeration</td><td>8</td><td></td></tr> <tr><td>enumeration</td><td>9</td><td></td></tr> <tr><td>enumeration</td><td>10</td><td></td></tr> <tr><td>enumeration</td><td>11</td><td></td></tr> <tr><td>enumeration</td><td>12</td><td></td></tr> </tbody> </table>  | Kind       | Value | Annotation | enumeration | 0 |  | enumeration | 1 |  | enumeration | 2 |  | enumeration | 3 |  | enumeration | 4 |  | enumeration | 5 |  | enumeration | 6 |  | enumeration | 7 |  | enumeration | 8 |  | enumeration | 9 |  | enumeration | 10 |  | enumeration | 11 |  | enumeration | 12 |  |
|-------------|--|------------|-------|------------|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|----|--|-------------|----|--|-------------|----|--|
| Kind        | Value  | Annotation |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 0  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 1  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 2  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 3  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 4  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 5  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 6  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 7  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 8  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 9  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 10   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 11   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| enumeration | 12   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |
| source      | <pre> &lt;xs:simpleType name="PerfAckCollegeAssessCode"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="4"/&gt;     &lt;xs:enumeration value="5"/&gt;     &lt;xs:enumeration value="6"/&gt;     &lt;xs:enumeration value="7"/&gt;     &lt;xs:enumeration value="8"/&gt;     &lt;xs:enumeration value="9"/&gt;     &lt;xs:enumeration value="10"/&gt;     &lt;xs:enumeration value="11"/&gt;     &lt;xs:enumeration value="12"/&gt;     &lt;!-- Student not acknowledged for Assessment --&gt;     &lt;!-- Acknowledgment for PLAN or ASPIRE: College readiness benchmark met on 2 or more of the 4 subject tests --&gt;     &lt;!-- Acknowledgment for PSAT: Commended scholar or higher --&gt;     &lt;!-- Acknowledgment for ACT: Composite score 28 or higher --&gt;     &lt;!-- Acknowledgment for SAT: Combined reading and math score 1250 or higher --&gt;     &lt;!-- Acknowledgment for SAT: Scores of at least 410 on reading and 520 on math --&gt;     &lt;!-- Acknowledgment for SAT: Total score of at least 1310 --&gt;     &lt;!-- Acknowledgment for ASPIRE: College readiness benchmark met on 3 </pre> |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |

|  |   |
|--|---|
|  | <pre> or more of the 5 subject tests --&gt;   &lt;!-- Acknowledgment for PSAT/NMSQT: Commended scholar or higher or awardee of the National Recognition Programs --&gt;   &lt;!-- Acknowledgment for ACT Aspire: earning a composite score of 442 on the ACT Aspire examination --&gt;   &lt;!-- Acknowledgment for ACT Pre-ACT: earning a composite score of 29 on the ACT PreACT examination --&gt;   &lt;!-- Acknowledgment for SAT: earning a total score of at least 1350 on the SAT --&gt;   &lt;!-- Acknowledgment for ACT: earning a composite score of 29 on the ACT PreACT examination (excluding writing) --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |
|--|---|

simpleType **PerfAckDualCreditCode**

| namespace   | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |             |   |  |             |   |  |             |   |  |
|-------------|--|------------|-------|------------|-------------|---|--|-------------|---|--|-------------|---|--|
| type        | restriction of <b>xs:token</b>   |            |       |            |             |   |  |             |   |  |             |   |  |
| properties  | base xs:token  |            |       |            |             |   |  |             |   |  |             |   |  |
| used by     | element <a href="#">PerfAckDualCreditType/DualCreditCode</a>   |            |       |            |             |   |  |             |   |  |             |   |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>   | Kind       | Value | Annotation | enumeration | 0 |  | enumeration | 1 |  | enumeration | 2 |  |
| Kind        | Value  | Annotation |       |            |             |   |  |             |   |  |             |   |  |
| enumeration | 0  |            |       |            |             |   |  |             |   |  |             |   |  |
| enumeration | 1  |            |       |            |             |   |  |             |   |  |             |   |  |
| enumeration | 2  |            |       |            |             |   |  |             |   |  |             |   |  |
| source      | <pre> &lt;xs:simpleType name="PerfAckDualCreditCode"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;!-- Student not acknowledged for Dual Credit --&gt;     &lt;!-- Acknowledgment for Associates degree --&gt;     &lt;!-- Acknowledgment for College credit hours --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |            |       |            |             |   |  |             |   |  |             |   |  |

simpleType **PerformanceLevelType**

|           |                                |
|-----------|--------------------------------|
| namespace | urn:us:tx:state:tea:TREx:v1.34 |
|-----------|--------------------------------|

| type        | restriction of <b>xs:token</b>  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
|-------------|---|------------|-------|------------|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|
| properties  | base <b>xs:token</b>  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| used by     | element <a href="#">AssessmentType/PerformanceLevel</a>   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>0</td><td></td></tr> <tr><td>enumeration</td><td>1</td><td></td></tr> <tr><td>enumeration</td><td>2</td><td></td></tr> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>4</td><td></td></tr> <tr><td>enumeration</td><td>6</td><td></td></tr> <tr><td>enumeration</td><td>7</td><td></td></tr> <tr><td>enumeration</td><td>8</td><td></td></tr> <tr><td>enumeration</td><td>9</td><td></td></tr> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>B</td><td></td></tr> </tbody> </table>  | Kind       | Value | Annotation | enumeration | 0 |  | enumeration | 1 |  | enumeration | 2 |  | enumeration | 3 |  | enumeration | 4 |  | enumeration | 6 |  | enumeration | 7 |  | enumeration | 8 |  | enumeration | 9 |  | enumeration | A |  | enumeration | B |  |
| Kind        | Value   | Annotation |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 0   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 1   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 2   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 3   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 4   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 6   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 7   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 8   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 9   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | A   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | B   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| source      | <pre> &lt;xs:simpleType name="PerformanceLevelType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="4"/&gt;     &lt;xs:enumeration value="6"/&gt;     &lt;xs:enumeration value="7"/&gt;     &lt;xs:enumeration value="8"/&gt;     &lt;xs:enumeration value="9"/&gt;     &lt;xs:enumeration value="A"/&gt;     &lt;xs:enumeration value="B"/&gt;     &lt;!-- NA - Not Applicable --&gt;     &lt;!-- I - Developing or Unsatisfactory Academic Performance, Level I - -&gt;     &lt;!-- II - Satisfactory Academic Performance, Level II --&gt;     &lt;!-- III - Accomplished or Advanced Academic Performance, Level III - -&gt;     &lt;!-- M - Met Transition Rule Standard --&gt;     &lt;!-- S - Substitute Assessment --&gt;     &lt;!-- DidNotMeet - Unsatisfactory Academic Performance, Level I (STAAR Alternate) or Did Not Meet Grade Level Performance --&gt;     &lt;!-- Approaches - Approaches Grade Level Performance (Not available </pre> |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |

|  |   |
|--|---|
|  | <pre> for use for STAAR Alternate) --&gt;   &lt;!-- Meets - Satisfactory Academic Performance, Level II (STAAR Alternate) or Meets Grade Level Performance --&gt;   &lt;!-- Masters - Accomplished or Advanced Academic Performance, Level III (STAAR Alternate) or Masters Grade Level Performance --&gt;   &lt;!-- 2020 Waived - STAAR testing requirements waived for administrations for the 2019-2020 school year --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |
|--|---|

### simpleType **PhoneNumberType**

|            |  |            |       |            |           |   |  |           |    |  |
|------------|--|------------|-------|------------|-----------|---|--|-----------|----|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |           |   |  |           |    |  |
| type       | restriction of <b>xs:token</b>   |            |       |            |           |   |  |           |    |  |
| properties | base xs:token  |            |       |            |           |   |  |           |    |  |
| used by    | elements <a href="#">PhoneNumberGroup/Fax</a> <a href="#">PhoneNumberGroup/PhoneNumber</a>   |            |       |            |           |   |  |           |    |  |
| facets     | <table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> </table>                               | Kind       | Value | Annotation | minLength | 1 |  | maxLength | 20 |  |
| Kind       | Value  | Annotation |       |            |           |   |  |           |    |  |
| minLength  | 1  |            |       |            |           |   |  |           |    |  |
| maxLength  | 20   |            |       |            |           |   |  |           |    |  |
| source     | <pre> &lt;xs:simpleType name="PhoneNumberType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="20"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |            |       |            |           |   |  |           |    |  |

### simpleType **PostalCodeType**

|            |  |            |       |            |           |   |  |           |    |  |
|------------|--|------------|-------|------------|-----------|---|--|-----------|----|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |           |   |  |           |    |  |
| type       | restriction of <b>xs:token</b>   |            |       |            |           |   |  |           |    |  |
| properties | base xs:token  |            |       |            |           |   |  |           |    |  |
| used by    | element <a href="#">AddressType/PostalCode</a>   |            |       |            |           |   |  |           |    |  |
| facets     | <table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>5</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> </table> | Kind       | Value | Annotation | minLength | 5 |  | maxLength | 10 |  |
| Kind       | Value  | Annotation |       |            |           |   |  |           |    |  |
| minLength  | 5  |            |       |            |           |   |  |           |    |  |
| maxLength  | 10   |            |       |            |           |   |  |           |    |  |

|        |  |
|--------|--|
|        | pattern (([0-9]{5}) ([0-9]{5}-[0-9]{4}))   |
| source | <pre>&lt;xs:simpleType name="PostalCodeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="5"/&gt;     &lt;xs:maxLength value="10"/&gt;     &lt;xs:pattern value="([0-9]{5}) ([0-9]{5}-[0-9]{4})"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre> |

### simpleType **PriorIDType**

| namespace  | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |           |   |  |           |   |  |
|------------|---|------------|-------|------------|-----------|---|--|-----------|---|--|
| type       | restriction of <b>xs:token</b>  |            |       |            |           |   |  |           |   |  |
| properties | base xs:token   |            |       |            |           |   |  |           |   |  |
| used by    | element <a href="#">StudentIdentificationType/PriorID</a>   |            |       |            |           |   |  |           |   |  |
| facets     | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> </tbody> </table> | Kind       | Value | Annotation | minLength | 1 |  | maxLength | 9 |  |
| Kind       | Value   | Annotation |       |            |           |   |  |           |   |  |
| minLength  | 1   |            |       |            |           |   |  |           |   |  |
| maxLength  | 9   |            |       |            |           |   |  |           |   |  |
| source     | <pre>&lt;xs:simpleType name="PriorIDType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="9"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>           |            |       |            |           |   |  |           |   |  |

### simpleType **QuartileType**

| namespace   | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |             |   |  |             |   |  |
|-------------|---|------------|-------|------------|-------------|---|--|-------------|---|--|
| type        | restriction of <b>xs:token</b>  |            |       |            |             |   |  |             |   |  |
| properties  | base xs:token   |            |       |            |             |   |  |             |   |  |
| used by     | element <a href="#">AcademicSummaryType/Quartile</a>  |            |       |            |             |   |  |             |   |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table> | Kind       | Value | Annotation | enumeration | 1 |  | enumeration | 2 |  |
| Kind        | Value   | Annotation |       |            |             |   |  |             |   |  |
| enumeration | 1   |            |       |            |             |   |  |             |   |  |
| enumeration | 2   |            |       |            |             |   |  |             |   |  |

|        |   |
|--------|---|
|        | enumeration 3<br>enumeration 4  |
| source | <pre> &lt;xs:simpleType name="QuartileType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="4"/&gt;     &lt;!-- Student is ranked in the top 25% (1-25%) of the graduating class. --&gt;     &lt;!-- Student is ranked in the top 50% (26-50%) of the graduating class. --&gt;     &lt;!-- Student is ranked in the top 75% (51-75%) of the graduating class. --&gt;     &lt;!-- Student is ranked in the lowest 25% (below 75%) of the graduating class. --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |

### simpleType **RaceType**

| namespace   | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
|-------------|--|------------|-------|------------|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|
| type        | restriction of <b>xs:token</b>   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| properties  | base xs:token  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| used by     | element <a href="#">StudentDemographicType/Race</a>  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> </tbody> </table> | Kind       | Value | Annotation | enumeration | 1 |  | enumeration | 2 |  | enumeration | 3 |  | enumeration | 4 |  | enumeration | 5 |  |
| Kind        | Value  | Annotation |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 1  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 2  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 3  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 4  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 5  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| source      | <pre> &lt;xs:simpleType name="RaceType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="4"/&gt;     &lt;xs:enumeration value="5"/&gt;     &lt;!-- American Indian or Alaskan Native --&gt; </pre>   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |

|  |  |
|--|--|
|  | <pre> &lt;!-- Asian or Pacific Islander --&gt; &lt;!-- Black, not of Hispanic origin --&gt; &lt;!-- Hispanic --&gt; &lt;!-- White, not of Hispanic origin --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |
|--|--|

### simpleType **SchoolIDType**

|            |   |
|------------|---|
| namespace  | urn:us:tx:state:tea:TREx:v1.34  |
| type       | restriction of <b>xs:token</b>  |
| properties | base xs:token   |
| used by    | elements <a href="#">CourseType/CreditCampus</a> <a href="#">SchoolType/SchoolID</a>  |
| facets     | Kind Value Annotation<br>pattern ([0-9]{9})   |
| source     | <pre> &lt;xs:simpleType name="SchoolIDType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:pattern value="([0-9]{9})"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |

### simpleType **SchoolNameType**

|            |   |
|------------|---|
| namespace  | urn:us:tx:state:tea:TREx:v1.34  |
| type       | restriction of <b>xs:token</b>  |
| properties | base xs:token   |
| used by    | element <a href="#">SchoolType/SchoolName</a>   |
| facets     | Kind Value Annotation<br>minLength 1<br>maxLength 75  |
| source     | <pre> &lt;xs:simpleType name="SchoolNameType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="75"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |



### simpleType SemesterSeqType

| namespace   | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
|-------------|--|------------|-------|------------|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|---|--|
| type        | restriction of <b>xs:token</b>   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| properties  | base xs:token  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| used by     | element <a href="#">CourseType/SemesterSeq</a>   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>0</td><td></td></tr> <tr><td>enumeration</td><td>1</td><td></td></tr> <tr><td>enumeration</td><td>2</td><td></td></tr> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>4</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>6</td><td></td></tr> <tr><td>enumeration</td><td>7</td><td></td></tr> <tr><td>enumeration</td><td>8</td><td></td></tr> <tr><td>enumeration</td><td>9</td><td></td></tr> <tr><td>enumeration</td><td>D0</td><td></td></tr> <tr><td>enumeration</td><td>D1</td><td></td></tr> <tr><td>enumeration</td><td>D2</td><td></td></tr> <tr><td>enumeration</td><td>D3</td><td></td></tr> <tr><td>enumeration</td><td>D4</td><td></td></tr> <tr><td>enumeration</td><td>D5</td><td></td></tr> <tr><td>enumeration</td><td>D6</td><td></td></tr> <tr><td>enumeration</td><td>D7</td><td></td></tr> <tr><td>enumeration</td><td>D8</td><td></td></tr> <tr><td>enumeration</td><td>D9</td><td></td></tr> <tr><td>enumeration</td><td>A</td><td></td></tr> </tbody> </table> | Kind       | Value | Annotation | enumeration | 0 |  | enumeration | 1 |  | enumeration | 2 |  | enumeration | 3 |  | enumeration | 4 |  | enumeration | 5 |  | enumeration | 6 |  | enumeration | 7 |  | enumeration | 8 |  | enumeration | 9 |  | enumeration | D0 |  | enumeration | D1 |  | enumeration | D2 |  | enumeration | D3 |  | enumeration | D4 |  | enumeration | D5 |  | enumeration | D6 |  | enumeration | D7 |  | enumeration | D8 |  | enumeration | D9 |  | enumeration | A |  |
| Kind        | Value  | Annotation |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | 0  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | 1  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | 2  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | 3  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | 4  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | 5  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | 6  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | 7  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | 8  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | 9  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | D0   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | D1   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | D2   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | D3   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | D4   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | D5   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | D6   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | D7   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | D8   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | D9   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| enumeration | A  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |
| source      | <pre>&lt;xs:simpleType name="SemesterSeqType"&gt;   &lt;xs:restriction base="xs:token"&gt;</pre>   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |   |  |

```

<xs:enumeration value="0"/>
<xs:enumeration value="1"/>
<xs:enumeration value="2"/>
<xs:enumeration value="3"/>
<xs:enumeration value="4"/>
<xs:enumeration value="5"/>
<xs:enumeration value="6"/>
<xs:enumeration value="7"/>
<xs:enumeration value="8"/>
<xs:enumeration value="9"/>
<xs:enumeration value="D0"/>
<xs:enumeration value="D1"/>
<xs:enumeration value="D2"/>
<xs:enumeration value="D3"/>
<xs:enumeration value="D4"/>
<xs:enumeration value="D5"/>
<xs:enumeration value="D6"/>
<xs:enumeration value="D7"/>
<xs:enumeration value="D8"/>
<xs:enumeration value="D9"/>
<xs:enumeration value="A"/>
<!-- One semester course -->
<!-- First half of a two-semester course -->
<!-- Second half of a two-semester course -->
<!-- First third of a three-semester course -->
<!-- Second third of a three-semester course -->
<!-- Last third of a three-semester course -->
<!-- First fourth of a four-semester course -->
<!-- Second fourth of a four-semester course -->
<!-- Third fourth of a four-semester course -->
<!-- Last fourth of a four-semester course -->
<!-- Single semester dual credit course -->
<!-- First half of a two-semester dual credit course -->
<!-- Second half of a two-semester dual credit course -->
<!-- First third of a three-semester dual credit course -->
<!-- Second third of a three-semester dual credit course -->
<!-- Last third of a three-semester dual credit course -->
<!-- First fourth of a four-semester dual credit course -->
<!-- Second fourth of a four-semester dual credit course -->
<!-- Third fourth of a four-semester dual credit course -->
<!-- Last fourth of a four-semester dual credit course -->
<!-- Non-High School Year Long Course -->
</xs:restriction>
</xs:simpleType>

```

### simpleType **SemesterType**

|            |  |
|------------|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34   |
| type       | restriction of <b>xs:integer</b>   |
| properties | base xs:integer  |
| used by    | element <a href="#">CourseType/Semester</a>  |
| facets     | Kind Value Annotation<br>totalDigits 1   |
| source     | <pre>&lt;xs:simpleType name="SemesterType"&gt;   &lt;xs:restriction base="xs:integer"&gt;     &lt;xs:totalDigits value="1"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre> |

### simpleType **SessionType**

|            |  |
|------------|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34   |
| type       | restriction of <b>xs:token</b>   |
| properties | base xs:token  |
| used by    | elements <a href="#">AcademicSessionType/SessionType</a> <a href="#">CurrentCourseworkType/SessionType</a>   |
| facets     | Kind Value Annotation<br>enumeration Semester<br>enumeration Trimester<br>enumeration Quarter  |
| source     | <pre>&lt;xs:simpleType name="SessionType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="Semester"/&gt;     &lt;xs:enumeration value="Trimester"/&gt;     &lt;xs:enumeration value="Quarter"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre> |

### simpleType **StateProvinceType**

|           |                                |
|-----------|--------------------------------|
| namespace | urn:us:tx:state:tea:TREx:v1.34 |
|-----------|--------------------------------|

|            |   |       |            |
|------------|---|-------|------------|
| type       | restriction of <b>xs:token</b>                    |       |            |
| properties | base <code>xs:token</code>                        |       |            |
| used by    | element <a href="#">AddressType/StateProvince</a> |       |            |
| facets     | Kind  | Value | Annotation |
|            | enumeration                                       | TX    |            |
|            | enumeration                                       | AA    |            |
|            | enumeration                                       | AB    |            |
|            | enumeration                                       | AE    |            |
|            | enumeration                                       | AK    |            |
|            | enumeration                                       | AL    |            |
|            | enumeration                                       | AP    |            |
|            | enumeration                                       | AR    |            |
|            | enumeration                                       | AS    |            |
|            | enumeration                                       | AZ    |            |
|            | enumeration                                       | BC    |            |
|            | enumeration                                       | CA    |            |
|            | enumeration                                       | CO    |            |
|            | enumeration                                       | CT    |            |
|            | enumeration                                       | CZ    |            |
|            | enumeration                                       | DC    |            |
|            | enumeration                                       | DE    |            |
|            | enumeration                                       | FL    |            |
|            | enumeration                                       | FM    |            |
|            | enumeration                                       | GA    |            |
|            | enumeration                                       | GU    |            |
|            | enumeration                                       | HI    |            |
|            | enumeration                                       | IA    |            |
|            | enumeration                                       | ID    |            |
|            | enumeration                                       | IL    |            |
|            | enumeration                                       | IN    |            |

|             |    |
|-------------|----|
| enumeration | KS |
| enumeration | KY |
| enumeration | LA |
| enumeration | MA |
| enumeration | MB |
| enumeration | MD |
| enumeration | ME |
| enumeration | MH |
| enumeration | MI |
| enumeration | MN |
| enumeration | MO |
| enumeration | MP |
| enumeration | MS |
| enumeration | MT |
| enumeration | NB |
| enumeration | NC |
| enumeration | ND |
| enumeration | NE |
| enumeration | NF |
| enumeration | NH |
| enumeration | NJ |
| enumeration | NL |
| enumeration | NM |
| enumeration | NS |
| enumeration | NT |
| enumeration | NU |
| enumeration | NV |
| enumeration | NY |
| enumeration | OH |
| enumeration | OK |

|        |  |
|--------|--|
|        | enumeration ON<br>enumeration OR<br>enumeration PA<br>enumeration PE<br>enumeration PR<br>enumeration PW<br>enumeration QC<br>enumeration RI<br>enumeration SC<br>enumeration SD<br>enumeration SK<br>enumeration TN<br>enumeration UT<br>enumeration VA<br>enumeration VI<br>enumeration VT<br>enumeration WA<br>enumeration WI<br>enumeration WV<br>enumeration WY<br>enumeration YT   |
| source | <pre> &lt;xs:simpleType name="StateProvinceType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="TX"/&gt;     &lt;xs:enumeration value="AA"/&gt;     &lt;xs:enumeration value="AB"/&gt;     &lt;xs:enumeration value="AE"/&gt;     &lt;xs:enumeration value="AK"/&gt;     &lt;xs:enumeration value="AL"/&gt;     &lt;xs:enumeration value="AP"/&gt;     &lt;xs:enumeration value="AR"/&gt;     &lt;xs:enumeration value="AS"/&gt;     &lt;xs:enumeration value="AZ"/&gt;     &lt;xs:enumeration value="BC"/&gt;     &lt;xs:enumeration value="CA"/&gt; </pre> |

```
<xs:enumeration value="CO"/>
<xs:enumeration value="CT"/>
<xs:enumeration value="CZ"/>
<xs:enumeration value="DC"/>
<xs:enumeration value="DE"/>
<xs:enumeration value="FL"/>
<xs:enumeration value="FM"/>
<xs:enumeration value="GA"/>
<xs:enumeration value="GU"/>
<xs:enumeration value="HI"/>
<xs:enumeration value="IA"/>
<xs:enumeration value="ID"/>
<xs:enumeration value="IL"/>
<xs:enumeration value="IN"/>
<xs:enumeration value="KS"/>
<xs:enumeration value="KY"/>
<xs:enumeration value="LA"/>
<xs:enumeration value="MA"/>
<xs:enumeration value="MB"/>
<xs:enumeration value="MD"/>
<xs:enumeration value="ME"/>
<xs:enumeration value="MH"/>
<xs:enumeration value="MI"/>
<xs:enumeration value="MN"/>
<xs:enumeration value="MO"/>
<xs:enumeration value="MP"/>
<xs:enumeration value="MS"/>
<xs:enumeration value="MT"/>
<xs:enumeration value="NB"/>
<xs:enumeration value="NC"/>
<xs:enumeration value="ND"/>
<xs:enumeration value="NE"/>
<xs:enumeration value="NF"/>
<xs:enumeration value="NH"/>
<xs:enumeration value="NJ"/>
<xs:enumeration value="NL"/>
<xs:enumeration value="NM"/>
<xs:enumeration value="NS"/>
<xs:enumeration value="NT"/>
<xs:enumeration value="NU"/>
<xs:enumeration value="NV"/>
<xs:enumeration value="NY"/>
<xs:enumeration value="OH"/>
<xs:enumeration value="OK"/>
<xs:enumeration value="ON"/>
<xs:enumeration value="OR"/>
<xs:enumeration value="PA"/>
<xs:enumeration value="PE"/>
<xs:enumeration value="PR"/>
```

```
<xs:enumeration value="PW"/>
<xs:enumeration value="QC"/>
<xs:enumeration value="RI"/>
<xs:enumeration value="SC"/>
<xs:enumeration value="SD"/>
<xs:enumeration value="SK"/>
<xs:enumeration value="TN"/>
<xs:enumeration value="UT"/>
<xs:enumeration value="VA"/>
<xs:enumeration value="VI"/>
<xs:enumeration value="VT"/>
<xs:enumeration value="WA"/>
<xs:enumeration value="WI"/>
<xs:enumeration value="WV"/>
<xs:enumeration value="WY"/>
<xs:enumeration value="YT"/>
<!-- Texas -->
<!-- Military-Americas -->
<!-- Alberta -->
<!-- Military-Europe -->
<!-- Alaska -->
<!-- Alabama -->
<!-- Military-Pacific -->
<!-- Arkansas -->
<!-- American Samoa -->
<!-- Arizona -->
<!-- British Columbia -->
<!-- California -->
<!-- Colorado -->
<!-- Connecticut -->
<!-- Canal Zone -->
<!-- District Of Columbia -->
<!-- Delaware -->
<!-- Florida -->
<!-- Federated States Of Micronesia -->
<!-- Georgia -->
<!-- Guam -->
<!-- Hawaii -->
<!-- Iowa -->
<!-- Idaho -->
<!-- Illinois -->
<!-- Indiana -->
<!-- Kansas -->
<!-- Kentucky -->
<!-- Louisiana -->
<!-- Massachusetts -->
<!-- Manitoba -->
<!-- Maryland -->
<!-- Maine -->
```



```
<!-- Marshall Islands -->
<!-- Michigan -->
<!-- Minnesota -->
<!-- Missouri -->
<!-- Northern Mariana Islands -->
<!-- Mississippi -->
<!-- Montana -->
<!-- New Brunswick -->
<!-- North Carolina -->
<!-- North Dakota -->
<!-- Nebraska -->
<!-- Newfoundland -->
<!-- New Hampshire -->
<!-- New Jersey -->
<!-- Newfoundland And Labrador -->
<!-- New Mexico -->
<!-- Nova Scotia -->
<!-- Northwest Territories -->
<!-- Nunavut -->
<!-- Nevada -->
<!-- New York -->
<!-- Ohio -->
<!-- Oklahoma -->
<!-- Ontario -->
<!-- Oregon -->
<!-- Pennsylvania -->
<!-- Prince Edward Island -->
<!-- Puerto Rico -->
<!-- Republic Of Palau -->
<!-- Quebec -->
<!-- Rhode Island -->
<!-- South Carolina -->
<!-- South Dakota -->
<!-- Saskatchewan -->
<!-- Tennessee -->
<!-- Utah -->
<!-- Virginia -->
<!-- Virgin Islands -->
<!-- Vermont -->
<!-- Washington -->
<!-- Wisconsin -->
<!-- West Virginia -->
<!-- Wyoming -->
<!-- Yukon -->
</xs:restriction>
</xs:simpleType>
```

### simpleType **StudentIDType**

|            |  |            |       |            |           |   |  |           |    |  |
|------------|--|------------|-------|------------|-----------|---|--|-----------|----|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |           |   |  |           |    |  |
| type       | restriction of <b>xs:token</b>   |            |       |            |           |   |  |           |    |  |
| properties | base <b>xs:token</b>   |            |       |            |           |   |  |           |    |  |
| used by    | element <a href="#">StudentIdentificationType/StudentID</a>  |            |       |            |           |   |  |           |    |  |
| facets     | <table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>64</td> <td></td> </tr> </table>                                      | Kind       | Value | Annotation | minLength | 1 |  | maxLength | 64 |  |
| Kind       | Value  | Annotation |       |            |           |   |  |           |    |  |
| minLength  | 1  |            |       |            |           |   |  |           |    |  |
| maxLength  | 64   |            |       |            |           |   |  |           |    |  |
| source     | <pre>&lt;xs:simpleType name="StudentIDType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="64"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre> |            |       |            |           |   |  |           |    |  |

### simpleType **StudentUniqueIDType**

|            |   |            |       |            |         |           |  |
|------------|---|------------|-------|------------|---------|-----------|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |         |           |  |
| type       | restriction of <b>xs:token</b>  |            |       |            |         |           |  |
| properties | base <b>xs:token</b>  |            |       |            |         |           |  |
| used by    | element <a href="#">StudentIdentificationType/StudentUniqueID</a>   |            |       |            |         |           |  |
| facets     | <table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>pattern</td> <td>[0-9]{10}</td> <td></td> </tr> </table>   | Kind       | Value | Annotation | pattern | [0-9]{10} |  |
| Kind       | Value   | Annotation |       |            |         |           |  |
| pattern    | [0-9]{10}   |            |       |            |         |           |  |
| source     | <pre>&lt;xs:simpleType name="StudentUniqueIDType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:pattern value="[0-9]{10}"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre> |            |       |            |         |           |  |

### simpleType **SubjectAreaType**

|           |                                |
|-----------|--------------------------------|
| namespace | urn:us:tx:state:tea:TREx:v1.34 |
| type      | restriction of <b>xs:token</b> |

| properties  | base xs:token   |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
|-------------|---|------------|-------|------------|-------------|-----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|------|--|-------------|----|--|-------------|----|--|-------------|------|--|-------------|----|--|-------------|----|--|-------------|-----|--|-------------|----|--|-------------|----|--|
| used by     | element <a href="#">CourseType/SubjectArea</a>  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>ELA</td><td></td></tr> <tr><td>enumeration</td><td>SP</td><td></td></tr> <tr><td>enumeration</td><td>MA</td><td></td></tr> <tr><td>enumeration</td><td>SC</td><td></td></tr> <tr><td>enumeration</td><td>SS</td><td></td></tr> <tr><td>enumeration</td><td>ECFE</td><td></td></tr> <tr><td>enumeration</td><td>HL</td><td></td></tr> <tr><td>enumeration</td><td>PE</td><td></td></tr> <tr><td>enumeration</td><td>LOTE</td><td></td></tr> <tr><td>enumeration</td><td>FA</td><td></td></tr> <tr><td>enumeration</td><td>TA</td><td></td></tr> <tr><td>enumeration</td><td>CTE</td><td></td></tr> <tr><td>enumeration</td><td>EL</td><td></td></tr> <tr><td>enumeration</td><td>LC</td><td></td></tr> </tbody> </table> | Kind       | Value | Annotation | enumeration | ELA |  | enumeration | SP |  | enumeration | MA |  | enumeration | SC |  | enumeration | SS |  | enumeration | ECFE |  | enumeration | HL |  | enumeration | PE |  | enumeration | LOTE |  | enumeration | FA |  | enumeration | TA |  | enumeration | CTE |  | enumeration | EL |  | enumeration | LC |  |
| Kind        | Value   | Annotation |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | ELA   |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | SP  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | MA  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | SC  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | SS  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | ECFE  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | HL  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | PE  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | LOTE  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | FA  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | TA  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | CTE   |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | EL  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| enumeration | LC  |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |
| source      | <pre> &lt;xs:simpleType name="SubjectAreaType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="ELA"/&gt;     &lt;xs:enumeration value="SP"/&gt;     &lt;xs:enumeration value="MA"/&gt;     &lt;xs:enumeration value="SC"/&gt;     &lt;xs:enumeration value="SS"/&gt;     &lt;xs:enumeration value="ECFE"/&gt;     &lt;xs:enumeration value="HL"/&gt;     &lt;xs:enumeration value="PE"/&gt;     &lt;xs:enumeration value="LOTE"/&gt;     &lt;xs:enumeration value="FA"/&gt;     &lt;xs:enumeration value="TA"/&gt;     &lt;xs:enumeration value="CTE"/&gt;     &lt;xs:enumeration value="EL"/&gt;     &lt;xs:enumeration value="LC"/&gt;     &lt;!-- English Language Arts --&gt;     &lt;!-- Speech --&gt;     &lt;!-- Mathematics --&gt;     &lt;!-- Science --&gt;     &lt;!-- Social Studies --&gt; </pre>                   |            |       |            |             |     |  |             |    |  |             |    |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |      |  |             |    |  |             |    |  |             |     |  |             |    |  |             |    |  |

|  |  |
|--|--|
|  | <pre> &lt;!-- Economics/Free Enterprise --&gt; &lt;!-- Health --&gt; &lt;!-- Physical Education or equivalent --&gt; &lt;!-- Language Other Than English --&gt; &lt;!-- Fine Arts --&gt; &lt;!-- Tech Applications --&gt; &lt;!-- Career and Technical Education --&gt; &lt;!-- Other Electives --&gt; &lt;!-- Local Credit --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |
|--|--|

### simpleType **SubTestNameType**

|            |  |            |       |            |           |   |  |           |    |  |
|------------|--|------------|-------|------------|-----------|---|--|-----------|----|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |           |   |  |           |    |  |
| type       | restriction of <b>xs:token</b>   |            |       |            |           |   |  |           |    |  |
| properties | base xs:token  |            |       |            |           |   |  |           |    |  |
| used by    | element <a href="#">AssessmentSubTestType/SubTestName</a>  |            |       |            |           |   |  |           |    |  |
| facets     | <table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> </table>                               | Kind       | Value | Annotation | minLength | 1 |  | maxLength | 60 |  |
| Kind       | Value  | Annotation |       |            |           |   |  |           |    |  |
| minLength  | 1  |            |       |            |           |   |  |           |    |  |
| maxLength  | 60   |            |       |            |           |   |  |           |    |  |
| source     | <pre> &lt;xs:simpleType name="SubTestNameType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="60"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |            |       |            |           |   |  |           |    |  |

### simpleType **SuffixType**

|             |  |            |       |            |             |   |  |
|-------------|--|------------|-------|------------|-------------|---|--|
| namespace   | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |             |   |  |
| type        | restriction of <b>xs:token</b>   |            |       |            |             |   |  |
| properties  | base xs:token  |            |       |            |             |   |  |
| used by     | element <a href="#">PersonNameType/Suffix</a>  |            |       |            |             |   |  |
| facets      | <table border="0"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </table> | Kind       | Value | Annotation | enumeration | 1 |  |
| Kind        | Value  | Annotation |       |            |             |   |  |
| enumeration | 1  |            |       |            |             |   |  |

|        |   |
|--------|---|
|        | enumeration 2<br>enumeration 3<br>enumeration 4<br>enumeration 5<br>enumeration 6<br>enumeration 7<br>enumeration 8<br>enumeration 9<br>enumeration A<br>enumeration B<br>enumeration C   |
| source | <pre> &lt;xs:simpleType name="SuffixType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="4"/&gt;     &lt;xs:enumeration value="5"/&gt;     &lt;xs:enumeration value="6"/&gt;     &lt;xs:enumeration value="7"/&gt;     &lt;xs:enumeration value="8"/&gt;     &lt;xs:enumeration value="9"/&gt;     &lt;xs:enumeration value="A"/&gt;     &lt;xs:enumeration value="B"/&gt;     &lt;xs:enumeration value="C"/&gt;     &lt;!-- Jr. --&gt;     &lt;!-- Sr. --&gt;     &lt;!-- II --&gt;     &lt;!-- III --&gt;     &lt;!-- IV --&gt;     &lt;!-- V --&gt;     &lt;!-- VI --&gt;     &lt;!-- VII --&gt;     &lt;!-- VIII --&gt;     &lt;!-- I --&gt;     &lt;!-- IX --&gt;     &lt;!-- X --&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |

### simpleType **TestCodeType**

| namespace   | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
|-------------|--|------------|-------|------------|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|
| type        | restriction of <b>xs:token</b>   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| properties  | base xs:token  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| used by     | element <a href="#">AssessmentType/TestCode</a>  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>B</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>D</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>G</td><td></td></tr> <tr><td>enumeration</td><td>I</td><td></td></tr> <tr><td>enumeration</td><td>L</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>N</td><td></td></tr> <tr><td>enumeration</td><td>O</td><td></td></tr> <tr><td>enumeration</td><td>P</td><td></td></tr> <tr><td>enumeration</td><td>Q</td><td></td></tr> <tr><td>enumeration</td><td>R</td><td></td></tr> <tr><td>enumeration</td><td>S</td><td></td></tr> <tr><td>enumeration</td><td>T</td><td></td></tr> <tr><td>enumeration</td><td>W</td><td></td></tr> <tr><td>enumeration</td><td>X</td><td></td></tr> <tr><td>enumeration</td><td>Y</td><td></td></tr> <tr><td>enumeration</td><td>Z</td><td></td></tr> <tr><td>enumeration</td><td>*</td><td></td></tr> </tbody> </table> | Kind       | Value | Annotation | enumeration | A |  | enumeration | B |  | enumeration | C |  | enumeration | D |  | enumeration | E |  | enumeration | G |  | enumeration | I |  | enumeration | L |  | enumeration | M |  | enumeration | N |  | enumeration | O |  | enumeration | P |  | enumeration | Q |  | enumeration | R |  | enumeration | S |  | enumeration | T |  | enumeration | W |  | enumeration | X |  | enumeration | Y |  | enumeration | Z |  | enumeration | * |  |
| Kind        | Value  | Annotation |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | A  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | B  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | C  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | D  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | E  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | G  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | I  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | L  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | M  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | N  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | O  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | P  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | Q  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | R  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | S  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | T  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | W  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | X  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | Y  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | Z  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | *  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| source      | <pre>&lt;xs:simpleType name="TestCodeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="A"/&gt;     &lt;xs:enumeration value="B"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |

```

<xs:enumeration value="C"/>
<xs:enumeration value="D"/>
<xs:enumeration value="E"/>
<xs:enumeration value="G"/>
<xs:enumeration value="I"/>
<xs:enumeration value="L"/>
<xs:enumeration value="M"/>
<xs:enumeration value="N"/>
<xs:enumeration value="O"/>
<xs:enumeration value="P"/>
<xs:enumeration value="Q"/>
<xs:enumeration value="R"/>
<xs:enumeration value="S"/>
<xs:enumeration value="T"/>
<xs:enumeration value="W"/>
<xs:enumeration value="X"/>
<xs:enumeration value="Y"/>
<xs:enumeration value="Z"/>
<xs:enumeration value="*/>
<!-- Absent -->
<!-- Score code defaulted to B (Reading, grades K-1) -->
<!-- Student did not take paper-version reading test and an online-
version reading test for student could not be matched to paper-version
record. -->
<!-- No information available for this subject -->
<!-- Extenuating Circumstances, do not score (Reading, grades K-1) --
>
<!-- Student Information provided from TAKS-Alt -->
<!-- TAKS Inclusive test was administered -->
<!-- Student is LEP-exempt -->
<!-- Medical Exception -->
<!-- No Authentic Academic Response -->
<!-- Other -->
<!-- Previously Met Standards -->
<!-- Student did not take TAKS Reading test; do not score -->
<!-- ARD Committee determined TAKS Reading is not appropriate for
student -->
<!-- Student Test was Scored -->
<!-- State-approved alternate assessment administered instead of TAKS
Reading -->
<!-- Parental Waiver -->
<!-- Student is ARD-exempt; do not score -->
<!-- Student did not take English-version Reading test; do not score
-->
<!-- Student did not take Spanish-version Reading test; do not score
-->
<!-- No information available for this subject -->
</xs:restriction>

```

|  |                  |
|--|------------------|
|  | </xs:simpleType> |
|--|------------------|

simpleType **TestNameType**

| namespace   | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
|-------------|---|------------|-------|------------|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|-------------|----|--|
| type        | restriction of <b>xs:token</b>  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| properties  | base xs:token   |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| used by     | element <a href="#">AssessmentType/TestName</a>   |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| facets      | <table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr><tr><td>enumeration</td><td>06</td><td></td></tr><tr><td>enumeration</td><td>07</td><td></td></tr><tr><td>enumeration</td><td>08</td><td></td></tr><tr><td>enumeration</td><td>09</td><td></td></tr><tr><td>enumeration</td><td>10</td><td></td></tr><tr><td>enumeration</td><td>11</td><td></td></tr><tr><td>enumeration</td><td>12</td><td></td></tr><tr><td>enumeration</td><td>13</td><td></td></tr><tr><td>enumeration</td><td>14</td><td></td></tr><tr><td>enumeration</td><td>15</td><td></td></tr><tr><td>enumeration</td><td>16</td><td></td></tr><tr><td>enumeration</td><td>17</td><td></td></tr><tr><td>enumeration</td><td>18</td><td></td></tr><tr><td>enumeration</td><td>19</td><td></td></tr><tr><td>enumeration</td><td>20</td><td></td></tr><tr><td>enumeration</td><td>21</td><td></td></tr></tbody></table> | Kind       | Value | Annotation | enumeration | 01 |  | enumeration | 02 |  | enumeration | 03 |  | enumeration | 04 |  | enumeration | 05 |  | enumeration | 06 |  | enumeration | 07 |  | enumeration | 08 |  | enumeration | 09 |  | enumeration | 10 |  | enumeration | 11 |  | enumeration | 12 |  | enumeration | 13 |  | enumeration | 14 |  | enumeration | 15 |  | enumeration | 16 |  | enumeration | 17 |  | enumeration | 18 |  | enumeration | 19 |  | enumeration | 20 |  | enumeration | 21 |  |
| Kind        | Value   | Annotation |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 01  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 02  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 03  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 04  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 05  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 06  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 07  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 08  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 09  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 10  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 11  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 12  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 13  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 14  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 15  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 16  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 17  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 18  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 19  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 20  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |
| enumeration | 21  |            |       |            |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |             |    |  |



|             |    |  |
|-------------|----|--|
| enumeration | 22 |  |
| enumeration | 23 |  |
| enumeration | 24 |  |
| enumeration | 25 |  |
| enumeration | 26 |  |
| enumeration | 27 |  |
| enumeration | 28 |  |
| enumeration | 29 |  |
| enumeration | 30 |  |
| enumeration | 31 |  |
| enumeration | 32 |  |
| enumeration | 33 |  |
| enumeration | 34 |  |
| enumeration | 35 |  |
| enumeration | 36 |  |
| enumeration | 37 |  |
| enumeration | 38 |  |
| enumeration | 39 |  |
| enumeration | 40 |  |
| enumeration | 41 | documentation<br>Deprecated: Use code 'E6' |
| enumeration | 42 | documentation<br>Deprecated: Use code 'E7' |
| enumeration | 43 | documentation<br>Deprecated: Use code 'E9' |
| enumeration | 44 | documentation<br>Deprecated: Use code 'EA' |
| enumeration | 45 | documentation<br>Deprecated: Use code 'EC' |
| enumeration | 46 | documentation<br>Deprecated: Use code 'EB' |
| enumeration | 47 | documentation                              |

|             |    |                           |
|-------------|----|---------------------------|
|             |    | Deprecated: Use code 'EF' |
| enumeration | 48 | documentation             |
|             |    | Deprecated: Use code 'H0' |
| enumeration | 49 | documentation             |
|             |    | Deprecated: Use code 'E8' |
| enumeration | 50 | documentation             |
|             |    | Deprecated: Use code 'H1' |
| enumeration | 51 | documentation             |
|             |    | Deprecated: Use code 'ED' |
| enumeration | 52 | documentation             |
|             |    | Deprecated: Use code 'H2' |
| enumeration | 53 |                           |
| enumeration | 54 |                           |
| enumeration | 55 |                           |
| enumeration | 56 |                           |
| enumeration | 57 |                           |
| enumeration | 58 |                           |
| enumeration | 59 |                           |
| enumeration | 60 |                           |
| enumeration | 61 |                           |
| enumeration | 62 |                           |
| enumeration | 63 |                           |
| enumeration | 64 |                           |
| enumeration | 65 |                           |
| enumeration | 66 |                           |
| enumeration | 67 |                           |
| enumeration | 68 |                           |
| enumeration | 69 |                           |
| enumeration | 70 |                           |
| enumeration | 71 | documentation             |
|             |    | Deprecated: Use code 'E0' |
| enumeration | 72 | documentation             |

|             |    |                           |
|-------------|----|---------------------------|
|             |    | Deprecated: Use code 'E1' |
| enumeration | 73 | documentation             |
|             |    | Deprecated: Use code 'E2' |
| enumeration | 74 | documentation             |
|             |    | Deprecated: Use code 'E3' |
| enumeration | 75 | documentation             |
|             |    | Deprecated: Use code 'E4' |
| enumeration | 76 | documentation             |
|             |    | Deprecated: Use code 'E5' |
| enumeration | 77 |                           |
| enumeration | 78 |                           |
| enumeration | 79 |                           |
| enumeration | 80 |                           |
| enumeration | 81 |                           |
| enumeration | A0 |                           |
| enumeration | A1 |                           |
| enumeration | A2 |                           |
| enumeration | A3 |                           |
| enumeration | A4 |                           |
| enumeration | A5 |                           |
| enumeration | A6 |                           |
| enumeration | A7 |                           |
| enumeration | A8 |                           |
| enumeration | A9 |                           |
| enumeration | AA |                           |
| enumeration | AB |                           |
| enumeration | AC |                           |
| enumeration | AD |                           |
| enumeration | AE |                           |
| enumeration | AF |                           |
| enumeration | AG |                           |

|             |    |
|-------------|----|
| enumeration | AH |
| enumeration | AJ |
| enumeration | AK |
| enumeration | AL |
| enumeration | AM |
| enumeration | AN |
| enumeration | AP |
| enumeration | AQ |
| enumeration | B0 |
| enumeration | B1 |
| enumeration | B2 |
| enumeration | B3 |
| enumeration | B4 |
| enumeration | B5 |
| enumeration | B6 |
| enumeration | B7 |
| enumeration | B8 |
| enumeration | C0 |
| enumeration | C1 |
| enumeration | C2 |
| enumeration | C3 |
| enumeration | C4 |
| enumeration | C5 |
| enumeration | C6 |
| enumeration | C7 |
| enumeration | C8 |
| enumeration | C9 |
| enumeration | CA |
| enumeration | CB |
| enumeration | CC |

|             |    |  |
|-------------|----|--|
| enumeration | CD |  |
| enumeration | CE |  |
| enumeration | CF |  |
| enumeration | CG |  |
| enumeration | D0 |  |
| enumeration | D1 |  |
| enumeration | D2 |  |
| enumeration | D3 |  |
| enumeration | D4 |  |
| enumeration | D5 |  |
| enumeration | D6 |  |
| enumeration | D7 |  |
| enumeration | D8 |  |
| enumeration | D9 |  |
| enumeration | DA |  |
| enumeration | DB |  |
| enumeration | DC |  |
| enumeration | DD |  |
| enumeration | DE |  |
| enumeration | DF |  |
| enumeration | DG |  |
| enumeration | E0 | documentation<br>Deprecated: Use code 'EG' |
| enumeration | E1 | documentation<br>Deprecated: Use code 'EG' |
| enumeration | E2 | documentation<br>Deprecated: Use code 'EH' |
| enumeration | E3 | documentation<br>Deprecated: Use code 'EH' |
| enumeration | E4 |  |
| enumeration | E5 |  |

|             |    |
|-------------|----|
| enumeration | E6 |
| enumeration | E7 |
| enumeration | E8 |
| enumeration | E9 |
| enumeration | EA |
| enumeration | EB |
| enumeration | EC |
| enumeration | ED |
| enumeration | EF |
| enumeration | EG |
| enumeration | EH |
| enumeration | EJ |
| enumeration | F0 |
| enumeration | F1 |
| enumeration | F2 |
| enumeration | F3 |
| enumeration | F4 |
| enumeration | F5 |
| enumeration | F6 |
| enumeration | F7 |
| enumeration | F8 |
| enumeration | G0 |
| enumeration | G1 |
| enumeration | G2 |
| enumeration | G3 |
| enumeration | G4 |
| enumeration | G5 |
| enumeration | G6 |
| enumeration | G7 |
| enumeration | G8 |

|             |    |
|-------------|----|
| enumeration | G9 |
| enumeration | GA |
| enumeration | GB |
| enumeration | GC |
| enumeration | GD |
| enumeration | H0 |
| enumeration | H1 |
| enumeration | H2 |
| enumeration | H3 |
| enumeration | H4 |
| enumeration | H5 |
| enumeration | H6 |
| enumeration | H7 |
| enumeration | H8 |
| enumeration | J0 |
| enumeration | J1 |
| enumeration | J2 |
| enumeration | J3 |
| enumeration | J4 |
| enumeration | JA |
| enumeration | JB |
| enumeration | JC |
| enumeration | JD |
| enumeration | JE |
| enumeration | JF |
| enumeration | JG |
| enumeration | JH |
| enumeration | JJ |
| enumeration | JK |
| enumeration | JL |

|        |   |
|--------|---|
|        | enumeration JM  |
|        | enumeration JN  |
|        | enumeration JP  |
|        | enumeration JQ  |
|        | enumeration JR  |
|        | enumeration JS  |
|        | enumeration K0  |
|        | enumeration K1  |
|        | enumeration K2  |
|        | enumeration K3  |
|        | enumeration K4  |
|        | enumeration KA  |
|        | enumeration KB  |
|        | enumeration KC  |
|        | enumeration KD  |
|        | enumeration KE  |
|        | enumeration KF  |
|        | enumeration KG  |
|        | enumeration KH  |
|        | enumeration KJ  |
|        | enumeration KK  |
|        | enumeration KL  |
|        | enumeration KM  |
|        | enumeration KN  |
|        | enumeration KP  |
|        | enumeration KQ  |
|        | enumeration KR  |
|        | enumeration KS  |
| source | <pre>&lt;xs:simpleType name="TestNameType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="01"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre> |



```

<xs:enumeration value="02"/>
<xs:enumeration value="03"/>
<xs:enumeration value="04"/>
<xs:enumeration value="05"/>
<xs:enumeration value="06"/>
<xs:enumeration value="07"/>
<xs:enumeration value="08"/>
<xs:enumeration value="09"/>
<xs:enumeration value="10"/>
<xs:enumeration value="11"/>
<xs:enumeration value="12"/>
<xs:enumeration value="13"/>
<xs:enumeration value="14"/>
<xs:enumeration value="15"/>
<xs:enumeration value="16"/>
<xs:enumeration value="17"/>
<xs:enumeration value="18"/>
<xs:enumeration value="19"/>
<xs:enumeration value="20"/>
<xs:enumeration value="21"/>
<xs:enumeration value="22"/>
<xs:enumeration value="23"/>
<xs:enumeration value="24"/>
<xs:enumeration value="25"/>
<xs:enumeration value="26"/>
<xs:enumeration value="27"/>
<xs:enumeration value="28"/>
<xs:enumeration value="29"/>
<xs:enumeration value="30"/>
<xs:enumeration value="31"/>
<xs:enumeration value="32"/>
<xs:enumeration value="33"/>
<xs:enumeration value="34"/>
<xs:enumeration value="35"/>
<xs:enumeration value="36"/>
<xs:enumeration value="37"/>
<xs:enumeration value="38"/>
<xs:enumeration value="39"/>
<xs:enumeration value="40"/>
<xs:enumeration value="41">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E6'</xs:documentation>
  </xs:annotation>
  <!-- EOC Algebra I -->
</xs:enumeration>
<xs:enumeration value="42">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E7'</xs:documentation>
  </xs:annotation>

```

```

    <!-- EOC Geometry -->
</xs:enumeration>
<xs:enumeration value="43">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E9'</xs:documentation>
  </xs:annotation>
  <!-- EOC Biology -->
</xs:enumeration>
<xs:enumeration value="44">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'EA'</xs:documentation>
  </xs:annotation>
  <!-- EOC Chemistry -->
</xs:enumeration>
<xs:enumeration value="45">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'EC'</xs:documentation>
  </xs:annotation>
  <!-- EOC U.S.History -->
</xs:enumeration>
<xs:enumeration value="46">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'EB'</xs:documentation>
  </xs:annotation>
  <!-- EOC Physics -->
</xs:enumeration>
<xs:enumeration value="47">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'EF'</xs:documentation>
  </xs:annotation>
  <!-- EOC World Geography -->
</xs:enumeration>
<xs:enumeration value="48">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'H0'</xs:documentation>
  </xs:annotation>
  <!-- EOC English I -->
</xs:enumeration>
<xs:enumeration value="49">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E8'</xs:documentation>
  </xs:annotation>
  <!-- EOC Algebra II -->
</xs:enumeration>
<xs:enumeration value="50">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'H1'</xs:documentation>
  </xs:annotation>
  <!-- EOC English II -->

```

```

</xs:enumeration>
<xs:enumeration value="51">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'ED'</xs:documentation>
  </xs:annotation>
  <!-- EOC World History -->
</xs:enumeration>
<xs:enumeration value="52">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'H2'</xs:documentation>
  </xs:annotation>
  <!-- EOC English III -->
</xs:enumeration>
<xs:enumeration value="53"/>
<xs:enumeration value="54"/>
<xs:enumeration value="55"/>
<xs:enumeration value="56"/>
<xs:enumeration value="57"/>
<xs:enumeration value="58"/>
<xs:enumeration value="59"/>
<xs:enumeration value="60"/>
<xs:enumeration value="61"/>
<xs:enumeration value="62"/>
<xs:enumeration value="63"/>
<xs:enumeration value="64"/>
<xs:enumeration value="65"/>
<xs:enumeration value="66"/>
<xs:enumeration value="67"/>
<xs:enumeration value="68"/>
<xs:enumeration value="69"/>
<xs:enumeration value="70"/>
<xs:enumeration value="71">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E0'</xs:documentation>
  </xs:annotation>
  <!-- EOC English I Reading -->
</xs:enumeration>
<xs:enumeration value="72">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E1'</xs:documentation>
  </xs:annotation>
  <!-- EOC English I Writing -->
</xs:enumeration>
<xs:enumeration value="73">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E2'</xs:documentation>
  </xs:annotation>
  <!-- EOC English II Reading -->
</xs:enumeration>

```

```

<xs:enumeration value="74">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E3'</xs:documentation>
  </xs:annotation>
  <!-- EOC English II Writing -->
</xs:enumeration>
<xs:enumeration value="75">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E4'</xs:documentation>
  </xs:annotation>
  <!-- EOC English III Reading -->
</xs:enumeration>
<xs:enumeration value="76">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E5'</xs:documentation>
  </xs:annotation>
  <!-- EOC English III Writing -->
</xs:enumeration>
<xs:enumeration value="77"/>
<xs:enumeration value="78"/>
<xs:enumeration value="79"/>
<xs:enumeration value="80"/>
<xs:enumeration value="81"/>
<xs:enumeration value="A0"/>
<xs:enumeration value="A1"/>
<xs:enumeration value="A2"/>
<xs:enumeration value="A3"/>
<xs:enumeration value="A4"/>
<xs:enumeration value="A5"/>
<xs:enumeration value="A6"/>
<xs:enumeration value="A7"/>
<xs:enumeration value="A8"/>
<xs:enumeration value="A9"/>
<xs:enumeration value="AA"/>
<xs:enumeration value="AB"/>
<xs:enumeration value="AC"/>
<xs:enumeration value="AD"/>
<xs:enumeration value="AE"/>
<xs:enumeration value="AF"/>
<xs:enumeration value="AG"/>
<xs:enumeration value="AH"/>
<xs:enumeration value="AJ"/>
<xs:enumeration value="AK"/>
<xs:enumeration value="AL"/>
<xs:enumeration value="AM"/>
<xs:enumeration value="AN"/>
<xs:enumeration value="AP"/>
<xs:enumeration value="AQ"/>
<xs:enumeration value="B0"/>

```

```

<xs:enumeration value="B1"/>
<xs:enumeration value="B2"/>
<xs:enumeration value="B3"/>
<xs:enumeration value="B4"/>
<xs:enumeration value="B5"/>
<xs:enumeration value="B6"/>
<xs:enumeration value="B7"/>
<xs:enumeration value="B8"/>
<xs:enumeration value="C0"/>
<xs:enumeration value="C1"/>
<xs:enumeration value="C2"/>
<xs:enumeration value="C3"/>
<xs:enumeration value="C4"/>
<xs:enumeration value="C5"/>
<xs:enumeration value="C6"/>
<xs:enumeration value="C7"/>
<xs:enumeration value="C8"/>
<xs:enumeration value="C9"/>
<xs:enumeration value="CA"/>
<xs:enumeration value="CB"/>
<xs:enumeration value="CC"/>
<xs:enumeration value="CD"/>
<xs:enumeration value="CE"/>
<xs:enumeration value="CF"/>
<xs:enumeration value="CG"/>
<xs:enumeration value="D0"/>
<xs:enumeration value="D1"/>
<xs:enumeration value="D2"/>
<xs:enumeration value="D3"/>
<xs:enumeration value="D4"/>
<xs:enumeration value="D5"/>
<xs:enumeration value="D6"/>
<xs:enumeration value="D7"/>
<xs:enumeration value="D8"/>
<xs:enumeration value="D9"/>
<xs:enumeration value="DA"/>
<xs:enumeration value="DB"/>
<xs:enumeration value="DC"/>
<xs:enumeration value="DD"/>
<xs:enumeration value="DE"/>
<xs:enumeration value="DF"/>
<xs:enumeration value="DG"/>
<xs:enumeration value="E0">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'EG'</xs:documentation>
  </xs:annotation>
  <!-- English I Reading (EOC) -->
</xs:enumeration>
<xs:enumeration value="E1">

```

```

<xs:annotation>
  <xs:documentation>Deprecated: Use code 'EG'</xs:documentation>
</xs:annotation>
<!-- English I Writing (EOC) -->
</xs:enumeration>
<xs:enumeration value="E2">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'EH'</xs:documentation>
  </xs:annotation>
  <!-- English II Reading (EOC) -->
</xs:enumeration>
<xs:enumeration value="E3">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'EH'</xs:documentation>
  </xs:annotation>
  <!-- English II Writing (EOC) -->
</xs:enumeration>
<xs:enumeration value="E4"/>
<xs:enumeration value="E5"/>
<xs:enumeration value="E6"/>
<xs:enumeration value="E7"/>
<xs:enumeration value="E8"/>
<xs:enumeration value="E9"/>
<xs:enumeration value="EA"/>
<xs:enumeration value="EB"/>
<xs:enumeration value="EC"/>
<xs:enumeration value="ED"/>
<xs:enumeration value="EF"/>
<xs:enumeration value="EG"/>
<xs:enumeration value="EH"/>
<xs:enumeration value="EJ"/>
<xs:enumeration value="F0"/>
<xs:enumeration value="F1"/>
<xs:enumeration value="F2"/>
<xs:enumeration value="F3"/>
<xs:enumeration value="F4"/>
<xs:enumeration value="F5"/>
<xs:enumeration value="F6"/>
<xs:enumeration value="F7"/>
<xs:enumeration value="F8"/>
<xs:enumeration value="G0"/>
<xs:enumeration value="G1"/>
<xs:enumeration value="G2"/>
<xs:enumeration value="G3"/>
<xs:enumeration value="G4"/>
<xs:enumeration value="G5"/>
<xs:enumeration value="G6"/>
<xs:enumeration value="G7"/>
<xs:enumeration value="G8"/>

```

```
<xs:enumeration value="G9"/>
<xs:enumeration value="GA"/>
<xs:enumeration value="GB"/>
<xs:enumeration value="GC"/>
<xs:enumeration value="GD"/>
<xs:enumeration value="H0"/>
<xs:enumeration value="H1"/>
<xs:enumeration value="H2"/>
<xs:enumeration value="H3"/>
<xs:enumeration value="H4"/>
<xs:enumeration value="H5"/>
<xs:enumeration value="H6"/>
<xs:enumeration value="H7"/>
<xs:enumeration value="H8"/>
<xs:enumeration value="J0"/>
<xs:enumeration value="J1"/>
<xs:enumeration value="J2"/>
<xs:enumeration value="J3"/>
<xs:enumeration value="J4"/>
<xs:enumeration value="JA"/>
<xs:enumeration value="JB"/>
<xs:enumeration value="JC"/>
<xs:enumeration value="JD"/>
<xs:enumeration value="JE"/>
<xs:enumeration value="JF"/>
<xs:enumeration value="JG"/>
<xs:enumeration value="JH"/>
<xs:enumeration value="JJ"/>
<xs:enumeration value="JK"/>
<xs:enumeration value="JL"/>
<xs:enumeration value="JM"/>
<xs:enumeration value="JN"/>
<xs:enumeration value="JP"/>
<xs:enumeration value="JQ"/>
<xs:enumeration value="JR"/>
<xs:enumeration value="JS"/>
<xs:enumeration value="K0"/>
<xs:enumeration value="K1"/>
<xs:enumeration value="K2"/>
<xs:enumeration value="K3"/>
<xs:enumeration value="K4"/>
<xs:enumeration value="KA"/>
<xs:enumeration value="KB"/>
<xs:enumeration value="KC"/>
<xs:enumeration value="KD"/>
<xs:enumeration value="KE"/>
<xs:enumeration value="KF"/>
<xs:enumeration value="KG"/>
<xs:enumeration value="KH"/>
```

```

<xs:enumeration value="KJ"/>
<xs:enumeration value="KK"/>
<xs:enumeration value="KL"/>
<xs:enumeration value="KM"/>
<xs:enumeration value="KN"/>
<xs:enumeration value="KP"/>
<xs:enumeration value="KQ"/>
<xs:enumeration value="KR"/>
<xs:enumeration value="KS"/>
<!-- Texas Primary Reading Inventory (Grades K-2) -->
<!-- El Inventario de Lectura en Espanol de Tejas (Grades K-2) -->
<!-- Texas English Language Proficiency Assessment System (TELPAS)
reading (Grades K-12) -->
<!-- Spanish-version TAKS Reading (Grades 3-5) -->
<!-- TAKS Reading (Grades 3-9) -->
<!-- TAKS Mathematics (Grades 3-10) -->
<!-- TAKS Writing (Grades 4 and 7) -->
<!-- TAKS Science (Grades 5,8, and 10) -->
<!-- TAKS English Language Arts (Grade 10) -->
<!-- TAKS Social Studies (Grades 8 and 10) -->
<!-- TAKS Exit Level Mathematics -->
<!-- TAKS Exit Level Science -->
<!-- TAKS Exit Level Language Arts -->
<!-- TAKS Exit Level Social Studies -->
<!-- State Developed Alternative assessment -->
<!-- TELPAS writing (Grades K-12) -->
<!-- TELPAS speaking (Grades K-12) -->
<!-- TELPAS listening (Grades K-12) -->
<!-- TAKS (Accommodated) Reading (Grades 3-9) -->
<!-- TAKS (Accommodated) Mathematics (Grades 3-10) -->
<!-- TAKS (Accommodated) Writing (Grades 4, 7) -->
<!-- TAKS (Accommodated) Science (Grades 5, 8, 10) -->
<!-- TAKS (Accommodated) English Language Arts (Grade 10) -->
<!-- TAKS (Accommodated) Social Studies (Grades 8, 10) -->
<!-- TAKS (Accommodated) Exit Level Mathematics -->
<!-- TAKS (Accommodated) Exit Level Science -->
<!-- TAKS (Accommodated) Exit Level English Language Arts -->
<!-- TAKS (Accommodated) Exit Level Social Studies -->
<!-- TAKS-M Reading (Grades 3-9) -->
<!-- TAKS-M Mathematics (Grades 3-11) -->
<!-- TAKS-M Writing (Grades 4, 7) -->
<!-- TAKS-M Science (Grades 5, 8, 10, 11) -->
<!-- TAKS-M English Language Arts (Grades 10, 11) -->
<!-- TAKS-M Social Studies (Grades 8, 10, 11) -->
<!-- TAKS-Alt Reading (Grades 3-9) -->
<!-- TAKS-Alt Mathematics (Grades 3-11) -->
<!-- TAKS-Alt Writing (Grades 4, 7) -->
<!-- TAKS-Alt Science (Grades 5, 8 , 10,11) -->
<!-- TAKS-Alt English Language Arts (Grades 10, 11) -->

```



```

<!-- TAKS-Alt Social Studies (Grades 8, 10, 11) -->
<!-- Linguistically Accommodated Testing (LAT) TAKS Reading (Grades
3-8) -->
<!-- Spanish-version LAT TAKS Reading (Grades 3-5) -->
<!-- Spanish-version TAKS Mathematics (Grades 3-5) -->
<!-- LAT TAKS Mathematics (Grades 3-8, 10) -->
<!-- Spanish-version LAT TAKS Mathematics (Grades 3-5) -->
<!-- Spanish-version TAKS Writing (Grade 4) -->
<!-- Spanish-version TAKS Science (Grade 5) -->
<!-- LAT TAKS Science (Grades 5, 8, 10) -->
<!-- Spanish-version LAT TAKS Science (Grade 5) -->
<!-- LAT TAKS English Language Arts (Grade 10) -->
<!-- Spanish-version TAKS (Accommodated) Reading (Grades 3-5) -->
<!-- Spanish-version TAKS (Accommodated) Mathematics (Grades 3-5) -->
<!-- Spanish-version TAKS (Accommodated) Writing (Grade 4) -->
<!-- Spanish-version TAKS (Accommodated) Science (Grade 5) -->
<!-- LAT TAKS-M Reading (Grades 3-8) -->
<!-- LAT TAKS-M Mathematics (Grades 3-8, 10) -->
<!-- LAT TAKS-M Science (Grades 5, 8, 10) -->
<!-- LAT TAKS-M English Language Arts (Grade 10) -->
<!-- TELPAS Reading (Grades K-12) -->
<!-- TAKS Exit Level Mathematics - Substitution -->
<!-- TAKS Exit Level Science - Substitution -->
<!-- TAKS Exit Level Language Arts - Substitution -->
<!-- TAKS Exit Level Social Studies - Substitution -->
<!-- Grade 3 English Reading -->
<!-- Grade 3 English Mathematics -->
<!-- Grade 3 Spanish Reading -->
<!-- Grade 3 Spanish Mathematics -->
<!-- Grade 4 English Reading -->
<!-- Grade 4 English Mathematics -->
<!-- Grade 4 English Writing -->
<!-- Grade 4 Spanish Reading -->
<!-- Grade 4 Spanish Mathematics -->
<!-- Grade 4 Spanish Writing -->
<!-- Grade 5 English Reading -->
<!-- Grade 5 English Mathematics -->
<!-- Grade 5 English Science -->
<!-- Grade 5 Spanish Reading -->
<!-- Grade 5 Spanish Mathematics -->
<!-- Grade 5 Spanish Science -->
<!-- Grade 6 Reading -->
<!-- Grade 6 Mathematics -->
<!-- Grade 7 Reading -->
<!-- Grade 7 Mathematics -->
<!-- Grade 7 Writing -->
<!-- Grade 8 Reading -->
<!-- Grade 8 Mathematics -->
<!-- Grade 8 Science -->

```

```

<!-- Grade 8 Social Studies -->
<!-- Grade 3 Mathematics (STAAR L) -->
<!-- Grade 4 Mathematics (STAAR L) -->
<!-- Grade 5 Mathematics (STAAR L) -->
<!-- Grade 5 Science (STAAR L) -->
<!-- Grade 6 Mathematics (STAAR L) -->
<!-- Grade 7 Mathematics (STAAR L) -->
<!-- Grade 8 Mathematics (STAAR L) -->
<!-- Grade 8 Science (STAAR L) -->
<!-- Grade 8 Social Studies (STAAR L) -->
<!-- Grade 3 Reading (Modified) -->
<!-- Grade 3 Mathematics (Modified) -->
<!-- Grade 4 Reading (Modified) -->
<!-- Grade 4 Mathematics (Modified) -->
<!-- Grade 4 Writing (Modified) -->
<!-- Grade 5 Reading (Modified) -->
<!-- Grade 5 Mathematics (Modified) -->
<!-- Grade 5 Science (Modified) -->
<!-- Grade 6 Reading (Modified) -->
<!-- Grade 6 Mathematics (Modified) -->
<!-- Grade 7 Reading (Modified) -->
<!-- Grade 7 Mathematics (Modified) -->
<!-- Grade 7 Writing (Modified) -->
<!-- Grade 8 Reading (Modified) -->
<!-- Grade 8 Mathematics (Modified) -->
<!-- Grade 8 Science (Modified) -->
<!-- Grade 8 Social Studies (Modified) -->
<!-- Grade 3 Reading (Alternate) -->
<!-- Grade 3 Mathematics (Alternate) -->
<!-- Grade 4 Reading (Alternate) -->
<!-- Grade 4 Mathematics (Alternate) -->
<!-- Grade 4 Writing (Alternate) -->
<!-- Grade 5 Reading (Alternate) -->
<!-- Grade 5 Mathematics (Alternate) -->
<!-- Grade 5 Science (Alternate) -->
<!-- Grade 6 Reading (Alternate) -->
<!-- Grade 6 Mathematics (Alternate) -->
<!-- Grade 7 Reading (Alternate) -->
<!-- Grade 7 Mathematics (Alternate) -->
<!-- Grade 7 Writing (Alternate) -->
<!-- Grade 8 Reading (Alternate) -->
<!-- Grade 8 Mathematics (Alternate) -->
<!-- Grade 8 Science (Alternate) -->
<!-- Grade 8 Social Studies (Alternate) -->
<!-- English III Reading (EOC) -->
<!-- English III Writing (EOC) -->
<!-- Algebra I (EOC) -->
<!-- Geometry (EOC) -->
<!-- Algebra II (EOC) -->

```

```

<!-- Biology (EOC) -->
<!-- Chemistry (EOC) -->
<!-- Physics (EOC) -->
<!-- U.S. History (EOC) -->
<!-- World History (EOC) -->
<!-- World Geography (EOC) -->
<!-- English I (EOC) -->
<!-- English II (EOC) -->
<!-- English III (EOC) -->
<!-- Algebra I (EOC, STAAR L) -->
<!-- Geometry (EOC, STAAR L) -->
<!-- Algebra II (EOC, STAAR L) -->
<!-- Biology (EOC, STAAR L) -->
<!-- Chemistry (EOC, STAAR L) -->
<!-- Physics (EOC, STAAR L) -->
<!-- U.S. History (EOC, STAAR L) -->
<!-- World History (EOC, STAAR L) -->
<!-- World Geography (EOC, STAAR L) -->
<!-- English I Reading (EOC, Modified) -->
<!-- English I Writing (EOC, Modified) -->
<!-- English II Reading (EOC, Modified) -->
<!-- English II Writing (EOC, Modified) -->
<!-- English III Reading (EOC, Modified) -->
<!-- English III Writing (EOC, Modified) -->
<!-- Algebra I (EOC, Modified) -->
<!-- Geometry (EOC, Modified) -->
<!-- Biology (EOC, Modified) -->
<!-- U.S. History (EOC, Modified) -->
<!-- World History (EOC, Modified) -->
<!-- World Geography (EOC, Modified) -->
<!-- English I (EOC, Modified) -->
<!-- English II (EOC, Modified) -->
<!-- English I (EOC, Alternate) -->
<!-- English II (EOC, Alternate) -->
<!-- English III (EOC, Alternate) -->
<!-- Algebra I (EOC, Alternate) -->
<!-- Geometry (EOC, Alternate) -->
<!-- Biology (EOC, Alternate) -->
<!-- U.S. History (EOC, Alternate) -->
<!-- World History (EOC, Alternate) -->
<!-- World Geography (EOC, Alternate) -->
<!-- English I (EOC, STAAR Alternate 2) -->
<!-- English II (EOC, STAAR Alternate 2) -->
<!-- Algebra I (EOC, STAAR Alternate 2) -->
<!-- Biology (EOC, STAAR Alternate 2) -->
<!-- U.S. History (EOC, STAAR Alternate 2) -->
<!-- Grade 3 Reading (Alternate 2) -->
<!-- Grade 3 Mathematics (Alternate 2) -->
<!-- Grade 4 Reading (Alternate 2) -->

```

|  |  |
|--|--|
|  | <pre> &lt;!-- Grade 4 Mathematics (Alternate 2) --&gt; &lt;!-- Grade 4 Writing (Alternate 2) --&gt; &lt;!-- Grade 5 Reading (Alternate 2) --&gt; &lt;!-- Grade 5 Mathematics (Alternate 2) --&gt; &lt;!-- Grade 5 Science (Alternate 2) --&gt; &lt;!-- Grade 6 Reading (Alternate 2) --&gt; &lt;!-- Grade 6 Mathematics (Alternate 2) --&gt; &lt;!-- Grade 7 Reading (Alternate 2) --&gt; &lt;!-- Grade 7 Mathematics (Alternate 2) --&gt; &lt;!-- Grade 7 Writing (Alternate 2) --&gt; &lt;!-- Grade 8 Reading (Alternate 2) --&gt; &lt;!-- Grade 8 Mathematics (Alternate 2) --&gt; &lt;!-- Grade 8 Science (Alternate 2) --&gt; &lt;!-- Grade 8 Social Studies (Alternate 2) --&gt; &lt;!-- English I (EOC, STAAR A) --&gt; &lt;!-- English II (EOC, STAAR A) --&gt; &lt;!-- Algebra I (EOC, STAAR A) --&gt; &lt;!-- Biology (EOC, STAAR A) --&gt; &lt;!-- U.S. History (EOC, STAAR A) --&gt; &lt;!-- Grade 3 Reading (STAAR A) --&gt; &lt;!-- Grade 3 Mathematics (STAAR A) --&gt; &lt;!-- Grade 4 Reading (STAAR A) --&gt; &lt;!-- Grade 4 Mathematics (STAAR A) --&gt; &lt;!-- Grade 4 Writing (STAAR A) --&gt; &lt;!-- Grade 5 Reading (STAAR A) --&gt; &lt;!-- Grade 5 Mathematics (STAAR A) --&gt; &lt;!-- Grade 5 Science (STAAR A) --&gt; &lt;!-- Grade 6 Reading (STAAR A) --&gt; &lt;!-- Grade 6 Mathematics (STAAR A) --&gt; &lt;!-- Grade 7 Reading (STAAR A) --&gt; &lt;!-- Grade 7 Mathematics (STAAR A) --&gt; &lt;!-- Grade 7 Writing (STAAR A) --&gt; &lt;!-- Grade 8 Reading (STAAR A) --&gt; &lt;!-- Grade 8 Mathematics (STAAR A) --&gt; &lt;!-- Grade 8 Science (STAAR A) --&gt; &lt;!-- Grade 8 Social Studies (STAAR A) --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |
|--|--|

simpleType **TestScoreType**

|            |                                |
|------------|--------------------------------|
| namespace  | urn:us:tx:state:tea:TREx:v1.34 |
| type       | restriction of <b>xs:token</b> |
| properties | base xs:token                  |

| used by   | elements <a href="#">AssessmentSubTestType/SubTestScore</a> <a href="#">AssessmentType/TestScore</a>  |            |       |            |           |   |  |           |   |  |
|-----------|---|------------|-------|------------|-----------|---|--|-----------|---|--|
| facets    | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> </tbody> </table> | Kind       | Value | Annotation | minLength | 1 |  | maxLength | 6 |  |
| Kind      | Value   | Annotation |       |            |           |   |  |           |   |  |
| minLength | 1   |            |       |            |           |   |  |           |   |  |
| maxLength | 6   |            |       |            |           |   |  |           |   |  |
| source    | <pre>&lt;xs:simpleType name="TestScoreType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="6"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>         |            |       |            |           |   |  |           |   |  |

### simpleType **TexasGrantType**

| namespace   | urn:us:tx:state:tea:TREx:v1.34  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
|-------------|---|------------|-------|------------|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|
| type        | restriction of <b>xs:token</b>  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| properties  | base xs:token   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| used by     | element <a href="#">AcademicStatusType/TexasGrant</a>   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> </tbody> </table>  | Kind       | Value | Annotation | enumeration | 1 |  | enumeration | 2 |  | enumeration | 3 |  | enumeration | 4 |  | enumeration | 5 |  |
| Kind        | Value   | Annotation |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 1   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 2   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 3   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 4   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 5   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| source      | <pre>&lt;xs:simpleType name="TexasGrantType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="1"/&gt;     &lt;xs:enumeration value="2"/&gt;     &lt;xs:enumeration value="3"/&gt;     &lt;xs:enumeration value="4"/&gt;     &lt;xs:enumeration value="5"/&gt;     &lt;!-- Student is on track to complete the requirements of the SBOE- approved Recommended High School Program. --&gt;     &lt;!-- Student is on track to complete the requirements of the SBOE- approved Distinguished High School Program. --&gt;     &lt;!-- Student is on track to complete the requirements of the SBOE- approved Minimum High School Program. --&gt;     &lt;!-- Student is exempt from requirements to complete at least the requirements of the SBOE-approved Recommended High School Program. --&gt;</pre> |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |

|  |  |
|--|--|
|  | <pre> &lt;!-- Student is on track to complete the portion of the recommended graduation program that is available to the student at a high school that certifies to the commissioner of education that not all the necessary courses for the recommended program were offered (TEC 51.803(d)(2) and 56.304(f)(1)) --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |
|--|--|

simpleType **TitleType**

| namespace   | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
|-------------|--|------------|-------|------------|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|
| type        | restriction of <b>xs:token</b>   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| properties  | base xs:token  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| used by     | element <a href="#">SpecialProgramsType/TitleI</a>   |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>9</td> <td></td> </tr> </tbody> </table>  | Kind       | Value | Annotation | enumeration | 0 |  | enumeration | A |  | enumeration | 6 |  | enumeration | 7 |  | enumeration | 8 |  | enumeration | 9 |  |
| Kind        | Value  | Annotation |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 0  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | A  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 6  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 7  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 8  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| enumeration | 9  |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |
| source      | <pre> &lt;xs:simpleType name="TitleIType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="0"/&gt;     &lt;xs:enumeration value="A"/&gt;     &lt;xs:enumeration value="6"/&gt;     &lt;xs:enumeration value="7"/&gt;     &lt;xs:enumeration value="8"/&gt;     &lt;xs:enumeration value="9"/&gt;     &lt;!-- Student attends a school that is not designated by district as Title I, Part A and student doesn't receive any Title 1, Part A funded services, or student attends a Title I, Part A targeted assistance school, but doesn't presently participate in Title I, Part A funded services and has not previously participated in Title I, Part A services at the school in which the student is currently enrolled. --&gt;     &lt;!-- The student resides in a facility for the neglected, attends a non-Title I campus, and receives Title I, Part A services through a Title I, Part A program that is run through the central administration office. --&gt;     &lt;!-- The student attends a Title I, Part A schoolwide program school. </pre> |            |       |            |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |             |   |  |

|  |  |
|--|--|
|  | <pre>--&gt; &lt;!-- The student attends a Title I, Part A targeted assistance school and participates in Title I, Part A programs and/or services. --&gt; &lt;!-- The student attends a Title I, Part A targeted assistance school and does not currently participate in Title I, Part A programs and/or services, but previously participated in Title I, Part A programs and/or services at this school. --&gt; &lt;!-- Student does not attend a school that is designated by the district as a Title I, Part A school; however, the student receives Title I, Part A services because the student is homeless. --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre> |
|--|--|

simpleType **TX-PostSecondaryCertificationLicensureResultCodeType**

| namespace   | urn:us:tx:state:tea:TREx:v1.34  |  |       |            |             |    |  |             |    |  |             |    |   |
|-------------|---|--|-------|------------|-------------|----|--|-------------|----|--|-------------|----|---|
| type        | restriction of <b>xs:token</b>  |  |       |            |             |    |  |             |    |  |             |    |   |
| properties  | base xs:token   |  |       |            |             |    |  |             |    |  |             |    |   |
| used by     | element <a href="#">IBCEarnedType/TX-PostSecondaryCertificationLicensureResult</a>  |  |       |            |             |    |  |             |    |  |             |    |   |
| facets      | <table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>01</td> <td>documentation<br/>IBC Earned<br/>All IBC Requirements completed, including passing examinations and any additional requirements.</td> </tr> <tr> <td>enumeration</td> <td>02</td> <td>documentation<br/>IBC Examination Passed<br/>All IBC requirements have not been completed to earn the certification.</td> </tr> <tr> <td>enumeration</td> <td>03</td> <td>documentation<br/>IBC Examination Failed</td> </tr> </tbody> </table> | Kind   | Value | Annotation | enumeration | 01 | documentation<br>IBC Earned<br>All IBC Requirements completed, including passing examinations and any additional requirements. | enumeration | 02 | documentation<br>IBC Examination Passed<br>All IBC requirements have not been completed to earn the certification. | enumeration | 03 | documentation<br>IBC Examination Failed |
| Kind        | Value   | Annotation   |       |            |             |    |  |             |    |  |             |    |   |
| enumeration | 01  | documentation<br>IBC Earned<br>All IBC Requirements completed, including passing examinations and any additional requirements. |       |            |             |    |  |             |    |  |             |    |   |
| enumeration | 02  | documentation<br>IBC Examination Passed<br>All IBC requirements have not been completed to earn the certification.             |       |            |             |    |  |             |    |  |             |    |   |
| enumeration | 03  | documentation<br>IBC Examination Failed  |       |            |             |    |  |             |    |  |             |    |   |
| source      | <pre>&lt;xs:simpleType name="TX- PostSecondaryCertificationLicensureResultCodeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="01"&gt;       &lt;xs:annotation&gt;         &lt;xs:documentation&gt;IBC Earned All IBC Requirements completed, including passing examinations and any additional requirements.&lt;/xs:documentation&gt;       &lt;/xs:annotation&gt;     &lt;/xs:enumeration&gt;     &lt;xs:enumeration value="02"&gt;       &lt;xs:annotation&gt;</pre>   |  |       |            |             |    |  |             |    |  |             |    |   |

|  |  |
|--|--|
|  | <pre> &lt;xs:documentation&gt;IBC Examination Passed All IBC requirements have not been completed to earn the certification. &lt;/xs:documentation&gt; &lt;/xs:annotation&gt; &lt;/xs:enumeration&gt; &lt;xs:enumeration value="03"&gt;   &lt;xs:annotation&gt;     &lt;xs:documentation&gt;IBC Examination Failed&lt;/xs:documentation&gt;   &lt;/xs:annotation&gt; &lt;/xs:enumeration&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |
|--|--|

### simpleType **WithdrawGradeType**

|            |  |            |       |            |           |   |  |           |    |  |
|------------|--|------------|-------|------------|-----------|---|--|-----------|----|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |           |   |  |           |    |  |
| type       | restriction of <b>xs:token</b>   |            |       |            |           |   |  |           |    |  |
| properties | base xs:token  |            |       |            |           |   |  |           |    |  |
| used by    | element <a href="#">CourseType/WithdrawGrade</a>   |            |       |            |           |   |  |           |    |  |
| facets     | <table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </table>  | Kind       | Value | Annotation | minLength | 1 |  | maxLength | 15 |  |
| Kind       | Value  | Annotation |       |            |           |   |  |           |    |  |
| minLength  | 1  |            |       |            |           |   |  |           |    |  |
| maxLength  | 15   |            |       |            |           |   |  |           |    |  |
| source     | <pre> &lt;xs:simpleType name="WithdrawGradeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:minLength value="1"/&gt;     &lt;xs:maxLength value="15"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |            |       |            |           |   |  |           |    |  |

### simpleType **WithdrawReasonType**

|             |  |            |       |            |             |    |  |
|-------------|--|------------|-------|------------|-------------|----|--|
| namespace   | urn:us:tx:state:tea:TREx:v1.34   |            |       |            |             |    |  |
| type        | restriction of <b>xs:token</b>   |            |       |            |             |    |  |
| properties  | base xs:token  |            |       |            |             |    |  |
| used by     | element <a href="#">EnrollmentType/WithdrawReason</a>  |            |       |            |             |    |  |
| facets      | <table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> </table> | Kind       | Value | Annotation | enumeration | 01 |  |
| Kind        | Value  | Annotation |       |            |             |    |  |
| enumeration | 01   |            |       |            |             |    |  |



|        |   |
|--------|---|
|        | enumeration 03<br>enumeration 08<br>enumeration 16<br>enumeration 20<br>enumeration 24<br>enumeration 60<br>enumeration 66<br>enumeration 78<br>enumeration 81<br>enumeration 82<br>enumeration 83<br>enumeration 85<br>enumeration 86<br>enumeration 87<br>enumeration 88<br>enumeration 89<br>enumeration 90<br>enumeration 98<br>enumeration 99  |
| source | <pre> &lt;xs:simpleType name="WithdrawReasonType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:enumeration value="01"/&gt;     &lt;xs:enumeration value="03"/&gt;     &lt;xs:enumeration value="08"/&gt;     &lt;xs:enumeration value="16"/&gt;     &lt;xs:enumeration value="20"/&gt;     &lt;xs:enumeration value="24"/&gt;     &lt;xs:enumeration value="60"/&gt;     &lt;xs:enumeration value="66"/&gt;     &lt;xs:enumeration value="78"/&gt;     &lt;xs:enumeration value="81"/&gt;     &lt;xs:enumeration value="82"/&gt;     &lt;xs:enumeration value="83"/&gt;     &lt;xs:enumeration value="85"/&gt;     &lt;xs:enumeration value="86"/&gt;     &lt;xs:enumeration value="87"/&gt;     &lt;xs:enumeration value="88"/&gt; </pre> |

|  |   |
|--|---|
|  | <pre> &lt;xs:enumeration value="89"/&gt; &lt;xs:enumeration value="90"/&gt; &lt;xs:enumeration value="98"/&gt; &lt;xs:enumeration value="99"/&gt; &lt;!-- Graduated From A Campus In This District Or Charter --&gt; &lt;!-- Died --&gt; &lt;!-- Pregnancy --&gt; &lt;!-- Return to Home Country --&gt; &lt;!-- Medical Injury --&gt; &lt;!-- College, Pursue Associate's or Bachelor's Degree --&gt; &lt;!-- Home Schooling --&gt; &lt;!-- Removed-Child Protective Srvs --&gt; &lt;!-- Expelled For Offense Under TEC 37.007, Cannot Return --&gt; &lt;!-- Enrolled In TX Private School --&gt; &lt;!-- Enrolled In School Outside Texas --&gt; &lt;!-- Withdrawn By District Because Not Entitled to Enroll --&gt; &lt;!-- Graduated Outside Texas Before Entering A Texas Public School- Entered A Texas Public School-Left Again --&gt; &lt;!-- GED outside Texas --&gt; &lt;!-- Enrolled in University High School Diploma Program --&gt; &lt;!-- Court-ordered to a GED program, has not earned a GED --&gt; &lt;!-- Incarcerated in a state jail or federal penitentiary as an adult --&gt; &lt;!-- Graduated from another state under provisions of the Interstate Compact on Education Opportunity for Military Children --&gt; &lt;!-- Other --&gt; &lt;!-- Transferred to another district --&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre> |
|--|---|

simpleType **YearRangeType**

|            |  |
|------------|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34   |
| type       | restriction of <b>xs:token</b>   |
| properties | base xs:token  |
| used by    | elements <a href="#">DualLanguageImmersionType/CompletionSchoolYear</a> <a href="#">AcademicSessionType/SchoolYear</a> <a href="#">CurrentCourseworkType/SchoolYear</a>      |
| facets     | Kind Value Annotation<br>pattern [0-9]{4}-[0-9]{4}   |
| source     | <pre> &lt;xs:simpleType name="YearRangeType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:pattern value="[0-9]{4}-[0-9]{4}"/&gt;   &lt;/xs:restriction&gt; </pre> |

|  |                                     |
|--|-------------------------------------|
|  | <code>&lt;/xs:simpleType&gt;</code> |
|--|-------------------------------------|

### simpleType **YMDType**

|            |  |
|------------|--|
| namespace  | urn:us:tx:state:tea:TREx:v1.34   |
| type       | restriction of <b>xs:token</b>   |
| properties | base xs:token  |
| used by    | elements <a href="#">StudentDemographicType/BirthDate</a> <a href="#">AcademicStatusType/CertificateDate</a><br><a href="#">AcademicSummaryType/ClassRankingDate</a> <a href="#">DisciplineActionType/DisciplineActionDate</a><br><a href="#">EnrollmentType/EntryDate</a> <a href="#">EnrollmentType/ExitDate</a><br><a href="#">StudentDemographicType/HomeLanguageSurveyDateAdministered</a><br><a href="#">ImmunizationType/ImmunizationDate</a> <a href="#">EnrollmentType/WithdrawDate</a> |
| facets     | Kind Value Annotation<br>pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]  |
| source     | <pre>&lt;xs:simpleType name="YMDType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:pattern value="[0-9]{4}-[01]?[0-9]-[0123]?[0-9]"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>   |

### simpleType **YMType**

|            |   |
|------------|---|
| namespace  | urn:us:tx:state:tea:TREx:v1.34  |
| type       | restriction of <b>xs:token</b>  |
| properties | base xs:token   |
| used by    | elements <a href="#">DualLanguageImmersionType/AssessmentMetDate</a> <a href="#">AcademicStatusType/CPRMetDate</a><br><a href="#">AssessmentType/ExitRequirementMetDate</a><br><a href="#">AcademicStatusType/FinancialAidApplicationMetDate</a> <a href="#">AcademicStatusType/GraduationDate</a><br><a href="#">PerfAckAplbType/MetDate</a> <a href="#">PerfAckCollegeAssessType/MetDate</a><br><a href="#">PerfAckBilingBilitType/MetDate</a> <a href="#">PerfAckCertLicType/MetDate</a><br><a href="#">PerfAckDualCreditType/MetDate</a> <a href="#">AcademicStatusType/POIIMetDate</a><br><a href="#">AcademicStatusType/SpeechMetDate</a> <a href="#">AssessmentType/TestDate</a> |
| facets     | Kind Value Annotation<br>pattern [0-9]{4}-[01]?[0-9]  |
| source     | <pre>&lt;xs:simpleType name="YMType"&gt;   &lt;xs:restriction base="xs:token"&gt;     &lt;xs:pattern value="[0-9]{4}-[01]?[0-9]"/&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>  |

|  |                                     |
|--|-------------------------------------|
|  | <code>&lt;/xs:simpleType&gt;</code> |
|--|-------------------------------------|

XML Schema documentation generated by [XMLSpy](http://www.altova.com/xmlspy) Schema Editor <http://www.altova.com/xmlspy>