

APPENDIX C – XSD GRAPHIC

Appendix C – TReX XSD Graphical Representation

Appendix

C

Schema TReX.v1.39.xsd

Elements	Groups	Complex types	Simple types
<u>TReXStudent</u>	<u>PhoneNumberGroup</u>	<u>AcademicSessionType</u>	<u>AbbreviationType</u>
<u>Records</u>		<u>AcademicStatusType</u>	<u>AcceleratedInstructionSubjectType</u>
		<u>AcademicSummaryType</u>	<u>AdditionalTestNameType</u>
		<u>AcceleratedInstructionType</u>	<u>AddressStringType</u>
		<u>AddressType</u>	<u>AdvancedMeasureType</u>
		<u>AssessmentSubTestType</u>	<u>AlternativeLanguageType</u>
		<u>AssessmentType</u>	<u>AssociateDegreeIndicatorType</u>
		<u>AttendanceType</u>	<u>AsyleeRefugeeCodeType</u>
		<u>CourseType</u>	<u>BilingualType</u>
		<u>CrisisCodeType</u>	<u>CareerTechEdType</u>
		<u>CurrentCourseworkType</u>	<u>CityType</u>
		<u>DisciplineActionType</u>	<u>ClassPeriodType</u>
		<u>DistinguishedAchievementType</u>	<u>ClassRankType</u>

<u>DualLanguageImmersionType</u>	<u>ClassTotalNumberType</u>
<u>EnrollmentType</u>	<u>CollegeCampusCodeType</u>
<u>EthnicityType</u>	<u>CountryType</u>
<u>IBCEarnedType</u>	<u>CourseCreditType</u>
<u>ImmunizationType</u>	<u>CourseExplanationType</u>
<u>ParentType</u>	<u>CourseGradeType</u>
<u>PerfAckApIbType</u>	<u>CourseIDType</u>
<u>PerfAckBilingBilitType</u>	<u>CourseTeacherType</u>
<u>PerfAckCertLicType</u>	<u>CourseTitleType</u>
<u>PerfAckCollegeAssessType</u>	<u>CrisisCodeCodeType</u>
<u>PerfAckDualCreditType</u>	<u>DaysType</u>
<u>PersonNameType</u>	<u>DisciplineActionCodeType</u>
<u>SchoolType</u>	<u>DisciplineActionNumType</u>
<u>SpecialProgramsType</u>	<u>DisciplineActionReasonType</u>
<u>StudentDemographicType</u>	<u>DisciplineActualLengthType</u>
<u>StudentIdentificationType</u>	<u>DisciplineLengthOfAssignmentType</u>
<u>StudentRecordsType</u>	<u>DistrictIDType</u>
<u>StudentRecordType</u>	<u>DistrictNameType</u>

DualLanguageImmersionLanguageCode

DualLanguageImmersionYearCode

DyslexiaRiskCodeType

EconomicDisadvantagedType

ESLType

EthnicityYesNoType

FHSP

FinancialAidApplicationType

FirstNameType

FosterCareType

GenderType

GiftedTalentedType

GPAType

GradeLevelType

GraduationDiplomaTypeType

HomelessType

HoursType

IBCCodeType

IBCReimbursementType

IGCCodeType

ImmunizationCodeType

ImmunizationDoseType

IncidentIdentifierType

LanguageType

LastNameType

LEPType

LocalIDType

MiddleNameType

MilitaryConnectedType

ParticipationType

PassFailCreditType

PerfAckAplbCode

PerfAckBilingBilitCode

PerfAckCertLicCode

PerfAckCollegeAssessCode

PerfAckDualCreditCode

PerformanceLevelType

PhoneNumberType

PostalCodeType

PriorIDType

QuartileType

RaceType

SchoolIDType

SchoolNameType

SemesterSeqType

SemesterType

SessionTypeType

StateProvinceType

StudentAcceleratedInstructionP
articipationType

StudentIDType
StudentUniqueIDType
SubjectAreaType
SubTestNameType
SuffixType
TestCodeType
TestNameType
TestScoreType
TexasGrantType
TitleType
TX-BehaviorLocationType
TX-
DisciplineActionLengthDifferenceReasonType
TX-
PostSecondaryCertificationLicenseResultCodeType
WithdrawGradeType
WithdrawReasonType
YearRangeType
YMDType
YMType

element TReXStudentRecords

namespace	urn:us:tx:state:tea:TREx:v1.39
-----------	--------------------------------

type	trex:StudentRecordsType
properties	content complex
children	TRExStudentRecord
source	<xs:element name="TRExStudentRecords" type="trex:StudentRecordsType"/>

group PhoneNumberGroup

namespace	urn:us:tx:state:tea:TREx:v1.39
children	PhoneNumber Fax
used by	complexType SchoolType
source	<pre> <xs:group name="PhoneNumberGroup"> <xs:sequence> <xs:element name="PhoneNumber" type="trex:PhoneNumberType"/> <xs:element name="Fax" type="trex:PhoneNumberType" minOccurs="0"/> </xs:sequence> </xs:group> </pre>

element PhoneNumberGroup/PhoneNumber

type	trex:PhoneNumberType
properties	content simple
facets	Kind Value Annotation minLength 1 maxLength 20
source	<xs:element name="PhoneNumber" type="trex:PhoneNumberType"/>

element PhoneNumberGroup/Fax

type	trex:PhoneNumberType									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>20</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	20	
Kind	Value	Annotation								
minLength	1									
maxLength	20									
source	<xs:element name="Fax" type="trex:PhoneNumberType" minOccurs="0"/>									

complexType AcademicSessionType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	SchoolYear GradeLevel SessionType Course AcademicSummary
used by	element StudentRecordType/AcademicSession
source	<xs:complexType name="AcademicSessionType"> <xs:sequence> <xs:element name="SchoolYear" type="trex:YearRangeType" maxOccurs="unbounded"/> <xs:element name="GradeLevel" type="trex:GradeLevelType"/> <xs:element name="SessionType" type="trex:SessionTypeType" minOccurs="0"/> <xs:element name="Course" type="trex:CourseType" maxOccurs="unbounded"/> <xs:element name="AcademicSummary" type="trex:AcademicSummaryType" minOccurs="0"/> </xs:sequence> </xs:complexType>

element AcademicSessionType/SchoolYear

type	trex:YearRangeType
properties	minOcc 1 maxOcc unbounded content simple
facets	Kind Value Annotation pattern [0-9]{4}-[0-9]{4}
source	<xs:element name="SchoolYear" type="trex:YearRangeType" maxOccurs="unbounded"/>

element AcademicSessionType/GradeLevel

type	trex:GradeLevelType
properties	content simple
facets	Kind Value Annotation enumeration EE enumeration PK enumeration KG enumeration 01 enumeration 02 enumeration 03 enumeration 04 enumeration 05 enumeration 06 enumeration 07

	enumeration 08 enumeration 09 enumeration 10 enumeration 11 enumeration 12
source	<xs:element name="GradeLevel" type="trex:GradeLevelType"/>

element AcademicSessionType/SessionType

type	trex:SessionTypeType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	Semester	
	enumeration	Trimester	
	enumeration	Quarter	
source	<xs:element name="SessionType" type="trex:SessionTypeType" minOccurs="0"/>		

element AcademicSessionType/Course

type	trex:CourseType
properties	minOcc 1 maxOcc unbounded content complex

children	CourseTitle CourseID Abbreviation Semester ClassPeriod SubjectArea CourseGrade WithdrawGrade GradeAverage CourseCredit PassFailCredit Explanation CourseTeacher CreditCampus SemesterSeq FinalGradeAverage
source	<xs:element name="Course" type="trex:CourseType" maxOccurs="unbounded"/>

element AcademicSessionType/AcademicSummary

type	trex:AcademicSummaryType
properties	minOcc 0 maxOcc 1 content complex
children	GPA ClassTotalNumber ClassRank ClassRankingDate Quartile CollegeCampusCode
source	<xs:element name="AcademicSummary" type="trex:AcademicSummaryType" minOccurs="0"/>

complexType AcademicStatusType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	GraduationDate SpeechMetDate GraduationDiplomaType CertificateDate TexasGrant DistinguishedAchievements FHSPParticipationCode FHSPDistingIndicatorCode STEMEndorsementCode BusinessEndorsementCode PublicServicesEndorsementCode ArtsEndorsementCode MultiStudiesEndorsementCode DualCreditType BilingBilitType CollegeAssessType ApIbType CertLicType IGCGradReview FHSPCollegeCareerInstructionIndicator AssociateDegree OnRamps MSAdvancedMathParticipation Section504 POIIMetDate

	CPRAEDMetDate StarOfTexas SATACTReimbursement IBCReimbursement IBCEarned FinancialAidApplication FinancialAidApplicationMetDate AcceleratedInstruction TexasFirstEarlyHSGraduate DistingLevelAchievementGraduate FHSPDistingLevelParticipant PKChildLeaClassroomTeacher
used by	element StudentRecordType/AcademicStatus
source	<pre> <xs:complexType name="AcademicStatusType"> <xs:sequence> <xs:element name="GraduationDate" type="trex:YMType" minOccurs="0"/> <xs:element name="SpeechMetDate" type="trex:YMType" minOccurs="0"/> <xs:element name="GraduationDiplomaType" type="trex:GraduationDiplomaTypeType" minOccurs="0"/> <xs:element name="CertificateDate" type="trex:YMDType" minOccurs="0"/> <xs:element name="TexasGrant" type="trex:TexasGrantType" minOccurs="0"/> <xs:element name="DistinguishedAchievements" type="trex:DistinguishedAchievementType" minOccurs="0" maxOccurs="1"/> <xs:element name="FHSPParticipationCode" type="trex:FHSP" minOccurs="0"/> <xs:element name="FHSPDistingIndicatorCode" type="trex:FHSP" minOccurs="0"> <xs:annotation> <xs:documentation>Deprecated: As of v1.36, per SB 1888</xs:documentation> </xs:annotation> </xs:element> <xs:element name="STEMEndorsementCode" type="trex:FHSP" minOccurs="0"/> <xs:element name="BusinessEndorsementCode" type="trex:FHSP" minOccurs="0"/> <xs:element name="PublicServicesEndorsementCode" type="trex:FHSP" minOccurs="0"/> <xs:element name="ArtsEndorsementCode" type="trex:FHSP" </pre>

```

minOccurs="0"/>
  <xs:element name="MultiStudiesEndorsementCode" type="trex:FHSP"
minOccurs="0"/>
  <xs:element name="DualCreditType" type="trex:PerfAckDualCreditType"
minOccurs="0" maxOccurs="unbounded"/>
  <xs:element name="BilingBilitType" type="trex:PerfAckBilingBilitType"
minOccurs="0" maxOccurs="unbounded"/>
  <xs:element name="CollegeAssessType"
type="trex:PerfAckCollegeAssessType" minOccurs="0"
maxOccurs="unbounded"/>
  <xs:element name="AplbType" type="trex:PerfAckAplbType"
minOccurs="0" maxOccurs="unbounded"/>
  <xs:element name="CertLicType" type="trex:PerfAckCertLicType"
minOccurs="0" maxOccurs="unbounded"/>
  <xs:element name="IGCGradReview" type="trex:IGCCCodeType"
minOccurs="0"/>
  <xs:element name="FHSPCollegeCareerInstructionIndicator"
type="trex:ParticipationType" minOccurs="0"/>
  <xs:element name="AssociateDegree"
type="trex:AssociateDegreeIndicatorType" minOccurs="0"/>
  <xs:element name="OnRamps" type="trex:ParticipationType"
minOccurs="0"/>
  <xs:element name="MSAdvancedMathParticipation"
type="trex:ParticipationType" minOccurs="0"/>
  <xs:element name="Section504" type="trex:ParticipationType"
minOccurs="0"/>
  <xs:element name="POIIMetDate" type="trex:YMType" minOccurs="0"/>
  <xs:element name="CPRAEDMetDate" type="trex:YMType"
minOccurs="0"/>
  <xs:element name="StarOfTexas" type="trex:ParticipationType"
minOccurs="0"/>
  <xs:element name="SATACTReimbursement"
type="trex:ParticipationType" minOccurs="0"/>
  <xs:element name="IBCReimbursement"
type="trex:IBCReimbursementType" minOccurs="0"/>
  <xs:element name="IBCEarned" type="trex:IBCEarnedType"
minOccurs="0" maxOccurs="unbounded"/>
  <xs:element name="FinancialAidApplication"

```

	<pre> type="trex:FinancialAidApplicationType" minOccurs="0"/> <xs:element name="FinancialAidApplicationMetDate" type="trex:YMType" minOccurs="0"/> <xs:element name="AcceleratedInstruction" type="trex:AcceleratedInstructionType" minOccurs="0" maxOccurs="unbounded"/> <xs:element name="TexasFirstEarlyHSGraduate" type="trex:ParticipationType" minOccurs="0"/> <xs:element name="DistingLevelAchievementGraduate" type="trex:ParticipationType" minOccurs="0"/> <xs:element name="FHSPDistingLevelParticipant" type="trex:ParticipationType" minOccurs="0"/> <xs:element name="PKChildLeaClassroomTeacher" type="trex:ParticipationType" minOccurs="0"/> </xs:sequence> </xs:complexType> </pre>
--	---

element AcademicStatusType/GraduationDate

type	trex:YMType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<xs:element name="GraduationDate" type="trex:YMType" minOccurs="0"/>

element AcademicStatusType/SpeechMetDate

type	trex:YMType
------	-----------------------------

properties	minOcc0 maxOcc1 contentsimple						
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>pattern</td><td>[0-9]{4}-[01]?[0-9]</td><td></td></tr></table>	Kind	Value	Annotation	pattern	[0-9]{4}-[01]?[0-9]	
Kind	Value	Annotation					
pattern	[0-9]{4}-[01]?[0-9]						
source	<xs:element name="SpeechMetDate" type="trex:YMType" minOccurs="0"/>						

element AcademicStatusType/GraduationDiplomaType

type	trex:GraduationDiplomaTypeType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	04	
	enumeration	05	
	enumeration	06	
	enumeration	07	
	enumeration	13	
	enumeration	15	
	enumeration	17	
	enumeration	18	
	enumeration	19	
	enumeration	20	
	enumeration	21	

	enumeration 22 enumeration 23 enumeration 24 enumeration 25 enumeration 26 enumeration 27 enumeration 28 enumeration 29 enumeration 30 enumeration 31 enumeration 32 enumeration 33 enumeration 34 enumeration 35 enumeration 40 enumeration 54 enumeration 55 enumeration 56 enumeration 57
source	<xs:element name="GraduationDiplomaType" type="trex:GraduationDiplomaTypeType" minOccurs="0"/>

element AcademicStatusType/CertificateDate

type	trex:YMDType
properties	minOcc 0

	maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<xs:element name="CertificateDate" type="trex:YMDType" minOccurs="0"/>

element AcademicStatusType/TexasGrant

type	trex:TexasGrantType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 1 enumeration 2 enumeration 3 enumeration 4 enumeration 5
source	<xs:element name="TexasGrant" type="trex:TexasGrantType" minOccurs="0"/>

element AcademicStatusType/DistinguishedAchievements

type	trex:DistinguishedAchievementType
properties	minOcc 0 maxOcc 1

	content complex
children	AdvancedMeasure
source	<xs:element name="DistinguishedAchievements" type="trex:DistinguishedAchievementType" minOccurs="0" maxOccurs="1"/>

element AcademicStatusType/FHSPParticipationCode

type	trex:FHSP
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1 enumeration 2
source	<xs:element name="FHSPParticipationCode" type="trex:FHSP" minOccurs="0"/>

element AcademicStatusType/FHSPDistingIndicatorCode

type	trex:FHSP
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation

	enumeration 0 enumeration 1 enumeration 2
annotation	documentation Deprecated: As of v1.36, per SB 1888
source	<xs:element name="FHSPDistingIndicatorCode" type="trex:FHSP" minOccurs="0"> <xs:annotation> <xs:documentation>Deprecated: As of v1.36, per SB 1888</xs:documentation> </xs:annotation> </xs:element>

element AcademicStatusType/STEMEndorsementCode

type	trex:FHSP
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1 enumeration 2
source	<xs:element name="STEMEndorsementCode" type="trex:FHSP" minOccurs="0"/>

element AcademicStatusType/BusinessEndorsementCode

type	trex:FHSP												
properties	minOcc 0 maxOcc 1 content simple												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<xs:element name="BusinessEndorsementCode" type="trex:FHSP" minOccurs="0"/>												

element AcademicStatusType/PublicServicesEndorsementCode

type	trex:FHSP												
properties	minOcc0 maxOcc1 contentsimple												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<xs:element name="PublicServicesEndorsementCode" type="trex:FHSP" minOccurs="0"/>												

element AcademicStatusType/ArtsEndorsementCode

type	trex:FHSP												
properties	minOcc0 maxOcc1 contentsimple												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<xs:element name="ArtsEndorsementCode" type="trex:FHSP" minOccurs="0"/>												

element AcademicStatusType/MultiStudiesEndorsementCode

type	trex:FHSP												
properties	minOcc 0 maxOcc 1 content simple												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<xs:element name="MultiStudiesEndorsementCode" type="trex:FHSP" minOccurs="0"/>												

element AcademicStatusType/DualCreditType

type	trex:PerfAckDualCreditType
properties	minOcc 0 maxOcc unbounded content complex
children	DualCreditCode MetDate
source	<xs:element name="DualCreditType" type="trex:PerfAckDualCreditType" minOccurs="0" maxOccurs="unbounded"/>

element AcademicStatusType/BilingBilitType

type	trex:PerfAckBilingBilitType
properties	minOcc 0 maxOcc unbounded content complex
children	BilingBilitCode MetDate
source	<xs:element name="BilingBilitType" type="trex:PerfAckBilingBilitType" minOccurs="0" maxOccurs="unbounded"/>

element AcademicStatusType/CollegeAssessType

type	trex:PerfAckCollegeAssessType
properties	minOcc 0 maxOcc unbounded content complex
children	CollegeAssessCode MetDate

source	<xs:element name="CollegeAssessType" type="trex:PerfAckCollegeAssessType" minOccurs="0" maxOccurs="unbounded"/>
--------	---

element AcademicStatusType/AplbType

type	trex:PerfAckAplbType
properties	minOcc 0 maxOcc unbounded content complex
children	AplbCode MetDate
source	<xs:element name="AplbType" type="trex:PerfAckAplbType" minOccurs="0" maxOccurs="unbounded"/>

element AcademicStatusType/CertLicType

type	trex:PerfAckCertLicType
properties	minOcc 0 maxOcc unbounded content complex
children	CertLicCode MetDate
source	<xs:element name="CertLicType" type="trex:PerfAckCertLicType" minOccurs="0" maxOccurs="unbounded"/>

element AcademicStatusType/IGCGradReview

type	trex:IGCCodeType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 00 enumeration 01
source	<xs:element name="IGCGradReview" type="trex:IGCCodeType" minOccurs="0"/>

element AcademicStatusType/FHSPCollegeCareerInstructionIndicator

type	trex:ParticipationType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<xs:element name="FHSPCollegeCareerInstructionIndicator" type="trex:ParticipationType" minOccurs="0"/>

element AcademicStatusType/AssociateDegree

type	trex:AssociateDegreeIndicatorType
properties	minOcc 0

	maxOcc 1 content simple																								
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr><tr><td>enumeration</td><td>6</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6	
Kind	Value	Annotation																							
enumeration	0																								
enumeration	1																								
enumeration	2																								
enumeration	3																								
enumeration	4																								
enumeration	5																								
enumeration	6																								
source	<xs:element name="AssociateDegree" type="trex:AssociateDegreeIndicatorType" minOccurs="0"/>																								

element AcademicStatusType/OnRamps

type	trex:ParticipationType									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="OnRamps" type="trex:ParticipationType" minOccurs="0"/>									

element AcademicStatusType/MSAdvancedMathParticipation

type	trex:ParticipationType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<xs:element name="MSAdvancedMathParticipation" type="trex:ParticipationType" minOccurs="0"/>

element AcademicStatusType/Section504

type	trex:ParticipationType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<xs:element name="Section504" type="trex:ParticipationType" minOccurs="0"/>

element AcademicStatusType/POIIMetDate

type	trex:YMType
------	-----------------------------

properties	minOcc 0 maxOcc 1 content simple			
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr></table> pattern [0-9]{4}-[01]?[0-9]	Kind	Value	Annotation
Kind	Value	Annotation		
source	<xs:element name="POIIMetDate" type="trex:YMType" minOccurs="0"/>			

element AcademicStatusType/CPRAEDMetDate

type	trex:YMType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	pattern	[0-9]{4}-[01]?[0-9]	
source	<xs:element name="CPRAEDMetDate" type="trex:YMType" minOccurs="0"/>		

element AcademicStatusType/StarOfTexas

type	trex:ParticipationType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	0	

	enumeration 1
source	<xs:element name="StarOfTexas" type="trex:ParticipationType" minOccurs="0"/>

element AcademicStatusType/SATACTReimbursement

type	trex:ParticipationType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<xs:element name="SATACTReimbursement" type="trex:ParticipationType" minOccurs="0"/>

element AcademicStatusType/IBCREimbursement

type	trex:IBCREimbursementType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1 enumeration 01

	enumeration 02
source	<xs:element name="IBCReimbursement" type="trex:IBCReimbursementType" minOccurs="0"/>

element AcademicStatusType/IBCEarned

type	trex:IBCEarnedType
properties	minOcc 0 maxOcc unbounded content complex
children	IBCCode TX-PostSecondaryCertificationLicensureResult
source	<xs:element name="IBCEarned" type="trex:IBCEarnedType" minOccurs="0" maxOccurs="unbounded"/>

element AcademicStatusType/FinancialAidApplication

type	trex:FinancialAidApplicationType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 01 enumeration 02
source	<xs:element name="FinancialAidApplication" type="trex:FinancialAidApplicationType" minOccurs="0"/>

element AcademicStatusType/FinancialAidApplicationMetDate

type	trex:YMType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<xs:element name="FinancialAidApplicationMetDate" type="trex:YMType" minOccurs="0"/>

element AcademicStatusType/AcceleratedInstruction

type	trex:AcceleratedInstructionType
properties	minOcc 0 maxOcc unbounded content complex
children	AcceleratedInstructionSubject StudentAcceleratedInstructionParticipation AssignedHoursAcceleratedInstruction YTDNumberHoursCompleted
source	<xs:element name="AcceleratedInstruction" type="trex:AcceleratedInstructionType" minOccurs="0" maxOccurs="unbounded"/>

element AcademicStatusType/TexasFirstEarlyHSGraduate

type	trex:ParticipationType
properties	minOcc 0

	maxOcc 1 content simple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="TexasFirstEarlyHSGraduate" type="trex:ParticipationType" minOccurs="0"/>									

element AcademicStatusType/DistingLevelAchievementGraduate

type	trex:ParticipationType									
properties	minOcc0 maxOcc1 contentsimple									
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="DistingLevelAchievementGraduate" type="trex:ParticipationType" minOccurs="0"/>									

element AcademicStatusType/FHSPDistingLevelParticipant

type	trex:ParticipationType
properties	minOcc 0 maxOcc 1 content simple

facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="FHSPDistingLevelParticipant" type="trex:ParticipationType" minOccurs="0"/>									

element AcademicStatusType/PKChildLeaClassroomTeacher

type	trex:ParticipationType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<xs:element name="PKChildLeaClassroomTeacher" type="trex:ParticipationType" minOccurs="0"/>

complexType AcademicSummaryType

namespace	urn:us:tx:state:tea:TREx:v1.39		
children	GPA ClassTotalNumber ClassRank ClassRankingDate Quartile CollegeCampusCode		
used by	<table> <tr> <td>elements</td><td>AcademicSessionType/AcademicSummary StudentRecordType/AcademicSummary</td></tr> </table>	elements	AcademicSessionType/AcademicSummary StudentRecordType/AcademicSummary
elements	AcademicSessionType/AcademicSummary StudentRecordType/AcademicSummary		
source	<xs:complexType name="AcademicSummaryType"> <xs:sequence>		

	<pre> <xs:element name="GPA" type="trex:GPAType" minOccurs="0"/> <xs:element name="ClassTotalNumber" type="trex:ClassTotalNumberType" minOccurs="0"/> <xs:element name="ClassRank" type="trex:ClassRankType" minOccurs="0"/> <xs:element name="ClassRankingDate" type="trex:YMDType" minOccurs="0"/> <xs:element name="Quartile" type="trex:QuartileType" minOccurs="0"/> <xs:element name="CollegeCampusCode" type="trex:CollegeCampusCodeType" minOccurs="0"/> </xs:sequence> </xs:complexType> </pre>
--	--

element AcademicSummaryType/GPA

type	trex:GPAType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 10
source	<xs:element name="GPA" type="trex:GPAType" minOccurs="0"/>

element AcademicSummaryType/ClassTotalNumber

type	trex:ClassTotalNumberType
properties	minOcc 0 maxOcc 1

source	<xs:element name="ClassRankingDate" type="trex:YMDType" minOccurs="0"/>
--------	---

element AcademicSummaryType/Quartile

type	trex:QuartileType															
properties	minOcc 0 maxOcc 1 content simple															
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4	
Kind	Value	Annotation														
enumeration	1															
enumeration	2															
enumeration	3															
enumeration	4															
source	<xs:element name="Quartile" type="trex:QuartileType" minOccurs="0"/>															

element AcademicSummaryType/CollegeCampusCode

type	trex:CollegeCampusCodeType
properties	minOcc0 maxOcc1 content simple
facets	KindValueAnnotation pattern([0-9]{6})
source	<xs:element name="CollegeCampusCode" type="trex:CollegeCampusCodeType" minOccurs="0"/>

complexType AcceleratedInstructionType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	AcceleratedInstructionSubject StudentAcceleratedInstructionParticipation AssignedHoursAcceleratedInstruction YTDNumberHoursCompleted
used by	element AcademicStatusType/AcceleratedInstruction
source	<pre> <xs:complexType name="AcceleratedInstructionType"> <xs:sequence> <xs:element name="AcceleratedInstructionSubject" type="trex:AcceleratedInstructionSubjectType" minOccurs="0"/> <xs:element name="StudentAcceleratedInstructionParticipation" type="trex:StudentAcceleratedInstructionParticipationType" minOccurs="0"/> <xs:element name="AssignedHoursAcceleratedInstruction" type="trex:HoursType" minOccurs="0"/> <xs:element name="YTDNumberHoursCompleted" type="trex:HoursType" minOccurs="0"/> </xs:sequence> </xs:complexType> </pre>

element AcceleratedInstructionType/AcceleratedInstructionSubject

type	trex:AcceleratedInstructionSubjectType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 01

	enumeration 02 enumeration 03 enumeration 04
source	<xs:element name="AcceleratedInstructionSubject" type="trex:AcceleratedInstructionSubjectType" minOccurs="0"/>

element AcceleratedInstructionType/StudentAcceleratedInstructionParticipation

type	trex:StudentAcceleratedInstructionParticipationType																					
properties	minOcc 0 maxOcc 1 content simple																					
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr><tr><td>enumeration</td><td>06</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06	
Kind	Value	Annotation																				
enumeration	01																					
enumeration	02																					
enumeration	03																					
enumeration	04																					
enumeration	05																					
enumeration	06																					
source	<xs:element name="StudentAcceleratedInstructionParticipation" type="trex:StudentAcceleratedInstructionParticipationType" minOccurs="0"/>																					

element AcceleratedInstructionType/AssignedHoursAcceleratedInstruction

type	trex:HoursType
------	--------------------------------

properties	minOcc0 maxOcc1 contentsimple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>totalDigits</td><td>4</td><td></td></tr><tr><td>fractionDigits</td><td>2</td><td></td></tr></table>	Kind	Value	Annotation	totalDigits	4		fractionDigits	2	
Kind	Value	Annotation								
totalDigits	4									
fractionDigits	2									
source	<xs:element name="AssignedHoursAcceleratedInstruction" type="trex:HoursType" minOccurs="0"/>									

element AcceleratedInstructionType/YTDNumberHoursCompleted

type	trex:HoursType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 4 fractionDigits 2
source	<xs:element name="YTDNumberHoursCompleted" type="trex:HoursType" minOccurs="0"/>

complexType AddressType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	Address City State Province Country PostalCode
used by	elements SchoolType/Address StudentIdentificationType/Address

source	<pre> <xs:complexType name="AddressType"> <xs:sequence> <xs:element name="Address" type="trex:AddressStringType" minOccurs="0"/> <xs:element name="City" type="trex:CityType" minOccurs="0"/> <xs:element name="StateProvince" type="trex:StateProvinceType" minOccurs="0"/> <xs:element name="Country" type="trex:CountryType" minOccurs="0"/> <xs:element name="PostalCode" type="trex:PostalCodeType" minOccurs="0"/> </xs:sequence> </xs:complexType> </pre>
--------	--

element AddressType/Address

type	trex:AddressStringType									
properties	minOcc0 maxOcc1 contentsimple									
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>50</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	50	
Kind	Value	Annotation								
minLength	1									
maxLength	50									
source	<xs:element name="Address" type="trex:AddressStringType" minOccurs="0"/>									

element AddressType/City

type	trex:CityType
properties	minOcc 0

	maxOcc 1 content simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>30</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	30	
Kind	Value	Annotation								
minLength	1									
maxLength	30									
source	<xs:element name="City" type="trex:CityType" minOccurs="0"/>									

element AddressType/StateProvince

type	trex:StateProvinceType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	TX	
	enumeration	AA	
	enumeration	AB	
	enumeration	AE	
	enumeration	AK	
	enumeration	AL	
	enumeration	AP	
	enumeration	AR	
	enumeration	AS	
	enumeration	AZ	
	enumeration	BC	

	enumeration	CA
	enumeration	CO
	enumeration	CT
	enumeration	CZ
	enumeration	DC
	enumeration	DE
	enumeration	FL
	enumeration	FM
	enumeration	GA
	enumeration	GU
	enumeration	HI
	enumeration	IA
	enumeration	ID
	enumeration	IL
	enumeration	IN
	enumeration	KS
	enumeration	KY
	enumeration	LA
	enumeration	MA
	enumeration	MB
	enumeration	MD
	enumeration	ME
	enumeration	MH
	enumeration	MI
	enumeration	MN

	enumeration	MO
	enumeration	MP
	enumeration	MS
	enumeration	MT
	enumeration	NB
	enumeration	NC
	enumeration	ND
	enumeration	NE
	enumeration	NF
	enumeration	NH
	enumeration	NJ
	enumeration	NL
	enumeration	NM
	enumeration	NS
	enumeration	NT
	enumeration	NU
	enumeration	NV
	enumeration	NY
	enumeration	OH
	enumeration	OK
	enumeration	ON
	enumeration	OR
	enumeration	PA
	enumeration	PE
	enumeration	PR

	enumeration PW enumeration QC enumeration RI enumeration SC enumeration SD enumeration SK enumeration TN enumeration UT enumeration VA enumeration VI enumeration VT enumeration WA enumeration WI enumeration WV enumeration WY enumeration YT
source	<xs:element name="StateProvince" type="trex:StateProvinceType" minOccurs="0"/>

element AddressType/Country

type	trex:CountryType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation

	enumeration	US
	enumeration	AD
	enumeration	AE
	enumeration	AF
	enumeration	AG
	enumeration	AI
	enumeration	AL
	enumeration	AM
	enumeration	AN
	enumeration	AO
	enumeration	AQ
	enumeration	AR
	enumeration	AS
	enumeration	AT
	enumeration	AU
	enumeration	AW
	enumeration	AX
	enumeration	AZ
	enumeration	BA
	enumeration	BB
	enumeration	BD
	enumeration	BE
	enumeration	BF
	enumeration	BG
	enumeration	BH

	enumeration	BI
	enumeration	BJ
	enumeration	BM
	enumeration	BN
	enumeration	BO
	enumeration	BR
	enumeration	BS
	enumeration	BT
	enumeration	BV
	enumeration	BW
	enumeration	BY
	enumeration	BZ
	enumeration	CA
	enumeration	CC
	enumeration	CD
	enumeration	CF
	enumeration	CG
	enumeration	CH
	enumeration	CI
	enumeration	CK
	enumeration	CL
	enumeration	CM
	enumeration	CN
	enumeration	CO
	enumeration	CR

	enumeration CS
	enumeration CU
	enumeration CV
	enumeration CX
	enumeration CY
	enumeration CZ
	enumeration DE
	enumeration DJ
	enumeration DK
	enumeration DM
	enumeration DO
	enumeration DZ
	enumeration EC
	enumeration EE
	enumeration EG
	enumeration EH
	enumeration ER
	enumeration ES
	enumeration ET
	enumeration FI
	enumeration FJ
	enumeration FK
	enumeration FM
	enumeration FO
	enumeration FR

	enumeration	GA
	enumeration	GB
	enumeration	GD
	enumeration	GE
	enumeration	GF
	enumeration	GH
	enumeration	GI
	enumeration	GL
	enumeration	GM
	enumeration	GN
	enumeration	GP
	enumeration	GQ
	enumeration	GR
	enumeration	GS
	enumeration	GT
	enumeration	GU
	enumeration	GW
	enumeration	GY
	enumeration	HK
	enumeration	HM
	enumeration	HN
	enumeration	HR
	enumeration	HT
	enumeration	HU
	enumeration	ID

	enumeration	IE
	enumeration	IL
	enumeration	IN
	enumeration	IO
	enumeration	IQ
	enumeration	IR
	enumeration	IS
	enumeration	IT
	enumeration	JM
	enumeration	JO
	enumeration	JP
	enumeration	KE
	enumeration	KG
	enumeration	KH
	enumeration	KI
	enumeration	KM
	enumeration	KN
	enumeration	KP
	enumeration	KR
	enumeration	KW
	enumeration	KY
	enumeration	KZ
	enumeration	LA
	enumeration	LB
	enumeration	LC

	enumeration	LI
	enumeration	LK
	enumeration	LR
	enumeration	LS
	enumeration	LT
	enumeration	LU
	enumeration	LV
	enumeration	LY
	enumeration	MA
	enumeration	MC
	enumeration	MD
	enumeration	MG
	enumeration	MH
	enumeration	MK
	enumeration	ML
	enumeration	MM
	enumeration	MN
	enumeration	MO
	enumeration	MP
	enumeration	MQ
	enumeration	MR
	enumeration	MS
	enumeration	MT
	enumeration	MU
	enumeration	MV

	enumeration	MW
	enumeration	MX
	enumeration	MY
	enumeration	MZ
	enumeration	NA
	enumeration	NC
	enumeration	NE
	enumeration	NF
	enumeration	NG
	enumeration	NI
	enumeration	NL
	enumeration	NO
	enumeration	NP
	enumeration	NR
	enumeration	NU
	enumeration	NZ
	enumeration	OM
	enumeration	PA
	enumeration	PE
	enumeration	PF
	enumeration	PG
	enumeration	PH
	enumeration	PK
	enumeration	PL
	enumeration	PM

	enumeration	PN
	enumeration	PR
	enumeration	PS
	enumeration	PT
	enumeration	PW
	enumeration	PY
	enumeration	QA
	enumeration	RE
	enumeration	RO
	enumeration	RU
	enumeration	RW
	enumeration	SA
	enumeration	SB
	enumeration	SC
	enumeration	SD
	enumeration	SE
	enumeration	SG
	enumeration	SH
	enumeration	SI
	enumeration	SJ
	enumeration	SK
	enumeration	SL
	enumeration	SM
	enumeration	SN
	enumeration	SO

	enumeration	SR
	enumeration	ST
	enumeration	SV
	enumeration	SY
	enumeration	SZ
	enumeration	TC
	enumeration	TD
	enumeration	TF
	enumeration	TG
	enumeration	TH
	enumeration	TJ
	enumeration	TK
	enumeration	TL
	enumeration	TM
	enumeration	TN
	enumeration	TO
	enumeration	TR
	enumeration	TT
	enumeration	TV
	enumeration	TW
	enumeration	TZ
	enumeration	UA
	enumeration	UG
	enumeration	UM
	enumeration	UY

	enumeration UZ enumeration VA enumeration VC enumeration VE enumeration VG enumeration VI enumeration VN enumeration VU enumeration WF enumeration WS enumeration YE enumeration YT enumeration ZA enumeration ZM enumeration ZW
source	<xs:element name="Country" type="trex:CountryType" minOccurs="0"/>

element AddressType/PostalCode

type	trex:PostalCodeType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	minLength	5	

	maxLength 10 pattern ([0-9]{5}) ([0-9]{5}-[0-9]{4})
source	<xs:element name="PostalCode" type="trex:PostalCodeType" minOccurs="0"/>

complexType AssessmentSubTestType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	SubTestName SubTestScore
used by	element AssessmentType/AssessmentSubTest
source	<xs:complexType name="AssessmentSubTestType"> <xs:sequence> <xs:element name="SubTestName" type="trex:SubTestNameType" minOccurs="0"/> <xs:element name="SubTestScore" type="trex:TestScoreType" minOccurs="0"/> </xs:sequence> </xs:complexType>

element AssessmentSubTestType/SubTestName

type	trex:SubTestNameType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	60	

source	<xs:element name="SubTestName" type="trex:SubTestNameType" minOccurs="0"/>
--------	--

element AssessmentSubTestType/SubTestScore

type	trex:TestScoreType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 6
source	<xs:element name="SubTestScore" type="trex:TestScoreType" minOccurs="0"/>

complexType AssessmentType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	TestName AdditionalTestName TestLevel TestDate ExitRequirementMetDate TestScore TestCode PerformanceLevel AssessmentSubTest
used by	element StudentRecordType/Assessment
source	<xs:complexType name="AssessmentType"> <xs:sequence> <xs:choice> <xs:element name="TestName" type="trex:TestNameType" minOccurs="0"/> <xs:element name="AdditionalTestName" type="trex:AdditionalTestNameType" minOccurs="0"/>

	<pre> </xs:choice> <xs:element name="TestLevel" type="trex:GradeLevelType" minOccurs="0"/> <xs:element name="TestDate" type="trex:YMType" minOccurs="0"/> <xs:element name="ExitRequirementMetDate" type="trex:YMType" minOccurs="0"/> <xs:element name="TestScore" type="trex:TestScoreType" minOccurs="0"/> <xs:element name="TestCode" type="trex:TestCodeType" minOccurs="0"/> <xs:element name="PerformanceLevel" type="trex:PerformanceLevelType" minOccurs="0"/> <xs:element name="AssessmentSubTest" type="trex:AssessmentSubTestType" minOccurs="0" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType> </pre>
--	--

element AssessmentType/TestName

type	trex:TestNameType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	01	
	enumeration	02	
	enumeration	03	
	enumeration	04	
	enumeration	05	

	enumeration 06
	enumeration 07
	enumeration 08
	enumeration 09
	enumeration 10
	enumeration 11
	enumeration 12
	enumeration 13
	enumeration 14
	enumeration 15
	enumeration 16
	enumeration 17
	enumeration 18
	enumeration 19
	enumeration 20
	enumeration 21
	enumeration 22
	enumeration 23
	enumeration 24
	enumeration 25
	enumeration 26
	enumeration 27
	enumeration 28
	enumeration 29
	enumeration 30

	enumeration	31	
	enumeration	32	
	enumeration	33	
	enumeration	34	
	enumeration	35	
	enumeration	36	
	enumeration	37	
	enumeration	38	
	enumeration	39	
	enumeration	40	
	enumeration	41	documentation Deprecated: Use code 'E6'
	enumeration	42	documentation Deprecated: Use code 'E7'
	enumeration	43	documentation Deprecated: Use code 'E9'
	enumeration	44	documentation Deprecated: Use code 'EA'
	enumeration	45	documentation Deprecated: Use code 'EC'
	enumeration	46	documentation Deprecated: Use code 'EB'
	enumeration	47	documentation Deprecated: Use code 'EF'
	enumeration	48	documentation

		Deprecated: Use code 'H0'
enumeration	49	documentation
		Deprecated: Use code 'E8'
enumeration	50	documentation
		Deprecated: Use code 'H1'
enumeration	51	documentation
		Deprecated: Use code 'ED'
enumeration	52	documentation
		Deprecated: Use code 'H2'
enumeration	53	
enumeration	54	
enumeration	55	
enumeration	56	
enumeration	57	
enumeration	58	
enumeration	59	
enumeration	60	
enumeration	61	
enumeration	62	
enumeration	63	
enumeration	64	
enumeration	65	
enumeration	66	
enumeration	67	
enumeration	68	

	enumeration	69	
	enumeration	70	
	enumeration	71	documentation Deprecated: Use code 'E0'
	enumeration	72	documentation Deprecated: Use code 'E1'
	enumeration	73	documentation Deprecated: Use code 'E2'
	enumeration	74	documentation Deprecated: Use code 'E3'
	enumeration	75	documentation Deprecated: Use code 'E4'
	enumeration	76	documentation Deprecated: Use code 'E5'
	enumeration	77	
	enumeration	78	
	enumeration	79	
	enumeration	80	
	enumeration	81	
	enumeration	A0	
	enumeration	A1	
	enumeration	A2	
	enumeration	A3	
	enumeration	A4	
	enumeration	A5	

	enumeration	A6
	enumeration	A7
	enumeration	A8
	enumeration	A9
	enumeration	AA
	enumeration	AB
	enumeration	AC
	enumeration	AD
	enumeration	AE
	enumeration	AF
	enumeration	AG
	enumeration	AH
	enumeration	AJ
	enumeration	AK
	enumeration	AL
	enumeration	AM
	enumeration	AN
	enumeration	AP
	enumeration	AQ
	enumeration	B0
	enumeration	B1
	enumeration	B2
	enumeration	B3
	enumeration	B4
	enumeration	B5

	enumeration B6
	enumeration B7
	enumeration B8
	enumeration C0
	enumeration C1
	enumeration C2
	enumeration C3
	enumeration C4
	enumeration C5
	enumeration C6
	enumeration C7
	enumeration C8
	enumeration C9
	enumeration CA
	enumeration CB
	enumeration CC
	enumeration CD
	enumeration CE
	enumeration CF
	enumeration CG
	enumeration D0
	enumeration D1
	enumeration D2
	enumeration D3
	enumeration D4

	enumeration	D5	
	enumeration	D6	
	enumeration	D7	
	enumeration	D8	
	enumeration	D9	
	enumeration	DA	
	enumeration	DB	
	enumeration	DC	
	enumeration	DD	
	enumeration	DE	
	enumeration	DF	
	enumeration	DG	
	enumeration	E0	documentation Deprecated: Use code 'EG'
	enumeration	E1	documentation Deprecated: Use code 'EG'
	enumeration	E2	documentation Deprecated: Use code 'EH'
	enumeration	E3	documentation Deprecated: Use code 'EH'
	enumeration	E4	
	enumeration	E5	
	enumeration	E6	
	enumeration	E7	
	enumeration	E8	

	enumeration	E9
	enumeration	EA
	enumeration	EB
	enumeration	EC
	enumeration	ED
	enumeration	EF
	enumeration	EG
	enumeration	EH
	enumeration	EJ
	enumeration	F0
	enumeration	F1
	enumeration	F2
	enumeration	F3
	enumeration	F4
	enumeration	F5
	enumeration	F6
	enumeration	F7
	enumeration	F8
	enumeration	G0
	enumeration	G1
	enumeration	G2
	enumeration	G3
	enumeration	G4
	enumeration	G5
	enumeration	G6

	enumeration	G7
	enumeration	G8
	enumeration	G9
	enumeration	GA
	enumeration	GB
	enumeration	GC
	enumeration	GD
	enumeration	H0
	enumeration	H1
	enumeration	H2
	enumeration	H3
	enumeration	H4
	enumeration	H5
	enumeration	H6
	enumeration	H7
	enumeration	H8
	enumeration	J0
	enumeration	J1
	enumeration	J2
	enumeration	J3
	enumeration	J4
	enumeration	JA
	enumeration	JB
	enumeration	JC
	enumeration	JD

	enumeration	JE
	enumeration	JF
	enumeration	JG
	enumeration	JH
	enumeration	JJ
	enumeration	JK
	enumeration	JL
	enumeration	JM
	enumeration	JN
	enumeration	JP
	enumeration	JQ
	enumeration	JR
	enumeration	JS
	enumeration	K0
	enumeration	K1
	enumeration	K2
	enumeration	K3
	enumeration	K4
	enumeration	KA
	enumeration	KB
	enumeration	KC
	enumeration	KD
	enumeration	KE
	enumeration	KF
	enumeration	KG

	enumeration KH enumeration KJ enumeration KK enumeration KL enumeration KM enumeration KN enumeration KP enumeration KQ enumeration KR enumeration KS
source	<xs:element name="TestName" type="trex:TestNameType" minOccurs="0"/>

element AssessmentType/AdditionalTestName

type	trex:AdditionalTestNameType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 60
source	<xs:element name="AdditionalTestName" type="trex:AdditionalTestNameType" minOccurs="0"/>

element AssessmentType/TestLevel

type	trex:GradeLevelType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	EE	
	enumeration	PK	
	enumeration	KG	
	enumeration	01	
	enumeration	02	
	enumeration	03	
	enumeration	04	
	enumeration	05	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
	enumeration	10	
	enumeration	11	
	enumeration	12	
source	<xs:element name="TestLevel" type="trex:GradeLevelType" minOccurs="0"/>		

element AssessmentType/TestDate

type	trex:YMType
------	-----------------------------

properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<xs:element name="TestDate" type="trex:YMType" minOccurs="0"/>

element AssessmentType/ExitRequirementMetDate

type	trex:YMType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<xs:element name="ExitRequirementMetDate" type="trex:YMType" minOccurs="0"/>

element AssessmentType/TestScore

type	trex:TestScoreType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1

	maxLength 6
source	<xs:element name="TestScore" type="trex:TestScoreType" minOccurs="0"/>

element AssessmentType/TestCode

type	trex:TestCodeType		
properties	minOcc 0 maxOcc 1 content simple		
facets	Kind	Value	Annotation
	enumeration	A	
	enumeration	B	
	enumeration	C	
	enumeration	D	
	enumeration	E	
	enumeration	G	
	enumeration	I	
	enumeration	L	
	enumeration	M	
	enumeration	N	
	enumeration	O	
	enumeration	P	
	enumeration	Q	
	enumeration	R	
	enumeration	S	

	enumeration T enumeration W enumeration X enumeration Y enumeration Z enumeration *
source	<xs:element name="TestCode" type="trex:TestCodeType" minOccurs="0"/>

element AssessmentType/PerformanceLevel

type	trex:PerformanceLevelType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	0	
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
	enumeration	A	

	enumeration B
source	<xs:element name="PerformanceLevel" type="trex:PerformanceLevelType" minOccurs="0"/>

element AssessmentType/AssessmentSubTest

type	trex:AssessmentSubTestType
properties	minOcc 0 maxOcc unbounded content complex
children	SubTestName SubTestScore
source	<xs:element name="AssessmentSubTest" type="trex:AssessmentSubTestType" minOccurs="0" maxOccurs="unbounded"/>

complexType AttendanceType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	DaysAttended DaysAbsent RSDaysAttended RADaysAttended PriorDaysAttended PriorDaysAbsent PriorRSDaysAttended PriorRADaysAttended
used by	element StudentRecordType/Attendance
source	<xs:complexType name="AttendanceType"> <xs:sequence> <xs:element name="DaysAttended" type="trex:DaysType" minOccurs="0"/> <xs:element name="DaysAbsent" type="trex:DaysType" minOccurs="0"/> <xs:element name="RSDaysAttended" type="trex:DaysType"

	minOccurs="0"/> <xs:element name="RADaysAttended" type="trex:DaysType" minOccurs="0"/> <xs:element name="PriorDaysAttended" type="trex:DaysType" minOccurs="0"/> <xs:element name="PriorDaysAbsent" type="trex:DaysType" minOccurs="0"/> <xs:element name="PriorRSDaysAttended" type="trex:DaysType" minOccurs="0"/> <xs:element name="PriorRADaysAttended" type="trex:DaysType" minOccurs="0"/> </xs:sequence> </xs:complexType>
--	--

element AttendanceType/DaysAttended

type	trex:DaysType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 4 fractionDigits 1
source	<xs:element name="DaysAttended" type="trex:DaysType" minOccurs="0"/>

element AttendanceType/DaysAbsent

type	trex:DaysType
properties	minOcc 0

	maxOcc 1 content simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>totalDigits</td><td>4</td><td></td></tr><tr><td>fractionDigits</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	totalDigits	4		fractionDigits	1	
Kind	Value	Annotation								
totalDigits	4									
fractionDigits	1									
source	<xs:element name="DaysAbsent" type="trex:DaysType" minOccurs="0"/>									

element AttendanceType/RSDaysAttended

type	trex:DaysType									
properties	minOcc0 maxOcc1 contentsimple									
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>totalDigits</td><td>4</td><td></td></tr><tr><td>fractionDigits</td><td>1</td><td></td></tr></tbody></table>	Kind	Value	Annotation	totalDigits	4		fractionDigits	1	
Kind	Value	Annotation								
totalDigits	4									
fractionDigits	1									
source	<xs:element name="RSDaysAttended" type="trex:DaysType" minOccurs="0"/>									

element AttendanceType/RADaysAttended

type	trex:DaysType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation

	totalDigits 4 fractionDigits 1
source	<xs:element name="RADaysAttended" type="trex:DaysType" minOccurs="0"/>

element AttendanceType/PriorDaysAttended

type	trex:DaysType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 4 fractionDigits 1
source	<xs:element name="PriorDaysAttended" type="trex:DaysType" minOccurs="0"/>

element AttendanceType/PriorDaysAbsent

type	trex:DaysType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	totalDigits	4	
	fractionDigits	1	

source	<xs:element name="PriorDaysAbsent" type="trex:DaysType" minOccurs="0"/>
--------	---

element AttendanceType/PriorRSDaysAttended

type	trex:DaysType									
properties	minOcc 0 maxOcc 1 content simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>totalDigits</td><td>4</td><td></td></tr><tr><td>fractionDigits</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	totalDigits	4		fractionDigits	1	
Kind	Value	Annotation								
totalDigits	4									
fractionDigits	1									
source	<xs:element name="PriorRSDaysAttended" type="trex:DaysType" minOccurs="0"/>									

element AttendanceType/PriorRADaysAttended

type	trex:DaysType									
properties	minOcc0 maxOcc1 contentsimple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>totalDigits</td><td>4</td><td></td></tr><tr><td>fractionDigits</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	totalDigits	4		fractionDigits	1	
Kind	Value	Annotation								
totalDigits	4									
fractionDigits	1									
source	<xs:element name="PriorRADaysAttended" type="trex:DaysType" minOccurs="0"/>									

complexType CourseType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	CourseTitle CourseID Abbreviation Semester ClassPeriod SubjectArea CourseGrade WithdrawGrade GradeAverage CourseCredit PassFailCredit Explanation CourseTeacher CreditCampus SemesterSeq FinalGradeAverage
used by	elements AcademicSessionType/Course CurrentCourseworkType/Course
source	<pre> <xs:complexType name="CourseType"> <xs:sequence> <xs:element name="CourseTitle" type="trex:CourseTitleType" minOccurs="0"/> <xs:element name="CourseID" type="trex:CourseIDType" minOccurs="0"/> <xs:element name="Abbreviation" type="trex:AbbreviationType" minOccurs="0"/> <xs:element name="Semester" type="trex:SemesterType" minOccurs="0"/> <xs:element name="ClassPeriod" type="trex:ClassPeriodType" minOccurs="0"/> <xs:element name="SubjectArea" type="trex:SubjectAreaType" minOccurs="0"/> <xs:element name="CourseGrade" type="trex:CourseGradeType" minOccurs="0" maxOccurs="unbounded"/> <xs:element name="WithdrawGrade" type="trex:WithdrawGradeType" minOccurs="0"/> <xs:element name="GradeAverage" type="trex:CourseGradeType" minOccurs="0"/> <xs:element name="CourseCredit" type="trex:CourseCreditType" minOccurs="0"/> <xs:element name="PassFailCredit" type="trex:PassFailCreditType" minOccurs="0"/> <xs:element name="Explanation" type="trex:CourseExplanationType" minOccurs="0" maxOccurs="unbounded"/> </pre>

	<pre> <xs:element name="CourseTeacher" type="trex:CourseTeacherType" minOccurs="0"/> <xs:element name="CreditCampus" type="trex:SchoolIDType" minOccurs="0"/> <xs:element name="SemesterSeq" type="trex:SemesterSeqType" minOccurs="0"/> <xs:element name="FinalGradeAverage" type="trex:CourseGradeType" minOccurs="0"/> </xs:sequence> </xs:complexType> </pre>
--	---

element CourseType/CourseTitle

type	trex:CourseTitleType									
properties	minOcc0 maxOcc1 content simple									
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>100</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	100	
Kind	Value	Annotation								
minLength	1									
maxLength	100									
source	<xs:element name="CourseTitle" type="trex:CourseTitleType" minOccurs="0"/>									

element CourseType/CourseID

type	trex:CourseIDType
properties	minOcc 0 maxOcc 1

	content simple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>64</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	64	
Kind	Value	Annotation								
minLength	1									
maxLength	64									
source	<xs:element name="CourseID" type="trex:CourseIDType" minOccurs="0"/>									

element CourseType/Abbreviation

type	trex:AbbreviationType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 100
source	<xs:element name="Abbreviation" type="trex:AbbreviationType" minOccurs="0"/>

element CourseType/Semester

type	trex:SemesterType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	totalDigits	1	

source	<xs:element name="Semester" type="trex:SemesterType" minOccurs="0"/>
--------	--

element CourseType/ClassPeriod

type	trex:ClassPeriodType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 5
source	<xs:element name="ClassPeriod" type="trex:ClassPeriodType" minOccurs="0"/>

element CourseType/SubjectArea

type	trex:SubjectAreaType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration ELA enumeration SP enumeration MA enumeration SC enumeration SS

	enumeration ECFE enumeration HL enumeration PE enumeration LOTE enumeration FA enumeration TA enumeration CTE enumeration EL enumeration LC
source	<xs:element name="SubjectArea" type="trex:SubjectAreaType" minOccurs="0"/>

element CourseType/CourseGrade

type	trex:CourseGradeType
properties	minOcc 0 maxOcc unbounded content simple
facets	Kind Value Annotation minLength 1 maxLength 10
source	<xs:element name="CourseGrade" type="trex:CourseGradeType" minOccurs="0" maxOccurs="unbounded"/>

element CourseType/WithdrawGrade

type	trex:WithdrawGradeType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 15
source	<xs:element name="WithdrawGrade" type="trex:WithdrawGradeType" minOccurs="0"/>

element CourseType/GradeAverage

type	trex:CourseGradeType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 10
source	<xs:element name="GradeAverage" type="trex:CourseGradeType" minOccurs="0"/>

element CourseType/CourseCredit

type	trex:CourseCreditType
properties	minOcc 0

	maxOcc 1 content simple
facets	KindValueAnnotation totalDigits2 fractionDigits1
source	<xs:element name="CourseCredit" type="trex:CourseCreditType" minOccurs="0"/>

element CourseType/PassFailCredit

type	trex:PassFailCreditType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	00	
	enumeration	01	
	enumeration	02	
	enumeration	03	
	enumeration	04	
	enumeration	05	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
	enumeration	10	

	enumeration 11 enumeration 12 enumeration 13 enumeration 14
source	<xs:element name="PassFailCredit" type="trex:PassFailCreditType" minOccurs="0"/>

element CourseType/Explanation

type	trex:CourseExplanationType		
properties	minOcc	0	
	maxOcc	unbounded	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	A	
	enumeration	C	
	enumeration	D	
	enumeration	E	
	enumeration	G	
	enumeration	H	
	enumeration	I	
	enumeration	J	
	enumeration	K	
	enumeration	L	
	enumeration	M	
	enumeration	O	

	enumeration P enumeration Q enumeration R enumeration T enumeration V enumeration X enumeration Z enumeration 1 enumeration 2 enumeration 3 enumeration 4 enumeration 5 enumeration 7 enumeration 8 enumeration 9 enumeration 10
source	<xs:element name="Explanation" type="trex:CourseExplanationType" minOccurs="0" maxOccurs="unbounded"/>

element CourseType/CourseTeacher

type	trex:CourseTeacherType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation

	minLength 1 maxLength 40
source	<xs:element name="CourseTeacher" type="trex:CourseTeacherType" minOccurs="0"/>

element CourseType/CreditCampus

type	trex:SchoolIDType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern ([0-9]{9})
source	<xs:element name="CreditCampus" type="trex:SchoolIDType" minOccurs="0"/>

element CourseType/SemesterSeq

type	trex:SemesterSeqType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1 enumeration 2

	enumeration 3 enumeration 4 enumeration 5 enumeration 6 enumeration 7 enumeration 8 enumeration 9 enumeration D0 enumeration D1 enumeration D2 enumeration D3 enumeration D4 enumeration D5 enumeration D6 enumeration D7 enumeration D8 enumeration D9 enumeration A
source	<xs:element name="SemesterSeq" type="trex:SemesterSeqType" minOccurs="0"/>

element CourseType/FinalGradeAverage

type	trex:CourseGradeType
properties	minOcc 0 maxOcc 1

	content simple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>10</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	10	
Kind	Value	Annotation								
minLength	1									
maxLength	10									
source	<xs:element name="FinalGradeAverage" type="trex:CourseGradeType" minOccurs="0"/>									

complexType CrisisCodeType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	CrisisCodeCode
used by	element StudentDemographicType/CrisisCode
source	<xs:complexType name="CrisisCodeType"> <xs:sequence> <xs:element name="CrisisCodeCode" type="trex:CrisisCodeCodeType" minOccurs="0"/> </xs:sequence> </xs:complexType>

element CrisisCodeType/CrisisCodeCode

type	trex:CrisisCodeCodeType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	00	

	enumeration 1A enumeration 1B enumeration 1C enumeration 2A enumeration 2B enumeration 2C enumeration 7A enumeration 7B enumeration 7C enumeration 7D enumeration 7E enumeration 7F enumeration 7G enumeration 7H enumeration 7I enumeration 8A enumeration 8B enumeration 8C enumeration 9A enumeration 9B enumeration 9C enumeration 10A enumeration 10B
source	<xs:element name="CrisisCodeCode" type="trex:CrisisCodeCodeType" minOccurs="0"/>

complexType CurrentCourseworkType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	Course SchoolYear GradeLevel SessionType
used by	element StudentRecordType/CurrentCoursework
source	<pre> <xs:complexType name="CurrentCourseworkType"> <xs:sequence> <xs:element name="Course" type="trex:CourseType" maxOccurs="unbounded"/> <xs:element name="SchoolYear" type="trex:YearRangeType"/> <xs:element name="GradeLevel" type="trex:GradeLevelType"/> <xs:element name="SessionType" type="trex:SessionTypeType" minOccurs="0"/> </xs:sequence> </xs:complexType> </pre>

element CurrentCourseworkType/Course

type	trex:CourseType
properties	minOcc 1 maxOcc unbounded content complex
children	CourseTitle CourseID Abbreviation Semester ClassPeriod SubjectArea CourseGrade WithdrawGrade GradeAverage CourseCredit PassFailCredit Explanation CourseTeacher CreditCampus SemesterSeq FinalGradeAverage
source	<pre> <xs:element name="Course" type="trex:CourseType" maxOccurs="unbounded"/> </pre>

element CurrentCourseworkType/SchoolYear

type	trex:YearRangeType		
properties	content	simple	
facets	Kind	Value	Annotation
	pattern	[0-9]{4}-[0-9]{4}	
source	<xs:element name="SchoolYear" type="trex:YearRangeType"/>		

element CurrentCourseworkType/GradeLevel

type	trex:GradeLevelType		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	EE	
	enumeration	PK	
	enumeration	KG	
	enumeration	01	
	enumeration	02	
	enumeration	03	
	enumeration	04	
	enumeration	05	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
enumeration	10		

	enumeration 11 enumeration 12
source	<xs:element name="GradeLevel" type="trex:GradeLevelType"/>

element CurrentCourseworkType/SessionType

type	trex:SessionTypeType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	Semester	
	enumeration	Trimester	
	enumeration	Quarter	
source	<xs:element name="SessionType" type="trex:SessionTypeType" minOccurs="0"/>		

complexType DisciplineActionType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	DisciplineActionDate DisciplineActionNum DisciplineActionCode DisciplineActionReason IncidentIdentifier SchoolYear DisciplineDate ActualDisciplineActionLength StateOrganizationId TX-OfficialLengthOfDisciplinaryAssignment TX-DisciplinaryLengthDifferenceReason TX-InconsistentCodeOfConductIndicator TX-BehaviorLocation TX-SafeSupportiveSchoolProgramTeamReview

used by	element StudentRecordType/DisciplineAction
source	<pre> <xs:complexType name="DisciplineActionType"> <xs:sequence> <xs:element name="DisciplineActionDate" type="trex:YMDType" minOccurs="0"> <xs:annotation> <xs:documentation>Deprecated</xs:documentation> </xs:annotation> <!-- Deleted as of v1.35 as part of 2023 HB3 changes --> </xs:element> <xs:element name="DisciplineActionNum" type="trex:DisciplineActionNumType" minOccurs="0"/> <xs:element name="DisciplineActionCode" type="trex:DisciplineActionCodeType" minOccurs="0"/> <xs:element name="DisciplineActionReason" type="trex:DisciplineActionReasonType" minOccurs="0"/> <xs:element name="IncidentIdentifier" type="trex:IncidentIdentifierType" minOccurs="0"/> <xs:element name="SchoolYear" type="trex:YearRangeType" minOccurs="0"/> <xs:element name="DisciplineDate" type="trex:YMDType" minOccurs="0"/> <xs:element name="ActualDisciplineActionLength" type="trex:DisciplineActualLengthType" minOccurs="0"/> <xs:element name="StateOrganizationId" type="trex:SchoolIDType" minOccurs="0"/> <xs:element name="TX-OfficialLengthOfDisciplinaryAssignment" type="trex:DisciplineLengthOfAssignmentType" minOccurs="0"/> <xs:element name="TX-DisciplinaryLengthDifferenceReason" type="trex:TX-DisciplineActionLengthDifferenceReasonType" minOccurs="0"/> <xs:element name="TX-InconsistentCodeOfConductIndicator" type="trex:ParticipationType" minOccurs="0"/> <xs:element name="TX-BehaviorLocation" type="trex:TX- BehaviorLocationType" minOccurs="0"/> <xs:element name="TX-SafeSupportiveSchoolProgramTeamReview" type="trex:ParticipationType" minOccurs="0"/> </pre>

	</xs:sequence> </xs:complexType>
--	-------------------------------------

element DisciplineActionType/DisciplineActionDate

type	trex:YMDType
properties	minOcc 0 maxOcc 1 content simple
facets	KindValueAnnotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
annotation	documentation Deprecated
source	<pre><xs:element name="DisciplineActionDate" type="trex:YMDType" minOccurs="0"> <xs:annotation> <xs:documentation>Deprecated</xs:documentation> </xs:annotation> <!-- Deleted as of v1.35 as part of 2023 HB3 changes --> </xs:element></pre>

element DisciplineActionType/DisciplineActionNum

type	trex:DisciplineActionNumType
properties	minOcc 0 maxOcc 1 content simple

facets	Kind Value Annotation totalDigits 3
source	<xs:element name="DisciplineActionNum" type="trex:DisciplineActionNumType" minOccurs="0"/>

element DisciplineActionType/DisciplineActionCode

type	trex:DisciplineActionCodeType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 01 enumeration 02 enumeration 03 enumeration 04 enumeration 05 enumeration 06 enumeration 07 enumeration 08 enumeration 09 enumeration 10 enumeration 11 enumeration 12 enumeration 13 enumeration 14

	enumeration 15 enumeration 25 enumeration 26 enumeration 27 enumeration 28 enumeration 30 enumeration 31 enumeration 50 enumeration 51 enumeration 52 enumeration 53 enumeration 54 enumeration 55 enumeration 56 enumeration 57 enumeration 58 enumeration 59 enumeration 60 enumeration 61
source	<xs:element name="DisciplineActionCode" type="trex:DisciplineActionCodeType" minOccurs="0"/>

element DisciplineActionType/DisciplineActionReason

type	trex:DisciplineActionReasonType
properties	minOcc 0

	maxOcc 1		
	content simple		
facets	Kind	Value	Annotation
	enumeration	01	
	enumeration	02	
	enumeration	04	
	enumeration	05	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
	enumeration	10	
	enumeration	11	
	enumeration	12	
	enumeration	13	
	enumeration	14	
	enumeration	16	
	enumeration	17	
	enumeration	18	
	enumeration	19	
	enumeration	20	
	enumeration	21	
	enumeration	22	
	enumeration	23	
	enumeration	26	

	enumeration	27	
	enumeration	28	
	enumeration	29	
	enumeration	30	
	enumeration	31	
	enumeration	32	
	enumeration	33	documentation Deprecated
	enumeration	34	documentation Deprecated
	enumeration	35	
	enumeration	36	
	enumeration	37	
	enumeration	41	
	enumeration	46	
	enumeration	47	
	enumeration	48	
	enumeration	49	
	enumeration	50	documentation Deprecated
	enumeration	51	
	enumeration	52	
	enumeration	53	
	enumeration	54	
	enumeration	55	

	enumeration 56 enumeration 57 enumeration 58 enumeration 59 enumeration 60 enumeration 61 enumeration 62 enumeration 63 enumeration 64 enumeration 65 enumeration 66 enumeration 67 enumeration 68 enumeration 69 enumeration 70 enumeration 71 enumeration 72 enumeration 73 enumeration 74 enumeration 75 enumeration 76
source	<xs:element name="DisciplineActionReason" type="trex:DisciplineActionReasonType" minOccurs="0"/>

element DisciplineActionType/IncidentIdentifier

type	trex:IncidentIdentifierType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	20	
	pattern	([0-9]{6,20})	
source	<xs:element name="IncidentIdentifier" type="trex:IncidentIdentifierType" minOccurs="0"/>		

element DisciplineActionType/SchoolYear

type	trex:YearRangeType
properties	minOcc0 maxOcc1 contentsimple
facets	KindValueAnnotation pattern[0-9]{4}-[0-9]{4}
source	<xs:element name="SchoolYear" type="trex:YearRangeType" minOccurs="0"/>

element DisciplineActionType/DisciplineDate

type	trex:YMDType
properties	minOcc 0

	maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<xs:element name="DisciplineDate" type="trex:YMDType" minOccurs="0"/>

element DisciplineActionType/ActualDisciplineActionLength

type	trex:DisciplineActualLengthType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 3
source	<xs:element name="ActualDisciplineActionLength" type="trex:DisciplineActualLengthType" minOccurs="0"/>

element DisciplineActionType/StateOrganizationId

type	trex:SchoolIDType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern ([0-9]{9})

source	<xs:element name="StateOrganizationId" type="trex:SchoolIDType" minOccurs="0"/>
--------	---

element DisciplineActionType/TX-OfficialLengthOfDisciplinaryAssignment

type	trex:DisciplineLengthOfAssignmentType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation totalDigits 3
source	<xs:element name="TX-OfficialLengthOfDisciplinaryAssignment" type="trex:DisciplineLengthOfAssignmentType" minOccurs="0"/>

element DisciplineActionType/TX-DisciplinaryLengthDifferenceReason

type	trex:TX-DisciplineActionLengthDifferenceReasonType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 00 enumeration 01 enumeration 02 enumeration 03 enumeration 04

	enumeration 05 enumeration 06 enumeration 07 enumeration 08 enumeration 09 enumeration 10 enumeration 11 enumeration 12 enumeration 99
source	<xs:element name="TX-DisciplinaryLengthDifferenceReason" type="trex:TX-DisciplineActionLengthDifferenceReasonType" minOccurs="0"/>

element DisciplineActionType/TX-InconsistentCodeOfConductIndicator

type	trex:ParticipationType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<xs:element name="TX-InconsistentCodeOfConductIndicator" type="trex:ParticipationType" minOccurs="0"/>

element DisciplineActionType/TX-BehaviorLocation

type	trex:TX-BehaviorLocationType																								
properties	minOcc 0 maxOcc 1 content simple																								
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>00</td><td></td></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr><tr><td>enumeration</td><td>06</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06	
Kind	Value	Annotation																							
enumeration	00																								
enumeration	01																								
enumeration	02																								
enumeration	03																								
enumeration	04																								
enumeration	05																								
enumeration	06																								
source	<xs:element name="TX-BehaviorLocation" type="trex:TX-BehaviorLocationType" minOccurs="0"/>																								

element DisciplineActionType/TX-SafeSupportiveSchoolProgramTeamReview

type	trex:ParticipationType									
properties	minOcc0 maxOcc1 contentsimple									
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="TX-SafeSupportiveSchoolProgramTeamReview" type="trex:ParticipationType" minOccurs="0"/>									

complexType DistinguishedAchievementType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	AdvancedMeasure
used by	element AcademicStatusType/DistinguishedAchievements
source	<pre><xs:complexType name="DistinguishedAchievementType"> <xs:sequence> <xs:element name="AdvancedMeasure" type="trex:AdvancedMeasureType" minOccurs="0" maxOccurs="12"/> </xs:sequence> </xs:complexType></pre>

element DistinguishedAchievementType/AdvancedMeasure

type	trex:AdvancedMeasureType
properties	minOcc 0 maxOcc 12 content simple
facets	Kind Value Annotation enumeration A enumeration B enumeration C enumeration D enumeration E enumeration F

source	<xs:element name="AdvancedMeasure" type="trex:AdvancedMeasureType" minOccurs="0" maxOccurs="12"/>
--------	---

complexType DualLanguageImmersionType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	ImmersionYear ImmersionLanguage AssessmentMetDate CompletionSchoolYear
used by	element SpecialProgramsType/DualLanguageImmersion
source	<pre> <xs:complexType name="DualLanguageImmersionType"> <xs:sequence> <xs:element name="ImmersionYear" type="trex:DualLanguageImmersionYearCode"/> <xs:element name="ImmersionLanguage" type="trex:DualLanguageImmersionLanguageCode" minOccurs="0"/> <xs:element name="AssessmentMetDate" type="trex:YMType" minOccurs="0"/> <xs:element name="CompletionSchoolYear" type="trex:YearRangeType" minOccurs="0"/> </xs:sequence> </xs:complexType> </pre>

element DualLanguageImmersionType/ImmersionYear

type	trex:DualLanguageImmersionYearCode		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	00	
	enumeration	01	

	enumeration 02 enumeration 03 enumeration 04 enumeration 05
source	<xs:element name="ImmersionYear" type="trex:DualLanguageImmersionYearCode"/>

element DualLanguageImmersionType/ImmersionLanguage

type	trex:DualLanguageImmersionLanguageCode		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	01	
	enumeration	02	
	enumeration	03	
	enumeration	04	
	enumeration	05	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
	enumeration	10	
	enumeration	11	
	enumeration	12	

	enumeration 13 enumeration 14 enumeration 15 enumeration 16
source	<xs:element name="ImmersionLanguage" type="trex:DualLanguageImmersionLanguageCode" minOccurs="0"/>

element DualLanguageImmersionType/AssessmentMetDate

type	trex:YMType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<xs:element name="AssessmentMetDate" type="trex:YMType" minOccurs="0"/>

element DualLanguageImmersionType/CompletionSchoolYear

type	trex:YearRangeType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[0-9]{4}

source	<xs:element name="CompletionSchoolYear" type="trex:YearRangeType" minOccurs="0"/>
--------	---

complexType EnrollmentType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	GradeLevel EntryDate ExitDate WithdrawDate WithdrawReason GradePlaced GradePromoted GradeRetained
used by	element StudentRecordType/Enrollment
source	<pre> <xs:complexType name="EnrollmentType"> <xs:sequence> <xs:element name="GradeLevel" type="trex:GradeLevelType" minOccurs="0"/> <xs:element name="EntryDate" type="trex:YMDType" minOccurs="0"/> <xs:element name="ExitDate" type="trex:YMDType" minOccurs="0"/> <xs:element name="WithdrawDate" type="trex:YMDType" minOccurs="0"/> <xs:element name="WithdrawReason" type="trex:WithdrawReasonType" minOccurs="0"/> <xs:element name="GradePlaced" type="trex:GradeLevelType" minOccurs="0"/> <xs:element name="GradePromoted" type="trex:GradeLevelType" minOccurs="0"/> <xs:element name="GradeRetained" type="trex:GradeLevelType" minOccurs="0"/> </xs:sequence> </xs:complexType> </pre>

element EnrollmentType/GradeLevel

type	trex:GradeLevelType
------	-------------------------------------

properties	minOcc 0 maxOcc 1 content simple																																																
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>EE</td><td></td></tr><tr><td>enumeration</td><td>PK</td><td></td></tr><tr><td>enumeration</td><td>KG</td><td></td></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr><tr><td>enumeration</td><td>06</td><td></td></tr><tr><td>enumeration</td><td>07</td><td></td></tr><tr><td>enumeration</td><td>08</td><td></td></tr><tr><td>enumeration</td><td>09</td><td></td></tr><tr><td>enumeration</td><td>10</td><td></td></tr><tr><td>enumeration</td><td>11</td><td></td></tr><tr><td>enumeration</td><td>12</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	EE		enumeration	PK		enumeration	KG		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12	
Kind	Value	Annotation																																															
enumeration	EE																																																
enumeration	PK																																																
enumeration	KG																																																
enumeration	01																																																
enumeration	02																																																
enumeration	03																																																
enumeration	04																																																
enumeration	05																																																
enumeration	06																																																
enumeration	07																																																
enumeration	08																																																
enumeration	09																																																
enumeration	10																																																
enumeration	11																																																
enumeration	12																																																
source	<xs:element name="GradeLevel" type="trex:GradeLevelType" minOccurs="0"/>																																																

element EnrollmentType/EntryDate

type	trex:YMDType
properties	minOcc 0

	maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<xs:element name="EntryDate" type="trex:YMDType" minOccurs="0"/>

element EnrollmentType/ExitDate

type	trex:YMDType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<xs:element name="ExitDate" type="trex:YMDType" minOccurs="0"/>

element EnrollmentType/WithdrawDate

type	trex:YMDType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<xs:element name="WithdrawDate" type="trex:YMDType" minOccurs="0"/>

element EnrollmentType/WithdrawReason

type	trex:WithdrawReasonType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	01	
	enumeration	03	
	enumeration	08	
	enumeration	16	
	enumeration	20	
	enumeration	24	
	enumeration	60	
	enumeration	66	
	enumeration	78	
	enumeration	81	
	enumeration	82	
	enumeration	83	
	enumeration	85	
	enumeration	86	
	enumeration	87	
	enumeration	88	
	enumeration	89	
	enumeration	90	

	enumeration 98 enumeration 99
source	<xs:element name="WithdrawReason" type="trex:WithdrawReasonType" minOccurs="0"/>

element EnrollmentType/GradePlaced

type	trex:GradeLevelType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	EE	
	enumeration	PK	
	enumeration	KG	
	enumeration	01	
	enumeration	02	
	enumeration	03	
	enumeration	04	
	enumeration	05	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
	enumeration	10	
enumeration	11		

	enumeration 12
source	<xs:element name="GradePlaced" type="trex:GradeLevelType" minOccurs="0"/>

element EnrollmentType/GradePromoted

type	trex:GradeLevelType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	EE	
	enumeration	PK	
	enumeration	KG	
	enumeration	01	
	enumeration	02	
	enumeration	03	
	enumeration	04	
	enumeration	05	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
	enumeration	10	
	enumeration	11	
	enumeration	12	

source	<xs:element name="GradePromoted" type="trex:GradeLevelType" minOccurs="0"/>
--------	---

element EnrollmentType/GradeRetained

type	trex:GradeLevelType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	EE	
	enumeration	PK	
	enumeration	KG	
	enumeration	01	
	enumeration	02	
	enumeration	03	
	enumeration	04	
	enumeration	05	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
	enumeration	10	
	enumeration	11	
	enumeration	12	

source	<xs:element name="GradeRetained" type="trex:GradeLevelType" minOccurs="0"/>
--------	---

complexType EthnicityType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	AmericanIndianAlaskaNativeCode AsianCode BlackAfricanAmericanCode HispanicLatinoCode NativeHawaiianPacificIslanderCode WhiteCode
used by	element StudentDemographicType/Ethnicity
source	<pre> <xs:complexType name="EthnicityType"> <xs:sequence> <xs:element name="AmericanIndianAlaskaNativeCode" type="trex:EthnicityYesNoType"/> <xs:element name="AsianCode" type="trex:EthnicityYesNoType"/> <xs:element name="BlackAfricanAmericanCode" type="trex:EthnicityYesNoType"/> <xs:element name="HispanicLatinoCode" type="trex:EthnicityYesNoType"/> <xs:element name="NativeHawaiianPacificIslanderCode" type="trex:EthnicityYesNoType"/> <xs:element name="WhiteCode" type="trex:EthnicityYesNoType"/> </xs:sequence> </xs:complexType> </pre>

element EthnicityType/AmericanIndianAlaskaNativeCode

type	trex:EthnicityYesNoType
properties	content simple
facets	Kind Value Annotation

	enumeration 0 enumeration 1
source	<xs:element name="AmericanIndianAlaskaNativeCode" type="trex:EthnicityYesNoType"/>

element EthnicityType/AsianCode

type	trex:EthnicityYesNoType									
properties	content simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="AsianCode" type="trex:EthnicityYesNoType"/>									

element EthnicityType/BlackAfricanAmericanCode

type	trex:EthnicityYesNoType									
properties	content simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="BlackAfricanAmericanCode" type="trex:EthnicityYesNoType"/>									

element EthnicityType/HispanicLatinoCode

type	trex:EthnicityYesNoType									
properties	content simple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="HispanicLatinoCode" type="trex:EthnicityYesNoType"/>									

element EthnicityType/NativeHawaiianPacificIslanderCode

type	trex:EthnicityYesNoType									
properties	content simple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="NativeHawaiianPacificIslanderCode" type="trex:EthnicityYesNoType"/>									

element EthnicityType/WhiteCode

type	trex:EthnicityYesNoType									
properties	content simple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="WhiteCode" type="trex:EthnicityYesNoType"/>									

complexType IBCEarnedType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	IBCCode TX-PostSecondaryCertificationLicensureResult
used by	element AcademicStatusType/IBCEarned
source	<pre> <xs:complexType name="IBCEarnedType"> <xs:sequence> <xs:element name="IBCCode" type="trex:IBCCodeType"/> <xs:element name="TX-PostSecondaryCertificationLicensureResult" type="trex:TX-PostSecondaryCertificationLicensureResultCodeType" minOccurs="0"/> </xs:sequence> </xs:complexType> </pre>

element IBCEarnedType/IBCCode

type	trex:IBCCodeType		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	010	
	enumeration	011	
	enumeration	012	
	enumeration	013	
	enumeration	014	
	enumeration	015	
	enumeration	016	
	enumeration	017	
	enumeration	018	

	enumeration 019
	enumeration 020
	enumeration 030
	enumeration 031
	enumeration 032
	enumeration 033
	enumeration 034
	enumeration 040
	enumeration 100
	enumeration 101
	enumeration 102
	enumeration 103
	enumeration 104
	enumeration 120
	enumeration 121
	enumeration 130
	enumeration 131
	enumeration 140
	enumeration 141
	enumeration 150
	enumeration 151
	enumeration 160
	enumeration 161
	enumeration 170
	enumeration 171

	enumeration 181
	enumeration 182
	enumeration 190
	enumeration 191
	enumeration 200
	enumeration 201
	enumeration 210
	enumeration 211
	enumeration 220
	enumeration 221
	enumeration 230
	enumeration 231
	enumeration 240
	enumeration 250
	enumeration 251
	enumeration 260
	enumeration 261
	enumeration 270
	enumeration 271
	enumeration 280
	enumeration 281
	enumeration 290
	enumeration 300
	enumeration 301
	enumeration 310

	enumeration 320
	enumeration 321
	enumeration 330
	enumeration 331
	enumeration 332
	enumeration 333
	enumeration 334
	enumeration 335
	enumeration 336
	enumeration 340
	enumeration 350
	enumeration 351
	enumeration 360
	enumeration 361
	enumeration 362
	enumeration 365
	enumeration 366
	enumeration 367
	enumeration 368
	enumeration 369
	enumeration 370
	enumeration 380
	enumeration 381
	enumeration 382
	enumeration 383

	enumeration 384
	enumeration 385
	enumeration 386
	enumeration 390
	enumeration 391
	enumeration 392
	enumeration 401
	enumeration 402
	enumeration 410
	enumeration 411
	enumeration 420
	enumeration 430
	enumeration 439
	enumeration 440
	enumeration 450
	enumeration 451
	enumeration 452
	enumeration 453
	enumeration 460
	enumeration 470
	enumeration 478
	enumeration 479
	enumeration 480
	enumeration 481
	enumeration 490

	enumeration 500
	enumeration 508
	enumeration 509
	enumeration 510
	enumeration 511
	enumeration 512
	enumeration 520
	enumeration 530
	enumeration 531
	enumeration 532
	enumeration 533
	enumeration 534
	enumeration 535
	enumeration 536
	enumeration 537
	enumeration 538
	enumeration 539
	enumeration 540
	enumeration 541
	enumeration 542
	enumeration 543
	enumeration 544
	enumeration 545
	enumeration 546
	enumeration 547

	enumeration 548
	enumeration 549
	enumeration 550
	enumeration 551
	enumeration 552
	enumeration 560
	enumeration 570
	enumeration 580
	enumeration 581
	enumeration 582
	enumeration 583
	enumeration 590
	enumeration 591
	enumeration 592
	enumeration 593
	enumeration 594
	enumeration 595
	enumeration 596
	enumeration 597
	enumeration 598
	enumeration 599
	enumeration 600
	enumeration 601
	enumeration 602
	enumeration 603

	enumeration 604
	enumeration 605
	enumeration 606
	enumeration 607
	enumeration 610
	enumeration 611
	enumeration 612
	enumeration 613
	enumeration 620
	enumeration 630
	enumeration 640
	enumeration 641
	enumeration 642
	enumeration 650
	enumeration 651
	enumeration 660
	enumeration 670
	enumeration 680
	enumeration 690
	enumeration 691
	enumeration 700
	enumeration 701
	enumeration 710
	enumeration 720
	enumeration 730

	enumeration 731
	enumeration 740
	enumeration 750
	enumeration 760
	enumeration 761
	enumeration 770
	enumeration 780
	enumeration 781
	enumeration 782
	enumeration 783
	enumeration 784
	enumeration 785
	enumeration 786
	enumeration 790
	enumeration 800
	enumeration 810
	enumeration 811
	enumeration 812
	enumeration 813
	enumeration 814
	enumeration 815
	enumeration 816
	enumeration 820
	enumeration 830
	enumeration 831

	enumeration 832
	enumeration 833
	enumeration 834
	enumeration 835
	enumeration 836
	enumeration 837
	enumeration 838
	enumeration 839
	enumeration 840
	enumeration 841
	enumeration 842
	enumeration 843
	enumeration 844
	enumeration 845
	enumeration 846
	enumeration 847
	enumeration 848
	enumeration 849
	enumeration 850
	enumeration 860
	enumeration 870
	enumeration 880
	enumeration 890
	enumeration 891
	enumeration 900

	enumeration 910
	enumeration 911
	enumeration 912
	enumeration 913
	enumeration 914
	enumeration 915
	enumeration 916
	enumeration 917
	enumeration 918
	enumeration 930
	enumeration 931
	enumeration 932
	enumeration 933
	enumeration 934
	enumeration 935
	enumeration 936
	enumeration 937
	enumeration 938
	enumeration 939
	enumeration 940
	enumeration 941
	enumeration 942
	enumeration 943
	enumeration 944
	enumeration 945

	enumeration 946
	enumeration 947
	enumeration 948
	enumeration 949
	enumeration 950
	enumeration 951
	enumeration 952
	enumeration 953
	enumeration 954
	enumeration 955
	enumeration 956
	enumeration 957
	enumeration 958
	enumeration 959
	enumeration 960
	enumeration 961
	enumeration 962
	enumeration 963
	enumeration 964
	enumeration 965
	enumeration 966
	enumeration 967
	enumeration 968
	enumeration 969
	enumeration 970

	enumeration 971
	enumeration 972
	enumeration 973
	enumeration 974
	enumeration 975
	enumeration 976
	enumeration 977
	enumeration 978
	enumeration 979
	enumeration 980
	enumeration 981
	enumeration 982
	enumeration 983
	enumeration 984
	enumeration 985
	enumeration 986
	enumeration 987
	enumeration 988
	enumeration 989
	enumeration 990
	enumeration 991
	enumeration 992
	enumeration 993
	enumeration 994
	enumeration 995

	enumeration 996
	enumeration 997
	enumeration 998
	enumeration 999
	enumeration 1000
	enumeration 1001
	enumeration 1002
	enumeration 1003
	enumeration 1004
	enumeration 1005
	enumeration 1006
	enumeration 1007
	enumeration 1008
	enumeration 1009
	enumeration 1010
	enumeration 1011
	enumeration 1013
	enumeration 1015
	enumeration 1017
	enumeration 1018
	enumeration 1019
	enumeration 1020
	enumeration 1021
	enumeration 1022
	enumeration 1023

	enumeration 1024
	enumeration 1025
	enumeration 1026
	enumeration 1027
	enumeration 1028
	enumeration 1029
	enumeration 1030
	enumeration 1031
	enumeration 1032
	enumeration 1033
	enumeration 1034
	enumeration 1035
	enumeration 1036
	enumeration 1037
	enumeration 1038
	enumeration 1039
	enumeration 1040
	enumeration 1041
	enumeration 1042
	enumeration 1043
	enumeration 1044
	enumeration 1045
	enumeration 1046
	enumeration 1047
	enumeration 1048

	enumeration 1049
	enumeration 1050
	enumeration 1051
	enumeration 1052
	enumeration 1053
	enumeration 1054
	enumeration 1055
	enumeration 1056
	enumeration 1057
	enumeration 1058
	enumeration 1059
	enumeration 1060
	enumeration 1061
	enumeration 1062
	enumeration 1063
	enumeration 1064
	enumeration 1065
	enumeration 1066
	enumeration 1067
	enumeration 1068
	enumeration 1069
	enumeration 1070
	enumeration 1071
	enumeration 1072
	enumeration 1073

	enumeration 1074 enumeration 1075 enumeration 1076 enumeration 1077 enumeration 1078 enumeration 1079 enumeration 1080 enumeration 1081 enumeration 1082 enumeration 1083 enumeration 1084 enumeration 1085 enumeration 1086 enumeration 1087
source	<xs:element name="IBCCode" type="trex:IBCCodeType"/>

element IBCEarnedType/TX-PostSecondaryCertificationLicensureResult

type	trex:TX-PostSecondaryCertificationLicensureResultCodeType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	01	documentation

	IBC Earned All IBC Requirements completed, including passing examinations and any additional requirements. enumeration 02 documentation IBC Examination Passed All IBC requirements have not been completed to earn the certification. enumeration 03 documentation IBC Examination Failed
source	<pre><xs:element name="TX-PostSecondaryCertificationLicensureResult" type="trex:TX-PostSecondaryCertificationLicensureResultCodeType" minOccurs="0"/></pre>

complexType ImmunizationType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	ImmunizationCode ImmunizationDate ImmunizationDose
used by	element StudentRecordType/Immunization
source	<pre><xs:complexType name="ImmunizationType"> <xs:sequence> <xs:element name="ImmunizationCode" type="trex:ImmunizationCodeType" minOccurs="0"/> <xs:element name="ImmunizationDate" type="trex:YMDType" minOccurs="0"/> <xs:element name="ImmunizationDose" type="trex:ImmunizationDoseType" minOccurs="0"/> </xs:sequence> </xs:complexType></pre>

element ImmunizationType/ImmunizationCode

type	trex:ImmunizationCodeType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 35
source	<xs:element name="ImmunizationCode" type="trex:ImmunizationCodeType" minOccurs="0"/>

element ImmunizationType/ImmunizationDate

type	trex:YMDType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<xs:element name="ImmunizationDate" type="trex:YMDType" minOccurs="0"/>

element ImmunizationType/ImmunizationDose

type	trex:ImmunizationDoseType
properties	minOcc 0 maxOcc 1

	content simple						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>totalDigits</td><td>2</td><td></td></tr></table>	Kind	Value	Annotation	totalDigits	2	
Kind	Value	Annotation					
totalDigits	2						
source	<xs:element name="ImmunizationDose" type="trex:ImmunizationDoseType" minOccurs="0"/>						

complexType ParentType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	Name
used by	element StudentRecordType/Parent
source	<pre> <xs:complexType name="ParentType"> <xs:sequence> <xs:element name="Name" type="trex:PersonNameType"/> </xs:sequence> </xs:complexType> </pre>

element ParentType/Name

type	trex:PersonNameType
properties	content complex
children	FirstName MiddleName LastName Suffix
source	<xs:element name="Name" type="trex:PersonNameType"/>

complexType PerfAckApIbType

namespace	urn:us:tx:state:tea:TREx:v1.39
-----------	--------------------------------

children	AplbCode MetDate
used by	element AcademicStatusType/AplbType
source	<pre> <xs:complexType name="PerfAckAplbType"> <xs:sequence> <xs:element name="AplbCode" type="trex:PerfAckAplbCode"/> <xs:element name="MetDate" type="trex:YMType"/> </xs:sequence> </xs:complexType> </pre>

element PerfAckAplbType/AplbCode

type	trex:PerfAckAplbCode		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	0	
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	5	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
	enumeration	10	
	enumeration	11	
	enumeration	12	

	enumeration 13
	enumeration 14
	enumeration 15
	enumeration 16
	enumeration 17
	enumeration 18
	enumeration 19
	enumeration 20
	enumeration 21
	enumeration 22
	enumeration 23
	enumeration 24
	enumeration 25
	enumeration 26
	enumeration 27
	enumeration 28
	enumeration 29
	enumeration 30
	enumeration 31
	enumeration 32
	enumeration 33
	enumeration 34
	enumeration 35
	enumeration 36
	enumeration 37

	enumeration 38
	enumeration 39
	enumeration 40
	enumeration 41
	enumeration 42
	enumeration 43
	enumeration 44
	enumeration 45
	enumeration 46
	enumeration 47
	enumeration 48
	enumeration 49
	enumeration 50
	enumeration 51
	enumeration 52
	enumeration 53
	enumeration 54
	enumeration 55
	enumeration 56
	enumeration 57
	enumeration 58
	enumeration 59
	enumeration 60
	enumeration 61
	enumeration 62

	enumeration 63
	enumeration 64
	enumeration 65
	enumeration 66
	enumeration 67
	enumeration 68
	enumeration 69
	enumeration 70
	enumeration 71
	enumeration 72
	enumeration 73
	enumeration 74
	enumeration 75
	enumeration 76
	enumeration 77
	enumeration 78
	enumeration 79
	enumeration 80
	enumeration 81
	enumeration 82
	enumeration 83
	enumeration 84
	enumeration 85
	enumeration 86
	enumeration 87

	enumeration 88
	enumeration 89
	enumeration 90
	enumeration 91
	enumeration 92
	enumeration 93
	enumeration 94
	enumeration 95
	enumeration 96
	enumeration 97
	enumeration 98
	enumeration 99
	enumeration 100
	enumeration 101
	enumeration 102
	enumeration 103
	enumeration 104
	enumeration 105
	enumeration 106
	enumeration 107
	enumeration 108
	enumeration 109
	enumeration 110
	enumeration 111
	enumeration 112

	enumeration 113
	enumeration 114
	enumeration 115
	enumeration 116
	enumeration 117
	enumeration 118
	enumeration 119
	enumeration 120
	enumeration 121
	enumeration 122
	enumeration 123
	enumeration 124
	enumeration 125
	enumeration 126
	enumeration 127
	enumeration 128
	enumeration 129
	enumeration 130
	enumeration 131
	enumeration 150
	enumeration 151
	enumeration 152
	enumeration 153
	enumeration 154
	enumeration 155

	enumeration 160
	enumeration 161
	enumeration 162
	enumeration 163
	enumeration 164
	enumeration 165
	enumeration 166
	enumeration 167
	enumeration 168
	enumeration 169
	enumeration 170
	enumeration 171
	enumeration 172
	enumeration 173
	enumeration 174
	enumeration 175
	enumeration 176
	enumeration 177
	enumeration 178
	enumeration 179
	enumeration 180
	enumeration 181
	enumeration 182
	enumeration 183
	enumeration 184

	enumeration 185 enumeration 186
source	<xs:element name="ApIbCode" type="trex:PerfAckApIbCode"/>

element PerfAckApIbType/MetDate

type	trex:YMType
properties	content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<xs:element name="MetDate" type="trex:YMType"/>

complexType PerfAckBilingBilitType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	BilingBilitCode MetDate
used by	element AcademicStatusType/BilingBilitType
source	<xs:complexType name="PerfAckBilingBilitType"> <xs:sequence> <xs:element name="BilingBilitCode" type="trex:PerfAckBilingBilitCode"/> <xs:element name="MetDate" type="trex:YMType"/> </xs:sequence> </xs:complexType>

element PerfAckBilingBilitType/BilingBilitCode

type	trex:PerfAckBilingBilitCode									
properties	content simple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="BilingBilitCode" type="trex:PerfAckBilingBilitCode"/>									

element PerfAckBilingBilitType/MetDate

type	trex:YMType		
properties	content	simple	
facets	Kind	Value	Annotation
	pattern	[0-9]{4}-[01]?[0-9]	
source	<xs:element name="MetDate" type="trex:YMType"/>		

complexType PerfAckCertLicType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	CertLicCode MetDate
used by	element AcademicStatusType/CertLicType
source	<pre> <xs:complexType name="PerfAckCertLicType"> <xs:sequence> <xs:element name="CertLicCode" type="trex:PerfAckCertLicCode"/> <xs:element name="MetDate" type="trex:YMType"/> </xs:sequence> </xs:complexType> </pre>

element PerfAckCertLicType/CertLicCode

type	trex:PerfAckCertLicCode									
properties	content simple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>61</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	61	
Kind	Value	Annotation								
minLength	1									
maxLength	61									
source	<xs:element name="CertLicCode" type="trex:PerfAckCertLicCode"/>									

element PerfAckCertLicType/MetDate

type	trex:YMType		
properties	content	simple	
facets	Kind	Value	Annotation
	pattern	[0-9]{4}-[01]?[0-9]	
source	<xs:element name="MetDate" type="trex:YMType"/>		

complexType PerfAckCollegeAssessType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	CollegeAssessCode MetDate
used by	element AcademicStatusType/CollegeAssessType
source	<xs:complexType name="PerfAckCollegeAssessType"> <xs:sequence> <xs:element name="CollegeAssessCode" type="trex:PerfAckCollegeAssessCode"/> <xs:element name="MetDate" type="trex:YMType"/> </xs:sequence> </xs:complexType>

	</xs:sequence> </xs:complexType>
--	-------------------------------------

element PerfAckCollegeAssessType/CollegeAssessCode

type	trex:PerfAckCollegeAssessCode		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	0	
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	5	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
	enumeration	10	
	enumeration	11	
	enumeration	12	
source	<xs:element name="CollegeAssessCode" type="trex:PerfAckCollegeAssessCode"/>		

element PerfAckCollegeAssessType/MetDate

type	trex:YMType						
properties	content simple						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>pattern</td><td>[0-9]{4}-[01]?[0-9]</td><td></td></tr></table>	Kind	Value	Annotation	pattern	[0-9]{4}-[01]?[0-9]	
Kind	Value	Annotation					
pattern	[0-9]{4}-[01]?[0-9]						
source	<xs:element name="MetDate" type="trex:YMType"/>						

complexType PerfAckDualCreditType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	DualCreditCode MetDate
used by	element AcademicStatusType/DualCreditType
source	<pre> <xs:complexType name="PerfAckDualCreditType"> <xs:sequence> <xs:element name="DualCreditCode" type="trex:PerfAckDualCreditCode"/> <xs:element name="MetDate" type="trex:YMType"/> </xs:sequence> </xs:complexType> </pre>

element PerfAckDualCreditType/DualCreditCode

type	trex:PerfAckDualCreditCode		
properties	content	simple	
facets	Kind	Value	Annotation
	enumeration	0	
	enumeration	1	
	enumeration	2	

source	<xs:element name="DualCreditCode" type="trex:PerfAckDualCreditCode"/>
--------	---

element PerfAckDualCreditType/MetDate

type	trex:YMType
properties	content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]
source	<xs:element name="MetDate" type="trex:YMType"/>

complexType PersonNameType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	FirstName MiddleName LastName Suffix
used by	elements ParentType/Name StudentIdentificationType/Name
source	<pre><xs:complexType name="PersonNameType"> <xs:sequence> <xs:element name="FirstName" type="trex:FirstNameType"/> <xs:element name="MiddleName" type="trex:MiddleNameType" minOccurs="0"/> <xs:element name="LastName" type="trex:LastNameType"/> <xs:element name="Suffix" type="trex:SuffixType" minOccurs="0"/> </xs:sequence> </xs:complexType></pre>

element PersonNameType/FirstName

type	trex:FirstNameType
------	------------------------------------

properties	content simple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>60</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	60	
Kind	Value	Annotation								
minLength	1									
maxLength	60									
source	<xs:element name="FirstName" type="trex:FirstNameType"/>									

element PersonNameType/MiddleName

type	trex:MiddleNameType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 60
source	<xs:element name="MiddleName" type="trex:MiddleNameType" minOccurs="0"/>

element PersonNameType/LastName

type	trex:LastNameType		
properties	content	simple	
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	60	

source	<xs:element name="LastName" type="trex:LastNameType"/>
--------	--

element PersonNameType/Suffix

type	trex:SuffixType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	5	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
	enumeration	A	
	enumeration	B	
	enumeration	C	
source	<xs:element name="Suffix" type="trex:SuffixType" minOccurs="0"/>		

complexType SchoolType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	SchoolID SchoolName DistrictID DistrictName Address PhoneNumber Fax
used by	element StudentRecordType/School
source	<pre> <xs:complexType name="SchoolType"> <xs:sequence> <xs:element name="SchoolID" type="trex:SchoolIDType"/> <xs:element name="SchoolName" type="trex:SchoolNameType"/> <xs:element name="DistrictID" type="trex:DistrictIDType"/> <xs:element name="DistrictName" type="trex:DistrictNameType" minOccurs="0"/> <xs:element name="Address" type="trex:AddressType" minOccurs="0"/> <xs:group ref="trex:PhoneNumberGroup"/> </xs:sequence> </xs:complexType> </pre>

element SchoolType/SchoolID

type	trex:SchoolIDType		
properties	content	simple	
facets	Kind	Value	Annotation
	pattern	([0-9]{9})	
source	<xs:element name="SchoolID" type="trex:SchoolIDType"/>		

element SchoolType/SchoolName

type	trex:SchoolNameType
properties	content simple
facets	Kind Value Annotation

	minLength 1 maxLength 75
source	<xs:element name="SchoolName" type="trex:SchoolNameType"/>

element SchoolType/DistrictID

type	trex:DistrictIDType
properties	content simple
facets	Kind Value Annotation pattern ([0-9]{6})
source	<xs:element name="DistrictID" type="trex:DistrictIDType"/>

element SchoolType/DistrictName

type	trex:DistrictNameType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 75
source	<xs:element name="DistrictName" type="trex:DistrictNameType" minOccurs="0"/>

element SchoolType/Address

type	trex:AddressType
properties	minOcc 0 maxOcc 1 content complex
children	Address City StateProvince Country PostalCode
source	<xs:element name="Address" type="trex:AddressType" minOccurs="0"/>

complexType SpecialProgramsType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	LEP AlternativeLanguage DualLanguageImmersion EconomicDisadvantaged AtRisk TitleI SpecialEd IEP Bilingual ESL GiftedTalented CTE PersonalGradPlan
used by	element StudentRecordType/SpecialPrograms
source	<xs:complexType name="SpecialProgramsType"> <xs:sequence> <xs:element name="LEP" type="trex:LEPType" minOccurs="0"/> <xs:element name="AlternativeLanguage" type="trex:AlternativeLanguageType" minOccurs="0"/> <xs:element name="DualLanguageImmersion" type="trex:DualLanguageImmersionType"/> <xs:element name="EconomicDisadvantaged" type="trex:EconomicDisadvantagedType" minOccurs="0"/> <xs:element name="AtRisk" type="trex:ParticipationType" minOccurs="0"/> <xs:element name="TitleI" type="trex:TitleIType" minOccurs="0"/> <xs:element name="SpecialEd" type="trex:ParticipationType" minOccurs="0"/> <xs:element name="IEP" type="trex:ParticipationType" minOccurs="0"/> <xs:element name="Bilingual" type="trex:BilingualType" minOccurs="0"/> <xs:element name="ESL" type="trex:ESLType" minOccurs="0"/> </xs:sequence> </xs:complexType>

	<pre> <xs:element name="GiftedTalented" type="trex:GiftedTalentedType" minOccurs="0"/> <xs:element name="CTE" type="trex:CareerTechEdType" minOccurs="0"/> <xs:element name="PersonalGradPlan" type="trex:ParticipationType" minOccurs="0"/> </xs:sequence> </xs:complexType> </pre>
--	--

element SpecialProgramsType/LEP

type	trex:LEPType																								
properties	minOcc 0 maxOcc 1 content simple																								
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>F</td><td></td></tr><tr><td>enumeration</td><td>S</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	F		enumeration	S		enumeration	3		enumeration	4		enumeration	5	
Kind	Value	Annotation																							
enumeration	0																								
enumeration	1																								
enumeration	F																								
enumeration	S																								
enumeration	3																								
enumeration	4																								
enumeration	5																								
source	<xs:element name="LEP" type="trex:LEPType" minOccurs="0"/>																								

element SpecialProgramsType/AlternativeLanguage

type	trex:AlternativeLanguageType
------	--

properties	minOcc 0																																										
	maxOcc 1																																										
	content simple																																										
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>00</td><td></td></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr><tr><td>enumeration</td><td>06</td><td></td></tr><tr><td>enumeration</td><td>07</td><td></td></tr><tr><td>enumeration</td><td>08</td><td></td></tr><tr><td>enumeration</td><td>09</td><td></td></tr><tr><td>enumeration</td><td>10</td><td></td></tr><tr><td>enumeration</td><td>47</td><td></td></tr><tr><td>enumeration</td><td>48</td><td></td></tr><tr><td>enumeration</td><td>49</td><td></td></tr><tr><td>enumeration</td><td>50</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	47		enumeration	48		enumeration	49		enumeration	50	
Kind	Value	Annotation																																									
enumeration	00																																										
enumeration	01																																										
enumeration	02																																										
enumeration	05																																										
enumeration	06																																										
enumeration	07																																										
enumeration	08																																										
enumeration	09																																										
enumeration	10																																										
enumeration	47																																										
enumeration	48																																										
enumeration	49																																										
enumeration	50																																										
source	<xs:element name="AlternativeLanguage" type="trex:AlternativeLanguageType" minOccurs="0"/>																																										

element SpecialProgramsType/DualLanguageImmersion

type	trex:DualLanguageImmersionType
properties	content complex
children	ImmersionYear ImmersionLanguage AssessmentMetDate CompletionSchoolYear

source	<xs:element name="DualLanguageImmersion" type="trex:DualLanguageImmersionType"/>
--------	---

element SpecialProgramsType/EconomicDisadvantaged

type	trex:EconomicDisadvantagedType															
properties	minOcc 0 maxOcc 1 content simple															
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>00</td><td></td></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>99</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02		enumeration	99	
Kind	Value	Annotation														
enumeration	00															
enumeration	01															
enumeration	02															
enumeration	99															
source	<xs:element name="EconomicDisadvantaged" type="trex:EconomicDisadvantagedType" minOccurs="0"/>															

element SpecialProgramsType/AtRisk

type	trex:ParticipationType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	0	
	enumeration	1	

source	<xs:element name="AtRisk" type="trex:ParticipationType" minOccurs="0"/>
--------	---

element SpecialProgramsType/TitleI

type	trex:TitleType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	0	
	enumeration	A	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
source	<xs:element name="TitleI" type="trex:TitleType" minOccurs="0"/>		

element SpecialProgramsType/SpecialEd

type	trex:ParticipationType						
properties	minOcc0 maxOcc1 contentsimple						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>0</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0	
Kind	Value	Annotation					
enumeration	0						

	enumeration 1
source	<xs:element name="SpecialEd" type="trex:ParticipationType" minOccurs="0"/>

element SpecialProgramsType/IEP

type	trex:ParticipationType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<xs:element name="IEP" type="trex:ParticipationType" minOccurs="0"/>

element SpecialProgramsType/Bilingual

type	trex:BilingualType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1 enumeration 2 enumeration 3

	enumeration 4 enumeration 5
source	<xs:element name="Bilingual" type="trex:BilingualType" minOccurs="0"/>

element SpecialProgramsType/ESL

type	trex:ESLType															
properties	minOcc 0 maxOcc 1 content simple															
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3	
Kind	Value	Annotation														
enumeration	0															
enumeration	1															
enumeration	2															
enumeration	3															
source	<xs:element name="ESL" type="trex:ESLType" minOccurs="0"/>															

element SpecialProgramsType/GiftedTalented

type	trex:GiftedTalentedType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	0	

	enumeration 1 enumeration 2
source	<xs:element name="GiftedTalented" type="trex:GiftedTalentedType" minOccurs="0"/>

element SpecialProgramsType/CTE

type	trex:CareerTechEdType																														
properties	minOcc 0 maxOcc 1 content simple																														
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr><tr><td>enumeration</td><td>E</td><td></td></tr><tr><td>enumeration</td><td>6</td><td></td></tr><tr><td>enumeration</td><td>7</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	E		enumeration	6		enumeration	7	
Kind	Value	Annotation																													
enumeration	0																														
enumeration	1																														
enumeration	2																														
enumeration	3																														
enumeration	4																														
enumeration	5																														
enumeration	E																														
enumeration	6																														
enumeration	7																														
source	<xs:element name="CTE" type="trex:CareerTechEdType" minOccurs="0"/>																														

element SpecialProgramsType/PersonalGradPlan

type	trex:ParticipationType
------	--

properties	minOcc 0 maxOcc 1 content simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="PersonalGradPlan" type="trex:ParticipationType" minOccurs="0"/>									

complexType StudentDemographicType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	Sex Race Ethnicity BirthDate HomeLanguage StudentLanguage HomeLanguageSurveyDateAdministered Migrant Homeless Dyslexia DyslexiaRiskCode MilitaryConnected FosterCare AsyleeRefugeeCode CrisisCode PkEligiblePreviousYear StudentAcceleratedEducationPlan TX-BehavioralThreatAssessment
used by	element StudentRecordType/StudentDemographic
source	<xs:complexType name="StudentDemographicType"> <xs:sequence> <xs:element name="Sex" type="trex:GenderType"/> <xs:element name="Race" type="trex:RaceType" minOccurs="0"/> <xs:element name="Ethnicity" type="trex:EthnicityType" minOccurs="0"/> <xs:element name="BirthDate" type="trex:YMDType"/> <xs:element name="HomeLanguage" type="trex:LanguageType" minOccurs="0"/> <xs:element name="StudentLanguage" type="trex:LanguageType" minOccurs="0"/> <xs:element name="HomeLanguageSurveyDateAdministered" type="trex:YMDType" minOccurs="0"/>

	<pre><xs:element name="Migrant" type="trex:ParticipationType" minOccurs="0"/> <xs:element name="Homeless" type="trex:HomelessType" minOccurs="0"/> <xs:element name="Dyslexia" type="trex:ParticipationType" minOccurs="0"/> <xs:element name="DyslexiaRiskCode" type="trex:DyslexiaRiskCodeType" minOccurs="0"/> <xs:element name="MilitaryConnected" type="trex:MilitaryConnectedType" minOccurs="0"/> <xs:element name="FosterCare" type="trex:FosterCareType" minOccurs="0"/> <xs:element name="AsyleeRefugeeCode" type="trex:AsyleeRefugeeCodeType" minOccurs="0"/> <xs:element name="CrisisCode" type="trex:CrisisCodeType" minOccurs="0" maxOccurs="5"/> <xs:element name="PkEligiblePreviousYear" type="trex:ParticipationType" minOccurs="0"/> <xs:element name="StudentAcceleratedEducationPlan" type="trex:ParticipationType" minOccurs="0"/> <xs:element name="TX-BehavioralThreatAssessment" type="trex:ParticipationType" minOccurs="0"/> </xs:sequence> </xs:complexType></pre>
--	--

element StudentDemographicType/Sex

type	trex:GenderType									
properties	content simple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>F</td><td></td></tr><tr><td>enumeration</td><td>M</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	F		enumeration	M	
Kind	Value	Annotation								
enumeration	F									
enumeration	M									
source	<xs:element name="Sex" type="trex:GenderType"/>									

element StudentDemographicType/Race

type	trex:RaceType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	5	
source	<xs:element name="Race" type="trex:RaceType" minOccurs="0"/>		

element StudentDemographicType/Ethnicity

type	trex:EthnicityType
properties	minOcc 0 maxOcc 1 content complex
children	AmericanIndianAlaskaNativeCode AsianCode BlackAfricanAmericanCode HispanicLatinoCode NativeHawaiianPacificIslanderCode WhiteCode
source	<xs:element name="Ethnicity" type="trex:EthnicityType" minOccurs="0"/>

element StudentDemographicType/BirthDate

type	trex:YMDType						
properties	content simple						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>pattern</td><td>[0-9]{4}-[01]?[0-9]-[0123]?[0-9]</td><td></td></tr></table>	Kind	Value	Annotation	pattern	[0-9]{4}-[01]?[0-9]-[0123]?[0-9]	
Kind	Value	Annotation					
pattern	[0-9]{4}-[01]?[0-9]-[0123]?[0-9]						
source	<xs:element name="BirthDate" type="trex:YMDType"/>						

element StudentDemographicType/HomeLanguage

type	trex:LanguageType		
properties	minOcc 0 maxOcc 1 content simple		
facets	Kind	Value	Annotation
	enumeration	01	
	enumeration	02	
	enumeration	03	
	enumeration	04	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
	enumeration	98	
	enumeration	99	

	enumeration 1A
	enumeration 1B
	enumeration 1C
	enumeration 1D
	enumeration 1E
	enumeration 1F
	enumeration 1G
	enumeration 1H
	enumeration 1I
	enumeration 1J
	enumeration 1K
	enumeration 1L
	enumeration 1M
	enumeration 1N
	enumeration 1O
	enumeration 1P
	enumeration 1Q
	enumeration 1R
	enumeration 1S
	enumeration 1T
	enumeration 1U
	enumeration 1V
	enumeration 1W
	enumeration 1X
	enumeration 1Y

	enumeration 1Z
	enumeration 2A
	enumeration 2B
	enumeration 2C
	enumeration 2D
	enumeration 2E
	enumeration 2F
	enumeration 2G
	enumeration 2H
	enumeration 2I
	enumeration 2J
	enumeration 2K
	enumeration 2L
	enumeration 2M
	enumeration 2N
	enumeration 2O
	enumeration 2P
	enumeration 2Q
	enumeration 2R
	enumeration 2S
	enumeration 2T
	enumeration 2U
	enumeration 2V
	enumeration 2W
	enumeration 2X

	enumeration 2Y
	enumeration 2Z
	enumeration 3A
	enumeration 3B
	enumeration 3C
	enumeration 3D
	enumeration 3E
	enumeration 3F
	enumeration 3G
	enumeration 3H
	enumeration 3I
	enumeration 3J
	enumeration 3K
	enumeration 3L
	enumeration 3M
	enumeration 3N
	enumeration 3O
	enumeration 3P
	enumeration 3Q
	enumeration 3R
	enumeration 3S
	enumeration 3T
	enumeration 3U
	enumeration 3V
	enumeration 3W

	enumeration 3X
	enumeration 3Y
	enumeration 3Z
	enumeration 4A
	enumeration 4B
	enumeration 4C
	enumeration 4D
	enumeration 4E
	enumeration 4F
	enumeration 4G
	enumeration 4H
	enumeration 4I
	enumeration 4J
	enumeration 4K
	enumeration 4L
	enumeration 4M
	enumeration 4N
	enumeration 4O
	enumeration 4P
	enumeration 4Q
	enumeration 4R
	enumeration 4S
	enumeration 4T
	enumeration 4U
	enumeration 4V

	enumeration 4W
	enumeration 4X
	enumeration 4Y
	enumeration 4Z
	enumeration 5A
	enumeration 5B
	enumeration 5C
	enumeration 5D
	enumeration 5E
	enumeration 5F
	enumeration 5G
	enumeration 5H
	enumeration 5I
	enumeration 5J
	enumeration 5K
	enumeration 5L
	enumeration 5M
	enumeration 5N
	enumeration 5O
	enumeration 5P
	enumeration 5Q
	enumeration 5R
	enumeration 5S
	enumeration 5T
	enumeration 5U

	enumeration 5V enumeration 5W enumeration 5X enumeration 5Y enumeration 5Z enumeration 6A enumeration 6B
source	<xs:element name="HomeLanguage" type="trex:LanguageType" minOccurs="0"/>

element StudentDemographicType/StudentLanguage

type	trex:LanguageType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	01	
	enumeration	02	
	enumeration	03	
	enumeration	04	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
	enumeration	98	

	enumeration 99
	enumeration 1A
	enumeration 1B
	enumeration 1C
	enumeration 1D
	enumeration 1E
	enumeration 1F
	enumeration 1G
	enumeration 1H
	enumeration 1I
	enumeration 1J
	enumeration 1K
	enumeration 1L
	enumeration 1M
	enumeration 1N
	enumeration 1O
	enumeration 1P
	enumeration 1Q
	enumeration 1R
	enumeration 1S
	enumeration 1T
	enumeration 1U
	enumeration 1V
	enumeration 1W
	enumeration 1X

	enumeration 1Y
	enumeration 1Z
	enumeration 2A
	enumeration 2B
	enumeration 2C
	enumeration 2D
	enumeration 2E
	enumeration 2F
	enumeration 2G
	enumeration 2H
	enumeration 2I
	enumeration 2J
	enumeration 2K
	enumeration 2L
	enumeration 2M
	enumeration 2N
	enumeration 2O
	enumeration 2P
	enumeration 2Q
	enumeration 2R
	enumeration 2S
	enumeration 2T
	enumeration 2U
	enumeration 2V
	enumeration 2W

	enumeration 2X
	enumeration 2Y
	enumeration 2Z
	enumeration 3A
	enumeration 3B
	enumeration 3C
	enumeration 3D
	enumeration 3E
	enumeration 3F
	enumeration 3G
	enumeration 3H
	enumeration 3I
	enumeration 3J
	enumeration 3K
	enumeration 3L
	enumeration 3M
	enumeration 3N
	enumeration 3O
	enumeration 3P
	enumeration 3Q
	enumeration 3R
	enumeration 3S
	enumeration 3T
	enumeration 3U
	enumeration 3V

	enumeration 3W
	enumeration 3X
	enumeration 3Y
	enumeration 3Z
	enumeration 4A
	enumeration 4B
	enumeration 4C
	enumeration 4D
	enumeration 4E
	enumeration 4F
	enumeration 4G
	enumeration 4H
	enumeration 4I
	enumeration 4J
	enumeration 4K
	enumeration 4L
	enumeration 4M
	enumeration 4N
	enumeration 4O
	enumeration 4P
	enumeration 4Q
	enumeration 4R
	enumeration 4S
	enumeration 4T
	enumeration 4U

	enumeration 4V
	enumeration 4W
	enumeration 4X
	enumeration 4Y
	enumeration 4Z
	enumeration 5A
	enumeration 5B
	enumeration 5C
	enumeration 5D
	enumeration 5E
	enumeration 5F
	enumeration 5G
	enumeration 5H
	enumeration 5I
	enumeration 5J
	enumeration 5K
	enumeration 5L
	enumeration 5M
	enumeration 5N
	enumeration 5O
	enumeration 5P
	enumeration 5Q
	enumeration 5R
	enumeration 5S
	enumeration 5T

	enumeration 5U enumeration 5V enumeration 5W enumeration 5X enumeration 5Y enumeration 5Z enumeration 6A enumeration 6B
source	<xs:element name="StudentLanguage" type="trex:LanguageType" minOccurs="0"/>

element StudentDemographicType/HomeLanguageSurveyDateAdministered

type	trex:YMDType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation pattern [0-9]{4}-[01]?[0-9]-[0123]?[0-9]
source	<xs:element name="HomeLanguageSurveyDateAdministered" type="trex:YMDType" minOccurs="0"/>

element StudentDemographicType/Migrant

type	trex:ParticipationType
properties	minOcc 0

	maxOcc 1 content simple									
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="Migrant" type="trex:ParticipationType" minOccurs="0"/>									

element StudentDemographicType/Homeless

type	trex:HomelessType																					
properties	minOcc 0 maxOcc 1 content simple																					
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5	
Kind	Value	Annotation																				
enumeration	0																					
enumeration	1																					
enumeration	2																					
enumeration	3																					
enumeration	4																					
enumeration	5																					
source	<xs:element name="Homeless" type="trex:HomelessType" minOccurs="0"/>																					

element StudentDemographicType/Dyslexia

type	trex:ParticipationType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<xs:element name="Dyslexia" type="trex:ParticipationType" minOccurs="0"/>

element StudentDemographicType/DyslexiaRiskCode

type	trex:DyslexiaRiskCodeType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 01 enumeration 02 enumeration 03
source	<xs:element name="DyslexiaRiskCode" type="trex:DyslexiaRiskCodeType" minOccurs="0"/>

element StudentDemographicType/MilitaryConnected

type	trex:MilitaryConnectedType
------	--

properties	minOcc 0 maxOcc 1 content simple																								
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr><tr><td>enumeration</td><td>6</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6	
Kind	Value	Annotation																							
enumeration	0																								
enumeration	1																								
enumeration	2																								
enumeration	3																								
enumeration	4																								
enumeration	5																								
enumeration	6																								
source	<xs:element name="MilitaryConnected" type="trex:MilitaryConnectedType" minOccurs="0"/>																								

element StudentDemographicType/FosterCare

type	trex:FosterCareType		
properties	minOcc	0	
	maxOcc	1	
	content	simple	
facets	Kind	Value	Annotation
	enumeration	0	
	enumeration	1	
	enumeration	2	
	enumeration	3	

source	<xs:element name="FosterCare" type="trex:FosterCareType" minOccurs="0"/>
--------	--

element StudentDemographicType/AsyleeRefugeeCode

type	trex:AsyleeRefugeeCodeType												
properties	minOcc 0 maxOcc 1 content simple												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<xs:element name="AsyleeRefugeeCode" type="trex:AsyleeRefugeeCodeType" minOccurs="0"/>												

element StudentDemographicType/CrisisCode

type	trex:CrisisCodeType
properties	minOcc 0 maxOcc 5 content complex
children	CrisisCodeCode
source	<xs:element name="CrisisCode" type="trex:CrisisCodeType" minOccurs="0" maxOccurs="5"/>

element StudentDemographicType/PkEligiblePreviousYear

type	trex:ParticipationType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<xs:element name="PkEligiblePreviousYear" type="trex:ParticipationType" minOccurs="0"/>

element StudentDemographicType/StudentAcceleratedEducationPlan

type	trex:ParticipationType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation enumeration 0 enumeration 1
source	<xs:element name="StudentAcceleratedEducationPlan" type="trex:ParticipationType" minOccurs="0"/>

element StudentDemographicType/TX-BehavioralThreatAssessment

type	trex:ParticipationType
------	--

properties	minOcc 0 maxOcc 1 content simple									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<xs:element name="TX-BehavioralThreatAssessment" type="trex:ParticipationType" minOccurs="0"/>									

complexType StudentIdentificationType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	StudentUniqueID Name StudentID PriorID LocalID Address
used by	element StudentRecordType/StudentIdentification
source	<xs:complexType name="StudentIdentificationType"> <xs:sequence> <xs:element name="StudentUniqueID" type="trex:StudentUniqueIDType" minOccurs="0"/> <xs:element name="Name" type="trex:PersonNameType"/> <xs:element name="StudentID" type="trex:StudentIDType"/> <xs:element name="PriorID" type="trex:PriorIDType" minOccurs="0"/> <xs:element name="LocalID" type="trex:LocalIDType" minOccurs="0"/> <xs:element name="Address" type="trex:AddressType" minOccurs="0"/> </xs:sequence> </xs:complexType>

element StudentIdentificationType/StudentUniqueID

type	trex:StudentUniqueIDType
------	--

properties	minOcc0 maxOcc1 contentsimple						
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>pattern</td><td>[0-9]{10}</td><td></td></tr></table>	Kind	Value	Annotation	pattern	[0-9]{10}	
Kind	Value	Annotation					
pattern	[0-9]{10}						
source	<xs:element name="StudentUniqueID" type="trex:StudentUniqueIDType" minOccurs="0"/>						

element StudentIdentificationType/Name

type	trex:PersonNameType
properties	content complex
children	FirstName MiddleName LastName Suffix
source	<xs:element name="Name" type="trex:PersonNameType"/>

element StudentIdentificationType/StudentID

type	trex:StudentIDType									
properties	content simple									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>64</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	64	
Kind	Value	Annotation								
minLength	1									
maxLength	64									
source	<xs:element name="StudentID" type="trex:StudentIDType"/>									

element StudentIdentificationType/PriorID

type	trex:PriorIDType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 9
source	<xs:element name="PriorID" type="trex:PriorIDType" minOccurs="0"/>

element StudentIdentificationType/LocalID

type	trex:LocalIDType
properties	minOcc 0 maxOcc 1 content simple
facets	Kind Value Annotation minLength 1 maxLength 9
source	<xs:element name="LocalID" type="trex:LocalIDType" minOccurs="0"/>

element StudentIdentificationType/Address

type	trex:AddressType
properties	minOcc 0 maxOcc 1

	content complex
children	Address City State Province Country PostalCode
source	<xs:element name="Address" type="trex:AddressType" minOccurs="0"/>

complexType StudentRecordsType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	TRExStudentRecord
used by	element TRExStudentRecords
source	<pre><xs:complexType name="StudentRecordsType"> <xs:sequence> <xs:element name="TRExStudentRecord" type="trex:StudentRecordType" maxOccurs="unbounded"/> </xs:sequence> </xs:complexType></pre>

element StudentRecordsType/TRExStudentRecord

type	trex:StudentRecordType
properties	minOcc 1 maxOcc unbounded content complex
children	StudentIdentification Parent StudentDemographic School Enrollment SpecialPrograms Assessment Attendance Immunization DisciplineAction AcademicStatus CurrentCoursework AcademicSession AcademicSummary
source	<xs:element name="TRExStudentRecord" type="trex:StudentRecordType" maxOccurs="unbounded"/>

complexType StudentRecordType

namespace	urn:us:tx:state:tea:TREx:v1.39
children	StudentIdentification Parent StudentDemographic School Enrollment SpecialPrograms Assessment Attendance Immunization DisciplineAction AcademicStatus CurrentCoursework AcademicSession AcademicSummary
used by	element StudentRecordsType/TRExStudentRecord
source	<pre> <xs:complexType name="StudentRecordType"> <xs:sequence> <xs:element name="StudentIdentification" type="trex:StudentIdentificationType"/> <xs:element name="Parent" type="trex:ParentType" minOccurs="0" maxOccurs="unbounded"/> <xs:element name="StudentDemographic" type="trex:StudentDemographicType"/> <xs:element name="School" type="trex:SchoolType"/> <xs:element name="Enrollment" type="trex:EnrollmentType"/> <xs:element name="SpecialPrograms" type="trex:SpecialProgramsType"/> <xs:element name="Assessment" type="trex:AssessmentType" minOccurs="0" maxOccurs="unbounded"/> <xs:element name="Attendance" type="trex:AttendanceType" minOccurs="0"/> <xs:element name="Immunization" type="trex:ImmunizationType" minOccurs="0" maxOccurs="unbounded"/> <xs:element name="DisciplineAction" type="trex:DisciplineActionType" minOccurs="0" maxOccurs="unbounded"/> <xs:element name="AcademicStatus" type="trex:AcademicStatusType" minOccurs="0"/> <xs:element name="CurrentCoursework" type="trex:CurrentCourseworkType" minOccurs="0"/> <xs:element name="AcademicSession" type="trex:AcademicSessionType" minOccurs="0" </pre>

	maxOccurs="unbounded"/> <xs:element name="AcademicSummary" type="trex:AcademicSummaryType" minOccurs="0"/> </xs:sequence> </xs:complexType>
--	---

element StudentRecordType/StudentIdentification

type	trex:StudentIdentificationType
properties	content complex
children	StudentUniqueID Name StudentID PriorID LocalID Address
source	<xs:element name="StudentIdentification" type="trex:StudentIdentificationType"/>

element StudentRecordType/Parent

type	trex:ParentType
properties	minOcc 0 maxOcc unbounded content complex
children	Name
source	<xs:element name="Parent" type="trex:ParentType" minOccurs="0" maxOccurs="unbounded"/>

element StudentRecordType/StudentDemographic

type	trex:StudentDemographicType
------	---

properties	content complex
children	Sex Race Ethnicity BirthDate HomeLanguage StudentLanguage HomeLanguageSurveyDateAdministered Migrant Homeless Dyslexia DyslexiaRiskCode MilitaryConnected FosterCare AsyleeRefugeeCode CrisisCode PkEligiblePreviousYear StudentAcceleratedEducationPlan TX-BehavioralThreatAssessment
source	<xs:element name="StudentDemographic" type="trex:StudentDemographicType"/>

element StudentRecordType/School

type	trex:SchoolType
properties	content complex
children	SchoolID SchoolName DistrictID DistrictName Address PhoneNumber Fax
source	<xs:element name="School" type="trex:SchoolType"/>

element StudentRecordType/Enrollment

type	trex:EnrollmentType
properties	content complex
children	GradeLevel EntryDate ExitDate WithdrawDate WithdrawReason GradePlaced GradePromoted GradeRetained
source	<xs:element name="Enrollment" type="trex:EnrollmentType"/>

element StudentRecordType/SpecialPrograms

type	trex:SpecialProgramsType
properties	content complex
children	LEP AlternativeLanguage DualLanguageImmersion EconomicDisadvantaged AtRisk TitleI SpecialEd IEP Bilingual ESL GiftedTalented CTE PersonalGradPlan
source	<xs:element name="SpecialPrograms" type="trex:SpecialProgramsType"/>

element StudentRecordType/Assessment

type	trex:AssessmentType
properties	minOcc 0 maxOcc unbounded content complex
children	TestName AdditionalTestName TestLevel TestDate ExitRequirementMetDate TestScore TestCode PerformanceLevel AssessmentSubTest
source	<xs:element name="Assessment" type="trex:AssessmentType" minOccurs="0" maxOccurs="unbounded"/>

element StudentRecordType/Attendance

type	trex:AttendanceType
properties	minOcc 0 maxOcc 1 content complex

children	DaysAttended DaysAbsent RSDaysAttended RADaysAttended PriorDaysAttended PriorDaysAbsent PriorRSDaysAttended PriorRADaysAttended
source	<xs:element name="Attendance" type="trex:AttendanceType" minOccurs="0"/>

element StudentRecordType/Immunization

type	trex:ImmunizationType
properties	minOcc 0 maxOcc unbounded content complex
children	ImmunizationCode ImmunizationDate ImmunizationDose
source	<xs:element name="Immunization" type="trex:ImmunizationType" minOccurs="0" maxOccurs="unbounded"/>

element StudentRecordType/DisciplineAction

type	trex:DisciplineActionType
properties	minOcc 0 maxOcc unbounded content complex
children	DisciplineActionDate DisciplineActionNum DisciplineActionCode DisciplineActionReason IncidentIdentifier SchoolYear DisciplineDate ActualDisciplineActionLength StateOrganizationId TX-OfficialLengthOfDisciplinaryAssignment TX-DisciplinaryLengthDifferenceReason TX-

	InconsistentCodeOfConductIndicator TX-BehaviorLocation TX-SafeSupportiveSchoolProgramTeamReview
source	<xs:element name="DisciplineAction" type="trex:DisciplineActionType" minOccurs="0" maxOccurs="unbounded"/>

element StudentRecordType/AcademicStatus

type	trex:AcademicStatusType
properties	minOcc 0 maxOcc 1 content complex
children	GraduationDate SpeechMetDate GraduationDiplomaType CertificateDate TexasGrant DistinguishedAchievements FHSPParticipationCode FHSPDistingIndicatorCode STEMEndorsementCode BusinessEndorsementCode PublicServicesEndorsementCode ArtsEndorsementCode MultiStudiesEndorsementCode DualCreditType BilingBilitType CollegeAssessType AplbType CertLicType IGCGradReview FHSPCollegeCareerInstructionIndicator AssociateDegree OnRamps MSAdvancedMathParticipation Section504 POIIMetDate CPRAEDMetDate StarOfTexas SATACTReimbursement IBCReimbursement IBCEarned FinancialAidApplication FinancialAidApplicationMetDate AcceleratedInstruction TexasFirstEarlyHSGraduate DistingLevelAchievementGraduate FHSPDistingLevelParticipant PKChildLeaClassroomTeacher
source	<xs:element name="AcademicStatus" type="trex:AcademicStatusType" minOccurs="0"/>

element StudentRecordType/CurrentCoursework

type	trex:CurrentCourseworkType
properties	minOcc 0 maxOcc 1 content complex
children	Course SchoolYear GradeLevel SessionType
source	<xs:element name="CurrentCoursework" type="trex:CurrentCourseworkType" minOccurs="0"/>

element StudentRecordType/AcademicSession

type	trex:AcademicSessionType
properties	minOcc 0 maxOcc unbounded content complex
children	SchoolYear GradeLevel SessionType Course AcademicSummary
source	<xs:element name="AcademicSession" type="trex:AcademicSessionType" minOccurs="0" maxOccurs="unbounded"/>

element StudentRecordType/AcademicSummary

type	trex:AcademicSummaryType
properties	minOcc 0 maxOcc 1 content complex
children	GPA ClassTotalNumber ClassRank ClassRankingDate Quartile CollegeCampusCode

source	<xs:element name="AcademicSummary" type="trex:AcademicSummaryType" minOccurs="0"/>
--------	---

simpleType AbbreviationType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element CourseType/Abbreviation									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>100</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	100	
Kind	Value	Annotation								
minLength	1									
maxLength	100									
source	<pre><xs:simpleType name="AbbreviationType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="100"/> </xs:restriction> </xs:simpleType></pre>									

simpleType AcceleratedInstructionSubjectType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:token						
properties	base xs:token						
used by	element AcceleratedInstructionType/AcceleratedInstructionSubject						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>01</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	01	
Kind	Value	Annotation					
enumeration	01						

	enumeration 02 enumeration 03 enumeration 04
source	<pre> <xs:simpleType name="AcceleratedInstructionSubjectType"> <xs:restriction base="xs:token"> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="03"/> <xs:enumeration value="04"/> <!-- Reading/English --> <!-- Math --> <!-- Science --> <!-- Social Studies --> </xs:restriction> </xs:simpleType> </pre>

simpleType AdditionalTestNameType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	element AssessmentType/AdditionalTestName
facets	Kind Value Annotation minLength 1 maxLength 60
source	<pre> <xs:simpleType name="AdditionalTestNameType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="60"/> </xs:restriction> </xs:simpleType> </pre>

	</xs:restriction> </xs:simpleType>
--	---------------------------------------

simpleType AddressStringType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element AddressType/Address									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>50</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	50	
Kind	Value	Annotation								
minLength	1									
maxLength	50									
source	<pre><xs:simpleType name="AddressStringType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="50"/> </xs:restriction> </xs:simpleType></pre>									

simpleType AdvancedMeasureType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:token						
properties	base xs:token						
used by	element DistinguishedAchievementType/AdvancedMeasure						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>A</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	A	
Kind	Value	Annotation					
enumeration	A						

	enumeration B enumeration C enumeration D enumeration E enumeration F
source	<pre> <xs:simpleType name="AdvancedMeasureType"> <xs:restriction base="xs:token"> <xs:enumeration value="A"/> <xs:enumeration value="B"/> <xs:enumeration value="C"/> <xs:enumeration value="D"/> <xs:enumeration value="E"/> <xs:enumeration value="F"/> <!-- Original research/project --> <!-- AP score 3 or above --> <!-- B score 4 or above. --> <!-- Qualifying PSAT score --> <!-- College course - 3.0 or higher --> <!-- Articulated course - 3.0 or higher --> </xs:restriction> </xs:simpleType> </pre>

simpleType AlternativeLanguageType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	element SpecialProgramsType/AlternativeLanguage
facets	Kind Value Annotation enumeration 00

	enumeration 01 enumeration 02 enumeration 05 enumeration 06 enumeration 07 enumeration 08 enumeration 09 enumeration 10 enumeration 47 enumeration 48 enumeration 49 enumeration 50
source	<xs:simpleType name="AlternativeLanguageType"> <xs:restriction base="xs:token"> <xs:enumeration value="00"/> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="05"/> <xs:enumeration value="06"/> <xs:enumeration value="07"/> <xs:enumeration value="08"/> <xs:enumeration value="09"/> <xs:enumeration value="10"/> <xs:enumeration value="47"/> <xs:enumeration value="48"/> <xs:enumeration value="49"/> <xs:enumeration value="50"/> <!-- Student does not participate in the alternative language program --> <!-- Alternative Bilingual Language Program --> <!-- Alternative ESL Language Program --> <!-- Alternative Methods for ESL Content Based --> <!-- Alternative Methods for ESL Pull-Out --> </xs:restriction> </xs:simpleType>

	<pre> <!-- Alternative Methods for Transitional Bilingual Early Exit --> <!-- Alternative Methods for Transitional Bilingual Late Exit --> <!-- Alternative Methods for Dual Language Immersion Two-Way --> <!-- Alternative Methods for Dual Language Immersion One-Way--> <!-- Alternative Methods for Transitional Bilingual Early Exit --> <!-- Alternative Methods for Transitional Bilingual Late Exit --> <!-- Alternative Methods for Dual Language Immersion Two-Way --> <!-- Alternative Methods for Dual Language Immersion One-Way--> </xs:restriction> </xs:simpleType> </pre>
--	---

simpleType AssociateDegreeIndicatorType

namespace	urn:us:tx:state:tea:TREx:v1.39																								
type	restriction of xs:token																								
properties	base xs:token																								
used by	element AcademicStatusType/AssociateDegree																								
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr><tr><td>enumeration</td><td>6</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6	
Kind	Value	Annotation																							
enumeration	0																								
enumeration	1																								
enumeration	2																								
enumeration	3																								
enumeration	4																								
enumeration	5																								
enumeration	6																								
source	<pre><xs:simpleType name="AssociateDegreeIndicatorType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/></pre>																								

	<pre> <xs:enumeration value="3"/> <xs:enumeration value="4"/> <xs:enumeration value="5"/> <xs:enumeration value="6"/> <!-- Not receiving services, or condition or situation not applicable to this person. --> <!-- Participant in program or service, or condition or situation applicable to this person. --> <!-- Associate of Arts (AA) --> <!-- Associate of Applied Arts (AAA) --> <!-- Associate of Applied Science (AAS) --> <!-- Associate of Arts in Teaching (AAT) --> <!-- Associate of Science (AS) --> </xs:restriction> </xs:simpleType> </pre>
--	---

simpleType AsyleeRefugeeCodeType

namespace	urn:us:tx:state:tea:TREx:v1.39												
type	restriction of xs:token												
properties	base xs:token												
used by	element StudentDemographicType/AsyleeRefugeeCode												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<pre><xs:simpleType name="AsyleeRefugeeCodeType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <!-- Not applicable to this student --> </xs:restriction> </xs:simpleType></pre>												

	<!-- Asylee --> <!-- Refugee --> </xs:restriction> </xs:simpleType>
--	--

simpleType BilingualType

namespace	urn:us:tx:state:tea:TREx:v1.39																					
type	restriction of xs:token																					
properties	base xs:token																					
used by	element SpecialProgramsType/Bilingual																					
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5	
Kind	Value	Annotation																				
enumeration	0																					
enumeration	1																					
enumeration	2																					
enumeration	3																					
enumeration	4																					
enumeration	5																					
source	<xs:simpleType name="BilingualType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <xs:enumeration value="4"/> <xs:enumeration value="5"/> <!-- Not receiving services. --> <!-- Participant in program or service. --> <!-- Transitional bilingual/early exit. --> <!-- Transitional bilingual/late exit. --> </xs:restriction> </xs:simpleType>																					

	<!-- Dual language immersion/two-way. --> <!-- Dual language immersion/one-way. --> </xs:restriction> </xs:simpleType>
--	---

simpleType CareerTechEdType

namespace	urn:us:tx:state:tea:TREx:v1.39																														
type	restriction of xs:token																														
properties	base xs:token																														
used by	element SpecialProgramsType/CTE																														
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr><tr><td>enumeration</td><td>E</td><td></td></tr><tr><td>enumeration</td><td>6</td><td></td></tr><tr><td>enumeration</td><td>7</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	E		enumeration	6		enumeration	7	
Kind	Value	Annotation																													
enumeration	0																														
enumeration	1																														
enumeration	2																														
enumeration	3																														
enumeration	4																														
enumeration	5																														
enumeration	E																														
enumeration	6																														
enumeration	7																														
source	<xs:simpleType name="CareerTechEdType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <xs:enumeration value="4"/> <xs:enumeration value="5"/>																														

	<pre><xs:enumeration value="E"/> <xs:enumeration value="6"/> <xs:enumeration value="7"/> <!-- Not enrolled in a CTE course --> <!-- Enrolled in a CTE course --> <!-- Participant in a coherent sequence of courses --> <!-- Participant in Tech Prep program --> <!-- Not CTE --> <!-- CTE Program Participant --> <!-- CTE Program Explorer --> <!-- CTE Program Concentrator --> <!-- CTE Program Completer --> </xs:restriction> </xs:simpleType></pre>
--	---

simpleType CityType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element AddressType/City									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>30</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	30	
Kind	Value	Annotation								
minLength	1									
maxLength	30									
source	<pre><xs:simpleType name="CityType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="30"/> </xs:restriction> </xs:simpleType></pre>									

simpleType ClassPeriodType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element CourseType/ClassPeriod									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>5</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	5	
Kind	Value	Annotation								
minLength	1									
maxLength	5									
source	<pre><xs:simpleType name="ClassPeriodType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="5"/> </xs:restriction> </xs:simpleType></pre>									

simpleType ClassRankType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:integer						
properties	base xs:integer						
used by	element AcademicSummaryType/ClassRank						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>totalDigits</td><td>5</td><td></td></tr></table>	Kind	Value	Annotation	totalDigits	5	
Kind	Value	Annotation					
totalDigits	5						
source	<pre><xs:simpleType name="ClassRankType"> <xs:restriction base="xs:integer"> <xs:totalDigits value="5"/> </xs:restriction> </xs:simpleType></pre>						

	</xs:restriction> </xs:simpleType>
--	---------------------------------------

simpleType ClassTotalNumberType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:integer						
properties	base xs:integer						
used by	element AcademicSummaryType/ClassTotalNumber						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>totalDigits</td><td>5</td><td></td></tr></table>	Kind	Value	Annotation	totalDigits	5	
Kind	Value	Annotation					
totalDigits	5						
source	<xs:simpleType name="ClassTotalNumberType"> <xs:restriction base="xs:integer"> <xs:totalDigits value="5"/> </xs:restriction> </xs:simpleType>						

simpleType CollegeCampusCodeType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:token						
properties	base xs:token						
used by	element AcademicSummaryType/CollegeCampusCode						
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>pattern</td><td>([0-9]{6})</td><td></td></tr></table>	Kind	Value	Annotation	pattern	([0-9]{6})	
Kind	Value	Annotation					
pattern	([0-9]{6})						
source	<xs:simpleType name="CollegeCampusCodeType"> <xs:restriction base="xs:token"> <xs:pattern value="([0-9]{6})"/> </xs:restriction> </xs:simpleType>						

	</xs:restriction> </xs:simpleType>
--	---------------------------------------

simpleType CountryType

namespace	urn:us:tx:state:tea:TREx:v1.39		
type	restriction of xs:token		
properties	base xs:token		
used by	element AddressType/Country		
facets	Kind	Value	Annotation
	enumeration	US	
	enumeration	AD	
	enumeration	AE	
	enumeration	AF	
	enumeration	AG	
	enumeration	AI	
	enumeration	AL	
	enumeration	AM	
	enumeration	AN	
	enumeration	AO	
	enumeration	AQ	
	enumeration	AR	
	enumeration	AS	
	enumeration	AT	
	enumeration	AU	
	enumeration	AW	

	enumeration	AX
	enumeration	AZ
	enumeration	BA
	enumeration	BB
	enumeration	BD
	enumeration	BE
	enumeration	BF
	enumeration	BG
	enumeration	BH
	enumeration	BI
	enumeration	BJ
	enumeration	BM
	enumeration	BN
	enumeration	BO
	enumeration	BR
	enumeration	BS
	enumeration	BT
	enumeration	BV
	enumeration	BW
	enumeration	BY
	enumeration	BZ
	enumeration	CA
	enumeration	CC
	enumeration	CD
	enumeration	CF

	enumeration	CG
	enumeration	CH
	enumeration	CI
	enumeration	CK
	enumeration	CL
	enumeration	CM
	enumeration	CN
	enumeration	CO
	enumeration	CR
	enumeration	CS
	enumeration	CU
	enumeration	CV
	enumeration	CX
	enumeration	CY
	enumeration	CZ
	enumeration	DE
	enumeration	DJ
	enumeration	DK
	enumeration	DM
	enumeration	DO
	enumeration	DZ
	enumeration	EC
	enumeration	EE
	enumeration	EG
	enumeration	EH

	enumeration	ER
	enumeration	ES
	enumeration	ET
	enumeration	FI
	enumeration	FJ
	enumeration	FK
	enumeration	FM
	enumeration	FO
	enumeration	FR
	enumeration	GA
	enumeration	GB
	enumeration	GD
	enumeration	GE
	enumeration	GF
	enumeration	GH
	enumeration	GI
	enumeration	GL
	enumeration	GM
	enumeration	GN
	enumeration	GP
	enumeration	GQ
	enumeration	GR
	enumeration	GS
	enumeration	GT
	enumeration	GU

	enumeration	GW
	enumeration	GY
	enumeration	HK
	enumeration	HM
	enumeration	HN
	enumeration	HR
	enumeration	HT
	enumeration	HU
	enumeration	ID
	enumeration	IE
	enumeration	IL
	enumeration	IN
	enumeration	IO
	enumeration	IQ
	enumeration	IR
	enumeration	IS
	enumeration	IT
	enumeration	JM
	enumeration	JO
	enumeration	JP
	enumeration	KE
	enumeration	KG
	enumeration	KH
	enumeration	KI
	enumeration	KM

	enumeration	KN
	enumeration	KP
	enumeration	KR
	enumeration	KW
	enumeration	KY
	enumeration	KZ
	enumeration	LA
	enumeration	LB
	enumeration	LC
	enumeration	LI
	enumeration	LK
	enumeration	LR
	enumeration	LS
	enumeration	LT
	enumeration	LU
	enumeration	LV
	enumeration	LY
	enumeration	MA
	enumeration	MC
	enumeration	MD
	enumeration	MG
	enumeration	MH
	enumeration	MK
	enumeration	ML
	enumeration	MM

	enumeration	MN
	enumeration	MO
	enumeration	MP
	enumeration	MQ
	enumeration	MR
	enumeration	MS
	enumeration	MT
	enumeration	MU
	enumeration	MV
	enumeration	MW
	enumeration	MX
	enumeration	MY
	enumeration	MZ
	enumeration	NA
	enumeration	NC
	enumeration	NE
	enumeration	NF
	enumeration	NG
	enumeration	NI
	enumeration	NL
	enumeration	NO
	enumeration	NP
	enumeration	NR
	enumeration	NU
	enumeration	NZ

	enumeration	OM
	enumeration	PA
	enumeration	PE
	enumeration	PF
	enumeration	PG
	enumeration	PH
	enumeration	PK
	enumeration	PL
	enumeration	PM
	enumeration	PN
	enumeration	PR
	enumeration	PS
	enumeration	PT
	enumeration	PW
	enumeration	PY
	enumeration	QA
	enumeration	RE
	enumeration	RO
	enumeration	RU
	enumeration	RW
	enumeration	SA
	enumeration	SB
	enumeration	SC
	enumeration	SD
	enumeration	SE

	enumeration	SG
	enumeration	SH
	enumeration	SI
	enumeration	SJ
	enumeration	SK
	enumeration	SL
	enumeration	SM
	enumeration	SN
	enumeration	SO
	enumeration	SR
	enumeration	ST
	enumeration	SV
	enumeration	SY
	enumeration	SZ
	enumeration	TC
	enumeration	TD
	enumeration	TF
	enumeration	TG
	enumeration	TH
	enumeration	TJ
	enumeration	TK
	enumeration	TL
	enumeration	TM
	enumeration	TN
	enumeration	TO

	enumeration TR enumeration TT enumeration TV enumeration TW enumeration TZ enumeration UA enumeration UG enumeration UM enumeration UY enumeration UZ enumeration VA enumeration VC enumeration VE enumeration VG enumeration VI enumeration VN enumeration VU enumeration WF enumeration WS enumeration YE enumeration YT enumeration ZA enumeration ZM enumeration ZW
source	<xs:simpleType name="CountryType"> <xs:restriction base="xs:token">

	<xs:enumeration value="US"/> <xs:enumeration value="AD"/> <xs:enumeration value="AE"/> <xs:enumeration value="AF"/> <xs:enumeration value="AG"/> <xs:enumeration value="AI"/> <xs:enumeration value="AL"/> <xs:enumeration value="AM"/> <xs:enumeration value="AN"/> <xs:enumeration value="AO"/> <xs:enumeration value="AQ"/> <xs:enumeration value="AR"/> <xs:enumeration value="AS"/> <xs:enumeration value="AT"/> <xs:enumeration value="AU"/> <xs:enumeration value="AW"/> <xs:enumeration value="AX"/> <xs:enumeration value="AZ"/> <xs:enumeration value="BA"/> <xs:enumeration value="BB"/> <xs:enumeration value="BD"/> <xs:enumeration value="BE"/> <xs:enumeration value="BF"/> <xs:enumeration value="BG"/> <xs:enumeration value="BH"/> <xs:enumeration value="BI"/> <xs:enumeration value="BJ"/> <xs:enumeration value="BM"/> <xs:enumeration value="BN"/> <xs:enumeration value="BO"/> <xs:enumeration value="BR"/> <xs:enumeration value="BS"/> <xs:enumeration value="BT"/> <xs:enumeration value="BV"/> <xs:enumeration value="BW"/> <xs:enumeration value="BY"/> <xs:enumeration value="BZ"/> <xs:enumeration value="CA"/>
--	--

	<xs:enumeration value="CC"/> <xs:enumeration value="CD"/> <xs:enumeration value="CF"/> <xs:enumeration value="CG"/> <xs:enumeration value="CH"/> <xs:enumeration value="CI"/> <xs:enumeration value="CK"/> <xs:enumeration value="CL"/> <xs:enumeration value="CM"/> <xs:enumeration value="CN"/> <xs:enumeration value="CO"/> <xs:enumeration value="CR"/> <xs:enumeration value="CS"/> <xs:enumeration value="CU"/> <xs:enumeration value="CV"/> <xs:enumeration value="CX"/> <xs:enumeration value="CY"/> <xs:enumeration value="CZ"/> <xs:enumeration value="DE"/> <xs:enumeration value="DJ"/> <xs:enumeration value="DK"/> <xs:enumeration value="DM"/> <xs:enumeration value="DO"/> <xs:enumeration value="DZ"/> <xs:enumeration value="EC"/> <xs:enumeration value="EE"/> <xs:enumeration value="EG"/> <xs:enumeration value="EH"/> <xs:enumeration value="ER"/> <xs:enumeration value="ES"/> <xs:enumeration value="ET"/> <xs:enumeration value="FI"/> <xs:enumeration value="FJ"/> <xs:enumeration value="FK"/> <xs:enumeration value="FM"/> <xs:enumeration value="FO"/> <xs:enumeration value="FR"/> <xs:enumeration value="GA"/>
--	--

<xs:enumeration value="GB"/> <xs:enumeration value="GD"/> <xs:enumeration value="GE"/> <xs:enumeration value="GF"/> <xs:enumeration value="GH"/> <xs:enumeration value="GI"/> <xs:enumeration value="GL"/> <xs:enumeration value="GM"/> <xs:enumeration value="GN"/> <xs:enumeration value="GP"/> <xs:enumeration value="GQ"/> <xs:enumeration value="GR"/> <xs:enumeration value="GS"/> <xs:enumeration value="GT"/> <xs:enumeration value="GU"/> <xs:enumeration value="GW"/> <xs:enumeration value="GY"/> <xs:enumeration value="HK"/> <xs:enumeration value="HM"/> <xs:enumeration value="HN"/> <xs:enumeration value="HR"/> <xs:enumeration value="HT"/> <xs:enumeration value="HU"/> <xs:enumeration value="ID"/> <xs:enumeration value="IE"/> <xs:enumeration value="IL"/> <xs:enumeration value="IN"/> <xs:enumeration value="IO"/> <xs:enumeration value="IQ"/> <xs:enumeration value="IR"/> <xs:enumeration value="IS"/> <xs:enumeration value="IT"/> <xs:enumeration value="JM"/> <xs:enumeration value="JO"/> <xs:enumeration value="JP"/> <xs:enumeration value="KE"/> <xs:enumeration value="KG"/> <xs:enumeration value="KH"/>
--

<xs:enumeration value="KI"/> <xs:enumeration value="KM"/> <xs:enumeration value="KN"/> <xs:enumeration value="KP"/> <xs:enumeration value="KR"/> <xs:enumeration value="KW"/> <xs:enumeration value="KY"/> <xs:enumeration value="KZ"/> <xs:enumeration value="LA"/> <xs:enumeration value="LB"/> <xs:enumeration value="LC"/> <xs:enumeration value="LI"/> <xs:enumeration value="LK"/> <xs:enumeration value="LR"/> <xs:enumeration value="LS"/> <xs:enumeration value="LT"/> <xs:enumeration value="LU"/> <xs:enumeration value="LV"/> <xs:enumeration value="LY"/> <xs:enumeration value="MA"/> <xs:enumeration value="MC"/> <xs:enumeration value="MD"/> <xs:enumeration value="MG"/> <xs:enumeration value="MH"/> <xs:enumeration value="MK"/> <xs:enumeration value="ML"/> <xs:enumeration value="MM"/> <xs:enumeration value="MN"/> <xs:enumeration value="MO"/> <xs:enumeration value="MP"/> <xs:enumeration value="MQ"/> <xs:enumeration value="MR"/> <xs:enumeration value="MS"/> <xs:enumeration value="MT"/> <xs:enumeration value="MU"/> <xs:enumeration value="MV"/> <xs:enumeration value="MW"/> <xs:enumeration value="MX"/>
--

<xs:enumeration value="MY"/> <xs:enumeration value="MZ"/> <xs:enumeration value="NA"/> <xs:enumeration value="NC"/> <xs:enumeration value="NE"/> <xs:enumeration value="NF"/> <xs:enumeration value="NG"/> <xs:enumeration value="NI"/> <xs:enumeration value="NL"/> <xs:enumeration value="NO"/> <xs:enumeration value="NP"/> <xs:enumeration value="NR"/> <xs:enumeration value="NU"/> <xs:enumeration value="NZ"/> <xs:enumeration value="OM"/> <xs:enumeration value="PA"/> <xs:enumeration value="PE"/> <xs:enumeration value="PF"/> <xs:enumeration value="PG"/> <xs:enumeration value="PH"/> <xs:enumeration value="PK"/> <xs:enumeration value="PL"/> <xs:enumeration value="PM"/> <xs:enumeration value="PN"/> <xs:enumeration value="PR"/> <xs:enumeration value="PS"/> <xs:enumeration value="PT"/> <xs:enumeration value="PW"/> <xs:enumeration value="PY"/> <xs:enumeration value="QA"/> <xs:enumeration value="RE"/> <xs:enumeration value="RO"/> <xs:enumeration value="RU"/> <xs:enumeration value="RW"/> <xs:enumeration value="SA"/> <xs:enumeration value="SB"/> <xs:enumeration value="SC"/> <xs:enumeration value="SD"/>
--

<xs:enumeration value="SE"/> <xs:enumeration value="SG"/> <xs:enumeration value="SH"/> <xs:enumeration value="SI"/> <xs:enumeration value="SJ"/> <xs:enumeration value="SK"/> <xs:enumeration value="SL"/> <xs:enumeration value="SM"/> <xs:enumeration value="SN"/> <xs:enumeration value="SO"/> <xs:enumeration value="SR"/> <xs:enumeration value="ST"/> <xs:enumeration value="SV"/> <xs:enumeration value="SY"/> <xs:enumeration value="SZ"/> <xs:enumeration value="TC"/> <xs:enumeration value="TD"/> <xs:enumeration value="TF"/> <xs:enumeration value="TG"/> <xs:enumeration value="TH"/> <xs:enumeration value="TJ"/> <xs:enumeration value="TK"/> <xs:enumeration value="TL"/> <xs:enumeration value="TM"/> <xs:enumeration value="TN"/> <xs:enumeration value="TO"/> <xs:enumeration value="TR"/> <xs:enumeration value="TT"/> <xs:enumeration value="TV"/> <xs:enumeration value="TW"/> <xs:enumeration value="TZ"/> <xs:enumeration value="UA"/> <xs:enumeration value="UG"/> <xs:enumeration value="UM"/> <xs:enumeration value="UY"/> <xs:enumeration value="UZ"/> <xs:enumeration value="VA"/> <xs:enumeration value="VC"/>
--

<pre><xs:enumeration value="VE"/> <xs:enumeration value="VG"/> <xs:enumeration value="VI"/> <xs:enumeration value="VN"/> <xs:enumeration value="VU"/> <xs:enumeration value="WF"/> <xs:enumeration value="WS"/> <xs:enumeration value="YE"/> <xs:enumeration value="YT"/> <xs:enumeration value="ZA"/> <xs:enumeration value="ZM"/> <xs:enumeration value="ZW"/> <!-- United States --> <!-- Andorra --> <!-- United Arab Emirates --> <!-- Afghanistan --> <!-- Antigua And Barbuda --> <!-- Anguilla --> <!-- Albania --> <!-- Armenia --> <!-- Netherlands Antilles --> <!-- Angola --> <!-- Antarctica --> <!-- Argentina --> <!-- American Samoa --> <!-- Austria --> <!-- Australia --> <!-- Aruba --> <!-- Aland Islands --> <!-- Azerbaijan --> <!-- Bosnia And Herzegovina --> <!-- Barbados --> <!-- Bangladesh --> <!-- Belgium --> <!-- Burkina Faso --> <!-- Bulgaria --> <!-- Bahrain --> <!-- Burundi --></pre>
--

	<!-- Benin --> <!-- Bermuda --> <!-- Brunei Darussalam --> <!-- Bolivia --> <!-- Brazil --> <!-- Bahamas --> <!-- Bhutan --> <!-- Bouvet Island --> <!-- Botswana --> <!-- Belarus --> <!-- Belize --> <!-- Canada --> <!-- Cocos (Keeling) Islands --> <!-- Congo --> <!-- Central African Republic --> <!-- Congo , The Democratic Republic Of The --> <!-- Switzerland --> <!-- Cote D'ivoire --> <!-- Cook Islands --> <!-- Chile --> <!-- Cameroon --> <!-- China --> <!-- Colombia --> <!-- Costa Rica --> <!-- Serbia And Montenegro --> <!-- Cuba --> <!-- Cape Verde --> <!-- Christmas Island --> <!-- Cyprus --> <!-- Czech Republic --> <!-- Germany --> <!-- Djibouti --> <!-- Denmark --> <!-- Dominica --> <!-- Dominican Republic --> <!-- Algeria --> <!-- Ecuador --> <!-- Estonia -->
--	---

<!-- Egypt --> <!-- Western Sahara --> <!-- Eritrea --> <!-- Spain --> <!-- Ethiopia --> <!-- Finland --> <!-- Fiji --> <!-- Falkland Islands (Malvinas) --> <!-- Micronesia, Federated States Of --> <!-- Faroe Islands --> <!-- France --> <!-- Gabon --> <!-- United Kingdom --> <!-- Grenada --> <!-- Georgia --> <!-- French Guiana --> <!-- Ghana --> <!-- Gibraltar --> <!-- Greenland --> <!-- Gambia --> <!-- Guinea --> <!-- Guadeloupe --> <!-- Equatorial Guinea --> <!-- Greece --> <!-- South Georgia And The South Sandwich Islands --> <!-- Guatemala --> <!-- Guam --> <!-- Guinea - Bissau --> <!-- Guyana --> <!-- Hong Kong --> <!-- Heard Island and Mcdonald Islands --> <!-- Honduras --> <!-- Croatia --> <!-- Haiti --> <!-- Hungary --> <!-- Indonesia --> <!-- Ireland --> <!-- Israel -->
--

<!-- India --> <!-- British Indian Ocean Territory --> <!-- Iraq --> <!-- Iran, Islamic Republic Of --> <!-- Iceland --> <!-- Italy --> <!-- Jamaica --> <!-- Jordan --> <!-- Japan --> <!-- Kenya --> <!-- Kyrgyzstan --> <!-- Cambodia --> <!-- Kiribati --> <!-- Comoros --> <!-- Saint Kitts And Nevis --> <!-- Korea, Democratic People's Republic Of --> <!-- Korea, Republic Of --> <!-- Kuwait --> <!-- Cayman Islands --> <!-- Kazakhstan --> <!-- Lao People's Democratic Republic --> <!-- Lebanon --> <!-- Saint Lucia --> <!-- Liechtenstein --> <!-- Sri Lanka --> <!-- Liberia --> <!-- Lesotho --> <!-- Lithuania --> <!-- Luxembourg --> <!-- Latvia --> <!-- Libyan Arab Jamahiriya --> <!-- Morocco --> <!-- Monaco --> <!-- Moldova, Republic Of --> <!-- Madagascar --> <!-- Marshall Islands --> <!-- Macedonia, The Former Yugoslav Republic Of --> <!-- Mali -->

	<!-- Myanmar --> <!-- Mongolia --> <!-- Macao --> <!-- Northern Mariana Islands --> <!-- Martinique --> <!-- Mauritania --> <!-- Montserrat --> <!-- Malta --> <!-- Mauritius --> <!-- Maldives --> <!-- Malawi --> <!-- Mexico --> <!-- Malaysia --> <!-- Mozambique --> <!-- Namibia --> <!-- New Caledonia --> <!-- Niger --> <!-- Norfolk Island --> <!-- Nigeria --> <!-- Nicaragua --> <!-- Netherlands --> <!-- Norway --> <!-- Nepal --> <!-- Nauru --> <!-- Niue --> <!-- New Zealand --> <!-- Oman --> <!-- Panama --> <!-- Peru --> <!-- French Polynesia --> <!-- Papua New Guinea --> <!-- Philippines --> <!-- Pakistan --> <!-- Poland --> <!-- Saint Pierre And Miquelon --> <!-- Pitcairn --> <!-- Puerto Rico --> <!-- Palestinian Territory, Occupied -->
--	---

	<!-- Portugal --> <!-- Palau --> <!-- Paraguay --> <!-- Qatar --> <!-- Reunion --> <!-- Romania --> <!-- Russian Federation --> <!-- Rwanda --> <!-- Saudi Arabia --> <!-- Solomon Islands --> <!-- Seychelles --> <!-- Sudan --> <!-- Sweden --> <!-- Singapore --> <!-- Saint Helena --> <!-- Slovenia --> <!-- Svalbard And Jan Mayen --> <!-- Slovakia --> <!-- Sierra Leone --> <!-- San Marino --> <!-- Senegal --> <!-- Somalia --> <!-- Suriname --> <!-- Sao Tome And Principe --> <!-- El Salvador --> <!-- Syrian Arab Republic --> <!-- Swaziland --> <!-- Turks And Caicos Islands --> <!-- Chad --> <!-- French Southern Territories --> <!-- Togo --> <!-- Thailand --> <!-- Tajikistan --> <!-- Tokelau --> <!-- Timor - Leste --> <!-- Turkmenistan --> <!-- Tunisia --> <!-- Tonga -->
--	---

	<!-- Turkey --> <!-- Trinidad And Tobago --> <!-- Tuvalu --> <!-- Taiwan, Province Of China --> <!-- Tanzania, United Republic Of --> <!-- Ukraine --> <!-- Uganda --> <!-- United States Minor Outlying Islands --> <!-- Uruguay --> <!-- Uzbekistan --> <!-- Holy See (Vatican City State) --> <!-- Saint Vincent And The Grenadines --> <!-- Venezuela --> <!-- Virgin Islands, British --> <!-- Virgin Islands, U.S. --> <!-- Viet Nam --> <!-- Vanuatu --> <!-- Wallis And Futuna --> <!-- Samoa --> <!-- Yemen --> <!-- Mayotte --> <!-- South Africa --> <!-- Zambia --> <!-- Zimbabwe --> </xs:restriction> </xs:simpleType>
--	---

simpleType CourseCreditType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:decimal
properties	base xs:decimal
used by	element CourseType/CourseCredit

facets	Kind	Value	Annotation
	totalDigits	2	
	fractionDigits	1	
source	<xs:simpleType name="CourseCreditType"> <xs:restriction base="xs:decimal"> <xs:totalDigits value="2"/> <xs:fractionDigits value="1"/> </xs:restriction> </xs:simpleType>		

simpleType CourseExplanationType

namespace	urn:us:tx:state:tea:TREx:v1.39		
type	restriction of xs:token		
properties	base xs:token		
used by	element CourseType/Explanation		
facets	Kind	Value	Annotation
	enumeration	A	
	enumeration	C	
	enumeration	D	
	enumeration	E	
	enumeration	G	
	enumeration	H	
	enumeration	I	
	enumeration	J	
	enumeration	K	
	enumeration	L	

	enumeration M enumeration O enumeration P enumeration Q enumeration R enumeration T enumeration V enumeration X enumeration Z enumeration 1 enumeration 2 enumeration 3 enumeration 4 enumeration 5 enumeration 7 enumeration 8 enumeration 9 enumeration 10
source	<xs:simpleType name="CourseExplanationType"> <xs:restriction base="xs:token"> <xs:enumeration value="A"/> <xs:enumeration value="C"/> <xs:enumeration value="D"/> <xs:enumeration value="E"/> <xs:enumeration value="G"/> <xs:enumeration value="H"/> <xs:enumeration value="I"/> <xs:enumeration value="J"/> <xs:enumeration value="K"/>

<xs:enumeration value="L"/>
<xs:enumeration value="M"/>
<xs:enumeration value="O"/>
<xs:enumeration value="P"/>
<xs:enumeration value="Q"/>
<xs:enumeration value="R"/>
<xs:enumeration value="T"/>
<xs:enumeration value="V"/>
<xs:enumeration value="X"/>
<xs:enumeration value="Z"/>
<xs:enumeration value="1"/>
<xs:enumeration value="2"/>
<xs:enumeration value="3"/>
<xs:enumeration value="4"/>
<xs:enumeration value="5"/>
<xs:enumeration value="7"/>
<xs:enumeration value="8"/>
<xs:enumeration value="9"/>
<xs:enumeration value="10"/>

<!-- A high school course for which college credit will be awarded by a college under the conditions of a local articulation agreement or the statewide Advanced Technical Credit Program agreement. Colleges agreeing to award credit under the conditions of a local agreement or under a Tech Prep program agreement must be named. -->

<!-- A course taken by correspondence from an approved institution of higher education (19 TAC 74.23). -->

<!-- A college course for taken dual credit (19 TAC 74.25). -->

<!-- A course for which credit is awarded by examination in an academic subject in which the student has had no prior instruction (Credit by Exam) (TAC §74.24(c)(1)). -->

<!-- A gifted/talented course. -->

<!-- An honors course. (Note: This refers to locally-approved honors courses.) -->

<!-- An International Baccalaureate course. -->

<!-- A high school course completed prior to grade 9 (19 TAC 74.26). -->

<!-- A pre-International Baccalaureate course. -->

<!-- A local-credit course taken for local credit only. (Note: Local credit is not counted toward state graduation requirements unless the course is

required by an ARD Committee for students receiving special education services who entered grade nine prior to the 2011-2012 school year.). -->

<!-- A magnet course. -->

<!-- An OnRamps course. -->

<!-- A College Board Advanced Placement (AP) course. -->

<!-- A pre-Advanced Placement course -->

<!-- A course completed in summer school, night school, or other instructional arrangement outside the regular school year and/or day. -->

<!-- A course for which credit is awarded by examination in an academic subject in which the student has had some prior formal instruction (TAC §74.24(c)(3)). -->

<!-- A state-approved course in which content as described by the TEKS has been modified as a result of an ARD Committee decision. This code is used only for students receiving special education services to indicate modifications in TEKS course content. -->

<!-- An innovative course approved for state graduation elective credit by the State Board of Education or the Commissioner of Education (19 TAC 74.27). -->

<!-- A course taken by distance learning including but not limited to the Texas Virtual School Network (TXVSN) television instruction, electronic transmission, or satellite broadcast (19 TAC 74.23) -->

<!-- A course for which a physical education credit or waiver is awarded through a substitution allowed by 19 TAC 74. -->

<!-- A course that is part of a coherent sequence of career and technical education (CTE) courses (19 TAC 74.3(b)(2)(G)). -->

<!-- A course for which credit is awarded based on the district's evaluation of the student's records from a school that operates outside the Texas public or charter school system (i.e., home schools, private schools, out of state schools, etc.) (TAC 74.26(A)(2)) -->

<!-- A Career & Technical Education course that satisfies a specific graduation requirement as allowed by 19 TAC 74. -->

<!-- Course Grade Average or Final Grade Average includes STAAR EOC results -->

<!-- A TEKS-based course that includes 100 minutes of moderate to vigorous physical activity per five-day school week taken to satisfy the physical education requirement on the Foundation High School Program (19 TAC 74.12(b)(6)(B)). -->

<!-- A course other than a languages other than English (LOTE) course

| | |
|--|---|
| | <p>taken to satisfy the LOTE requirement on the Foundation High School Program (19 TAC 74.12(b)(5)(B) or (D)). --></p> <p><!-- A course taken by a student with written permission from the student's parent/guardian to satisfy the fourth science requirement for the arts and humanities endorsement on the Foundation High School Program (19 TAC 74.13(e)(5)(EE)). --></p> <p><!-- A course taken as a part of a Foundation High School Program endorsement. --></p> <p></xs:restriction></p> <p></xs:simpleType></p> |
|--|---|

simpleType CourseGradeType

| namespace | urn:us:tx:state:tea:TREx:v1.39 | | | | | | | | | |
|------------|--|------------|-------|------------|-----------|---|--|-----------|----|--|
| type | restriction of xs:token | | | | | | | | | |
| properties | base xs:token | | | | | | | | | |
| used by | elements CourseType/CourseGrade CourseType/FinalGradeAverage CourseType/GradeAverage | | | | | | | | | |
| facets | <table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>10</td><td></td></tr></table> | Kind | Value | Annotation | minLength | 1 | | maxLength | 10 | |
| Kind | Value | Annotation | | | | | | | | |
| minLength | 1 | | | | | | | | | |
| maxLength | 10 | | | | | | | | | |
| source | <pre><xs:simpleType name="CourseGradeType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="10"/> </xs:restriction> </xs:simpleType></pre> | | | | | | | | | |

simpleType CourseIDType

| namespace | urn:us:tx:state:tea:TREx:v1.39 | | | | | | | | | |
|------------|---|------------|-------|------------|-----------|---|--|-----------|----|--|
| type | restriction of xs:token | | | | | | | | | |
| properties | base xs:token | | | | | | | | | |
| used by | element CourseType/CourseID | | | | | | | | | |
| facets | <table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>64</td><td></td></tr></table> | Kind | Value | Annotation | minLength | 1 | | maxLength | 64 | |
| Kind | Value | Annotation | | | | | | | | |
| minLength | 1 | | | | | | | | | |
| maxLength | 64 | | | | | | | | | |
| source | <pre><xs:simpleType name="CourseIDType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="64"/> </xs:restriction> </xs:simpleType></pre> | | | | | | | | | |

simpleType CourseTeacherType

| namespace | urn:us:tx:state:tea:TREx:v1.39 | | | | | | | | | |
|------------|--|------------|-------|------------|-----------|---|--|-----------|----|--|
| type | restriction of xs:token | | | | | | | | | |
| properties | base xs:token | | | | | | | | | |
| used by | element CourseType/CourseTeacher | | | | | | | | | |
| facets | <table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>40</td><td></td></tr></table> | Kind | Value | Annotation | minLength | 1 | | maxLength | 40 | |
| Kind | Value | Annotation | | | | | | | | |
| minLength | 1 | | | | | | | | | |
| maxLength | 40 | | | | | | | | | |
| source | <pre><xs:simpleType name="CourseTeacherType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="40"/> </xs:restriction> </xs:simpleType></pre> | | | | | | | | | |

| | |
|--|---------------------------------------|
| | </xs:restriction>
</xs:simpleType> |
|--|---------------------------------------|

simpleType CourseTitleType

| namespace | urn:us:tx:state:tea:TREx:v1.39 | | | | | | | | | |
|------------|---|------------|-------|------------|-----------|---|--|-----------|-----|--|
| type | restriction of xs:token | | | | | | | | | |
| properties | base xs:token | | | | | | | | | |
| used by | element CourseType/CourseTitle | | | | | | | | | |
| facets | <table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>100</td><td></td></tr></table> | Kind | Value | Annotation | minLength | 1 | | maxLength | 100 | |
| Kind | Value | Annotation | | | | | | | | |
| minLength | 1 | | | | | | | | | |
| maxLength | 100 | | | | | | | | | |
| source | <xs:simpleType name="CourseTitleType">
<xs:restriction base="xs:token">
<xs:minLength value="1"/>
<xs:maxLength value="100"/>
</xs:restriction>
</xs:simpleType> | | | | | | | | | |

simpleType CrisisCodeCodeType

| | | | | | | | |
|-------------|---|------------|-------|------------|-------------|----|--|
| namespace | urn:us:tx:state:tea:TREx:v1.39 | | | | | | |
| type | restriction of xs:token | | | | | | |
| properties | base xs:token | | | | | | |
| used by | element CrisisCodeType/CrisisCodeCode | | | | | | |
| facets | <table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>00</td><td></td></tr></table> | Kind | Value | Annotation | enumeration | 00 | |
| Kind | Value | Annotation | | | | | |
| enumeration | 00 | | | | | | |

| | |
|--------|--|
| | enumeration 1A
enumeration 1B
enumeration 1C
enumeration 2A
enumeration 2B
enumeration 2C
enumeration 7A
enumeration 7B
enumeration 7C
enumeration 7D
enumeration 7E
enumeration 7F
enumeration 7G
enumeration 7H
enumeration 7I
enumeration 8A
enumeration 8B
enumeration 8C
enumeration 9A
enumeration 9B
enumeration 9C
enumeration 10A
enumeration 10B |
| source | <xs:simpleType name="CrisisCodeCodeType">
<xs:restriction base="xs:token">
<xs:enumeration value="00"/>
<xs:enumeration value="1A"/> |

| | |
|--|--|
| | <xs:enumeration value="1B"/>
<xs:enumeration value="1C"/>
<xs:enumeration value="2A"/>
<xs:enumeration value="2B"/>
<xs:enumeration value="2C"/>
<xs:enumeration value="7A"/>
<xs:enumeration value="7B"/>
<xs:enumeration value="7C"/>
<xs:enumeration value="7D"/>
<xs:enumeration value="7E"/>
<xs:enumeration value="7F"/>
<xs:enumeration value="7G"/>
<xs:enumeration value="7H"/>
<xs:enumeration value="7I"/>
<xs:enumeration value="8A"/>
<xs:enumeration value="8B"/>
<xs:enumeration value="8C"/>
<xs:enumeration value="9A"/>
<xs:enumeration value="9B"/>
<xs:enumeration value="9C"/>
<xs:enumeration value="10A"/>
<xs:enumeration value="10B"/>
<!-- COVID-19: Student was not affected by a health or weather related crisis -->
<!-- COVID-19: On January 29, 2021 student is being instructed on-campus -->
<!-- COVID-19: On January 29, 2021 student is being instructed through the remote synchronous method -->
<!-- COVID-19: On January 29, 2021 student is being instructed through the remote asynchronous method -->
<!-- COVID-19: On March 31, 2021 student is being instructed on-campus -->
<!-- COVID-19: On March 31, 2021 student is being instructed through the remote synchronous method -->
<!-- COVID-19: On March 31, 2021 student is being instructed through the remote asynchronous method -->
<!-- COVID-19: Engaged for the majority of the time period -->
<!-- COVID-19: Not contactable for the entire time period --> |
|--|--|

	<!-- COVID-19: Not contactable prior to May 1st; Contact made May 1st or after but not engaged through end of the school year --> <!-- COVID-19: Not contactable prior to May 1st; Contact made May 1st or after and engaged through end of the school year --> <!-- COVID-19: Contactable but not engaged for the majority of the time period --> <!-- COVID-19: Contactable but not engaged prior to May 1st; Not contactable May 1st or after --> <!-- COVID-19: Contactable but not engaged prior to May 1st; Engaged May 1st or after through end of the school year --> <!-- COVID-19: Engaged prior to May 1st; Not contactable May 1st through end of the school year --> <!-- COVID-19: Engaged prior to May 1st; Not engaged May 1st through end of the school year --> <!-- COVID-19: On September 28, 2020 student is being instructed on-campus --> <!-- COVID-19: On September 28, 2020 student is being instructed through the remote synchronous method --> <!-- COVID-19: On September 28, 2020 student is being instructed through the remote asynchronous method --> <!-- COVID-19: On October 30, 2020 student is being instructed on-campus --> <!-- COVID-19: On October 30, 2020 student is being instructed through the remote synchronous method --> <!-- COVID-19: On October 30, 2020 student is being instructed through the remote asynchronous method --> <!-- Student Was Enrolled, Not In Membership Due To Virtual Learning On January 14, 2022 --> <!-- Student Was Enrolled, Not In Membership Due To Virtual Learning On May 13, 2022 --> </xs:restriction> </xs:simpleType>
--	---

simpleType DaysType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:decimal									
properties	base xs:decimal									
used by	elements AttendanceType/DaysAbsent AttendanceType/DaysAttended AttendanceType/PriorDaysAbsent AttendanceType/PriorDaysAttended AttendanceType/PriorRADaysAttended AttendanceType/PriorRSDaysAttended AttendanceType/RADaysAttended AttendanceType/RSDaysAttended									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>totalDigits</td><td>4</td><td></td></tr><tr><td>fractionDigits</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	totalDigits	4		fractionDigits	1	
Kind	Value	Annotation								
totalDigits	4									
fractionDigits	1									
source	<xs:simpleType name="DaysType"> <xs:restriction base="xs:decimal"> <xs:totalDigits value="4"/> <xs:fractionDigits value="1"/> </xs:restriction> </xs:simpleType>									

simpleType DisciplineActionCodeType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:token						
properties	base xs:token						
used by	element DisciplineActionType/DisciplineActionCode						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>01</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	01	
Kind	Value	Annotation					
enumeration	01						

	enumeration 02
	enumeration 03
	enumeration 04
	enumeration 05
	enumeration 06
	enumeration 07
	enumeration 08
	enumeration 09
	enumeration 10
	enumeration 11
	enumeration 12
	enumeration 13
	enumeration 14
	enumeration 15
	enumeration 25
	enumeration 26
	enumeration 27
	enumeration 28
	enumeration 30
	enumeration 31
	enumeration 50
	enumeration 51
	enumeration 52
	enumeration 53
	enumeration 54

	enumeration 55 enumeration 56 enumeration 57 enumeration 58 enumeration 59 enumeration 60 enumeration 61
source	<xs:simpleType name="DisciplineActionCodeType"> <xs:restriction base="xs:token"> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="03"/> <xs:enumeration value="04"/> <xs:enumeration value="05"/> <xs:enumeration value="06"/> <xs:enumeration value="07"/> <xs:enumeration value="08"/> <xs:enumeration value="09"/> <xs:enumeration value="10"/> <xs:enumeration value="11"/> <xs:enumeration value="12"/> <xs:enumeration value="13"/> <xs:enumeration value="14"/> <xs:enumeration value="15"/> <xs:enumeration value="25"/> <xs:enumeration value="26"/> <xs:enumeration value="27"/> <xs:enumeration value="28"/> <xs:enumeration value="30"/> <xs:enumeration value="31"/> <xs:enumeration value="50"/> <xs:enumeration value="51"/> <xs:enumeration value="52"/> <xs:enumeration value="53"/>

<xs:enumeration value="54"/>

<xs:enumeration value="55"/>

<xs:enumeration value="56"/>

<xs:enumeration value="57"/>

<xs:enumeration value="58"/>

<xs:enumeration value="59"/>

<xs:enumeration value="60"/>

<xs:enumeration value="61"/>

<!-- Expulsion (TEC 37.007) without placement in another educational setting as a result of a formal expulsion hearing [TEC 37.009(f)]. (This code does not apply if a student continues to receive educational services during the term of expulsion.) -->

<!-- Expulsion (TEC 37.007) with placement in a juvenile justice alternative education program (JJAEP) as a result of a formal expulsion hearing [TEC 37.009(f)]. -->

<!-- Expulsion (TEC 37.007) with placement in an on-campus disciplinary alternative education program (DAEP) as a result of a formal expulsion hearing [TEC 37.009(f)]. (Do not use this code when a student has been placed in a DAEP, but not expelled.) -->

<!-- Expulsion (TEC 37.007) with placement in an off-campus DAEP as a result of a formal expulsion hearing [TEC 37.009(f)]. (Do not use this code when a student has been placed in a DAEP, but not expelled.) -->

<!-- Out-of-school suspension (Suspension may not exceed three days under TEC 37.005.) -->

<!-- In-school suspension (For students eligible for special education and related services, this includes any setting that has not been addressed by an admission, review, and dismissal committee within the placement determination of the student's current IEP.) (Suspension may not exceed three days under TEC 37.005.) -->

<!-- Placement in an on-campus or off-campus DAEP (TEC 37.008) as a result of a conference [TEC 37.009(a)], rather than a formal hearing as required for expulsion. -->

<!-- Continuation of other district's DAEP placement -->

<!-- Continuation of other district's expulsion order -->

<!-- Continuation of the district's DAEP placement from the prior school year -->

<!-- Continuation of the district's expulsion order from the prior school year -->

	<!-- Continuation of the district's expulsion with placement to JJAEP from the prior school year --> <!-- Placement in a JJAEP by Court order --> <!-- Placement in a DAEP by Court order --> <!-- Continuation of other district's expulsion with placement to JJAEP --> <!-- Partial day Out-of-School Suspension --> <!-- Partial day In-School Suspension --> <!-- Mandatory disciplinary action not taken by district as a result of ARD committee manifestation hearing determination, made in accordance with IDEA for a student receiving special education services, that the student's behavior is linked to the student's disability. --> <!-- Mandatory disciplinary action not taken - (TEC 37.001(a)(4) - The mandatory disciplinary action was not taken because the district's Student Code of Conduct includes one or more of the TEC, 37.001(a)(4) provisions that allows the district to consider self defense, intent or lack of intent, student's disciplinary history, or disability that substantially impairs the student's capacity to appreciate the wrongfulness of the student's conduct as a factor in a decision to order suspension, removal to a disciplinary alternative education program, or expulsion. --> <!-- Expulsion to a virtual setting under the Virtual Expulsion Program - TEC, 37.0083 --> <!-- Placement in In-School Suspension by Parent Request Unable to Provide Suitable Supervision and only applicable to student below grade three and students experiencing homelessness - TEC 37.005(c-2) --> <!-- Expulsion without placement in another educational setting as a result of a determination by a special education hearing officer (not a hearing officer employed or appointed by the district) --> <!-- Expulsion with placement to a JJAEP as a result of a determination by a special education hearing officer (not a hearing officer employed or appointed by the district) --> <!-- Expulsion with placement to an on-campus DAEP as a result of a determination by a special education hearing officer --> <!-- Expulsion with placement to an off-campus DAEP as a result of a determination by a special education hearing officer --> <!-- Placement in an alternative education program established under TEC, 37.008 as a result of a determination by a special education hearing officer --> <!-- Continuation of other district's DAEP placement as a result by a
--	---

	<pre> special education determination of a hearing officer --> <!-- Continuation of other district's expulsion order as a result by a special education determination of a hearing officer --> <!-- Continuation of the district's DAEP placement from the prior school year as a result of a determination by a special education hearing officer -- > <!-- Continuation of the district's expulsion order from the prior school year as a result of a determination by a special education hearing officer -- > <!-- Continuation of the district's expulsion with placement to JJAEP from the prior school year as a result of a determination by a special education hearing officer --> <!-- Placement in a JJAEP as a result of a determination by a special education hearing officer --> <!-- Continuation of other district's expulsion with placement to JJAEP as a result of a determination by a special education hearing officer --> </xs:restriction> </xs:simpleType> </pre>
--	---

simpleType DisciplineActionNumType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:integer						
properties	base xs:integer						
used by	element DisciplineActionType/DisciplineActionNum						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>totalDigits</td><td>3</td><td></td></tr></table>	Kind	Value	Annotation	totalDigits	3	
Kind	Value	Annotation					
totalDigits	3						
source	<pre><xs:simpleType name="DisciplineActionNumType"> <xs:restriction base="xs:integer"> <xs:totalDigits value="3"/> </xs:restriction> </xs:simpleType></pre>						

simpleType DisciplineActionReasonType

namespace	urn:us:tx:state:tea:TREx:v1.39		
type	restriction of xs:token		
properties	base xs:token		
used by	element DisciplineActionType/DisciplineActionReason		
facets	Kind	Value	Annotation
	enumeration	01	
	enumeration	02	
	enumeration	04	
	enumeration	05	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
	enumeration	10	
	enumeration	11	
	enumeration	12	
	enumeration	13	
	enumeration	14	
	enumeration	16	
	enumeration	17	
	enumeration	18	
	enumeration	19	

	enumeration	20	
	enumeration	21	
	enumeration	22	
	enumeration	23	
	enumeration	26	
	enumeration	27	
	enumeration	28	
	enumeration	29	
	enumeration	30	
	enumeration	31	
	enumeration	32	
	enumeration	33	documentation Deprecated
	enumeration	34	documentation Deprecated
	enumeration	35	
	enumeration	36	
	enumeration	37	
	enumeration	41	
	enumeration	46	
	enumeration	47	
	enumeration	48	
	enumeration	49	
	enumeration	50	documentation Deprecated

	enumeration 51
	enumeration 52
	enumeration 53
	enumeration 54
	enumeration 55
	enumeration 56
	enumeration 57
	enumeration 58
	enumeration 59
	enumeration 60
	enumeration 61
	enumeration 62
	enumeration 63
	enumeration 64
	enumeration 65
	enumeration 66
	enumeration 67
	enumeration 68
	enumeration 69
	enumeration 70
	enumeration 71
	enumeration 72
	enumeration 73
	enumeration 74
	enumeration 75

	enumeration 76
source	<pre> <xs:simpleType name="DisciplineActionReasonType"> <xs:restriction base="xs:token"> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="04"/> <xs:enumeration value="05"/> <xs:enumeration value="06"/> <xs:enumeration value="07"/> <xs:enumeration value="08"/> <xs:enumeration value="09"/> <xs:enumeration value="10"/> <xs:enumeration value="11"/> <xs:enumeration value="12"/> <xs:enumeration value="13"/> <xs:enumeration value="14"/> <xs:enumeration value="16"/> <xs:enumeration value="17"/> <xs:enumeration value="18"/> <xs:enumeration value="19"/> <xs:enumeration value="20"/> <xs:enumeration value="21"/> <xs:enumeration value="22"/> <xs:enumeration value="23"/> <xs:enumeration value="26"/> <xs:enumeration value="27"/> <xs:enumeration value="28"/> <xs:enumeration value="29"/> <xs:enumeration value="30"/> <xs:enumeration value="31"/> <xs:enumeration value="32"/> <xs:enumeration value="33"> <xs:annotation> <xs:documentation>Deprecated</xs:documentation> </xs:annotation> <!-- Deleted from PEIMS in 2019-2020, valid for TREx for records prior to 2019-2020 school year --> </pre>

```

</xs:enumeration>
<xs:enumeration value="34">
  <xs:annotation>
    <xs:documentation>Deprecated</xs:documentation>
  </xs:annotation>
  <!-- Deleted from PEIMS in 2019-2020, valid for TREx for records prior to
2019-2020 school year -->
</xs:enumeration>
<xs:enumeration value="35"/>
<xs:enumeration value="36"/>
<xs:enumeration value="37"/>
<xs:enumeration value="41"/>
<xs:enumeration value="46"/>
<xs:enumeration value="47"/>
<xs:enumeration value="48"/>
<xs:enumeration value="49"/>
<xs:enumeration value="50">
  <xs:annotation>
    <xs:documentation>Deprecated</xs:documentation>
  </xs:annotation>
  <!-- Used, exhibited, or possessed a non-illegal knife as defined by
student code of conduct and as allowed under TEC 37.007. (Knife blade
equal to or less than 5.5 inches.) -->
</xs:enumeration>
<xs:enumeration value="51"/>
<xs:enumeration value="52"/>
<xs:enumeration value="53"/>
<xs:enumeration value="54"/>
<xs:enumeration value="55"/>
<xs:enumeration value="56"/>
<xs:enumeration value="57"/>
<xs:enumeration value="58"/>
<xs:enumeration value="59"/>
<xs:enumeration value="60"/>
<xs:enumeration value="61"/>
<xs:enumeration value="62"/>
<xs:enumeration value="63"/>
<xs:enumeration value="64"/>

```

<xs:enumeration value="65"/>

<xs:enumeration value="66"/>

<xs:enumeration value="67"/>

<xs:enumeration value="68"/>

<xs:enumeration value="69"/>

<xs:enumeration value="70"/>

<xs:enumeration value="71"/>

<xs:enumeration value="72"/>

<xs:enumeration value="73"/>

<xs:enumeration value="74"/>

<xs:enumeration value="75"/>

<xs:enumeration value="76"/>

<!-- Permanent Removal by a Teacher from Class (Teacher has removed the student from classroom and denied the student the right to return. TEC 37.003 has been invoked.) -->

<!-- Conduct punishable as a felony - TEC 37.006(a)(2)(A) -->

<!-- Possessed, sold, used, or was under the influence of marihuana or other controlled substance TEC 37.006(a)(2)(C) and 37.007(b) -->

<!-- Possessed, sold, used, or was under the influence of an alcoholic beverage -->

<!-- Abuse of a volatile chemical - TEC 37.006(a)(2)(E) -->

<!-- Public lewdness or indecent exposure - TEC 37.006(a)(2)(F) -->

<!-- Retaliation against school employee - TEC 37.006(b) and 37.007(d) -->

<!-- Based on conduct occurring off campus and while the student is not in attendance at a school-sponsored or school-related activity for felony offenses in Title 5, Penal Code - TEC 37.006(c), TEC 37.007(b)(4), and TEC 37.0081. -->

<!-- Based on conduct occurring off campus and while the student is not in attendance at a school-sponsored or school-related activity for felony offenses not in Title 5, Penal Code -->

<!-- Brought a Firearm to School - TEC 37.007(e) or Unlawful Carrying of a Handgun under Penal Code 46.02 - TEC 37.007(a)(1) -->

<!-- Unlawful Carrying of a Location-Restricted Knife under Penal Code 46.02 - TEC 37.007(a)(1) (Illegal knife - blade longer than 5.5 inches) -->

<!-- Unlawful Carrying of a Club under Penal Code 46.02 - TEC 37.007(a)(1) -->

<!-- Conduct Containing the Elements of an Offense Relating to

Prohibited Weapons Under Penal Code 46.05 - TEC 37.007(a)(1) -->

- <!-- Arson - TEC 37.007(a)(2)(B) -->
- <!-- Murder, capital murder, criminal attempt to commit murder, or capital murder - -->
- <!-- Indecency with a child - TEC 37.007(a)(2)(D) -->
- <!-- Aggravated kidnapping - TEC 37.007(a)(2)(E) -->
- <!-- Serious or persistent misconduct violating the student code of conduct while placed in a disciplinary alternative education program - TEC 37.007(c) -->
- <!-- Violation of student code of conduct not included under TEC 37.002(b), 37.006 or 37.007 -->
- <!-- Criminal mischief - TEC 37.007(f) -->
- <!-- Emergency Placement/expulsion - TEC 37.019 -->
- <!-- Terroristic threat - TEC 37.006(a)(1) and TEC 37.007(b) -->
- <!-- Assault under Penal Code 22.01(a)(1) against a school district employee or volunteer - -->
- <!-- Assault under Penal Code 22.01(a)(1) against someone other than a school district employee or volunteer - TEC 37.006(a)(2)(B) -->
- <!-- Aggravated assault under Penal Code 22.02 against a school district employee or volunteer-TEC 37.007(d) -->
- <!-- Aggravated assault under Penal Code 22.02 against someone other than a school district employee or volunteer - TEC 37.007 (a)(2)(A) -->
- <!-- Sexual assault under Penal Code 22.011 or aggravated sexual assault under Penal Code 22.021 against a school district employee or volunteer - TEC 37.007(d) -->
- <!-- Sexual assault under Penal Code 22.011 or aggravated sexual assault under Penal Code 22.021 against someone other than a school district employee or volunteer - -->
- <!-- False alarm/false report - TEC 37.006(a)(1) and 37.007(b) -->
- <!-- Felony controlled substance violation - TEC 37.007(a)(3) -->
- <!-- Felony alcohol violation - TEC 37.007(a)(3) -->
- <!-- Fighting/Mutual Combat - Excludes all offenses under Penal Code 22.01 -->
- <!-- Aggravated robbery - TEC 37.007(a)(2)(F), TEC 37.006 (C)-(D) -->
- <!-- Manslaughter - TEC 37.007(a)(2)(G) -->
- <!-- Criminally negligent homicide TEC 37.007(a)(2)(H) -->
- <!-- Engages in deadly conduct - TEC 37.007(b)(3) -->
- <!-- Firearm (Off Campus 300 ft. Zone) Used, exhibited or possessed a

firearm specified in TEC 37.007(a)(1)(A) [as defined by 18 USC Section 921 or Penal Code 46.01(3)] off-campus but within 300 feet of school property as specified in TEC 37.007(b)(3). -->

<!-- Illegal Knife, Club, or Prohibited Weapon (Off Campus 300 ft. Zone) Used, exhibited or possessed an illegal knife, club, or prohibited weapon specified in TEC 37.007(a)(1)(B-D) off campus but within 300 feet of school property as specified in TEC 37.007(b)(3). -->

<!-- Serious Offense Conduct (Off Campus 300 ft. Zone) Engaged in conduct that contains the elements of the offenses specified by TEC 37.007(a)(2)(A-H) occurring off-campus but within 300 feet of school property. This includes criminal conduct specified in TEC 37.007(b)(3) of aggravated assault, sexual assault, aggravated sexual assault, arson, murder, capital murder, criminal attempted murder or capital murder, indecency with a child, aggravated kidnapping, aggravated robbery, manslaughter, or criminally negligent homicide. -->

<!-- Felony Marihuana, Controlled Substance, Dangerous Drug, or Alcoholic Beverage (Off Campus 300 ft. Zone) Engages in conduct punishable as a felony as specified by TEC 37.006(a)(2)(C) or (D) of selling, giving, or delivering to another person, or the possession, or use, or being under the influence of: marihuana, a controlled substance, a dangerous drug, or alcoholic beverage; or committing a serious offense while under the influence of alcohol, off-campus but within 300 feet of school property. -->

<!-- Student is required to register as a sex offender under Chapter 62 of the Code of Criminal Procedure and is under court supervision - TEC 37.304. The offense(s) for which the student is required to register as a sex offender must have occurred on or after Sept. 1, 2007. -->

<!-- Student is required to register as a sex offender under Chapter 62 of the Code of Criminal Procedure and is not under court supervision - TEC 37.305. The offense(s) for which the student is required to register as a sex offender must have occurred on or after Sept. 1, 2007. -->

<!-- Continuous sexual abuse of young child or disabled individual under §21.02 Penal Code - TEC §37.007(a)(2)(I) -->

<!-- Breach of Computer Security - TEC 37.007 (a) (5) -->

<!-- Serious Misbehavior, as defined by TEC 37.007(c), while expelled to/placed in a DAEP -->

<!-- Harassment Against an Employee of the School District under Texas Penal Code 42.07(a)(1), (2), (3), or (7) – TEC 37.006(a)(2)(G) -->

	<!-- Bullying – TEC 37.0052(b) --> <!-- Possessed, Sold, Gave, Used, Delivered, Or Was Under The Influence Of Marihuana Or Tetrahydrocannabinol – TEC 37.006(a)(2)(C-1) --> <!-- Possessed, Sold, Gave, Delivered, Or Used An E-Cigarette – TEC 37.006(a)(2)(C-2) --> <!-- Possessed, Sold, Gave, Used, Delivered, Or Was Under The Influence Of Other Controlled Substance – TEC 37.007(b) --> </xs:restriction> </xs:simpleType>
--	--

simpleType DisciplineActualLengthType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:integer						
properties	base xs:integer						
used by	element DisciplineActionType/ActualDisciplineActionLength						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>totalDigits</td><td>3</td><td></td></tr></table>	Kind	Value	Annotation	totalDigits	3	
Kind	Value	Annotation					
totalDigits	3						
source	<xs:simpleType name="DisciplineActualLengthType"> <xs:restriction base="xs:integer"> <xs:totalDigits value="3"/> </xs:restriction> </xs:simpleType>						

simpleType DisciplineLengthOfAssignmentType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:integer
properties	base xs:integer

used by	element DisciplineActionType/TX-OfficialLengthOfDisciplinaryAssignment						
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>totalDigits</td><td>3</td><td></td></tr></table>	Kind	Value	Annotation	totalDigits	3	
Kind	Value	Annotation					
totalDigits	3						
source	<pre><xs:simpleType name="DisciplineLengthOfAssignmentType"> <xs:restriction base="xs:integer"> <xs:totalDigits value="3"/> </xs:restriction> </xs:simpleType></pre>						

simpleType DistrictIDType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:token						
properties	base xs:token						
used by	element SchoolType/DistrictID						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>pattern</td><td>([0-9]{6})</td><td></td></tr></table>	Kind	Value	Annotation	pattern	([0-9]{6})	
Kind	Value	Annotation					
pattern	([0-9]{6})						
source	<pre><xs:simpleType name="DistrictIDType"> <xs:restriction base="xs:token"> <xs:pattern value="([0-9]{6})"/> </xs:restriction> </xs:simpleType></pre>						

simpleType DistrictNameType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token

properties	base xs:token									
used by	element SchoolType/DistrictName									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>75</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	75	
Kind	Value	Annotation								
minLength	1									
maxLength	75									
source	<pre><xs:simpleType name="DistrictNameType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="75"/> </xs:restriction> </xs:simpleType></pre>									

simpleType DualLanguageImmersionLanguageCode

namespace	urn:us:tx:state:tea:TREx:v1.39																											
type	restriction of xs:token																											
properties	base xs:token																											
used by	element DualLanguageImmersionType/ImmersionLanguage																											
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr><tr><td>enumeration</td><td>06</td><td></td></tr><tr><td>enumeration</td><td>07</td><td></td></tr><tr><td>enumeration</td><td>08</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08	
Kind	Value	Annotation																										
enumeration	01																											
enumeration	02																											
enumeration	03																											
enumeration	04																											
enumeration	05																											
enumeration	06																											
enumeration	07																											
enumeration	08																											

	enumeration 09 enumeration 10 enumeration 11 enumeration 12 enumeration 13 enumeration 14 enumeration 15 enumeration 16
source	<xs:simpleType name="DualLanguageImmersionLanguageCode"> <xs:restriction base="xs:token"> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="03"/> <xs:enumeration value="04"/> <xs:enumeration value="05"/> <xs:enumeration value="06"/> <xs:enumeration value="07"/> <xs:enumeration value="08"/> <xs:enumeration value="09"/> <xs:enumeration value="10"/> <xs:enumeration value="11"/> <xs:enumeration value="12"/> <xs:enumeration value="13"/> <xs:enumeration value="14"/> <xs:enumeration value="15"/> <xs:enumeration value="16"/> <!-- American Sign Language --> <!-- Arabic --> <!-- Chinese --> <!-- French --> <!-- German --> <!-- Hindi --> <!-- Italian --> <!-- Japanese -->

	<!-- Korean --> <!-- Latin --> <!-- Portuguese --> <!-- Russian --> <!-- Spanish --> <!-- Turkish --> <!-- Urdu --> <!-- Vietnamese --> </xs:restriction> </xs:simpleType>
--	---

simpleType DualLanguageImmersionYearCode

namespace	urn:us:tx:state:tea:TREx:v1.39																					
type	restriction of xs:token																					
properties	base xs:token																					
used by	element DualLanguageImmersionType/ImmersionYear																					
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>00</td><td></td></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05	
Kind	Value	Annotation																				
enumeration	00																					
enumeration	01																					
enumeration	02																					
enumeration	03																					
enumeration	04																					
enumeration	05																					
source	<pre><xs:simpleType name="DualLanguageImmersionYearCode"> <xs:restriction base="xs:token"> <xs:enumeration value="00"/> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="03"/></pre>																					

	<pre> <xs:enumeration value="04"/> <xs:enumeration value="05"/> <!-- Not in a Dual Language Immersion Program --> <!-- First Year in a Dual Language Immersion Program --> <!-- Second Year in a Dual Language Immersion Program --> <!-- Third Year in a Dual Language Immersion Program --> <!-- Fourth Year in a Dual Language Immersion Program --> <!-- Fifth Year in a Dual Language Immersion Program --> </xs:restriction> </xs:simpleType> </pre>
--	--

simpleType DyslexiaRiskCodeType

namespace	urn:us:tx:state:tea:TREx:v1.39												
type	restriction of xs:token												
properties	base xs:token												
used by	element StudentDemographicType/DyslexiaRiskCode												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03	
Kind	Value	Annotation											
enumeration	01												
enumeration	02												
enumeration	03												
source	<pre><xs:simpleType name="DyslexiaRiskCodeType"> <xs:restriction base="xs:token"> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="03"/> <!-- Screened and determined to be not at risk for dyslexia or related disorders --> <!-- Screened and determined to be at risk for dyslexia or related disorders --> <!-- Not screened for dyslexia or related disorders --> </xs:restriction> </xs:simpleType></pre>												

	</xs:restriction> </xs:simpleType>
--	---------------------------------------

simpleType EconomicDisadvantagedType

namespace	urn:us:tx:state:tea:TREx:v1.39															
type	restriction of xs:token															
properties	base xs:token															
used by	element SpecialProgramsType/EconomicDisadvantaged															
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>00</td><td></td></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>99</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02		enumeration	99	
Kind	Value	Annotation														
enumeration	00															
enumeration	01															
enumeration	02															
enumeration	99															
source	<pre><xs:simpleType name="EconomicDisadvantagedType"> <xs:restriction base="xs:token"> <xs:enumeration value="00"/> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="99"/> <!-- Not identified as economically disadvantaged. --> <!-- Eligible for free meals under the National School Lunch and Child Nutrition Program. --> <!-- Eligible for reduced-price meals under the National School Lunch and Child Nutrition Program. --> <!-- Other economic disadvantage --> </xs:restriction> </xs:simpleType></pre>															

simpleType ESLType

namespace	urn:us:tx:state:tea:TREx:v1.39															
type	restriction of xs:token															
properties	base xs:token															
used by	element SpecialProgramsType/ESL															
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3	
Kind	Value	Annotation														
enumeration	0															
enumeration	1															
enumeration	2															
enumeration	3															
source	<pre><xs:simpleType name="ESLType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <!-- Not receiving services, or condition or situation not applicable to this person or campus. --> <!-- Participant in program or service, or condition or situation applicable to this person or campus. --> <!-- English as a second language/content-based. --> <!-- English as a second language/pull-out. --> </xs:restriction> </xs:simpleType></pre>															

simpleType EthnicityYesNoType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token

properties	base xs:token									
used by	elements EthnicityType/AmericanIndianAlaskaNativeCode EthnicityType/AsianCode EthnicityType/BlackAfricanAmericanCode EthnicityType/HispanicLatinoCode EthnicityType/NativeHawaiianPacificIslanderCode EthnicityType/WhiteCode									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<pre><xs:simpleType name="EthnicityYesNoType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <!-- No, not part of this ethnicity --> <!-- Yes, part of this ethnicity --> </xs:restriction> </xs:simpleType></pre>									

simpleType FHSP

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	elements AcademicStatusType/ArtsEndorsementCode AcademicStatusType/BusinessEndorsementCode AcademicStatusType/FHSPDistingIndicatorCode AcademicStatusType/FHSPParticipationCode AcademicStatusType/MultiStudiesEndorsementCode AcademicStatusType/PublicServicesEndorsementCode AcademicStatusType/STEMEndorsementCode

facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<pre><xs:simpleType name="FHSP"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <!-- Student is not pursuing or participating --> <!-- Student is Pursuing --> <!-- Student has Completed --> </xs:restriction> </xs:simpleType></pre>												

simpleType FinancialAidApplicationType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element AcademicStatusType/FinancialAidApplication									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	01		enumeration	02	
Kind	Value	Annotation								
enumeration	01									
enumeration	02									
source	<pre><xs:simpleType name="FinancialAidApplicationType"> <xs:restriction base="xs:token"> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <!-- Financial application form completed. --> <!-- Exception Submitted/Opt-Out. --></pre>									

	</xs:restriction> </xs:simpleType>
--	---------------------------------------

simpleType FirstNameType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element PersonNameType/FirstName									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>60</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	60	
Kind	Value	Annotation								
minLength	1									
maxLength	60									
source	<xs:simpleType name="FirstNameType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="60"/> </xs:restriction> </xs:simpleType>									

simpleType FosterCareType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:token						
properties	base xs:token						
used by	element StudentDemographicType/FosterCare						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>0</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0	
Kind	Value	Annotation					
enumeration	0						

	enumeration 1 enumeration 2 enumeration 3
source	<pre> <xs:simpleType name="FosterCareType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <!-- Student is not currently in the conservatorship of the Department of Family and Protective Services. --> <!-- Student is currently in the conservatorship of the Department of Family and Protective Services. --> <!-- Pre-Kindergarten student was previously in the conservatorship of the Department of Family and Protective Services following an adversary hearing held as provided by Section 262.201, Family Code. --> <!-- Pre-Kindergarten student is or ever has been in foster care in another state or territory, if the child resides in this state (Texas). TEC, §29.153(b) -- > </xs:restriction> </xs:simpleType> </pre>

simpleType GenderType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element StudentDemographicType/Sex									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>F</td><td></td></tr><tr><td>enumeration</td><td>M</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	F		enumeration	M	
Kind	Value	Annotation								
enumeration	F									
enumeration	M									

source	<pre> <xs:simpleType name="GenderType"> <xs:restriction base="xs:token"> <xs:enumeration value="F"/> <xs:enumeration value="M"/> <!-- Female --> <!-- Male --> </xs:restriction> </xs:simpleType> </pre>
--------	--

simpleType GiftedTalentedType

namespace	urn:us:tx:state:tea:TREx:v1.39												
type	restriction of xs:token												
properties	base xs:token												
used by	element SpecialProgramsType/GiftedTalented												
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<pre><xs:simpleType name="GiftedTalentedType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <!-- Not receiving services. --> <!-- Participant in program or service. --> <!-- Furloughed from Gifted and Talented program; student identified but not participating in GT program. --> </xs:restriction> </xs:simpleType></pre>												

simpleType GPAType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	element AcademicSummaryType/GPA
facets	Kind Value Annotation minLength 1 maxLength 10
source	<pre><xs:simpleType name="GPAType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="10"/> </xs:restriction> </xs:simpleType></pre>

simpleType GradeLevelType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	elements AcademicSessionType/GradeLevel CurrentCourseworkType/GradeLevel EnrollmentType/GradeLevel EnrollmentType/GradePlaced EnrollmentType/GradePromoted EnrollmentType/GradeRetained AssessmentType/TestLevel
facets	Kind Value Annotation

	enumeration EE enumeration PK enumeration KG enumeration 01 enumeration 02 enumeration 03 enumeration 04 enumeration 05 enumeration 06 enumeration 07 enumeration 08 enumeration 09 enumeration 10 enumeration 11 enumeration 12
source	<xs:simpleType name="GradeLevelType"> <xs:restriction base="xs:token"> <xs:enumeration value="EE"/> <xs:enumeration value="PK"/> <xs:enumeration value="KG"/> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="03"/> <xs:enumeration value="04"/> <xs:enumeration value="05"/> <xs:enumeration value="06"/> <xs:enumeration value="07"/> <xs:enumeration value="08"/> <xs:enumeration value="09"/> <xs:enumeration value="10"/> <xs:enumeration value="11"/>

	<pre><xs:enumeration value="12"/> <!-- Early Education --> <!-- Pre-Kindergarten --> <!-- Kindergarten --> <!-- Grade 1 --> <!-- Grade 2 --> <!-- Grade 3 --> <!-- Grade 4 --> <!-- Grade 5 --> <!-- Grade 6 --> <!-- Grade 7 --> <!-- Grade 8 --> <!-- Grade 9 --> <!-- Grade 10 --> <!-- Grade 11 --> <!-- Grade 12 --> </xs:restriction> </xs:simpleType></pre>
--	--

simpleType GraduationDiplomaTypeType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	element AcademicStatusType/GraduationDiplomaType
facets	Kind Value Annotation
	enumeration 04
	enumeration 05
	enumeration 06
	enumeration 07
	enumeration 13

	enumeration 15
	enumeration 17
	enumeration 18
	enumeration 19
	enumeration 20
	enumeration 21
	enumeration 22
	enumeration 23
	enumeration 24
	enumeration 25
	enumeration 26
	enumeration 27
	enumeration 28
	enumeration 29
	enumeration 30
	enumeration 31
	enumeration 32
	enumeration 33
	enumeration 34
	enumeration 35
	enumeration 40
	enumeration 54
	enumeration 55
	enumeration 56
	enumeration 57

source	<pre> <xs:simpleType name="GraduationDiplomaTypeType"> <xs:restriction base="xs:token"> <xs:enumeration value="04"/> <xs:enumeration value="05"/> <xs:enumeration value="06"/> <xs:enumeration value="07"/> <xs:enumeration value="13"/> <xs:enumeration value="15"/> <xs:enumeration value="17"/> <xs:enumeration value="18"/> <xs:enumeration value="19"/> <xs:enumeration value="20"/> <xs:enumeration value="21"/> <xs:enumeration value="22"/> <xs:enumeration value="23"/> <xs:enumeration value="24"/> <xs:enumeration value="25"/> <xs:enumeration value="26"/> <xs:enumeration value="27"/> <xs:enumeration value="28"/> <xs:enumeration value="29"/> <xs:enumeration value="30"/> <xs:enumeration value="31"/> <xs:enumeration value="32"/> <xs:enumeration value="33"/> <xs:enumeration value="34"/> <xs:enumeration value="35"/> <xs:enumeration value="40"/> <xs:enumeration value="54"/> <xs:enumeration value="55"/> <xs:enumeration value="56"/> <xs:enumeration value="57"/> <!-- Completion of IEP and full-time employment with sufficient self-help skills to maintain employment without public school services - TAC 89.1070(c)(1), revised August 1, 2002. [26 Tex. Reg. 1837] --> <!-- Completion of IEP and demonstrated mastery of specific employability and self-help skills - TAC 89.1070(c)(2), revised August 1, 2002. [26 Tex. Reg. 1837] --> </pre>
--------	--

<!-- Completion of IEP and access to services, employment, or education outside of public education - TAC 89.1070(c)(3), revised August 1, 2002. [26 Tex. Reg. 1837] -->

<!-- Completion of IEP and reached age 22 - TAC 89.1070(d), revised August 1, 2002. [26 Tex. Reg. 1837] -->

<!-- Minimum High School Program - TAC Chapter 74, revised May, 1998; for all students who entered grade 9 in 1998-99, 1999-00, and 2000-01 (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837]) -->

<!-- Recommended High School Program - TAC Chapter 74, revised May, 1998; for students who entered grade 9 in 1998-99, 1999-00, and 2000-01 (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837]) -->

<!-- Distinguished Achievement Program - TAC Chapter 74, revised May, 1998; for students who entered grade 9 in 1998-99, 1999-00, and 2000-01 (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837]) -->

<!-- Completion of minimum curriculum and credit requirements for graduation applicable to students in general education and participated in the exit-level assessment instrument identified in the IEP - Minimum High School Program - TAC 89.1070(b)(2), revised August 1, 2002. [26 Tex. Reg. 1837] (for students who entered grade 9 in 1998-99 and thereafter) -->

<!-- Completion of minimum curriculum and credit requirements for graduation applicable to students in general education and participated in the exit-level assessment instrument identified in the IEP - Recommended High School Program - TAC 89.1070(b)(1), revised August 1, 2002. [26 Tex. Reg. 1837] (for students who entered grade 9 in 1998-99 and thereafter) -->

<!-- Completion of minimum curriculum and credit requirements for graduation applicable to students in general education and participated in the exit-level assessment instrument identified in the IEP - Distinguished Achievement Program - TAC 89.1070(b)(1), revised August 1, 2002. [26 Tex. Reg. 1837] (for students who entered grade 9 in 1998-99 and thereafter) -->

<!-- Minimum High School Program - TAC Chapter 74, revised June 2000; for students who entered grade 9 in 2001-2002, 2002-2003, and 2003-2004 (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837]) -->

<!-- Recommended High School Program - TAC Chapter 74, revised June 2000; for students who entered grade 9 in 2001-2002, 2002-2003, and

| | |
|--|--|
| | <p>2003-2004 (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837]) --></p> <p><!-- Distinguished Achievement Program - TAC Chapter 74, revised June 2000; for students who entered grade 9 in 2001-2002, 2002-2003, and 2003-2004 (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. [26 Tex. Reg. 1837]) --></p> <p><!-- Minimum High School Program - TAC Chapter 74, revised November 2003; for students who entered grade 9 in 2004-2005 and thereafter (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002.) --></p> <p><!-- Recommended High School Program - TAC Chapter 74, revised November 2003; for students who entered grade 9 in 2004-2005 and thereafter (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002.) --></p> <p><!-- Distinguished Achievement Program - TAC Chapter 74, revised November 2003; for students who entered grade 9 in 2004-2005 and thereafter (including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002.) --></p> <p><!-- Minimum High School Program - TAC Chapter 74.62, revised September 1, 2005; including TAC 89.1070(b)(2) for students receiving special education services, revised August 1, 2002. (For students who entered grade 9 in 2007-2008, 2008-2009, 2009-2010, 2010-2011, and 2011-2012) --></p> <p><!-- Recommended High School Program - TAC Chapter 74.63, revised September 1, 2005; including TAC 89.1070(b) (1) for students receiving special education services, revised August 1, 2002. (For students who entered grade 9 in 2007-2008, 2008-2009, 2009-2010, 2010-2011, and 2011-2012) --></p> <p><!-- Distinguished Achievement Program - TAC Chapter 74.64, revised September 1, 2005; including TAC 89.1070(b) (1) for students receiving special education services, revised August 1, 2002. (For students who entered grade 9 in 2007-2008, 2008-2009, 2009-2010, 2010-2011, and 2011-2012) --></p> <p><!-- Minimum High School Program - TAC Chapter 74.72, revised May 30, 2012; including TAC 89.1070(b)(2) for students receiving special education services, revised August 1, 2002. (For students who entered grade 9 in 2012-2013 and 2013-2014) --></p> <p><!-- Recommended High School Program - TAC Chapter 74.73, revised</p> |
|--|--|

| | |
|--|---|
| | <p>May 30, 2012; including TAC 89.1070(b) (1) for students receiving special education services, revised August 1, 2002. (For students who entered grade 9 in 2012-2013 and 2013-2014) --></p> <p><!-- Distinguished Achievement Program - TAC Chapter 74.74, revised May 30, 2012; including TAC 89.1070(b) (1) for students receiving special education services, revised August 1, 2002. (For students who entered grade 9 in 2012-2013 and 2013-2014) --></p> <p><!-- Foundation High School Program (Transitioning Students) - TAC Chapter 74.1022, revised December 16, 2013; including TAC 89.1070(b)(2) for students receiving special education services, revised August 1, 2002. (For students who are completing the fourth/final year of high school during the 2013-2014 school year) --></p> <p><!-- Foundation High School Program - TAC Chapter 74.1021, revised December 16, 2013, TAC 74.12; including TAC 89.1070(b)(1) for students receiving special education services, revised August 1, 2002. (For students who entered grade 9 in 2014-2015 and thereafter or entered grade 9 prior to the 2014-2015 school year and opted to graduate under the Foundation High School Program) --></p> <p><!-- Completion of Minimum Curriculum And Credit Requirements for Graduation Applicable To Students In General Education And Participated In The Exit-Level Assessment Instrument Identified in The IEP-Foundation High School Program (TAC 89.1070(b)(1)) --></p> <p><!-- Texas First Early High School Completion Program TAC Chapter 21.52, adopted to be effective August 21, 2022, [47 TexReg 4850] --></p> <p><!-- Completion Of IEP And Full-Time Employment With Sufficient Self-Help Skills To Maintain Employment Without Public School Services (TAC 89.1070(b)(2)(A)) --></p> <p><!-- Completion Of IEP And Demonstrated Mastery Of Specific Employability And Self-Help Skills That Do Not Require Public School Services TAC 89.1070(b)(2)(B) --></p> <p><!-- Completion Of IEP And Access To Services, Employment, Or Education Outside Of Public Education (TAC 89.1070(b)(2)(C)) --></p> <p><!-- Completion Of IEP And Reached Age 22 - Foundation (TAC 89.1070(b)(2)(D)) --></p> <p></xs:restriction></p> <p></xs:simpleType></p> |
|--|---|

simpleType HomelessType

| namespace | urn:us:tx:state:tea:TREx:v1.39 | | | | | | | | | | | | | | | | | | | | | |
|-------------|---|------------|-------|------------|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|-------------|---|--|
| type | restriction of xs:token | | | | | | | | | | | | | | | | | | | | | |
| properties | base xs:token | | | | | | | | | | | | | | | | | | | | | |
| used by | element StudentDemographicType/Homeless | | | | | | | | | | | | | | | | | | | | | |
| facets | <table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr></tbody></table> | Kind | Value | Annotation | enumeration | 0 | | enumeration | 1 | | enumeration | 2 | | enumeration | 3 | | enumeration | 4 | | enumeration | 5 | |
| Kind | Value | Annotation | | | | | | | | | | | | | | | | | | | | |
| enumeration | 0 | | | | | | | | | | | | | | | | | | | | | |
| enumeration | 1 | | | | | | | | | | | | | | | | | | | | | |
| enumeration | 2 | | | | | | | | | | | | | | | | | | | | | |
| enumeration | 3 | | | | | | | | | | | | | | | | | | | | | |
| enumeration | 4 | | | | | | | | | | | | | | | | | | | | | |
| enumeration | 5 | | | | | | | | | | | | | | | | | | | | | |
| source | <pre><xs:simpleType name="HomelessType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <xs:enumeration value="4"/> <xs:enumeration value="5"/> <!-- Student is not homeless at any time during current school year. --> <!-- Student lives in a shelter, transitional housing, or waiting foster care during current school year. --> <!-- Student lives temporarily doubled-up at any time during current school year. --> <!-- Student is unsheltered at any time during current school year. --> <!-- Student lives in motel or hotel at any time during current school year. --> <!-- Student lives in a shelter or transitional housing at any time during the current school year. --></pre> | | | | | | | | | | | | | | | | | | | | | |

| | |
|--|---------------------------------------|
| | </xs:restriction>
</xs:simpleType> |
|--|---------------------------------------|

simpleType HoursType

| namespace | urn:us:tx:state:tea:TREx:v1.39 | | | | | | | | | |
|----------------|--|------------|-------|------------|-------------|---|--|----------------|---|--|
| type | restriction of xs:decimal | | | | | | | | | |
| properties | base xs:decimal | | | | | | | | | |
| used by | element AcceleratedInstructionType/AssignedHoursAcceleratedInstruction
AcceleratedInstructionType/YTDNumberHoursCompleted | | | | | | | | | |
| facets | <table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>totalDigits</td><td>4</td><td></td></tr><tr><td>fractionDigits</td><td>2</td><td></td></tr></table> | Kind | Value | Annotation | totalDigits | 4 | | fractionDigits | 2 | |
| Kind | Value | Annotation | | | | | | | | |
| totalDigits | 4 | | | | | | | | | |
| fractionDigits | 2 | | | | | | | | | |
| source | <xs:simpleType name="HoursType">
<xs:restriction base="xs:decimal">
<xs:totalDigits value="4"/>
<xs:fractionDigits value="2"/>
</xs:restriction>
</xs:simpleType> | | | | | | | | | |

simpleType IBCCodeType

| | |
|------------|---|
| namespace | urn:us:tx:state:tea:TREx:v1.39 |
| type | restriction of xs:token |
| properties | base xs:token |
| used by | element IBCEarnedType/IBCCode |

| facets | Kind | Value | Annotation |
|--------|-------------|-------|------------|
| | enumeration | 010 | |
| | enumeration | 011 | |
| | enumeration | 012 | |
| | enumeration | 013 | |
| | enumeration | 014 | |
| | enumeration | 015 | |
| | enumeration | 016 | |
| | enumeration | 017 | |
| | enumeration | 018 | |
| | enumeration | 019 | |
| | enumeration | 020 | |
| | enumeration | 030 | |
| | enumeration | 031 | |
| | enumeration | 032 | |
| | enumeration | 033 | |
| | enumeration | 034 | |
| | enumeration | 040 | |
| | enumeration | 100 | |
| | enumeration | 101 | |
| | enumeration | 102 | |
| | enumeration | 103 | |
| | enumeration | 104 | |
| | enumeration | 120 | |
| | enumeration | 121 | |

| | |
|--|-----------------|
| | enumeration 130 |
| | enumeration 131 |
| | enumeration 140 |
| | enumeration 141 |
| | enumeration 150 |
| | enumeration 151 |
| | enumeration 160 |
| | enumeration 161 |
| | enumeration 170 |
| | enumeration 171 |
| | enumeration 181 |
| | enumeration 182 |
| | enumeration 190 |
| | enumeration 191 |
| | enumeration 200 |
| | enumeration 201 |
| | enumeration 210 |
| | enumeration 211 |
| | enumeration 220 |
| | enumeration 221 |
| | enumeration 230 |
| | enumeration 231 |
| | enumeration 240 |
| | enumeration 250 |
| | enumeration 251 |

| | |
|--|-----------------|
| | enumeration 260 |
| | enumeration 261 |
| | enumeration 270 |
| | enumeration 271 |
| | enumeration 280 |
| | enumeration 281 |
| | enumeration 290 |
| | enumeration 300 |
| | enumeration 301 |
| | enumeration 310 |
| | enumeration 320 |
| | enumeration 321 |
| | enumeration 330 |
| | enumeration 331 |
| | enumeration 332 |
| | enumeration 333 |
| | enumeration 334 |
| | enumeration 335 |
| | enumeration 336 |
| | enumeration 340 |
| | enumeration 350 |
| | enumeration 351 |
| | enumeration 360 |
| | enumeration 361 |
| | enumeration 362 |

| | |
|--|-----------------|
| | enumeration 365 |
| | enumeration 366 |
| | enumeration 367 |
| | enumeration 368 |
| | enumeration 369 |
| | enumeration 370 |
| | enumeration 380 |
| | enumeration 381 |
| | enumeration 382 |
| | enumeration 383 |
| | enumeration 384 |
| | enumeration 385 |
| | enumeration 386 |
| | enumeration 390 |
| | enumeration 391 |
| | enumeration 392 |
| | enumeration 401 |
| | enumeration 402 |
| | enumeration 410 |
| | enumeration 411 |
| | enumeration 420 |
| | enumeration 430 |
| | enumeration 439 |
| | enumeration 440 |
| | enumeration 450 |

| | |
|--|-----------------|
| | enumeration 451 |
| | enumeration 452 |
| | enumeration 453 |
| | enumeration 460 |
| | enumeration 470 |
| | enumeration 478 |
| | enumeration 479 |
| | enumeration 480 |
| | enumeration 481 |
| | enumeration 490 |
| | enumeration 500 |
| | enumeration 508 |
| | enumeration 509 |
| | enumeration 510 |
| | enumeration 511 |
| | enumeration 512 |
| | enumeration 520 |
| | enumeration 530 |
| | enumeration 531 |
| | enumeration 532 |
| | enumeration 533 |
| | enumeration 534 |
| | enumeration 535 |
| | enumeration 536 |
| | enumeration 537 |

| | |
|--|-----------------|
| | enumeration 538 |
| | enumeration 539 |
| | enumeration 540 |
| | enumeration 541 |
| | enumeration 542 |
| | enumeration 543 |
| | enumeration 544 |
| | enumeration 545 |
| | enumeration 546 |
| | enumeration 547 |
| | enumeration 548 |
| | enumeration 549 |
| | enumeration 550 |
| | enumeration 551 |
| | enumeration 552 |
| | enumeration 560 |
| | enumeration 570 |
| | enumeration 580 |
| | enumeration 581 |
| | enumeration 582 |
| | enumeration 583 |
| | enumeration 590 |
| | enumeration 591 |
| | enumeration 592 |
| | enumeration 593 |

| | |
|--|-----------------|
| | enumeration 594 |
| | enumeration 595 |
| | enumeration 596 |
| | enumeration 597 |
| | enumeration 598 |
| | enumeration 599 |
| | enumeration 600 |
| | enumeration 601 |
| | enumeration 602 |
| | enumeration 603 |
| | enumeration 604 |
| | enumeration 605 |
| | enumeration 606 |
| | enumeration 607 |
| | enumeration 610 |
| | enumeration 611 |
| | enumeration 612 |
| | enumeration 613 |
| | enumeration 620 |
| | enumeration 630 |
| | enumeration 640 |
| | enumeration 641 |
| | enumeration 642 |
| | enumeration 650 |
| | enumeration 651 |

| | |
|--|-----------------|
| | enumeration 660 |
| | enumeration 670 |
| | enumeration 680 |
| | enumeration 690 |
| | enumeration 691 |
| | enumeration 700 |
| | enumeration 701 |
| | enumeration 710 |
| | enumeration 720 |
| | enumeration 730 |
| | enumeration 731 |
| | enumeration 740 |
| | enumeration 750 |
| | enumeration 760 |
| | enumeration 761 |
| | enumeration 770 |
| | enumeration 780 |
| | enumeration 781 |
| | enumeration 782 |
| | enumeration 783 |
| | enumeration 784 |
| | enumeration 785 |
| | enumeration 786 |
| | enumeration 790 |
| | enumeration 800 |

| | |
|--|-----------------|
| | enumeration 810 |
| | enumeration 811 |
| | enumeration 812 |
| | enumeration 813 |
| | enumeration 814 |
| | enumeration 815 |
| | enumeration 816 |
| | enumeration 820 |
| | enumeration 830 |
| | enumeration 831 |
| | enumeration 832 |
| | enumeration 833 |
| | enumeration 834 |
| | enumeration 835 |
| | enumeration 836 |
| | enumeration 837 |
| | enumeration 838 |
| | enumeration 839 |
| | enumeration 840 |
| | enumeration 841 |
| | enumeration 842 |
| | enumeration 843 |
| | enumeration 844 |
| | enumeration 845 |
| | enumeration 846 |

| | |
|--|-----------------|
| | enumeration 847 |
| | enumeration 848 |
| | enumeration 849 |
| | enumeration 850 |
| | enumeration 860 |
| | enumeration 870 |
| | enumeration 880 |
| | enumeration 890 |
| | enumeration 891 |
| | enumeration 900 |
| | enumeration 910 |
| | enumeration 911 |
| | enumeration 912 |
| | enumeration 913 |
| | enumeration 914 |
| | enumeration 915 |
| | enumeration 916 |
| | enumeration 917 |
| | enumeration 918 |
| | enumeration 930 |
| | enumeration 931 |
| | enumeration 932 |
| | enumeration 933 |
| | enumeration 934 |
| | enumeration 935 |

| | |
|--|-----------------|
| | enumeration 936 |
| | enumeration 937 |
| | enumeration 938 |
| | enumeration 939 |
| | enumeration 940 |
| | enumeration 941 |
| | enumeration 942 |
| | enumeration 943 |
| | enumeration 944 |
| | enumeration 945 |
| | enumeration 946 |
| | enumeration 947 |
| | enumeration 948 |
| | enumeration 949 |
| | enumeration 950 |
| | enumeration 951 |
| | enumeration 952 |
| | enumeration 953 |
| | enumeration 954 |
| | enumeration 955 |
| | enumeration 956 |
| | enumeration 957 |
| | enumeration 958 |
| | enumeration 959 |
| | enumeration 960 |

| | |
|--|-----------------|
| | enumeration 961 |
| | enumeration 962 |
| | enumeration 963 |
| | enumeration 964 |
| | enumeration 965 |
| | enumeration 966 |
| | enumeration 967 |
| | enumeration 968 |
| | enumeration 969 |
| | enumeration 970 |
| | enumeration 971 |
| | enumeration 972 |
| | enumeration 973 |
| | enumeration 974 |
| | enumeration 975 |
| | enumeration 976 |
| | enumeration 977 |
| | enumeration 978 |
| | enumeration 979 |
| | enumeration 980 |
| | enumeration 981 |
| | enumeration 982 |
| | enumeration 983 |
| | enumeration 984 |
| | enumeration 985 |

| | |
|--|------------------|
| | enumeration 986 |
| | enumeration 987 |
| | enumeration 988 |
| | enumeration 989 |
| | enumeration 990 |
| | enumeration 991 |
| | enumeration 992 |
| | enumeration 993 |
| | enumeration 994 |
| | enumeration 995 |
| | enumeration 996 |
| | enumeration 997 |
| | enumeration 998 |
| | enumeration 999 |
| | enumeration 1000 |
| | enumeration 1001 |
| | enumeration 1002 |
| | enumeration 1003 |
| | enumeration 1004 |
| | enumeration 1005 |
| | enumeration 1006 |
| | enumeration 1007 |
| | enumeration 1008 |
| | enumeration 1009 |
| | enumeration 1010 |

| | | |
|--|-------------|------|
| | enumeration | 1011 |
| | enumeration | 1013 |
| | enumeration | 1015 |
| | enumeration | 1017 |
| | enumeration | 1018 |
| | enumeration | 1019 |
| | enumeration | 1020 |
| | enumeration | 1021 |
| | enumeration | 1022 |
| | enumeration | 1023 |
| | enumeration | 1024 |
| | enumeration | 1025 |
| | enumeration | 1026 |
| | enumeration | 1027 |
| | enumeration | 1028 |
| | enumeration | 1029 |
| | enumeration | 1030 |
| | enumeration | 1031 |
| | enumeration | 1032 |
| | enumeration | 1033 |
| | enumeration | 1034 |
| | enumeration | 1035 |
| | enumeration | 1036 |
| | enumeration | 1037 |
| | enumeration | 1038 |

| | |
|--|------------------|
| | enumeration 1039 |
| | enumeration 1040 |
| | enumeration 1041 |
| | enumeration 1042 |
| | enumeration 1043 |
| | enumeration 1044 |
| | enumeration 1045 |
| | enumeration 1046 |
| | enumeration 1047 |
| | enumeration 1048 |
| | enumeration 1049 |
| | enumeration 1050 |
| | enumeration 1051 |
| | enumeration 1052 |
| | enumeration 1053 |
| | enumeration 1054 |
| | enumeration 1055 |
| | enumeration 1056 |
| | enumeration 1057 |
| | enumeration 1058 |
| | enumeration 1059 |
| | enumeration 1060 |
| | enumeration 1061 |
| | enumeration 1062 |
| | enumeration 1063 |

| | |
|--------|--|
| | enumeration 1064
enumeration 1065
enumeration 1066
enumeration 1067
enumeration 1068
enumeration 1069
enumeration 1070
enumeration 1071
enumeration 1072
enumeration 1073
enumeration 1074
enumeration 1075
enumeration 1076
enumeration 1077
enumeration 1078
enumeration 1079
enumeration 1080
enumeration 1081
enumeration 1082
enumeration 1083
enumeration 1084
enumeration 1085
enumeration 1086
enumeration 1087 |
| source | <xs:simpleType name="IBCCodeType">
<xs:restriction base="xs:token"> |

| | |
|--|--|
| | <p><xs:enumeration value="010"/>
<xs:enumeration value="011"/>
<xs:enumeration value="012"/>
<xs:enumeration value="013"/>
<xs:enumeration value="014"/>
<xs:enumeration value="015"/>
<xs:enumeration value="016"/>
<xs:enumeration value="017"/>
<xs:enumeration value="018"/>
<xs:enumeration value="019"/>
<xs:enumeration value="020"/>
<xs:enumeration value="030"/>
<xs:enumeration value="031"/>
<xs:enumeration value="032"/>
<xs:enumeration value="033"/>
<xs:enumeration value="034"/>
<xs:enumeration value="040"/>
<xs:enumeration value="100"/>
<xs:enumeration value="101"/>
<xs:enumeration value="102"/>
<xs:enumeration value="103"/>
<xs:enumeration value="104"/>
<xs:enumeration value="120"/>
<xs:enumeration value="121"/>
<xs:enumeration value="130"/>
<xs:enumeration value="131"/>
<xs:enumeration value="140"/>
<xs:enumeration value="141"/>
<xs:enumeration value="150"/>
<xs:enumeration value="151"/>
<xs:enumeration value="160"/>
<xs:enumeration value="161"/>
<xs:enumeration value="170"/>
<xs:enumeration value="171"/>
<xs:enumeration value="181"/>
<xs:enumeration value="182"/>
<xs:enumeration value="190"/>
<xs:enumeration value="191"/></p> |
|--|--|

| |
|--|
| <p><xs:enumeration value="200"/>
<xs:enumeration value="201"/>
<xs:enumeration value="210"/>
<xs:enumeration value="211"/>
<xs:enumeration value="220"/>
<xs:enumeration value="221"/>
<xs:enumeration value="230"/>
<xs:enumeration value="231"/>
<xs:enumeration value="240"/>
<xs:enumeration value="250"/>
<xs:enumeration value="251"/>
<xs:enumeration value="260"/>
<xs:enumeration value="261"/>
<xs:enumeration value="270"/>
<xs:enumeration value="271"/>
<xs:enumeration value="280"/>
<xs:enumeration value="281"/>
<xs:enumeration value="290"/>
<xs:enumeration value="300"/>
<xs:enumeration value="301"/>
<xs:enumeration value="310"/>
<xs:enumeration value="320"/>
<xs:enumeration value="321"/>
<xs:enumeration value="330"/>
<xs:enumeration value="331"/>
<xs:enumeration value="332"/>
<xs:enumeration value="333"/>
<xs:enumeration value="334"/>
<xs:enumeration value="335"/>
<xs:enumeration value="336"/>
<xs:enumeration value="340"/>
<xs:enumeration value="350"/>
<xs:enumeration value="351"/>
<xs:enumeration value="360"/>
<xs:enumeration value="361"/>
<xs:enumeration value="362"/>
<xs:enumeration value="365"/>
<xs:enumeration value="366"/></p> |
|--|

| | |
|--|--|
| | <p><xs:enumeration value="367"/>
<xs:enumeration value="368"/>
<xs:enumeration value="369"/>
<xs:enumeration value="370"/>
<xs:enumeration value="380"/>
<xs:enumeration value="381"/>
<xs:enumeration value="382"/>
<xs:enumeration value="383"/>
<xs:enumeration value="384"/>
<xs:enumeration value="385"/>
<xs:enumeration value="386"/>
<xs:enumeration value="390"/>
<xs:enumeration value="391"/>
<xs:enumeration value="392"/>
<xs:enumeration value="401"/>
<xs:enumeration value="402"/>
<xs:enumeration value="410"/>
<xs:enumeration value="411"/>
<xs:enumeration value="420"/>
<xs:enumeration value="430"/>
<xs:enumeration value="439"/>
<xs:enumeration value="440"/>
<xs:enumeration value="450"/>
<xs:enumeration value="451"/>
<xs:enumeration value="452"/>
<xs:enumeration value="453"/>
<xs:enumeration value="460"/>
<xs:enumeration value="470"/>
<xs:enumeration value="478"/>
<xs:enumeration value="479"/>
<xs:enumeration value="480"/>
<xs:enumeration value="481"/>
<xs:enumeration value="490"/>
<xs:enumeration value="500"/>
<xs:enumeration value="508"/>
<xs:enumeration value="509"/>
<xs:enumeration value="510"/>
<xs:enumeration value="511"/></p> |
|--|--|

| |
|--|
| <p><xs:enumeration value="512"/>
<xs:enumeration value="520"/>
<xs:enumeration value="530"/>
<xs:enumeration value="531"/>
<xs:enumeration value="532"/>
<xs:enumeration value="533"/>
<xs:enumeration value="534"/>
<xs:enumeration value="535"/>
<xs:enumeration value="536"/>
<xs:enumeration value="537"/>
<xs:enumeration value="538"/>
<xs:enumeration value="539"/>
<xs:enumeration value="540"/>
<xs:enumeration value="541"/>
<xs:enumeration value="542"/>
<xs:enumeration value="543"/>
<xs:enumeration value="544"/>
<xs:enumeration value="545"/>
<xs:enumeration value="546"/>
<xs:enumeration value="547"/>
<xs:enumeration value="548"/>
<xs:enumeration value="549"/>
<xs:enumeration value="550"/>
<xs:enumeration value="551"/>
<xs:enumeration value="552"/>
<xs:enumeration value="560"/>
<xs:enumeration value="570"/>
<xs:enumeration value="580"/>
<xs:enumeration value="581"/>
<xs:enumeration value="582"/>
<xs:enumeration value="583"/>
<xs:enumeration value="590"/>
<xs:enumeration value="591"/>
<xs:enumeration value="592"/>
<xs:enumeration value="593"/>
<xs:enumeration value="594"/>
<xs:enumeration value="595"/>
<xs:enumeration value="596"/></p> |
|--|

| | |
|--|--|
| | <p><xs:enumeration value="597"/>
<xs:enumeration value="598"/>
<xs:enumeration value="599"/>
<xs:enumeration value="600"/>
<xs:enumeration value="601"/>
<xs:enumeration value="602"/>
<xs:enumeration value="603"/>
<xs:enumeration value="604"/>
<xs:enumeration value="605"/>
<xs:enumeration value="606"/>
<xs:enumeration value="607"/>
<xs:enumeration value="610"/>
<xs:enumeration value="611"/>
<xs:enumeration value="612"/>
<xs:enumeration value="613"/>
<xs:enumeration value="620"/>
<xs:enumeration value="630"/>
<xs:enumeration value="640"/>
<xs:enumeration value="641"/>
<xs:enumeration value="642"/>
<xs:enumeration value="650"/>
<xs:enumeration value="651"/>
<xs:enumeration value="660"/>
<xs:enumeration value="670"/>
<xs:enumeration value="680"/>
<xs:enumeration value="690"/>
<xs:enumeration value="691"/>
<xs:enumeration value="700"/>
<xs:enumeration value="701"/>
<xs:enumeration value="710"/>
<xs:enumeration value="720"/>
<xs:enumeration value="730"/>
<xs:enumeration value="731"/>
<xs:enumeration value="740"/>
<xs:enumeration value="750"/>
<xs:enumeration value="760"/>
<xs:enumeration value="761"/>
<xs:enumeration value="770"/></p> |
|--|--|

| | |
|--|--|
| | <p><xs:enumeration value="780"/>
<xs:enumeration value="781"/>
<xs:enumeration value="782"/>
<xs:enumeration value="783"/>
<xs:enumeration value="784"/>
<xs:enumeration value="785"/>
<xs:enumeration value="786"/>
<xs:enumeration value="790"/>
<xs:enumeration value="800"/>
<xs:enumeration value="810"/>
<xs:enumeration value="811"/>
<xs:enumeration value="812"/>
<xs:enumeration value="813"/>
<xs:enumeration value="814"/>
<xs:enumeration value="815"/>
<xs:enumeration value="816"/>
<xs:enumeration value="820"/>
<xs:enumeration value="830"/>
<xs:enumeration value="831"/>
<xs:enumeration value="832"/>
<xs:enumeration value="833"/>
<xs:enumeration value="834"/>
<xs:enumeration value="835"/>
<xs:enumeration value="836"/>
<xs:enumeration value="837"/>
<xs:enumeration value="838"/>
<xs:enumeration value="839"/>
<xs:enumeration value="840"/>
<xs:enumeration value="841"/>
<xs:enumeration value="842"/>
<xs:enumeration value="843"/>
<xs:enumeration value="844"/>
<xs:enumeration value="845"/>
<xs:enumeration value="846"/>
<xs:enumeration value="847"/>
<xs:enumeration value="848"/>
<xs:enumeration value="849"/>
<xs:enumeration value="850"/></p> |
|--|--|

| |
|--|
| <p><xs:enumeration value="860"/>
<xs:enumeration value="870"/>
<xs:enumeration value="880"/>
<xs:enumeration value="890"/>
<xs:enumeration value="891"/>
<xs:enumeration value="900"/>
<xs:enumeration value="910"/>
<xs:enumeration value="911"/>
<xs:enumeration value="912"/>
<xs:enumeration value="913"/>
<xs:enumeration value="914"/>
<xs:enumeration value="915"/>
<xs:enumeration value="916"/>
<xs:enumeration value="917"/>
<xs:enumeration value="918"/>
<xs:enumeration value="930"/>
<xs:enumeration value="931"/>
<xs:enumeration value="932"/>
<xs:enumeration value="933"/>
<xs:enumeration value="934"/>
<xs:enumeration value="935"/>
<xs:enumeration value="936"/>
<xs:enumeration value="937"/>
<xs:enumeration value="938"/>
<xs:enumeration value="939"/>
<xs:enumeration value="940"/>
<xs:enumeration value="941"/>
<xs:enumeration value="942"/>
<xs:enumeration value="943"/>
<xs:enumeration value="944"/>
<xs:enumeration value="945"/>
<xs:enumeration value="946"/>
<xs:enumeration value="947"/>
<xs:enumeration value="948"/>
<xs:enumeration value="949"/>
<xs:enumeration value="950"/>
<xs:enumeration value="951"/>
<xs:enumeration value="952"/></p> |
|--|

| | |
|--|--|
| | <p><xs:enumeration value="953"/>
<xs:enumeration value="954"/>
<xs:enumeration value="955"/>
<xs:enumeration value="956"/>
<xs:enumeration value="957"/>
<xs:enumeration value="958"/>
<xs:enumeration value="959"/>
<xs:enumeration value="960"/>
<xs:enumeration value="961"/>
<xs:enumeration value="962"/>
<xs:enumeration value="963"/>
<xs:enumeration value="964"/>
<xs:enumeration value="965"/>
<xs:enumeration value="966"/>
<xs:enumeration value="967"/>
<xs:enumeration value="968"/>
<xs:enumeration value="969"/>
<xs:enumeration value="970"/>
<xs:enumeration value="971"/>
<xs:enumeration value="972"/>
<xs:enumeration value="973"/>
<xs:enumeration value="974"/>
<xs:enumeration value="975"/>
<xs:enumeration value="976"/>
<xs:enumeration value="977"/>
<xs:enumeration value="978"/>
<xs:enumeration value="979"/>
<xs:enumeration value="980"/>
<xs:enumeration value="981"/>
<xs:enumeration value="982"/>
<xs:enumeration value="983"/>
<xs:enumeration value="984"/>
<xs:enumeration value="985"/>
<xs:enumeration value="986"/>
<xs:enumeration value="987"/>
<xs:enumeration value="988"/>
<xs:enumeration value="989"/>
<xs:enumeration value="990"/></p> |
|--|--|

| |
|---|
| <p><xs:enumeration value="991"/>
<xs:enumeration value="992"/>
<xs:enumeration value="993"/>
<xs:enumeration value="994"/>
<xs:enumeration value="995"/>
<xs:enumeration value="996"/>
<xs:enumeration value="997"/>
<xs:enumeration value="998"/>
<xs:enumeration value="999"/>
<xs:enumeration value="1000"/>
<xs:enumeration value="1001"/>
<xs:enumeration value="1002"/>
<xs:enumeration value="1003"/>
<xs:enumeration value="1004"/>
<xs:enumeration value="1005"/>
<xs:enumeration value="1006"/>
<xs:enumeration value="1007"/>
<xs:enumeration value="1008"/>
<xs:enumeration value="1009"/>
<xs:enumeration value="1010"/>
<xs:enumeration value="1011"/>
<xs:enumeration value="1013"/>
<xs:enumeration value="1015"/>
<xs:enumeration value="1017"/>
<xs:enumeration value="1018"/>
<xs:enumeration value="1019"/>
<xs:enumeration value="1020"/>
<xs:enumeration value="1021"/>
<xs:enumeration value="1022"/>
<xs:enumeration value="1023"/>
<xs:enumeration value="1024"/>
<xs:enumeration value="1025"/>
<xs:enumeration value="1026"/>
<xs:enumeration value="1027"/>
<xs:enumeration value="1028"/>
<xs:enumeration value="1029"/>
<xs:enumeration value="1030"/>
<xs:enumeration value="1031"/></p> |
|---|

| |
|--|
| <p><xs:enumeration value="1032"/>
<xs:enumeration value="1033"/>
<xs:enumeration value="1034"/>
<xs:enumeration value="1035"/>
<xs:enumeration value="1036"/>
<xs:enumeration value="1037"/>
<xs:enumeration value="1038"/>
<xs:enumeration value="1039"/>
<xs:enumeration value="1040"/>
<xs:enumeration value="1041"/>
<xs:enumeration value="1042"/>
<xs:enumeration value="1043"/>
<xs:enumeration value="1044"/>
<xs:enumeration value="1045"/>
<xs:enumeration value="1046"/>
<xs:enumeration value="1047"/>
<xs:enumeration value="1048"/>
<xs:enumeration value="1049"/>
<xs:enumeration value="1050"/>
<xs:enumeration value="1051"/>
<xs:enumeration value="1052"/>
<xs:enumeration value="1053"/>
<xs:enumeration value="1054"/>
<xs:enumeration value="1055"/>
<xs:enumeration value="1056"/>
<xs:enumeration value="1057"/>
<xs:enumeration value="1058"/>
<xs:enumeration value="1059"/>
<xs:enumeration value="1060"/>
<xs:enumeration value="1061"/>
<xs:enumeration value="1062"/>
<xs:enumeration value="1063"/>
<xs:enumeration value="1064"/>
<xs:enumeration value="1065"/>
<xs:enumeration value="1066"/>
<xs:enumeration value="1067"/>
<xs:enumeration value="1068"/>
<xs:enumeration value="1069"/></p> |
|--|

| |
|--|
| <p><xs:enumeration value="1070"/>
<xs:enumeration value="1071"/>
<xs:enumeration value="1072"/>
<xs:enumeration value="1073"/>
<xs:enumeration value="1074"/>
<xs:enumeration value="1075"/>
<xs:enumeration value="1076"/>
<xs:enumeration value="1077"/>
<xs:enumeration value="1078"/>
<xs:enumeration value="1079"/>
<xs:enumeration value="1080"/>
<xs:enumeration value="1081"/>
<xs:enumeration value="1082"/>
<xs:enumeration value="1083"/>
<xs:enumeration value="1084"/>
<xs:enumeration value="1085"/>
<xs:enumeration value="1086"/>
<xs:enumeration value="1087"/>
<!-- Adobe Certified Professional In Visual Effects and Motion Graphics
Using Adobe After Effects -->
<!-- Adobe Certified Professional Animate -->
<!-- Adobe Certified Associate Creative Cloud -->
<!-- Adobe Certified Associate Creative Suite 6 -->
<!-- Adobe Certified Associate Flash -->
<!-- Adobe Certified Professional in Graphic Design and Illustration Using
Adobe Illustrator -->
<!-- Adobe Certified Professional in Print and Digital Media Publication
Using Adobe InDesign -->
<!-- Adobe Certified Professional in Visual Design Using Adobe
Photoshop -->
<!-- Adobe Certified Professional in Digital Video Using Adobe Premiere
Pro -->
<!-- Adobe Certified Professional in Visual Design -->
<!-- Adobe Certified Associate Web Design Specialist -->
<!-- Adobe Certified Expert After Effects -->
<!-- Adobe Certified Expert Illustrator -->
<!-- Adobe Certified Expert InDesign -->
<!-- Adobe Certified Expert Photoshop --></p> |
|--|

| |
|---|
| <p><!-- Adobe Certified Expert Web Premiere Pro -->
<!-- Aerospace Manufacturing Certification -->
<!-- API 1104 Welding Pipelines and Related Facilities -->
<!-- Apple App Development with Swift -->
<!-- Apple Final Cut Pro X -->
<!-- Apple iWork -->
<!-- Apple Logic Pro X -->
<!-- ASE Auto Transmission -->
<!-- ASE Entry-Level Automobile Automatic Transmission/Transaxle (AT) -
->
<!-- ASE Automobile Service Technology -->
<!-- ASE Entry-Level Automobile Service Technology -->
<!-- ASE Brakes -->
<!-- ASE Entry-Level Automobile Brakes (BR) -->
<!-- ASE Electrical/Electronic Systems -->
<!-- ASE Entry-Level Automobile Electronic/Electrical Systems (EE) -->
<!-- ASE Engine Performance -->
<!-- ASE Entry-Level Automobile Engine Performance (EP) -->
<!-- ASE Engine Repair -->
<!-- ASE Entry-Level Automobile Engine Repair (ER) -->
<!-- ASE Heating, Ventilation, AC (HVAC) -->
<!-- ASE Entry-Level Automobile Heating and Air Conditioning (AC) -->
<!-- ASE Maintenance Light Repair -->
<!-- ASE Entry Level Automobile Maintenance and Light Repair (MR) -->
<!-- ASE Manual Drive Train Axles -->
<!-- ASE Entry-Level Automobile Manual Drive Train and Axles (MD) -->
<!-- ASE Mech Elec Components -->
<!-- ASE Entry-Level Collision Mechanical and Electrical Components
(ME) -->
<!-- ASE Non-Structural Analysis Damage Repair -->
<!-- ASE Entry-Level Collision Non-Structural Analysis and Damage
Repair (SR) -->
<!-- ASE Painting & Refinishing -->
<!-- ASE Entry-Level Collision Painting and Refinishing (PR) -->
<!-- ASE Refrigerant Recovery and Recycling -->
<!-- ASE Structural Analysis Damage Repair -->
<!-- ASE Entry-Level Collision Structural Analysis and Damage Repair -->
<!-- ASE Suspension and Steering --></p> |
|---|

| |
|---|
| <p><!-- ASE Entry-Level Automobile Suspension and Steering (SS) -->
<!-- ASE Truck Technician Brakes -->
<!-- ASE Entry-Level Medium/Heavy Truck, Brakes (TB) -->
<!-- ASE Truck Technician Diesel Engines -->
<!-- ASE Entry-Level Medium/Heavy Truck, Diesel Engines (DE) -->
<!-- ASE Truck Technician Drive Trains -->
<!-- ASE Truck Technician Electronic Systems -->
<!-- ASE Entry-Level Medium/Heavy Truck, Electrical/Electronic Systems (TE) -->
<!-- ASE Truck Technician HVAC -->
<!-- ASE Truck Technician Suspension Steering -->
<!-- ASE Entry-Level Medium/Heavy Truck, Suspension and Steering (TS) -->

<!-- Associate of (ISC) -->
<!-- Autodesk Certified Professional or User AutoCAD -->
<!-- Autodesk Certified Professional or User AutoCAD Civil 3D -->
<!-- Autodesk Certified Professional or User Autodesk Revit Building Systems -->
<!-- Autodesk Certified Professional or User Revit Architecture -->
<!-- Autodesk Certified Professional or User Revit MEP Electrical -->
<!-- Autodesk Certified Professional or User Inventor -->
<!-- AWS D1.1 Structural Steel -->
<!-- AWS D9.1 Sheet Metal Welding -->
<!-- AWS Certified Welder -->
<!-- AWS SENSE Level 1: Entry Welder -->
<!-- Barber Operator License -->
<!-- Basic Structure Fire Protection -->
<!-- C++ Certified Associate Programmer -->
<!-- Certified Aerospace Technician -->
<!-- Certified Associate in Project Management (CAPM) -->
<!-- Certified Cardiographic Technician -->
<!-- Certified Coding Associate -->
<!-- Certified Dental Assistant -->
<!-- Certified EKG Technician -->
<!-- Certified Electronics Systems Associate -->
<!-- Certified Engineering Technician - Audio Systems -->
<!-- Certified Fundamentals Cook -->
<!-- Certified Fundamentals Pastry Cook --></p> |
|---|

| |
|---|
| <p><!-- Certified Hospitality & Tourism Management Professional -->
<!-- Certified Insurance Service Representative -->
<!-- Certified Nurse Aide (CNA) -->
<!-- Certified Occupational Therapy Assistant -->
<!-- Certified Ophthalmic Technician -->
<!-- Certified Personal Trainer -->
<!-- Certified Respiratory Therapist -->
<!-- Certified SOLIDWORKS Associate -->
<!-- Certified Surgical Technologist -->
<!-- Certified Veterinary Assistant, Level 1 -->
<!-- Child Development Associate (CDA) -->
<!-- Cisco Certified Design Associate -->
<!-- Cisco Certified Network Associate- Cloud (CCNA Cloud) -->
<!-- Cisco Certified Network Associate Security (CCNA Security) -->
<!-- Cisco Certified Network Associate- Cyber Ops (CCNA Cyber Ops) -->
<!-- Cisco Certified Network Associate - Data Center (CCNA Data Center) -->
<!-- Cisco Certified Network Associate- Service Provider (CCNA SP) -->
<!-- Cisco Certified Entry Networking Technician (CCENT) -->
<!-- Certified Clinical Medical Assistant -->
<!-- Commercial/Non-Commercial Pesticide Applicator -->
<!-- Community Health Workers -->
<!-- CompTIA A+ Certification -->
<!-- CompTIA IT Fundamentals+ -->
<!-- CompTIA Network+ -->
<!-- CompTIA Security+ -->
<!-- Cosmetology Esthetician License -->
<!-- Cosmetology Manicurist License -->
<!-- Cosmetology Operator License -->
<!-- Educational Aide I -->
<!-- Entrepreneurship and Small Business -->
<!-- Electrical Apprenticeship Certificate Level 1 -->
<!-- Emergency Medical Technician - Basic -->
<!-- ESRI ArcGIS Desktop Entry -->
<!-- FAA Aviation Maintenance Technician General -->
<!-- FAA Aviation Maintenance Technician Airframe -->
<!-- FAA Part 107 Remote Drone Pilot -->
<!-- FANUC Robot Operator 1 --></p> |
|---|

<!-- Feedyard Technician in Cattle Care and Handling -->
<!-- Feedyard Technician in Machinery Operation, Repair and Maintenance -->
<!-- Google Analytics Individual Qualification -->
<!-- Google Cloud Certified Professional - Cloud Architect -->
<!-- ISCET Certified Electronics Technicians -->
<!-- Landscape Irrigator -->
<!-- Licensed Dental Hygienist -->
<!-- Licensed Dietetic Technician -->
<!-- Licensed Veterinary Technician -->
<!-- Licensed Vocational Nurse -->
<!-- Limited Medical Radiologic Technologist -->
<!-- Medical Coding and Billing Specialist -->
<!-- ManageFirst Professional -->
<!-- Mastercam Associate Certification -->
<!-- Medical Laboratory Assistant -->
<!-- Microsoft Office Specialist Excel -->
<!-- Microsoft Office Specialist Word -->
<!-- Microsoft Office Specialist: Microsoft Excel Expert (Excel and Excel 2019) -->
<!-- Microsoft Office Specialist: Microsoft Word Expert (Word and Word 2019) -->
<!-- Microsoft Office Specialist 2016 Master -->
<!-- Microsoft Office Specialist (MOS) Master-2013 (Track 1) -->
<!-- Microsoft Office Specialist (MOS) Master-2013 (Track 2) -->
<!-- Microsoft Office Specialist (MOS) Master-2013 (Track 3) -->
<!-- Microsoft Technology Associate (MTA) Cloud Fundamentals -->
<!-- Microsoft Technology Associate (MTA) Database Administration Fundamentals -->
<!-- Microsoft Technology Associate (MTA) HTML5 App Development Fundamentals -->
<!-- Microsoft Technology Associate (MTA) Intro Programming Using HTML and CSS -->
<!-- Microsoft Technology Associate (MTA) Intro Programming Using Java -->
<!-- Microsoft Technology Associate (MTA) Intro Programming Using JavaScript -->
<!-- Microsoft Technology Associate (MTA) Intro Programming Using

| | |
|--|---|
| | <p>Python --></p> <p><!-- Microsoft Technology Associate (MTA) Mobility and Device Fundamentals --></p> <p><!-- Microsoft Technology Associate (MTA) Networking Fundamentals --></p> <p><!-- Microsoft Technology Associate (MTA) Security Fundamentals --></p> <p><!-- Industrial Technology Maintenance (ITM) - Basic Mechanical Systems --></p> <p><!-- Industrial Technology Maintenance (ITM) - Basic Pneumatic Systems --></p> <p><!-- Industrial Technology Maintenance (ITM) - Electrical Systems --></p> <p><!-- Industrial Technology Maintenance (ITM) - Electronic Control Systems --></p> <p><!-- Industrial Technology Maintenance (ITM) - Maintenance Operations --></p> <p><!-- Industrial Technology Maintenance (ITM) - Maintenance Piping --></p> <p><!-- Industrial Technology Maintenance (ITM) - Maintenance Welding --></p> <p><!-- Industrial Technology Maintenance (ITM) - Process Control Systems --></p> <p><!-- NCCER Carpentry Level I --></p> <p><!-- NCCER Carpentry Level II --></p> <p><!-- NCCER Commercial Carpenter --></p> <p><!-- NCCER Construction Site Safety Technician --></p> <p><!-- NCCER Construction Technology Certification Level I --></p> <p><!-- NCCER Core --></p> <p><!-- NCCER Electrical Level I --></p> <p><!-- NCCER Electrical Level II --></p> <p><!-- NCCER Commercial Electrician --></p> <p><!-- NCCER Electronic System Technician Level I --></p> <p><!-- NCCER Electronic System Technician Level II --></p> <p><!-- NCCER Heating, Ventilation, Air Conditioning Level I --></p> <p><!-- NCCER Industrial Maintenance Mechanic Level I --></p> <p><!-- NCCER Instrumentation Level I --></p> <p><!-- NCCER Masonry Level I --></p> <p><!-- NCCER Masonry Level II --></p> <p><!-- NCCER Millwright Level I --></p> <p><!-- NCCER Millwright Level II --></p> <p><!-- NCCER Painting: Commercial and Residential Level I --></p> <p><!-- NCCER Pipefitting Level I --></p> |
|--|---|

| |
|---|
| <p><!-- NCCER Plumbing Level I -->
<!-- NCCER Plumbing Level II -->
<!-- NCCER Sheet Metal Level I -->
<!-- NCCER Weatherization Technician Level I -->
<!-- NCCER Welding Level I -->
<!-- Non-Commissioned Security Officer Level II -->
<!-- Oracle Certified Associate Java SE 8 Programmer -->
<!-- Oracle Database SQL Certified Associate -->
<!-- Orthopedic Exercise Specialty Certification -->
<!-- Orthopedic Technologist -->
<!-- OSHA 30 Hour Construction -->
<!-- OSHA 30 Hour General -->
<!-- OSHA Hazardous Waste Operations and Emergency Response -->
<!-- Patient Care Technician -->
<!-- Pharmacy Technician -->
<!-- Phlebotomy Technician -->
<!-- Intuit QuickBooks Certified User -->
<!-- ServSafe Manager -->
<!-- Texas State Florist's Association Knowledge Based Floral Certification -->
<!-- Texas State Florist's Association Level I Floral Certification -->
<!-- Texas State Florist's Association Level II Floral Certification -->
<!-- Tradesman Plumber - Limited -->
<!-- Certified Professional Programmer -->
<!-- Wastewater Collections -->
<!-- Water Operators, Class D -->
<!-- WD Certified Web Design -->
<!-- Google Cloud Certified Professional- G Suite -->
<!-- IAED Emergency Telecommunicator -->
<!-- ISA Certified Control Systems Technician -->
<!-- Mastercam Associate Certification Mill Design and Toolpaths -->
<!-- Mastercam Certified Professional Mill Level 1 -->
<!-- Mastercam Professional Level Certification -->
<!-- Microsoft Technology Associate (MTA) Software Development Fundamentals -->
<!-- Microsoft Technology Associate (MTA) Windows Operating System Fundamentals -->
<!-- Microsoft Technology Associate (MTA) Windows Server</p> |
|---|

Administration Fundamentals -->

<!-- Certified Logistics Technician (CLT) -->

<!-- Certified Production Technician (CPT) 4.0 -->

<!-- Machining CNC Mill Operations Level I -->

<!-- Machining CNC Mill Programming Setup and Operations Level I -->

<!-- CNC Lathe Operations -->

<!-- CNC Lathe Set Up and Operations -->

<!-- Machining Drill Press Level I -->

<!-- Machining Grinding Level I -->

<!-- Machining Milling Level I -->

<!-- Machining Measurement, Material, and Safety Level I -->

<!-- Real Estate Sales Agent License -->

<!-- Refrigerant Handling (EPA 608) -->

<!-- Registered Dental Assistant X-Ray Certification -->

<!-- Registered Diagnostic Medical Sonographer - Abdomen -->

<!-- Registered Diagnostic Medical Sonographer - Obstetrics and

Gynecology -->

<!-- Registered Nurse -->

<!-- Registered Technologist - Cardiac-Interventional Radiography -->

<!-- Registered Technologist - Computed Tomography -->

<!-- Registered Technologist - Magnetic Resonance Imaging -->

<!-- Registered Technologist - Mammography -->

<!-- Registered Technologist - Nuclear Medicine Technology -->

<!-- Registered Technologist - Radiography -->

<!-- Registered Technologist - Sonography -->

<!-- Registered Technologist - Vascular Sonography -->

<!-- Registered Technologist - Vascular-Interventional Radiography -->

<!-- Registered Vascular Technology -->

<!-- Medical Laboratory Technician -->

<!-- Accounting - Basic -->

<!-- Accounting Foundations -->

<!-- Administrative Assisting -->

<!-- Agricultural Biotechnology -->

<!-- Agriculture Mechanics -->

<!-- Audio-Visual Communications - Job Ready -->

<!-- Autodesk Associate (Certified User) 3ds MAX -->

<!-- Autodesk Associate (Certified User) AutoCAD -->

<!-- Autodesk Associate (Certified User) Fusion 360 -->

	<!-- Autodesk Associate (Certified User) Inventor for Mechanical Design - --> <!-- Autodesk Associate (Certified User) Revit Architecture --> <!-- Autodesk Associate (Certified User) Revit for Electrical --> <!-- Autodesk Associate (Certified User) Revit for Structural Design --> <!-- Autodesk Certified Professional Fusion 360 --> <!-- Autodesk Certified Professional in AutoCAD for Design and Drafting - --> <!-- Autodesk Certified Professional in Inventor for Mechanical Design --> <!-- Autodesk Certified Professional in Revit for Architectural Design --> <!-- Autodesk Certified Professional in Revit for Electrical Design --> <!-- Autodesk Certified Professional in Revit for Structural Design --> <!-- BASF Plant Science Certification --> <!-- Biotechnician Assistant Credentialing Exam (BACE) --> <!-- Broadcasting and Journalism --> <!-- Business Information Processing --> <!-- C-101 Certified Industry 4.0 Associate - Basic Operations --> <!-- C-103 Certified Industry 4.0 Associate - Robot System Operations --> <!-- C-200 Certified Industry 4.0 Automation Systems Specialist I - 201 Electrical Systems 1 --> <!-- C-200 Certified Industry 4.0 Automation Systems Specialist I - 202 Electric Motor Control Systems 1 --> <!-- C-200 Certified Industry 4.0 Automation Systems Specialist I - 204 Motor Control Troubleshooting 1 --> <!-- C-200 Certified Industry 4.0 Automation Systems Specialist I - 208 Programmable Controller Troubleshooting 1 --> <!-- C-200 Certified Industry 4.0 Automation Systems Specialist I - 215 Robotic Operations 1 --> <!-- C-200 Certified Industry 4.0 Automation System Specialist I - 216 Robotic System Integration 1 --> <!-- Certified Entry-Level Python Programmer (PCEP) --> <!-- Certified Manufacturing Associate --> <!-- Certified Technician-Supply Chain Automation (CT-SCA) --> <!-- Certified Web and Mobile App Developer Apprentice --> <!-- Certified Web Animator Associate --> <!-- Cisco 100-490 RSTECH Supporting Cisco Routing and Switching Network Devices --> <!-- Cisco 200-201 CBROPS - Understanding Cisco Cybersecurity
--	---

	Operations Fundamentals --> <!-- Cisco CCNA (200-301) Implementing and Administering Cisco Solutions --> <!-- Cloud Essentials+ --> <!-- Commercial Foods --> <!-- Commercial/Noncommercial Pesticide Applicator "Vegetation Management" License --> <!-- CompTIA Linux+ --> <!-- CompTIA Server+ --> <!-- Computer Networking Fundamentals - Job Ready --> <!-- Computer Repair Technology - Job Ready --> <!-- Culinary Meat Selection & Cookery Certification --> <!-- Cybersecurity Fundamentals --> <!-- CyberSecurity Fundamentals: An ISACA Certificate --> <!-- Diesel Technology - Job Ready --> <!-- Digital Video Production Foundations --> <!-- Early Childhood Education and Care - Advanced --> <!-- Early Childhood Education and Care - Basic --> <!-- ECG Technician --> <!-- Elanco Fundamentals of Animal Science Certification --> <!-- Elanco Veterinary Medical Applications Certification --> <!-- Emergency Medical Responder --> <!-- Engineering Technology Foundations --> <!-- Equine Management & Evaluation Certification --> <!-- Facebook Digital Marketing Associate Certification --> <!-- FESTO Certified Industry 4.0 Associate Fundamentals --> <!-- Food Protection Manager Certification --> <!-- Food Safety & Science Certification --> <!-- General Management --> <!-- Google IT Support Professional Certificate --> <!-- Graphic Production Technology - Job Ready --> <!-- HBI Pre-Apprenticeship Certificate Training (PACT), Brick Masonry --> <!-- HBI Pre-Apprenticeship Certificate Training (PACT), Building Construction Technology --> <!-- HBI Pre-Apprenticeship Certificate Training (PACT), Basic Carpentry --> <!-- HBI Pre-Apprenticeship Certificate Training (PACT), Core --> <!-- HBI Pre-Apprenticeship Certificate Training (PACT), Basic Electrical --
--	---

	> <!-- HBI Pre-Apprenticeship Certificate Training (PACT), Green Core --> <!-- HBI Pre-Apprenticeship Certificate Training (PACT), Heating, Ventilation and Air Conditioning --> <!-- Heavy Equipment Maintenance and Repair - Job Ready --> <!-- Horticulture - Landscaping - Job Ready --> <!-- Hospitality Management - Lodging - Job Ready --> <!-- Insurance and Coding Specialist --> <!-- Residential Plans Examiner - R3 --> <!-- Lean Six Sigma Green Belt Certification --> <!-- LEED Green Associate --> <!-- Machining CNC Milling Skills Level II --> <!-- Machining CNC Turning Level II --> <!-- Manufacturing Technology --> <!-- MB-920: Microsoft Dynamics 365 Fundamentals Finance and Operations Apps --> <!-- Medical Assistant --> <!-- Microsoft Office Specialist: Microsoft Access Expert (Access and Access 2019) --> <!-- Nationally Certified Medical Coding and Billing Specialist --> <!-- Nationally Registered Certified EKG Technician --> <!-- Natural Resources Systems --> <!-- NCCER Industrial Maintenance Support Mechanic --> <!-- NCCER Industrial Millwright --> <!-- NCCER Industrial Pipefitter --> <!-- Precision Machining - Job Ready --> <!-- Pre-Engineering/Engineering Technology - Job Ready --> <!-- Pre-Professional Certification in Culinary Arts --> <!-- Pre-Professional Certification in Early Childhood Education --> <!-- Pre-Professional Certification in Food Science Fundamentals --> <!-- Pre-Professional Certification in Nutrition, Food, and Wellness --> <!-- Principles of Floral Design Certification --> <!-- Principles of Small Engine Technology Certification --> <!-- Production Agriculture - Job Ready --> <!-- Certified Professional Photographer --> <!-- Project Management Institute (PMI) Project Management Ready --> <!-- Retail Merchandising - Job Ready --> <!-- Small Animal Science and Technology -->
--	---

<!-- Small Engine Technology -->
 <!-- Certified Billing and Coding Specialist (CBCS) -->
 <!-- Stukent Social Media Marketing Certification -->
 <!-- Texas Certified Landscape Associate (TCLA) -->
 <!-- Texas Certified Nursery Professional -->
 <!-- Travel and Tourism -->
 <!-- Volunteer Income Tax Assistance/Tax Counseling Certification:
 Advanced -->
 <!-- Volunteer Income Tax Assistance/Tax Counseling Certification: Basic
 -->
 <!-- Volunteer Income Tax Assistance/Tax Counseling Certification:
 Volunteer for Elderly -->
 <!-- Web Design - Job Ready -->
 <!-- Welding - Job Ready -->
 <!-- Autodesk Certified Professional in Civil 3D for Infrastructure Design -
 -->
 <!-- Business of Retail: Certified Specialist -->
 <!-- Certified SOLIDWORKS Associate (CSWA) - Academic -->
 <!-- Certified SOLIDWORKS Associate (CSWA) - Electrical -->
 <!-- Certified SOLIDWORKS Associate (CSWA) - Mechanical Design -->
 <!-- Certified SOLIDWORKS Associate (CSWA) - Simulation -->
 <!-- Certified SOLIDWORKS Associate (CSWA) - Sustainability -->
 <!-- Certified SOLIDWORKS Professional (CSWP) - Academic -->
 <!-- Certified SOLIDWORKS Professional (CSWP) - Additive
 Manufacturing -->
 <!-- Certified SOLIDWORKS Professional (CSWP) - CAM -->
 <!-- Certified SOLIDWORKS Professional (CSWP) - Mechanical Design -->
 <!-- Certified SOLIDWORKS Professional (CSWP) - Model Based
 Definition -->
 <!-- Certified SOLIDWORKS Professional (CSWP) - Simulation -->
 <!-- Certified SOLIDWORKS Professional (CSWPA) - Drawing Tools -->
 <!-- Certified User: Programmer -->
 <!-- CodeHS Cybersecurity Level 1 Certification -->
 <!-- CodeHS Python Level 1 Certification -->
 <!-- CodeHS Web Design Level 1 Certification -->
 <!-- Customer Service and Sales: Certified Specialist -->
 <!-- Ducks Unlimited Ecology Conservation & Management Certification
 -->

	<pre> <!-- Employment Ready Certification - Air Conditioning --> <!-- Employment Ready Certification - Electrical --> <!-- Employment Ready Certification - Gas Heat --> <!-- Employment Ready Certification - Heat Pumps --> <!-- Employment Ready Certification - Light Commercial Air Conditioning --> <!-- Heating, Electrical, & Air Conditioning Technology (H.E.A.T.) --> <!-- Information Technology Specialist: HTML and CSS --> <!-- Information Technology Specialist: HTML5 Application Development --> <!-- Information Technology Specialist: Java --> <!-- Information Technology Specialist: JavaScript --> <!-- Information Technology Specialist: Networking --> <!-- Microsoft 365 Fundamentals --> <!-- Microsoft Azure AI Fundamentals --> <!-- Microsoft Azure Data Fundamentals --> <!-- Microsoft Security, Compliance, and Identity Fundamentals --> <!-- TRIO Electrical Pre-Apprenticeship (EPP) Certification --> <!-- AgriLife Veterinary Assistant Certificate --> </xs:restriction> </xs:simpleType> </pre>
--	--

simpleType IBCReimbursementType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	element AcademicStatusType/IBCReimbursement
facets	Kind Value Annotation
	enumeration 0
	enumeration 1
	enumeration 01

	enumeration 02
source	<pre> <xs:simpleType name="IBCReimbursementType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="01"/> <xs:enumeration value="02"/> </xs:restriction> </xs:simpleType> </pre>

simpleType IGCCodeType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element AcademicStatusType/IGCGradReview									
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>00</td><td></td></tr><tr><td>enumeration</td><td>01</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	00		enumeration	01	
Kind	Value	Annotation								
enumeration	00									
enumeration	01									
source	<pre><xs:simpleType name="IGCCodeType"> <xs:restriction base="xs:token"> <xs:enumeration value="00"/> <xs:enumeration value="01"/> <!-- Not Applicable. --> <!-- IGC established, not graduated. --> </xs:restriction> </xs:simpleType></pre>									

simpleType ImmunizationCodeType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element ImmunizationType/ImmunizationCode									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>35</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	35	
Kind	Value	Annotation								
minLength	1									
maxLength	35									
source	<pre><xs:simpleType name="ImmunizationCodeType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="35"/> </xs:restriction> </xs:simpleType></pre>									

simpleType ImmunizationDoseType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:integer						
properties	base xs:integer						
used by	element ImmunizationType/ImmunizationDose						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>totalDigits</td><td>2</td><td></td></tr></table>	Kind	Value	Annotation	totalDigits	2	
Kind	Value	Annotation					
totalDigits	2						
source	<pre><xs:simpleType name="ImmunizationDoseType"> <xs:restriction base="xs:integer"> <xs:totalDigits value="2"/> </xs:restriction> </xs:simpleType></pre>						

simpleType IncidentIdentifierType

namespace	urn:us:tx:state:tea:TREx:v1.39												
type	restriction of xs:token												
properties	base xs:token												
used by	element DisciplineActionType/IncidentIdentifier												
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>20</td><td></td></tr><tr><td>pattern</td><td>([0-9]{6,20})</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	20		pattern	([0-9]{6,20})	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
pattern	([0-9]{6,20})												
source	<pre><xs:simpleType name="IncidentIdentifierType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="20"/> <xs:pattern value="([0-9]{6,20})"/> </xs:restriction> </xs:simpleType></pre>												

simpleType LanguageType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:token						
properties	base xs:token						
used by	elements StudentDemographicType/HomeLanguage StudentDemographicType/StudentLanguage						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>01</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	01	
Kind	Value	Annotation					
enumeration	01						

	enumeration 02
	enumeration 03
	enumeration 04
	enumeration 06
	enumeration 07
	enumeration 08
	enumeration 09
	enumeration 98
	enumeration 99
	enumeration 1A
	enumeration 1B
	enumeration 1C
	enumeration 1D
	enumeration 1E
	enumeration 1F
	enumeration 1G
	enumeration 1H
	enumeration 1I
	enumeration 1J
	enumeration 1K
	enumeration 1L
	enumeration 1M
	enumeration 1N
	enumeration 1O
	enumeration 1P

	enumeration 1Q
	enumeration 1R
	enumeration 1S
	enumeration 1T
	enumeration 1U
	enumeration 1V
	enumeration 1W
	enumeration 1X
	enumeration 1Y
	enumeration 1Z
	enumeration 2A
	enumeration 2B
	enumeration 2C
	enumeration 2D
	enumeration 2E
	enumeration 2F
	enumeration 2G
	enumeration 2H
	enumeration 2I
	enumeration 2J
	enumeration 2K
	enumeration 2L
	enumeration 2M
	enumeration 2N
	enumeration 2O

	enumeration 2P
	enumeration 2Q
	enumeration 2R
	enumeration 2S
	enumeration 2T
	enumeration 2U
	enumeration 2V
	enumeration 2W
	enumeration 2X
	enumeration 2Y
	enumeration 2Z
	enumeration 3A
	enumeration 3B
	enumeration 3C
	enumeration 3D
	enumeration 3E
	enumeration 3F
	enumeration 3G
	enumeration 3H
	enumeration 3I
	enumeration 3J
	enumeration 3K
	enumeration 3L
	enumeration 3M
	enumeration 3N

	enumeration 3O
	enumeration 3P
	enumeration 3Q
	enumeration 3R
	enumeration 3S
	enumeration 3T
	enumeration 3U
	enumeration 3V
	enumeration 3W
	enumeration 3X
	enumeration 3Y
	enumeration 3Z
	enumeration 4A
	enumeration 4B
	enumeration 4C
	enumeration 4D
	enumeration 4E
	enumeration 4F
	enumeration 4G
	enumeration 4H
	enumeration 4I
	enumeration 4J
	enumeration 4K
	enumeration 4L
	enumeration 4M

	enumeration 4N
	enumeration 4O
	enumeration 4P
	enumeration 4Q
	enumeration 4R
	enumeration 4S
	enumeration 4T
	enumeration 4U
	enumeration 4V
	enumeration 4W
	enumeration 4X
	enumeration 4Y
	enumeration 4Z
	enumeration 5A
	enumeration 5B
	enumeration 5C
	enumeration 5D
	enumeration 5E
	enumeration 5F
	enumeration 5G
	enumeration 5H
	enumeration 5I
	enumeration 5J
	enumeration 5K
	enumeration 5L

	enumeration 5M enumeration 5N enumeration 5O enumeration 5P enumeration 5Q enumeration 5R enumeration 5S enumeration 5T enumeration 5U enumeration 5V enumeration 5W enumeration 5X enumeration 5Y enumeration 5Z enumeration 6A enumeration 6B
source	<xs:simpleType name="LanguageType"> <xs:restriction base="xs:token"> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="03"/> <xs:enumeration value="04"/> <xs:enumeration value="06"/> <xs:enumeration value="07"/> <xs:enumeration value="08"/> <xs:enumeration value="09"/> <xs:enumeration value="98"/> <xs:enumeration value="99"/> <xs:enumeration value="1A"/> <xs:enumeration value="1B"/>

	<xs:enumeration value="1C"/> <xs:enumeration value="1D"/> <xs:enumeration value="1E"/> <xs:enumeration value="1F"/> <xs:enumeration value="1G"/> <xs:enumeration value="1H"/> <xs:enumeration value="1I"/> <xs:enumeration value="1J"/> <xs:enumeration value="1K"/> <xs:enumeration value="1L"/> <xs:enumeration value="1M"/> <xs:enumeration value="1N"/> <xs:enumeration value="1O"/> <xs:enumeration value="1P"/> <xs:enumeration value="1Q"/> <xs:enumeration value="1R"/> <xs:enumeration value="1S"/> <xs:enumeration value="1T"/> <xs:enumeration value="1U"/> <xs:enumeration value="1V"/> <xs:enumeration value="1W"/> <xs:enumeration value="1X"/> <xs:enumeration value="1Y"/> <xs:enumeration value="1Z"/> <xs:enumeration value="2A"/> <xs:enumeration value="2B"/> <xs:enumeration value="2C"/> <xs:enumeration value="2D"/> <xs:enumeration value="2E"/> <xs:enumeration value="2F"/> <xs:enumeration value="2G"/> <xs:enumeration value="2H"/> <xs:enumeration value="2I"/> <xs:enumeration value="2J"/> <xs:enumeration value="2K"/> <xs:enumeration value="2L"/> <xs:enumeration value="2M"/> <xs:enumeration value="2N"/>
--	--

<xs:enumeration value="2O"/> <xs:enumeration value="2P"/> <xs:enumeration value="2Q"/> <xs:enumeration value="2R"/> <xs:enumeration value="2S"/> <xs:enumeration value="2T"/> <xs:enumeration value="2U"/> <xs:enumeration value="2V"/> <xs:enumeration value="2W"/> <xs:enumeration value="2X"/> <xs:enumeration value="2Y"/> <xs:enumeration value="2Z"/> <xs:enumeration value="3A"/> <xs:enumeration value="3B"/> <xs:enumeration value="3C"/> <xs:enumeration value="3D"/> <xs:enumeration value="3E"/> <xs:enumeration value="3F"/> <xs:enumeration value="3G"/> <xs:enumeration value="3H"/> <xs:enumeration value="3I"/> <xs:enumeration value="3J"/> <xs:enumeration value="3K"/> <xs:enumeration value="3L"/> <xs:enumeration value="3M"/> <xs:enumeration value="3N"/> <xs:enumeration value="3O"/> <xs:enumeration value="3P"/> <xs:enumeration value="3Q"/> <xs:enumeration value="3R"/> <xs:enumeration value="3S"/> <xs:enumeration value="3T"/> <xs:enumeration value="3U"/> <xs:enumeration value="3V"/> <xs:enumeration value="3W"/> <xs:enumeration value="3X"/> <xs:enumeration value="3Y"/> <xs:enumeration value="3Z"/>
--

<xs:enumeration value="4A"/> <xs:enumeration value="4B"/> <xs:enumeration value="4C"/> <xs:enumeration value="4D"/> <xs:enumeration value="4E"/> <xs:enumeration value="4F"/> <xs:enumeration value="4G"/> <xs:enumeration value="4H"/> <xs:enumeration value="4I"/> <xs:enumeration value="4J"/> <xs:enumeration value="4K"/> <xs:enumeration value="4L"/> <xs:enumeration value="4M"/> <xs:enumeration value="4N"/> <xs:enumeration value="4O"/> <xs:enumeration value="4P"/> <xs:enumeration value="4Q"/> <xs:enumeration value="4R"/> <xs:enumeration value="4S"/> <xs:enumeration value="4T"/> <xs:enumeration value="4U"/> <xs:enumeration value="4V"/> <xs:enumeration value="4W"/> <xs:enumeration value="4X"/> <xs:enumeration value="4Y"/> <xs:enumeration value="4Z"/> <xs:enumeration value="5A"/> <xs:enumeration value="5B"/> <xs:enumeration value="5C"/> <xs:enumeration value="5D"/> <xs:enumeration value="5E"/> <xs:enumeration value="5F"/> <xs:enumeration value="5G"/> <xs:enumeration value="5H"/> <xs:enumeration value="5I"/> <xs:enumeration value="5J"/> <xs:enumeration value="5K"/> <xs:enumeration value="5L"/>
--

<pre><xs:enumeration value="5M"/> <xs:enumeration value="5N"/> <xs:enumeration value="5O"/> <xs:enumeration value="5P"/> <xs:enumeration value="5Q"/> <xs:enumeration value="5R"/> <xs:enumeration value="5S"/> <xs:enumeration value="5T"/> <xs:enumeration value="5U"/> <xs:enumeration value="5V"/> <xs:enumeration value="5W"/> <xs:enumeration value="5X"/> <xs:enumeration value="5Y"/> <xs:enumeration value="5Z"/> <xs:enumeration value="6A"/> <xs:enumeration value="6B"/> <!-- Spanish --> <!-- Vietnamese --> <!-- Laotian (Lao) --> <!-- Cambodian (Khmer) --> <!-- Korean --> <!-- Japanese --> <!-- French --> <!-- German --> <!-- English --> <!-- Other languages --> <!-- Afrikaans (Taal) --> <!-- Akan (Fante, Asante) --> <!-- Albanian, Gheg (Kosovo/Macedonia) --> <!-- Albanian, Tosk (Albania) --> <!-- Algonquin --> <!-- Amharic --> <!-- Apache --> <!-- Arabic --> <!-- Armenian --> <!-- Assyrian (Syriac, Aramaic) --> <!-- Balinese --> <!-- Bengali --></pre>

	<!-- Bosnian --> <!-- Bulgarian --> <!-- Burmese --> <!-- Cantonese (Chinese) --> <!-- Cebuano (Visayan) --> <!-- Chamorro --> <!-- Chaochow/Teochiu (Chinese) --> <!-- Cherokee --> <!-- Chippewa/Ojibawa/Ottawa --> <!-- Choctaw --> <!-- Comanche --> <!-- Coushatta --> <!-- Creek --> <!-- Croatian --> <!-- Crow --> <!-- Czech --> <!-- Danish --> <!-- Dard --> <!-- Dutch/Flemish --> <!-- Efik --> <!-- Eskimo --> <!-- Estonian --> <!-- Ethiopic --> <!-- Ewe --> <!-- Farsi (Persian) --> <!-- Finnish --> <!-- Fukien/Hokkien (Chinese) --> <!-- Gaelic (Irish) --> <!-- Gaelic (Scottish) --> <!-- Greek --> <!-- Gujarati --> <!-- Guyanese --> <!-- Hainanese (Chinese) --> <!-- Haitian-Creole --> <!-- Hakka (Chinese) --> <!-- Hausa --> <!-- Hebrew --> <!-- Hindi -->
--	--

	<!-- Hmong --> <!-- Hopi --> <!-- Hungarian --> <!-- Ibo/Igbo --> <!-- Icelandic --> <!-- Ilonggo (Hiligaynon) --> <!-- Indonesian --> <!-- Italian --> <!-- Kache (Kaje, Jju) --> <!-- Kannada (Kanarese) --> <!-- Kanuri --> <!-- Kashmiri --> <!-- Kickapoo --> <!-- Konkani --> <!-- Kpelle --> <!-- Krio --> <!-- Kurdish --> <!-- Kwa --> <!-- Latvian --> <!-- Lingala --> <!-- Lithuanian --> <!-- Luganda --> <!-- Lunda --> <!-- Luyia (Luhya) --> <!-- Macedonian --> <!-- Malay --> <!-- Malayalam --> <!-- Maltese --> <!-- Mandarin (Chinese) --> <!-- Mande --> <!-- Marathi --> <!-- Menominee --> <!-- Mien (Yao) --> <!-- Navajo --> <!-- Nepali --> <!-- Norwegian --> <!-- Okinawan --> <!-- Oneida -->
--	--

	<!-- Oriya --> <!-- Orri (Oring) --> <!-- Pampangan --> <!-- Panjabi (Punjabi) --> <!-- Pashto (Pushto) --> <!-- Pilipino (Tagalog) --> <!-- Pima --> <!-- Polish --> <!-- Portuguese --> <!-- Pueblo --> <!-- Romanian --> <!-- Romany (Gypsy) --> <!-- Russian --> <!-- Samoan --> <!-- Serbian --> <!-- Shanghai (Chinese) --> <!-- Shona --> <!-- Sikkimese --> <!-- Sindhi --> <!-- Sinhalese (Sri Lanka) --> <!-- Sioux (Dakota) --> <!-- Slavic --> <!-- Slovenian (Slovene) --> <!-- Somali --> <!-- Sotho --> <!-- Swahili --> <!-- Swedish --> <!-- Taiwanese/Formosan/Min Nan (Chinese) --> <!-- Tamil --> <!-- Telugu (Telegu) --> <!-- Thai --> <!-- Tibetan --> <!-- Tigrinya --> <!-- Tiwa --> <!-- Tuluau --> <!-- Turkish --> <!-- Ukrainian --> <!-- Urdu -->
--	--

	<!-- Welsh --> <!-- Winnebago --> <!-- Yiddish --> <!-- Yombe --> <!-- Yoruba --> <!-- American Sign Language (ASL) --> </xs:restriction> </xs:simpleType>
--	---

simpleType LastNameType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element PersonNameType/LastName									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>60</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	60	
Kind	Value	Annotation								
minLength	1									
maxLength	60									
source	<xs:simpleType name="LastNameType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="60"/> </xs:restriction> </xs:simpleType>									

simpleType LEPType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token

properties	base xs:token																								
used by	element SpecialProgramsType/LEP																								
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>F</td><td></td></tr><tr><td>enumeration</td><td>S</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	F		enumeration	S		enumeration	3		enumeration	4		enumeration	5	
Kind	Value	Annotation																							
enumeration	0																								
enumeration	1																								
enumeration	F																								
enumeration	S																								
enumeration	3																								
enumeration	4																								
enumeration	5																								
source	<pre><xs:simpleType name="LEPType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="F"/> <xs:enumeration value="S"/> <xs:enumeration value="3"/> <xs:enumeration value="4"/> <xs:enumeration value="5"/> <!-- Not Emergent Bilingual(EB)/English proficient (EP) --> <!-- Identified as Emergent Bilingual(EB)/English learner (EL) --> <!-- Student Reclassified from Emergent Bilingual(EB)/English learner (EL) Status - Monitored 1 (M1) --> <!-- Student Reclassified from Emergent Bilingual(EB)/English learner (EL) Status - Monitored 2 (M2) --> <!-- Student Reclassified from Emergent Bilingual(EB)/English learner (EL) Status - Monitored 3 (M3) --> <!-- Student Reclassified from Emergent Bilingual(EB)/English learner (EL) Status - Monitored 4 (M4) --> <!-- Former Emergent Bilingual(EB)/EL Student (effective after fourth year of monitoring) --> </xs:restriction> </xs:simpleType></pre>																								

	</xs:restriction> </xs:simpleType>
--	---------------------------------------

simpleType LocalIDType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element StudentIdentificationType/LocalID									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>9</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	9	
Kind	Value	Annotation								
minLength	1									
maxLength	9									
source	<pre><xs:simpleType name="LocalIDType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="9"/> </xs:restriction> </xs:simpleType></pre>									

simpleType MiddleNameType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:token						
properties	base xs:token						
used by	element PersonNameType/MiddleName						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minLength</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 60
source	<xs:simpleType name="MiddleNameType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="60"/> </xs:restriction> </xs:simpleType>

simpleType MilitaryConnectedType

namespace	urn:us:tx:state:tea:TREx:v1.39																								
type	restriction of xs:token																								
properties	base xs:token																								
used by	element StudentDemographicType/MilitaryConnected																								
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr><tr><td>enumeration</td><td>6</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6	
Kind	Value	Annotation																							
enumeration	0																								
enumeration	1																								
enumeration	2																								
enumeration	3																								
enumeration	4																								
enumeration	5																								
enumeration	6																								
source	<xs:simpleType name="MilitaryConnectedType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <xs:enumeration value="4"/>																								

	<pre> <xs:enumeration value="5"/> <xs:enumeration value="6"/> <!-- Not a military-connected student. --> <!-- KG-12 student is a dependent of an active duty member of the U.S. Military. --> <!-- KG-12 student is a dependent of a current member of the Texas National Guard. --> <!-- KG-12 student is a dependent of a current member of a reserve force in the U.S. Military. --> <!-- Pre-K dependent of active duty service member, Texas guard, or Reserve injured or killed on active duty. --> <!-- KG-12 student is a dependent of a former member of U.S. Military, TX National Guard or a reserve force in the U.S. Military. --> <!-- KG-12 student is a dependent of a member of a military or reserve force in the U.S. Military who was killed in the line of duty. --> </xs:restriction> </xs:simpleType> </pre>
--	---

simpleType ParticipationType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	elements SpecialProgramsType/AtRisk AcademicStatusType/DistingLevelAchievementGraduate StudentDemographicType/Dyslexia AcademicStatusType/FHSPCollegeCareerInstructionIndicator AcademicStatusType/FHSPDistingLevelParticipant SpecialProgramsType/IEP StudentDemographicType/Migrant AcademicStatusType/MSAdvancedMathParticipation AcademicStatusType/OnRamps SpecialProgramsType/PersonalGradPlan

	AcademicStatusType/PKChildLeaClassroomTeacher StudentDemographicType/PkEligiblePreviousYear AcademicStatusType/SATACTReimbursement AcademicStatusType/Section504 SpecialProgramsType/SpecialEd AcademicStatusType/StarOfTexas StudentDemographicType/StudentAcceleratedEducationPlan AcademicStatusType/TexasFirstEarlyHSGraduate StudentDemographicType/TX-BehavioralThreatAssessment DisciplineActionType/TX-InconsistentCodeOfConductIndicator DisciplineActionType/TX-SafeSupportiveSchoolProgramTeamReview									
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<pre><xs:simpleType name="ParticipationType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <!-- Not receiving services, or condition or situation not applicable to this person or campus. --> <!-- Participant in program or service, or condition or situation applicable to this person or campus. --> </xs:restriction> </xs:simpleType></pre>									

simpleType PassFailCreditType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token

used by	element CourseType/PassFailCredit																																																
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>00</td><td></td></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr><tr><td>enumeration</td><td>06</td><td></td></tr><tr><td>enumeration</td><td>07</td><td></td></tr><tr><td>enumeration</td><td>08</td><td></td></tr><tr><td>enumeration</td><td>09</td><td></td></tr><tr><td>enumeration</td><td>10</td><td></td></tr><tr><td>enumeration</td><td>11</td><td></td></tr><tr><td>enumeration</td><td>12</td><td></td></tr><tr><td>enumeration</td><td>13</td><td></td></tr><tr><td>enumeration</td><td>14</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14	
Kind	Value	Annotation																																															
enumeration	00																																																
enumeration	01																																																
enumeration	02																																																
enumeration	03																																																
enumeration	04																																																
enumeration	05																																																
enumeration	06																																																
enumeration	07																																																
enumeration	08																																																
enumeration	09																																																
enumeration	10																																																
enumeration	11																																																
enumeration	12																																																
enumeration	13																																																
enumeration	14																																																
source	<pre><xs:simpleType name="PassFailCreditType"> <xs:restriction base="xs:token"> <xs:enumeration value="00"/> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="03"/> <xs:enumeration value="04"/> <xs:enumeration value="05"/> <xs:enumeration value="06"/> <xs:enumeration value="07"/> <xs:enumeration value="08"/> <xs:enumeration value="09"/> <xs:enumeration value="10"/></pre>																																																

	<pre> <xs:enumeration value="11"/> <xs:enumeration value="12"/> <xs:enumeration value="13"/> <xs:enumeration value="14"/> <!-- Course was passed and credit was received --> <!-- Not Applicable --> <!-- Course was failed and no credit was received - first occurrence this school year --> <!-- Course was failed and no credit was received - second occurrence this school year --> <!-- Course was passed, but credit was not received due to excessive absences - first occurrence this school year --> <!-- Course was passed, but credit was not received due to excessive absences - second occurrence this school year --> <!-- Course was passed, but credit was not received (other parts of the course have not been taken) --> <!-- Course was passed, but credit was not received (other parts of the course have been taken but not passed) --> <!-- Course was failed, but credit was received (other parts of the course have been passed and credit was awarded based on the grades in those parts) --> <!-- Course work is incomplete and no credit has been awarded --> <!-- Course was passed, but credit was not received (course had previously been passed, and was repeated for better mastery) --> <!-- Course was failed and no credit was received - third occurrence this school year --> <!-- Course was passed, but credit was not received due to excessive absences - third occurrence this school year --> <!-- Non-High School Course Passed --> <!-- Non-High School Course Failed --> </xs:restriction> </xs:simpleType> </pre>
--	---

simpleType PerfAckApIbCode

namespace	urn:us:tx:state:tea:TREx:v1.39		
type	restriction of xs:token		
properties	base xs:token		
used by	element PerfAckAplbType/AplbCode		
facets	Kind	Value	Annotation
	enumeration	0	
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	5	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
	enumeration	10	
	enumeration	11	
	enumeration	12	
	enumeration	13	
	enumeration	14	
	enumeration	15	
	enumeration	16	
	enumeration	17	
	enumeration	18	
enumeration	19		

	enumeration 20
	enumeration 21
	enumeration 22
	enumeration 23
	enumeration 24
	enumeration 25
	enumeration 26
	enumeration 27
	enumeration 28
	enumeration 29
	enumeration 30
	enumeration 31
	enumeration 32
	enumeration 33
	enumeration 34
	enumeration 35
	enumeration 36
	enumeration 37
	enumeration 38
	enumeration 39
	enumeration 40
	enumeration 41
	enumeration 42
	enumeration 43
	enumeration 44

	enumeration 45
	enumeration 46
	enumeration 47
	enumeration 48
	enumeration 49
	enumeration 50
	enumeration 51
	enumeration 52
	enumeration 53
	enumeration 54
	enumeration 55
	enumeration 56
	enumeration 57
	enumeration 58
	enumeration 59
	enumeration 60
	enumeration 61
	enumeration 62
	enumeration 63
	enumeration 64
	enumeration 65
	enumeration 66
	enumeration 67
	enumeration 68
	enumeration 69

	enumeration 70
	enumeration 71
	enumeration 72
	enumeration 73
	enumeration 74
	enumeration 75
	enumeration 76
	enumeration 77
	enumeration 78
	enumeration 79
	enumeration 80
	enumeration 81
	enumeration 82
	enumeration 83
	enumeration 84
	enumeration 85
	enumeration 86
	enumeration 87
	enumeration 88
	enumeration 89
	enumeration 90
	enumeration 91
	enumeration 92
	enumeration 93
	enumeration 94

	enumeration 95
	enumeration 96
	enumeration 97
	enumeration 98
	enumeration 99
	enumeration 100
	enumeration 101
	enumeration 102
	enumeration 103
	enumeration 104
	enumeration 105
	enumeration 106
	enumeration 107
	enumeration 108
	enumeration 109
	enumeration 110
	enumeration 111
	enumeration 112
	enumeration 113
	enumeration 114
	enumeration 115
	enumeration 116
	enumeration 117
	enumeration 118
	enumeration 119

	enumeration 120
	enumeration 121
	enumeration 122
	enumeration 123
	enumeration 124
	enumeration 125
	enumeration 126
	enumeration 127
	enumeration 128
	enumeration 129
	enumeration 130
	enumeration 131
	enumeration 150
	enumeration 151
	enumeration 152
	enumeration 153
	enumeration 154
	enumeration 155
	enumeration 160
	enumeration 161
	enumeration 162
	enumeration 163
	enumeration 164
	enumeration 165
	enumeration 166

	enumeration 167 enumeration 168 enumeration 169 enumeration 170 enumeration 171 enumeration 172 enumeration 173 enumeration 174 enumeration 175 enumeration 176 enumeration 177 enumeration 178 enumeration 179 enumeration 180 enumeration 181 enumeration 182 enumeration 183 enumeration 184 enumeration 185 enumeration 186
source	<xs:simpleType name="PerfAckApIbCode"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <xs:enumeration value="4"/> <xs:enumeration value="5"/>

	<xs:enumeration value="6"/> <xs:enumeration value="7"/> <xs:enumeration value="8"/> <xs:enumeration value="9"/> <xs:enumeration value="10"/> <xs:enumeration value="11"/> <xs:enumeration value="12"/> <xs:enumeration value="13"/> <xs:enumeration value="14"/> <xs:enumeration value="15"/> <xs:enumeration value="16"/> <xs:enumeration value="17"/> <xs:enumeration value="18"/> <xs:enumeration value="19"/> <xs:enumeration value="20"/> <xs:enumeration value="21"/> <xs:enumeration value="22"/> <xs:enumeration value="23"/> <xs:enumeration value="24"/> <xs:enumeration value="25"/> <xs:enumeration value="26"/> <xs:enumeration value="27"/> <xs:enumeration value="28"/> <xs:enumeration value="29"/> <xs:enumeration value="30"/> <xs:enumeration value="31"/> <xs:enumeration value="32"/> <xs:enumeration value="33"/> <xs:enumeration value="34"/> <xs:enumeration value="35"/> <xs:enumeration value="36"/> <xs:enumeration value="37"/> <xs:enumeration value="38"/> <xs:enumeration value="39"/> <xs:enumeration value="40"/> <xs:enumeration value="41"/> <xs:enumeration value="42"/> <xs:enumeration value="43"/>
--	--

<xs:enumeration value="44"/> <xs:enumeration value="45"/> <xs:enumeration value="46"/> <xs:enumeration value="47"/> <xs:enumeration value="48"/> <xs:enumeration value="49"/> <xs:enumeration value="50"/> <xs:enumeration value="51"/> <xs:enumeration value="52"/> <xs:enumeration value="53"/> <xs:enumeration value="54"/> <xs:enumeration value="55"/> <xs:enumeration value="56"/> <xs:enumeration value="57"/> <xs:enumeration value="58"/> <xs:enumeration value="59"/> <xs:enumeration value="60"/> <xs:enumeration value="61"/> <xs:enumeration value="62"/> <xs:enumeration value="63"/> <xs:enumeration value="64"/> <xs:enumeration value="65"/> <xs:enumeration value="66"/> <xs:enumeration value="67"/> <xs:enumeration value="68"/> <xs:enumeration value="69"/> <xs:enumeration value="70"/> <xs:enumeration value="71"/> <xs:enumeration value="72"/> <xs:enumeration value="73"/> <xs:enumeration value="74"/> <xs:enumeration value="75"/> <xs:enumeration value="76"/> <xs:enumeration value="77"/> <xs:enumeration value="78"/> <xs:enumeration value="79"/> <xs:enumeration value="80"/> <xs:enumeration value="81"/>
--

<xs:enumeration value="82"/> <xs:enumeration value="83"/> <xs:enumeration value="84"/> <xs:enumeration value="85"/> <xs:enumeration value="86"/> <xs:enumeration value="87"/> <xs:enumeration value="88"/> <xs:enumeration value="89"/> <xs:enumeration value="90"/> <xs:enumeration value="91"/> <xs:enumeration value="92"/> <xs:enumeration value="93"/> <xs:enumeration value="94"/> <xs:enumeration value="95"/> <xs:enumeration value="96"/> <xs:enumeration value="97"/> <xs:enumeration value="98"/> <xs:enumeration value="99"/> <xs:enumeration value="100"/> <xs:enumeration value="101"/> <xs:enumeration value="102"/> <xs:enumeration value="103"/> <xs:enumeration value="104"/> <xs:enumeration value="105"/> <xs:enumeration value="106"/> <xs:enumeration value="107"/> <xs:enumeration value="108"/> <xs:enumeration value="109"/> <xs:enumeration value="110"/> <xs:enumeration value="111"/> <xs:enumeration value="112"/> <xs:enumeration value="113"/> <xs:enumeration value="114"/> <xs:enumeration value="115"/> <xs:enumeration value="116"/> <xs:enumeration value="117"/> <xs:enumeration value="118"/> <xs:enumeration value="119"/>
--

	<xs:enumeration value="120"/> <xs:enumeration value="121"/> <xs:enumeration value="122"/> <xs:enumeration value="123"/> <xs:enumeration value="124"/> <xs:enumeration value="125"/> <xs:enumeration value="126"/> <xs:enumeration value="127"/> <xs:enumeration value="128"/> <xs:enumeration value="129"/> <xs:enumeration value="130"/> <xs:enumeration value="131"/> <xs:enumeration value="150"/> <xs:enumeration value="151"/> <xs:enumeration value="152"/> <xs:enumeration value="153"/> <xs:enumeration value="154"/> <xs:enumeration value="155"/> <xs:enumeration value="160"/> <xs:enumeration value="161"/> <xs:enumeration value="162"/> <xs:enumeration value="163"/> <xs:enumeration value="164"/> <xs:enumeration value="165"/> <xs:enumeration value="166"/> <xs:enumeration value="167"/> <xs:enumeration value="168"/> <xs:enumeration value="169"/> <xs:enumeration value="170"/> <xs:enumeration value="171"/> <xs:enumeration value="172"/> <xs:enumeration value="173"/> <xs:enumeration value="174"/> <xs:enumeration value="175"/> <xs:enumeration value="176"/> <xs:enumeration value="177"/> <xs:enumeration value="178"/> <xs:enumeration value="179"/>
--	--

<pre><xs:enumeration value="180"/> <xs:enumeration value="181"/> <xs:enumeration value="182"/> <xs:enumeration value="183"/> <xs:enumeration value="184"/> <xs:enumeration value="185"/> <xs:enumeration value="186"/> <!-- Student not acknowledged for AP or IB Exam --> <!-- Acknowledgment for AP: Art History --> <!-- Acknowledgment for AP: Biology --> <!-- Acknowledgment for AP: Calculus AB --> <!-- Acknowledgment for AP: Calculus BC --> <!-- Acknowledgment for AP: Chemistry --> <!-- Acknowledgment for AP: Chinese Language and Culture --> <!-- Acknowledgment for AP: Comparative Government and Politics --> <!-- Acknowledgment for AP: Computer Science A --> <!-- Acknowledgment for AP: English Language and Composition --> <!-- Acknowledgment for AP: English Literature and Composition --> <!-- Acknowledgment for AP: Environmental Science --> <!-- Acknowledgment for AP: European History --> <!-- Acknowledgment for AP: French Language and Culture --> <!-- Acknowledgment for AP: German Language and Culture --> <!-- Acknowledgment for AP: Human Geography --> <!-- Acknowledgment for AP: Italian Language and Culture --> <!-- Acknowledgment for AP: Japanese Language and Culture --> <!-- Acknowledgment for AP: Latin --> <!-- Acknowledgment for AP: Macroeconomics --> <!-- Acknowledgment for AP: Microeconomics --> <!-- Acknowledgment for AP: Music Theory --> <!-- Acknowledgment for AP: Physics 1: Algebra-Based --> <!-- Acknowledgment for AP: Physics 2: Algebra-Based --> <!-- Acknowledgment for AP: Physics B --> <!-- Acknowledgment for AP: Physics C: Electricity and Magnetism --> <!-- Acknowledgment for AP: Physics C: Mechanics --> <!-- Acknowledgment for AP: Psychology --> <!-- Acknowledgment for AP: Spanish Language and Culture --> <!-- Acknowledgment for AP: Spanish Literature and Culture --> <!-- Acknowledgment for AP: Statistics --></pre>

<!-- Acknowledgment for AP: Studio Art 2-D Design Portfolio --> <!-- Acknowledgment for AP: Studio Art 3-D Design Portfolio --> <!-- Acknowledgment for AP: Studio Art Drawing Portfolio --> <!-- Acknowledgment for AP: United States Government and Politics --> <!-- Acknowledgment for AP: United States History --> <!-- Acknowledgment for AP: World History --> <!-- Acknowledgment for IB: Biology HL --> <!-- Acknowledgment for IB: Biology SL --> <!-- Acknowledgment for IB: Business and Management HL --> <!-- Acknowledgment for IB: Business and Management SL --> <!-- Acknowledgment for IB: Chemistry HL --> <!-- Acknowledgment for IB: Chemistry SL --> <!-- Acknowledgment for IB: Chinese A Language and Literature HL --> <!-- Acknowledgment for IB: Chinese A Language and Literature SL --> <!-- Acknowledgment for IB: Chinese A Literature HL --> <!-- Acknowledgment for IB: Chinese A Literature SL --> <!-- Acknowledgment for IB: Chinese ab initio SL --> <!-- Acknowledgment for IB: Chinese B HL --> <!-- Acknowledgment for IB: Chinese B SL --> <!-- Acknowledgment for IB: Classical Greek HL --> <!-- Acknowledgment for IB: Classical Greek SL --> <!-- Acknowledgment for IB: Computer Science HL --> <!-- Acknowledgment for IB: Computer Science SL --> <!-- Acknowledgment for IB: Design Technology HL --> <!-- Acknowledgment for IB: Design Technology SL --> <!-- Acknowledgment for IB: Economics HL --> <!-- Acknowledgment for IB: Economics SL --> <!-- Acknowledgment for IB: English A Language and Literature HL --> <!-- Acknowledgment for IB: English A Language and Literature SL --> <!-- Acknowledgment for IB: English A Literature HL --> <!-- Acknowledgment for IB: English A Literature SL --> <!-- Acknowledgment for IB: English ab initio SL --> <!-- Acknowledgment for IB: English B HL --> <!-- Acknowledgment for IB: English B SL --> <!-- Acknowledgment for IB: Environmental Systems and Societies SL --> <!-- Acknowledgment for IB: French A Language and Literature HL --> <!-- Acknowledgment for IB: French A Language and Literature SL --> <!-- Acknowledgment for IB: French A Literature HL -->

<!-- Acknowledgment for IB: French A Literature SL --> <!-- Acknowledgment for IB: French ab initio SL --> <!-- Acknowledgment for IB: French B HL --> <!-- Acknowledgment for IB: French B SL --> <!-- Acknowledgment for IB: Further Mathematics HL --> <!-- Acknowledgment for IB: Geography HL --> <!-- Acknowledgment for IB: Geography HL/SL --> <!-- Acknowledgment for IB: Geography SL --> <!-- Acknowledgment for IB: German A Language and Literature HL --> <!-- Acknowledgment for IB: German A Language and Literature SL --> <!-- Acknowledgment for IB: German A Literature HL --> <!-- Acknowledgment for IB: German A Literature SL --> <!-- Acknowledgment for IB: German ab initio --> <!-- Acknowledgment for IB: German ab initio SL --> <!-- Acknowledgment for IB: German B HL --> <!-- Acknowledgment for IB: German B SL --> <!-- Acknowledgment for IB: Global Politics HL --> <!-- Acknowledgment for IB: Global Politics HL/SL --> <!-- Acknowledgment for IB: Global Politics SL --> <!-- Acknowledgment for IB: History HL --> <!-- Acknowledgment for IB: History SL --> <!-- Acknowledgment for IB: Information Technology in a Global Society (ITGS) HL --> <!-- Acknowledgment for IB: Information Technology in a Global Society (ITGS) HL/SL --> <!-- Acknowledgment for IB: Information Technology in a Global Society (ITGS) SL --> <!-- Acknowledgment for IB: Language Studies A: Language and Literature HL --> <!-- Acknowledgment for IB: Language Studies A: Language and Literature SL --> <!-- Acknowledgment for IB: Language Studies A: Literature HL --> <!-- Acknowledgment for IB: Language Studies A: Literature SL --> <!-- Acknowledgment for IB: Language ab initio SL --> <!-- Acknowledgment for IB: Language B HL --> <!-- Acknowledgment for IB: Language B SL --> <!-- Acknowledgment for IB: Latin HL --> <!-- Acknowledgment for IB: Latin SL -->

<!-- Acknowledgment for IB: Literature and Performance SL --> <!-- Acknowledgment for IB: Mathematical studies SL --> <!-- Acknowledgment for IB: Mathematics HL --> <!-- Acknowledgment for IB: Mathematics SL --> <!-- Acknowledgment for IB: Music HL --> <!-- Acknowledgment for IB: Music SL --> <!-- Acknowledgment for IB: Philosophy HL --> <!-- Acknowledgment for IB: Philosophy HL/SL --> <!-- Acknowledgment for IB: Philosophy SL --> <!-- Acknowledgment for IB: Physics HL --> <!-- Acknowledgment for IB: Physics SL --> <!-- Acknowledgment for IB: Psychology HL --> <!-- Acknowledgment for IB: Psychology HL/SL --> <!-- Acknowledgment for IB: Psychology SL --> <!-- Acknowledgment for IB: School-based syllabus SL --> <!-- Acknowledgment for IB: Social and Cultural Anthropology HL --> <!-- Acknowledgment for IB: Social and Cultural Anthropology SL --> <!-- Acknowledgment for IB: Spanish A Language and Literature HL --> <!-- Acknowledgment for IB: Spanish A Language and Literature SL --> <!-- Acknowledgment for IB: Spanish A Literature HL --> <!-- Acknowledgment for IB: Spanish A Literature SL --> <!-- Acknowledgment for IB: Spanish ab initio SL --> <!-- Acknowledgment for IB: Spanish B HL --> <!-- Acknowledgment for IB: Spanish B SL --> <!-- Acknowledgment for IB: Sports, Exercise, and Health Science SL --> <!-- Acknowledgment for IB: World Religions SL --> <!-- Acknowledgment for AP: Computer Science Principles --> <!-- Acknowledgment for AP: Capstone Seminar --> <!-- Acknowledgment for AP: Research --> <!-- Acknowledgment for AP: Precalculus --> <!-- Acknowledgment for IB: Nature of Science SL --> <!-- Acknowledgment for IB: Sports, Exercise, and Health Science HL --> <!-- Acknowledgment for IB: History of Africa and the Middle East HL --> <!-- Acknowledgment for IB: History of the Americas HL --> <!-- Acknowledgment for IB: History of Asia and Oceania HL --> <!-- Acknowledgment for IB: History of Europe HL --> <!-- Acknowledgment for IB: Film SL --> <!-- Acknowledgment for IB: Film HL -->
--

	<!-- Acknowledgment for IB: Dance HL --> <!-- Acknowledgment for IB: Dance SL --> <!-- Acknowledgment for IB: Visual Arts HL --> <!-- Acknowledgment for IB: Visual Arts SL --> <!-- Acknowledgment for IB: Theatre HL --> <!-- Acknowledgment for IB: Theatre SL --> <!-- Acknowledgment for IB: Arabic ab initio SL --> <!-- Acknowledgment for IB: Arabic B HL --> <!-- Acknowledgment for IB: Arabic B SL --> <!-- Acknowledgment for IB: Japanese ab initio SL --> <!-- Acknowledgment for IB: Japanese B HL --> <!-- Acknowledgment for IB: Japanese B SL --> <!-- Acknowledgment for IB: Russian ab initio SL --> <!-- Acknowledgment for IB: Russian A Literature HL --> <!-- Acknowledgment for IB: Russian A Literature SL --> <!-- Acknowledgment for IB: Hebrew ab initio SL --> <!-- Acknowledgment for IB: Hebrew B HL --> <!-- Acknowledgment for IB: Hebrew B SL --> <!-- Acknowledgment for IB: Hindi ab initio SL --> <!-- Acknowledgment for IB: Hindi B HL --> <!-- Acknowledgment for IB: Hindi B SL --> <!-- Acknowledgment for IB: Analysis and Approaches SL --> <!-- Acknowledgment for IB: Analysis and Approaches HL --> <!-- Acknowledgment for IB: Applications and Interpretations SL --> <!-- Acknowledgment for IB: Applications and Interpretations HL --> </xs:restriction> </xs:simpleType>
--	--

simpleType PerfAckBilingBilitCode

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	element PerfAckBilingBilitType/BilingBilitCode

facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1	
Kind	Value	Annotation								
enumeration	0									
enumeration	1									
source	<pre><xs:simpleType name="PerfAckBilingBilitCode"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <!-- Not Acknowledged for Bilingualism and biliteracy --> <!-- Acknowledgment for Bilingualism and biliteracy --> </xs:restriction> </xs:simpleType></pre>									

simpleType PerfAckCertLicCode

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element PerfAckCertLicType/CertLicCode									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>61</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	61	
Kind	Value	Annotation								
minLength	1									
maxLength	61									
source	<pre><xs:simpleType name="PerfAckCertLicCode"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="61"/> </xs:restriction> </xs:simpleType></pre>									

simpleType PerfAckCollegeAssessCode

namespace	urn:us:tx:state:tea:TREx:v1.39																																										
type	restriction of xs:token																																										
properties	base xs:token																																										
used by	element PerfAckCollegeAssessType/CollegeAssessCode																																										
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr><tr><td>enumeration</td><td>6</td><td></td></tr><tr><td>enumeration</td><td>7</td><td></td></tr><tr><td>enumeration</td><td>8</td><td></td></tr><tr><td>enumeration</td><td>9</td><td></td></tr><tr><td>enumeration</td><td>10</td><td></td></tr><tr><td>enumeration</td><td>11</td><td></td></tr><tr><td>enumeration</td><td>12</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	10		enumeration	11		enumeration	12	
Kind	Value	Annotation																																									
enumeration	0																																										
enumeration	1																																										
enumeration	2																																										
enumeration	3																																										
enumeration	4																																										
enumeration	5																																										
enumeration	6																																										
enumeration	7																																										
enumeration	8																																										
enumeration	9																																										
enumeration	10																																										
enumeration	11																																										
enumeration	12																																										
source	<pre><xs:simpleType name="PerfAckCollegeAssessCode"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <xs:enumeration value="4"/> <xs:enumeration value="5"/> <xs:enumeration value="6"/> <xs:enumeration value="7"/> <xs:enumeration value="8"/></pre>																																										

	<pre> <xs:enumeration value="9"/> <xs:enumeration value="10"/> <xs:enumeration value="11"/> <xs:enumeration value="12"/> <!-- Student not acknowledged for Assessment --> <!-- Acknowledgment for PLAN or ASPIRE: College readiness benchmark met on 2 or more of the 4 subject tests --> <!-- Acknowledgment for PSAT: Commended scholar or higher --> <!-- Acknowledgment for ACT: Composite score 28 or higher --> <!-- Acknowledgment for SAT: Combined reading and math score 1250 or higher --> <!-- Acknowledgment for SAT: Scores of at least 410 on reading and 520 on math --> <!-- Acknowledgment for SAT: Total score of at least 1310 --> <!-- Acknowledgment for ASPIRE: College readiness benchmark met on 3 or more of the 5 subject tests --> <!-- Acknowledgment for PSAT/NMSQT: Commended scholar or higher or awardee of the National Recognition Programs --> <!-- Acknowledgment for ACT Aspire: earning a composite score of 442 on the ACT Aspire examination --> <!-- Acknowledgment for ACT Pre-ACT: earning a composite score of 29 on the ACT PreACT examination --> <!-- Acknowledgment for SAT: earning a total score of at least 1350 on the SAT --> <!-- Acknowledgment for ACT: earning a composite score of 29 on the ACT PreACT examination (excluding writing) --> </xs:restriction> </xs:simpleType> </pre>
--	--

simpleType PerfAckDualCreditCode

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token

used by	element PerfAckDualCreditType/DualCreditCode												
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												
source	<pre><xs:simpleType name="PerfAckDualCreditCode"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <!-- Student not acknowledged for Dual Credit --> <!-- Acknowledgment for Associates degree --> <!-- Acknowledgment for College credit hours --> </xs:restriction> </xs:simpleType></pre>												

simpleType PerformanceLevelType

namespace	urn:us:tx:state:tea:TREx:v1.39		
type	restriction of xs:token		
properties	base xs:token		
used by	element AssessmentType/PerformanceLevel		
facets	Kind	Value	Annotation
	enumeration	0	
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	

	enumeration 6 enumeration 7 enumeration 8 enumeration 9 enumeration A enumeration B
source	<pre> <xs:simpleType name="PerformanceLevelType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <xs:enumeration value="4"/> <xs:enumeration value="6"/> <xs:enumeration value="7"/> <xs:enumeration value="8"/> <xs:enumeration value="9"/> <xs:enumeration value="A"/> <xs:enumeration value="B"/> <!-- NA - Not Applicable --> <!-- I - Developing or Unsatisfactory Academic Performance, Level I --> <!-- II - Satisfactory Academic Performance, Level II --> <!-- III - Accomplished or Advanced Academic Performance, Level III --> <!-- M - Met Transition Rule Standard --> <!-- S - Substitute Assessment --> <!-- DidNotMeet - Unsatisfactory Academic Performance, Level I (STAAR Alternate) or Did Not Meet Grade Level Performance --> <!-- Approaches - Approaches Grade Level Performance (Not available for use for STAAR Alternate) --> <!-- Meets - Satisfactory Academic Performance, Level II (STAAR Alternate) or Meets Grade Level Performance --> <!-- Masters - Accomplished or Advanced Academic Performance, Level III (STAAR Alternate) or Masters Grade Level Performance --> <!-- 2020 Waived - STAAR testing requirements waived for administrations for the 2019-2020 school year --> </pre>

	</xs:restriction> </xs:simpleType>
--	---------------------------------------

simpleType PhoneNumberType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	elements PhoneNumberGroup/Fax PhoneNumberGroup/PhoneNumber									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>20</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	20	
Kind	Value	Annotation								
minLength	1									
maxLength	20									
source	<xs:simpleType name="PhoneNumberType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="20"/> </xs:restriction> </xs:simpleType>									

simpleType PostalCodeType

namespace	urn:us:tx:state:tea:TREx:v1.39		
type	restriction of xs:token		
properties	base xs:token		
used by	element AddressType/PostalCode		
facets	Kind	Value	Annotation

	minLength 5 maxLength 10 pattern ([0-9]{5}) ([0-9]{5}-[0-9]{4})
source	<xs:simpleType name="PostalCodeType"> <xs:restriction base="xs:token"> <xs:minLength value="5"/> <xs:maxLength value="10"/> <xs:pattern value="([0-9]{5}) ([0-9]{5}-[0-9]{4})"/> </xs:restriction> </xs:simpleType>

simpleType PriorIDType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	element StudentIdentificationType/PriorID
facets	Kind Value Annotation maxLength 9 minLength 1
source	<xs:simpleType name="PriorIDType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="9"/> </xs:restriction> </xs:simpleType>

simpleType QuartileType

namespace	urn:us:tx:state:tea:TREx:v1.39															
type	restriction of xs:token															
properties	base xs:token															
used by	element AcademicSummaryType/Quartile															
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4	
Kind	Value	Annotation														
enumeration	1															
enumeration	2															
enumeration	3															
enumeration	4															
source	<pre><xs:simpleType name="QuartileType"> <xs:restriction base="xs:token"> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <xs:enumeration value="4"/> <!-- Student is ranked in the top 25% (1-25%) of the graduating class. --> <!-- Student is ranked in the top 50% (26-50%) of the graduating class. --> <!-- Student is ranked in the top 75% (51-75%) of the graduating class. --> <!-- Student is ranked in the lowest 25% (below 75%) of the graduating class. --> </xs:restriction> </xs:simpleType></pre>															

simpleType RaceType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	element StudentDemographicType/Race

facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	5																		
source	<pre><xs:simpleType name="RaceType"> <xs:restriction base="xs:token"> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <xs:enumeration value="4"/> <xs:enumeration value="5"/> <!-- American Indian or Alaskan Native --> <!-- Asian or Pacific Islander --> <!-- Black, not of Hispanic origin --> <!-- Hispanic --> <!-- White, not of Hispanic origin --> </xs:restriction> </xs:simpleType></pre>																		

simpleType SchoolIDType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:token						
properties	base xs:token						
used by	elements CourseType/CreditCampus SchoolType/SchoolID DisciplineActionType/StateOrganizationId						
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>pattern</td><td>([0-9]{9})</td><td></td></tr></table>	Kind	Value	Annotation	pattern	([0-9]{9})	
Kind	Value	Annotation					
pattern	([0-9]{9})						

source	<pre> <xs:simpleType name="SchoolIDType"> <xs:restriction base="xs:token"> <xs:pattern value="([0-9]{9})"/> </xs:restriction> </xs:simpleType> </pre>
--------	---

simpleType SchoolNameType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element SchoolType/SchoolName									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>75</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	75	
Kind	Value	Annotation								
minLength	1									
maxLength	75									
source	<pre><xs:simpleType name="SchoolNameType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="75"/> </xs:restriction> </xs:simpleType></pre>									

simpleType SemesterSeqType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	element CourseType/SemesterSeq

facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>0</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr><tr><td>enumeration</td><td>6</td><td></td></tr><tr><td>enumeration</td><td>7</td><td></td></tr><tr><td>enumeration</td><td>8</td><td></td></tr><tr><td>enumeration</td><td>9</td><td></td></tr><tr><td>enumeration</td><td>D0</td><td></td></tr><tr><td>enumeration</td><td>D1</td><td></td></tr><tr><td>enumeration</td><td>D2</td><td></td></tr><tr><td>enumeration</td><td>D3</td><td></td></tr><tr><td>enumeration</td><td>D4</td><td></td></tr><tr><td>enumeration</td><td>D5</td><td></td></tr><tr><td>enumeration</td><td>D6</td><td></td></tr><tr><td>enumeration</td><td>D7</td><td></td></tr><tr><td>enumeration</td><td>D8</td><td></td></tr><tr><td>enumeration</td><td>D9</td><td></td></tr><tr><td>enumeration</td><td>A</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	D0		enumeration	D1		enumeration	D2		enumeration	D3		enumeration	D4		enumeration	D5		enumeration	D6		enumeration	D7		enumeration	D8		enumeration	D9		enumeration	A	
Kind	Value	Annotation																																																																	
enumeration	0																																																																		
enumeration	1																																																																		
enumeration	2																																																																		
enumeration	3																																																																		
enumeration	4																																																																		
enumeration	5																																																																		
enumeration	6																																																																		
enumeration	7																																																																		
enumeration	8																																																																		
enumeration	9																																																																		
enumeration	D0																																																																		
enumeration	D1																																																																		
enumeration	D2																																																																		
enumeration	D3																																																																		
enumeration	D4																																																																		
enumeration	D5																																																																		
enumeration	D6																																																																		
enumeration	D7																																																																		
enumeration	D8																																																																		
enumeration	D9																																																																		
enumeration	A																																																																		
source	<pre><xs:simpleType name="SemesterSeqType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="1"/> <xs:enumeration value="2"/></pre>																																																																		

<pre><xs:enumeration value="3"/> <xs:enumeration value="4"/> <xs:enumeration value="5"/> <xs:enumeration value="6"/> <xs:enumeration value="7"/> <xs:enumeration value="8"/> <xs:enumeration value="9"/> <xs:enumeration value="D0"/> <xs:enumeration value="D1"/> <xs:enumeration value="D2"/> <xs:enumeration value="D3"/> <xs:enumeration value="D4"/> <xs:enumeration value="D5"/> <xs:enumeration value="D6"/> <xs:enumeration value="D7"/> <xs:enumeration value="D8"/> <xs:enumeration value="D9"/> <xs:enumeration value="A"/> <!-- One semester course --> <!-- First half of a two-semester course --> <!-- Second half of a two-semester course --> <!-- First third of a three-semester course --> <!-- Second third of a three-semester course --> <!-- Last third of a three-semester course --> <!-- First fourth of a four-semester course --> <!-- Second fourth of a four-semester course --> <!-- Third fourth of a four-semester course --> <!-- Last fourth of a four-semester course --> <!-- Single semester dual credit course --> <!-- First half of a two-semester dual credit course --> <!-- Second half of a two-semester dual credit course --> <!-- First third of a three-semester dual credit course --> <!-- Second third of a three-semester dual credit course --> <!-- Last third of a three-semester dual credit course --> <!-- First fourth of a four-semester dual credit course --> <!-- Second fourth of a four-semester dual credit course --> <!-- Third fourth of a four-semester dual credit course --> <!-- Last fourth of a four-semester dual credit course --></pre>

	<!-- Non-High School Year Long Course --> </xs:restriction> </xs:simpleType>
--	--

simpleType SemesterType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:integer
properties	base xs:integer
used by	element CourseType/Semester
facets	Kind Value Annotation totalDigits 1
source	<pre> <xs:simpleType name="SemesterType"> <xs:restriction base="xs:integer"> <xs:totalDigits value="1"/> </xs:restriction> </xs:simpleType> </pre>

simpleType SessionTypeType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	elements AcademicSessionType/SessionType CurrentCourseworkType/SessionType
facets	Kind Value Annotation enumeration Semester

	enumeration Trimester enumeration Quarter
source	<xs:simpleType name="SessionTypeType"> <xs:restriction base="xs:token"> <xs:enumeration value="Semester"/> <xs:enumeration value="Trimester"/> <xs:enumeration value="Quarter"/> </xs:restriction> </xs:simpleType>

simpleType StateProvinceType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	element AddressType/StateProvince
facets	Kind Value Annotation enumeration TX enumeration AA enumeration AB enumeration AE enumeration AK enumeration AL enumeration AP enumeration AR enumeration AS enumeration AZ

	enumeration	BC
	enumeration	CA
	enumeration	CO
	enumeration	CT
	enumeration	CZ
	enumeration	DC
	enumeration	DE
	enumeration	FL
	enumeration	FM
	enumeration	GA
	enumeration	GU
	enumeration	HI
	enumeration	IA
	enumeration	ID
	enumeration	IL
	enumeration	IN
	enumeration	KS
	enumeration	KY
	enumeration	LA
	enumeration	MA
	enumeration	MB
	enumeration	MD
	enumeration	ME
	enumeration	MH
	enumeration	MI

	enumeration	MN
	enumeration	MO
	enumeration	MP
	enumeration	MS
	enumeration	MT
	enumeration	NB
	enumeration	NC
	enumeration	ND
	enumeration	NE
	enumeration	NF
	enumeration	NH
	enumeration	NJ
	enumeration	NL
	enumeration	NM
	enumeration	NS
	enumeration	NT
	enumeration	NU
	enumeration	NV
	enumeration	NY
	enumeration	OH
	enumeration	OK
	enumeration	ON
	enumeration	OR
	enumeration	PA
	enumeration	PE

	enumeration PR enumeration PW enumeration QC enumeration RI enumeration SC enumeration SD enumeration SK enumeration TN enumeration UT enumeration VA enumeration VI enumeration VT enumeration WA enumeration WI enumeration WV enumeration WY enumeration YT
source	<xs:simpleType name="StateProvinceType"> <xs:restriction base="xs:token"> <xs:enumeration value="TX"/> <xs:enumeration value="AA"/> <xs:enumeration value="AB"/> <xs:enumeration value="AE"/> <xs:enumeration value="AK"/> <xs:enumeration value="AL"/> <xs:enumeration value="AP"/> <xs:enumeration value="AR"/> <xs:enumeration value="AS"/> <xs:enumeration value="AZ"/> <xs:enumeration value="BC"/>

	<xs:enumeration value="CA"/> <xs:enumeration value="CO"/> <xs:enumeration value="CT"/> <xs:enumeration value="CZ"/> <xs:enumeration value="DC"/> <xs:enumeration value="DE"/> <xs:enumeration value="FL"/> <xs:enumeration value="FM"/> <xs:enumeration value="GA"/> <xs:enumeration value="GU"/> <xs:enumeration value="HI"/> <xs:enumeration value="IA"/> <xs:enumeration value="ID"/> <xs:enumeration value="IL"/> <xs:enumeration value="IN"/> <xs:enumeration value="KS"/> <xs:enumeration value="KY"/> <xs:enumeration value="LA"/> <xs:enumeration value="MA"/> <xs:enumeration value="MB"/> <xs:enumeration value="MD"/> <xs:enumeration value="ME"/> <xs:enumeration value="MH"/> <xs:enumeration value="MI"/> <xs:enumeration value="MN"/> <xs:enumeration value="MO"/> <xs:enumeration value="MP"/> <xs:enumeration value="MS"/> <xs:enumeration value="MT"/> <xs:enumeration value="NB"/> <xs:enumeration value="NC"/> <xs:enumeration value="ND"/> <xs:enumeration value="NE"/> <xs:enumeration value="NF"/> <xs:enumeration value="NH"/> <xs:enumeration value="NJ"/> <xs:enumeration value="NL"/> <xs:enumeration value="NM"/>
--	--

<pre><xs:enumeration value="NS"/> <xs:enumeration value="NT"/> <xs:enumeration value="NU"/> <xs:enumeration value="NV"/> <xs:enumeration value="NY"/> <xs:enumeration value="OH"/> <xs:enumeration value="OK"/> <xs:enumeration value="ON"/> <xs:enumeration value="OR"/> <xs:enumeration value="PA"/> <xs:enumeration value="PE"/> <xs:enumeration value="PR"/> <xs:enumeration value="PW"/> <xs:enumeration value="QC"/> <xs:enumeration value="RI"/> <xs:enumeration value="SC"/> <xs:enumeration value="SD"/> <xs:enumeration value="SK"/> <xs:enumeration value="TN"/> <xs:enumeration value="UT"/> <xs:enumeration value="VA"/> <xs:enumeration value="VI"/> <xs:enumeration value="VT"/> <xs:enumeration value="WA"/> <xs:enumeration value="WI"/> <xs:enumeration value="WV"/> <xs:enumeration value="WY"/> <xs:enumeration value="YT"/> <!-- Texas --> <!-- Military-Americas --> <!-- Alberta --> <!-- Military-Europe --> <!-- Alaska --> <!-- Alabama --> <!-- Military-Pacific --> <!-- Arkansas --> <!-- American Samoa --> <!-- Arizona --></pre>
--

	<!-- British Columbia --> <!-- California --> <!-- Colorado --> <!-- Connecticut --> <!-- Canal Zone --> <!-- District Of Columbia --> <!-- Delaware --> <!-- Florida --> <!-- Federated States Of Micronesia --> <!-- Georgia --> <!-- Guam --> <!-- Hawaii --> <!-- Iowa --> <!-- Idaho --> <!-- Illinois --> <!-- Indiana --> <!-- Kansas --> <!-- Kentucky --> <!-- Louisiana --> <!-- Massachusetts --> <!-- Manitoba --> <!-- Maryland --> <!-- Maine --> <!-- Marshall Islands --> <!-- Michigan --> <!-- Minnesota --> <!-- Missouri --> <!-- Northern Mariana Islands --> <!-- Mississippi --> <!-- Montana --> <!-- New Brunswick --> <!-- North Carolina --> <!-- North Dakota --> <!-- Nebraska --> <!-- Newfoundland --> <!-- New Hampshire --> <!-- New Jersey --> <!-- Newfoundland And Labrador -->
--	--

	<!-- New Mexico --> <!-- Nova Scotia --> <!-- Northwest Territories --> <!-- Nunavut --> <!-- Nevada --> <!-- New York --> <!-- Ohio --> <!-- Oklahoma --> <!-- Ontario --> <!-- Oregon --> <!-- Pennsylvania --> <!-- Prince Edward Island --> <!-- Puerto Rico --> <!-- Republic Of Palau --> <!-- Quebec --> <!-- Rhode Island --> <!-- South Carolina --> <!-- South Dakota --> <!-- Saskatchewan --> <!-- Tennessee --> <!-- Utah --> <!-- Virginia --> <!-- Virgin Islands --> <!-- Vermont --> <!-- Washington --> <!-- Wisconsin --> <!-- West Virginia --> <!-- Wyoming --> <!-- Yukon --> </xs:restriction> </xs:simpleType>
--	--

simpleType StudentAcceleratedInstructionParticipationType

namespace	urn:us:tx:state:tea:TREx:v1.39																					
type	restriction of xs:token																					
properties	base xs:token																					
used by	element AcceleratedInstructionType/StudentAcceleratedInstructionParticipation																					
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr><tr><td>enumeration</td><td>06</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06	
Kind	Value	Annotation																				
enumeration	01																					
enumeration	02																					
enumeration	03																					
enumeration	04																					
enumeration	05																					
enumeration	06																					
source	<pre><xs:simpleType name="StudentAcceleratedInstructionParticipationType"> <xs:restriction base="xs:token"> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="03"/> <xs:enumeration value="04"/> <xs:enumeration value="05"/> <xs:enumeration value="06"/> <!-- Student Participates In Supplemental Accelerated Instruction --> <!-- Student Does Not Participate – Parent Opt Out Of Accelerated Instruction --> <!-- Student Does Not Participate – Assigned TIA Teacher --> <!-- Student Does Not Participate – Assigned Accelerated Instruction In Two Other Subjects --> <!-- Student Does Not Participate – Retained --> <!-- Local Education Agency Exempt From Providing Accelerated Instruction --></pre>																					

	</xs:restriction> </xs:simpleType>
--	---------------------------------------

simpleType StudentIDType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element StudentIdentificationType/StudentID									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>64</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	64	
Kind	Value	Annotation								
minLength	1									
maxLength	64									
source	<xs:simpleType name="StudentIDType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="64"/> </xs:restriction> </xs:simpleType>									

simpleType StudentUniqueIDType

namespace	urn:us:tx:state:tea:TREx:v1.39		
type	restriction of xs:token		
properties	base xs:token		
used by	element StudentIdentificationType/StudentUniqueID		
facets	Kind	Value	Annotation
	pattern	[0-9]{10}	

source	<pre> <xs:simpleType name="StudentUniqueIDType"> <xs:restriction base="xs:token"> <xs:pattern value="[0-9]{10}" /> </xs:restriction> </xs:simpleType> </pre>
--------	--

simpleType SubjectAreaType

namespace	urn:us:tx:state:tea:TREx:v1.39																																													
type	restriction of xs:token																																													
properties	base xs:token																																													
used by	element CourseType/SubjectArea																																													
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>ELA</td><td></td></tr><tr><td>enumeration</td><td>SP</td><td></td></tr><tr><td>enumeration</td><td>MA</td><td></td></tr><tr><td>enumeration</td><td>SC</td><td></td></tr><tr><td>enumeration</td><td>SS</td><td></td></tr><tr><td>enumeration</td><td>ECFE</td><td></td></tr><tr><td>enumeration</td><td>HL</td><td></td></tr><tr><td>enumeration</td><td>PE</td><td></td></tr><tr><td>enumeration</td><td>LOTE</td><td></td></tr><tr><td>enumeration</td><td>FA</td><td></td></tr><tr><td>enumeration</td><td>TA</td><td></td></tr><tr><td>enumeration</td><td>CTE</td><td></td></tr><tr><td>enumeration</td><td>EL</td><td></td></tr><tr><td>enumeration</td><td>LC</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	ELA		enumeration	SP		enumeration	MA		enumeration	SC		enumeration	SS		enumeration	ECFE		enumeration	HL		enumeration	PE		enumeration	LOTE		enumeration	FA		enumeration	TA		enumeration	CTE		enumeration	EL		enumeration	LC	
Kind	Value	Annotation																																												
enumeration	ELA																																													
enumeration	SP																																													
enumeration	MA																																													
enumeration	SC																																													
enumeration	SS																																													
enumeration	ECFE																																													
enumeration	HL																																													
enumeration	PE																																													
enumeration	LOTE																																													
enumeration	FA																																													
enumeration	TA																																													
enumeration	CTE																																													
enumeration	EL																																													
enumeration	LC																																													

source	<pre> <xs:simpleType name="SubjectAreaType"> <xs:restriction base="xs:token"> <xs:enumeration value="ELA"/> <xs:enumeration value="SP"/> <xs:enumeration value="MA"/> <xs:enumeration value="SC"/> <xs:enumeration value="SS"/> <xs:enumeration value="ECFE"/> <xs:enumeration value="HL"/> <xs:enumeration value="PE"/> <xs:enumeration value="LOTE"/> <xs:enumeration value="FA"/> <xs:enumeration value="TA"/> <xs:enumeration value="CTE"/> <xs:enumeration value="EL"/> <xs:enumeration value="LC"/> <!-- English Language Arts --> <!-- Speech --> <!-- Mathematics --> <!-- Science --> <!-- Social Studies --> <!-- Economics/Free Enterprise --> <!-- Health --> <!-- Physical Education or equivalent --> <!-- Language Other Than English --> <!-- Fine Arts --> <!-- Tech Applications --> <!-- Career and Technical Education --> <!-- Other Electives --> <!-- Local Credit --> </xs:restriction> </xs:simpleType> </pre>
--------	---

simpleType SubTestNameType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element AssessmentSubTestType/SubTestName									
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>60</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	60	
Kind	Value	Annotation								
minLength	1									
maxLength	60									
source	<pre><xs:simpleType name="SubTestNameType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="60"/> </xs:restriction> </xs:simpleType></pre>									

simpleType SuffixType

namespace	urn:us:tx:state:tea:TREx:v1.39																					
type	restriction of xs:token																					
properties	base xs:token																					
used by	element PersonNameType/Suffix																					
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr><tr><td>enumeration</td><td>6</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6	
Kind	Value	Annotation																				
enumeration	1																					
enumeration	2																					
enumeration	3																					
enumeration	4																					
enumeration	5																					
enumeration	6																					

	enumeration 7 enumeration 8 enumeration 9 enumeration A enumeration B enumeration C
source	<pre> <xs:simpleType name="SuffixType"> <xs:restriction base="xs:token"> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <xs:enumeration value="4"/> <xs:enumeration value="5"/> <xs:enumeration value="6"/> <xs:enumeration value="7"/> <xs:enumeration value="8"/> <xs:enumeration value="9"/> <xs:enumeration value="A"/> <xs:enumeration value="B"/> <xs:enumeration value="C"/> <!-- Jr. --> <!-- Sr. --> <!-- II --> <!-- III --> <!-- IV --> <!-- V --> <!-- VI --> <!-- VII --> <!-- VIII --> <!-- I --> <!-- IX --> <!-- X --> </xs:restriction> </xs:simpleType> </pre>

simpleType TestCodeType

namespace	urn:us:tx:state:tea:TREx:v1.39		
type	restriction of xs:token		
properties	base xs:token		
used by	element AssessmentType/TestCode		
facets	Kind	Value	Annotation
	enumeration	A	
	enumeration	B	
	enumeration	C	
	enumeration	D	
	enumeration	E	
	enumeration	G	
	enumeration	I	
	enumeration	L	
	enumeration	M	
	enumeration	N	
	enumeration	O	
	enumeration	P	
	enumeration	Q	
	enumeration	R	
	enumeration	S	
	enumeration	T	
enumeration	W		

	enumeration X enumeration Y enumeration Z enumeration *
source	<xs:simpleType name="TestCodeType"> <xs:restriction base="xs:token"> <xs:enumeration value="A"/> <xs:enumeration value="B"/> <xs:enumeration value="C"/> <xs:enumeration value="D"/> <xs:enumeration value="E"/> <xs:enumeration value="G"/> <xs:enumeration value="I"/> <xs:enumeration value="L"/> <xs:enumeration value="M"/> <xs:enumeration value="N"/> <xs:enumeration value="O"/> <xs:enumeration value="P"/> <xs:enumeration value="Q"/> <xs:enumeration value="R"/> <xs:enumeration value="S"/> <xs:enumeration value="T"/> <xs:enumeration value="W"/> <xs:enumeration value="X"/> <xs:enumeration value="Y"/> <xs:enumeration value="Z"/> <xs:enumeration value="*"/> <!-- Absent --> <!-- Score code defaulted to B (Reading, grades K-1) --> <!-- Student did not take paper-version reading test and an online-version reading test for student could not be matched to paper-version record. --> <!-- No information available for this subject --> <!-- Extenuating Circumstances, do not score (Reading, grades K-1) --> <!-- Student Information provided from TAKS-Alt --> <!-- TAKS Inclusive test was administered --> <!-- Student is LEP-exempt -->

	<!-- Medical Exception --> <!-- No Authentic Academic Response --> <!-- Other --> <!-- Previously Met Standards --> <!-- Student did not take TAKS Reading test; do not score --> <!-- ARD Committee determined TAKS Reading is not appropriate for student --> <!-- Student Test was Scored --> <!-- State-approved alternate assessment administered instead of TAKS Reading --> <!-- Parental Waiver --> <!-- Student is ARD-exempt; do not score --> <!-- Student did not take English-version Reading test; do not score --> <!-- Student did not take Spanish-version Reading test; do not score --> <!-- No information available for this subject --> </xs:restriction> </xs:simpleType>
--	--

simpleType TestNameType

namespace	urn:us:tx:state:tea:TREx:v1.39																		
type	restriction of xs:token																		
properties	base xs:token																		
used by	element AssessmentType/TestName																		
facets	<table><tr><td>Kind</td><td>Value</td><td>Annotation</td></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05	
Kind	Value	Annotation																	
enumeration	01																		
enumeration	02																		
enumeration	03																		
enumeration	04																		
enumeration	05																		

	enumeration 06
	enumeration 07
	enumeration 08
	enumeration 09
	enumeration 10
	enumeration 11
	enumeration 12
	enumeration 13
	enumeration 14
	enumeration 15
	enumeration 16
	enumeration 17
	enumeration 18
	enumeration 19
	enumeration 20
	enumeration 21
	enumeration 22
	enumeration 23
	enumeration 24
	enumeration 25
	enumeration 26
	enumeration 27
	enumeration 28
	enumeration 29
	enumeration 30

	enumeration	31	
	enumeration	32	
	enumeration	33	
	enumeration	34	
	enumeration	35	
	enumeration	36	
	enumeration	37	
	enumeration	38	
	enumeration	39	
	enumeration	40	
	enumeration	41	documentation Deprecated: Use code 'E6'
	enumeration	42	documentation Deprecated: Use code 'E7'
	enumeration	43	documentation Deprecated: Use code 'E9'
	enumeration	44	documentation Deprecated: Use code 'EA'
	enumeration	45	documentation Deprecated: Use code 'EC'
	enumeration	46	documentation Deprecated: Use code 'EB'
	enumeration	47	documentation Deprecated: Use code 'EF'
	enumeration	48	documentation

		Deprecated: Use code 'H0'
enumeration	49	documentation
		Deprecated: Use code 'E8'
enumeration	50	documentation
		Deprecated: Use code 'H1'
enumeration	51	documentation
		Deprecated: Use code 'ED'
enumeration	52	documentation
		Deprecated: Use code 'H2'
enumeration	53	
enumeration	54	
enumeration	55	
enumeration	56	
enumeration	57	
enumeration	58	
enumeration	59	
enumeration	60	
enumeration	61	
enumeration	62	
enumeration	63	
enumeration	64	
enumeration	65	
enumeration	66	
enumeration	67	
enumeration	68	

	enumeration	69	
	enumeration	70	
	enumeration	71	documentation Deprecated: Use code 'E0'
	enumeration	72	documentation Deprecated: Use code 'E1'
	enumeration	73	documentation Deprecated: Use code 'E2'
	enumeration	74	documentation Deprecated: Use code 'E3'
	enumeration	75	documentation Deprecated: Use code 'E4'
	enumeration	76	documentation Deprecated: Use code 'E5'
	enumeration	77	
	enumeration	78	
	enumeration	79	
	enumeration	80	
	enumeration	81	
	enumeration	A0	
	enumeration	A1	
	enumeration	A2	
	enumeration	A3	
	enumeration	A4	
	enumeration	A5	

	enumeration	A6
	enumeration	A7
	enumeration	A8
	enumeration	A9
	enumeration	AA
	enumeration	AB
	enumeration	AC
	enumeration	AD
	enumeration	AE
	enumeration	AF
	enumeration	AG
	enumeration	AH
	enumeration	AJ
	enumeration	AK
	enumeration	AL
	enumeration	AM
	enumeration	AN
	enumeration	AP
	enumeration	AQ
	enumeration	B0
	enumeration	B1
	enumeration	B2
	enumeration	B3
	enumeration	B4
	enumeration	B5

	enumeration B6
	enumeration B7
	enumeration B8
	enumeration C0
	enumeration C1
	enumeration C2
	enumeration C3
	enumeration C4
	enumeration C5
	enumeration C6
	enumeration C7
	enumeration C8
	enumeration C9
	enumeration CA
	enumeration CB
	enumeration CC
	enumeration CD
	enumeration CE
	enumeration CF
	enumeration CG
	enumeration D0
	enumeration D1
	enumeration D2
	enumeration D3
	enumeration D4

	enumeration	D5	
	enumeration	D6	
	enumeration	D7	
	enumeration	D8	
	enumeration	D9	
	enumeration	DA	
	enumeration	DB	
	enumeration	DC	
	enumeration	DD	
	enumeration	DE	
	enumeration	DF	
	enumeration	DG	
	enumeration	E0	documentation Deprecated: Use code 'EG'
	enumeration	E1	documentation Deprecated: Use code 'EG'
	enumeration	E2	documentation Deprecated: Use code 'EH'
	enumeration	E3	documentation Deprecated: Use code 'EH'
	enumeration	E4	
	enumeration	E5	
	enumeration	E6	
	enumeration	E7	
	enumeration	E8	

	enumeration	E9
	enumeration	EA
	enumeration	EB
	enumeration	EC
	enumeration	ED
	enumeration	EF
	enumeration	EG
	enumeration	EH
	enumeration	EJ
	enumeration	F0
	enumeration	F1
	enumeration	F2
	enumeration	F3
	enumeration	F4
	enumeration	F5
	enumeration	F6
	enumeration	F7
	enumeration	F8
	enumeration	G0
	enumeration	G1
	enumeration	G2
	enumeration	G3
	enumeration	G4
	enumeration	G5
	enumeration	G6

	enumeration	G7
	enumeration	G8
	enumeration	G9
	enumeration	GA
	enumeration	GB
	enumeration	GC
	enumeration	GD
	enumeration	H0
	enumeration	H1
	enumeration	H2
	enumeration	H3
	enumeration	H4
	enumeration	H5
	enumeration	H6
	enumeration	H7
	enumeration	H8
	enumeration	J0
	enumeration	J1
	enumeration	J2
	enumeration	J3
	enumeration	J4
	enumeration	JA
	enumeration	JB
	enumeration	JC
	enumeration	JD

	enumeration	JE
	enumeration	JF
	enumeration	JG
	enumeration	JH
	enumeration	JJ
	enumeration	JK
	enumeration	JL
	enumeration	JM
	enumeration	JN
	enumeration	JP
	enumeration	JQ
	enumeration	JR
	enumeration	JS
	enumeration	K0
	enumeration	K1
	enumeration	K2
	enumeration	K3
	enumeration	K4
	enumeration	KA
	enumeration	KB
	enumeration	KC
	enumeration	KD
	enumeration	KE
	enumeration	KF
	enumeration	KG

	enumeration KH enumeration KJ enumeration KK enumeration KL enumeration KM enumeration KN enumeration KP enumeration KQ enumeration KR enumeration KS
source	<xs:simpleType name="TestNameType"> <xs:restriction base="xs:token"> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="03"/> <xs:enumeration value="04"/> <xs:enumeration value="05"/> <xs:enumeration value="06"/> <xs:enumeration value="07"/> <xs:enumeration value="08"/> <xs:enumeration value="09"/> <xs:enumeration value="10"/> <xs:enumeration value="11"/> <xs:enumeration value="12"/> <xs:enumeration value="13"/> <xs:enumeration value="14"/> <xs:enumeration value="15"/> <xs:enumeration value="16"/> <xs:enumeration value="17"/> <xs:enumeration value="18"/> <xs:enumeration value="19"/> <xs:enumeration value="20"/> <xs:enumeration value="21"/>

<pre> <xs:enumeration value="22"/> <xs:enumeration value="23"/> <xs:enumeration value="24"/> <xs:enumeration value="25"/> <xs:enumeration value="26"/> <xs:enumeration value="27"/> <xs:enumeration value="28"/> <xs:enumeration value="29"/> <xs:enumeration value="30"/> <xs:enumeration value="31"/> <xs:enumeration value="32"/> <xs:enumeration value="33"/> <xs:enumeration value="34"/> <xs:enumeration value="35"/> <xs:enumeration value="36"/> <xs:enumeration value="37"/> <xs:enumeration value="38"/> <xs:enumeration value="39"/> <xs:enumeration value="40"/> <xs:enumeration value="41"> <xs:annotation> <xs:documentation>Deprecated: Use code 'E6'</xs:documentation> </xs:annotation> <!-- EOC Algebra I --> </xs:enumeration> <xs:enumeration value="42"> <xs:annotation> <xs:documentation>Deprecated: Use code 'E7'</xs:documentation> </xs:annotation> <!-- EOC Geometry --> </xs:enumeration> <xs:enumeration value="43"> <xs:annotation> <xs:documentation>Deprecated: Use code 'E9'</xs:documentation> </xs:annotation> <!-- EOC Biology --> </xs:enumeration> <xs:enumeration value="44"> </pre>

	<pre> <xs:annotation> <xs:documentation>Deprecated: Use code 'EA'</xs:documentation> </xs:annotation> <!-- EOC Chemistry --> </xs:enumeration> <xs:enumeration value="45"> <xs:annotation> <xs:documentation>Deprecated: Use code 'EC'</xs:documentation> </xs:annotation> <!-- EOC U.S.History --> </xs:enumeration> <xs:enumeration value="46"> <xs:annotation> <xs:documentation>Deprecated: Use code 'EB'</xs:documentation> </xs:annotation> <!-- EOC Physics --> </xs:enumeration> <xs:enumeration value="47"> <xs:annotation> <xs:documentation>Deprecated: Use code 'EF'</xs:documentation> </xs:annotation> <!-- EOC World Geography --> </xs:enumeration> <xs:enumeration value="48"> <xs:annotation> <xs:documentation>Deprecated: Use code 'H0'</xs:documentation> </xs:annotation> <!-- EOC English I --> </xs:enumeration> <xs:enumeration value="49"> <xs:annotation> <xs:documentation>Deprecated: Use code 'E8'</xs:documentation> </xs:annotation> <!-- EOC Algebra II --> </xs:enumeration> <xs:enumeration value="50"> <xs:annotation> <xs:documentation>Deprecated: Use code 'H1'</xs:documentation> </pre>
--	--

```

</xs:annotation>
<!-- EOC English II -->
</xs:enumeration>
<xs:enumeration value="51">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'ED'</xs:documentation>
  </xs:annotation>
  <!-- EOC World History -->
</xs:enumeration>
<xs:enumeration value="52">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'H2'</xs:documentation>
  </xs:annotation>
  <!-- EOC English III -->
</xs:enumeration>
<xs:enumeration value="53"/>
<xs:enumeration value="54"/>
<xs:enumeration value="55"/>
<xs:enumeration value="56"/>
<xs:enumeration value="57"/>
<xs:enumeration value="58"/>
<xs:enumeration value="59"/>
<xs:enumeration value="60"/>
<xs:enumeration value="61"/>
<xs:enumeration value="62"/>
<xs:enumeration value="63"/>
<xs:enumeration value="64"/>
<xs:enumeration value="65"/>
<xs:enumeration value="66"/>
<xs:enumeration value="67"/>
<xs:enumeration value="68"/>
<xs:enumeration value="69"/>
<xs:enumeration value="70"/>
<xs:enumeration value="71">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E0'</xs:documentation>
  </xs:annotation>
  <!-- EOC English I Reading -->

```

```

</xs:enumeration>
<xs:enumeration value="72">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E1'</xs:documentation>
  </xs:annotation>
  <!-- EOC English I Writing -->
</xs:enumeration>
<xs:enumeration value="73">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E2'</xs:documentation>
  </xs:annotation>
  <!-- EOC English II Reading -->
</xs:enumeration>
<xs:enumeration value="74">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E3'</xs:documentation>
  </xs:annotation>
  <!-- EOC English II Writing -->
</xs:enumeration>
<xs:enumeration value="75">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E4'</xs:documentation>
  </xs:annotation>
  <!-- EOC English III Reading -->
</xs:enumeration>
<xs:enumeration value="76">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'E5'</xs:documentation>
  </xs:annotation>
  <!-- EOC English III Writing -->
</xs:enumeration>
<xs:enumeration value="77"/>
<xs:enumeration value="78"/>
<xs:enumeration value="79"/>
<xs:enumeration value="80"/>
<xs:enumeration value="81"/>
<xs:enumeration value="A0"/>
<xs:enumeration value="A1"/>

```

	<xs:enumeration value="A2"/> <xs:enumeration value="A3"/> <xs:enumeration value="A4"/> <xs:enumeration value="A5"/> <xs:enumeration value="A6"/> <xs:enumeration value="A7"/> <xs:enumeration value="A8"/> <xs:enumeration value="A9"/> <xs:enumeration value="AA"/> <xs:enumeration value="AB"/> <xs:enumeration value="AC"/> <xs:enumeration value="AD"/> <xs:enumeration value="AE"/> <xs:enumeration value="AF"/> <xs:enumeration value="AG"/> <xs:enumeration value="AH"/> <xs:enumeration value="AJ"/> <xs:enumeration value="AK"/> <xs:enumeration value="AL"/> <xs:enumeration value="AM"/> <xs:enumeration value="AN"/> <xs:enumeration value="AP"/> <xs:enumeration value="AQ"/> <xs:enumeration value="B0"/> <xs:enumeration value="B1"/> <xs:enumeration value="B2"/> <xs:enumeration value="B3"/> <xs:enumeration value="B4"/> <xs:enumeration value="B5"/> <xs:enumeration value="B6"/> <xs:enumeration value="B7"/> <xs:enumeration value="B8"/> <xs:enumeration value="C0"/> <xs:enumeration value="C1"/> <xs:enumeration value="C2"/> <xs:enumeration value="C3"/> <xs:enumeration value="C4"/> <xs:enumeration value="C5"/>
--	--

<pre><xs:enumeration value="C6"/> <xs:enumeration value="C7"/> <xs:enumeration value="C8"/> <xs:enumeration value="C9"/> <xs:enumeration value="CA"/> <xs:enumeration value="CB"/> <xs:enumeration value="CC"/> <xs:enumeration value="CD"/> <xs:enumeration value="CE"/> <xs:enumeration value="CF"/> <xs:enumeration value="CG"/> <xs:enumeration value="D0"/> <xs:enumeration value="D1"/> <xs:enumeration value="D2"/> <xs:enumeration value="D3"/> <xs:enumeration value="D4"/> <xs:enumeration value="D5"/> <xs:enumeration value="D6"/> <xs:enumeration value="D7"/> <xs:enumeration value="D8"/> <xs:enumeration value="D9"/> <xs:enumeration value="DA"/> <xs:enumeration value="DB"/> <xs:enumeration value="DC"/> <xs:enumeration value="DD"/> <xs:enumeration value="DE"/> <xs:enumeration value="DF"/> <xs:enumeration value="DG"/> <xs:enumeration value="E0"> <xs:annotation> <xs:documentation>Deprecated: Use code 'EG'</xs:documentation> </xs:annotation> <!-- English I Reading (EOC) --> </xs:enumeration> <xs:enumeration value="E1"> <xs:annotation> <xs:documentation>Deprecated: Use code 'EG'</xs:documentation> </xs:annotation></pre>

```
<!-- English I Writing (EOC) -->
</xs:enumeration>
<xs:enumeration value="E2">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'EH'</xs:documentation>
  </xs:annotation>
<!-- English II Reading (EOC) -->
</xs:enumeration>
<xs:enumeration value="E3">
  <xs:annotation>
    <xs:documentation>Deprecated: Use code 'EH'</xs:documentation>
  </xs:annotation>
<!-- English II Writing (EOC) -->
</xs:enumeration>
<xs:enumeration value="E4"/>
<xs:enumeration value="E5"/>
<xs:enumeration value="E6"/>
<xs:enumeration value="E7"/>
<xs:enumeration value="E8"/>
<xs:enumeration value="E9"/>
<xs:enumeration value="EA"/>
<xs:enumeration value="EB"/>
<xs:enumeration value="EC"/>
<xs:enumeration value="ED"/>
<xs:enumeration value="EF"/>
<xs:enumeration value="EG"/>
<xs:enumeration value="EH"/>
<xs:enumeration value="EJ"/>
<xs:enumeration value="F0"/>
<xs:enumeration value="F1"/>
<xs:enumeration value="F2"/>
<xs:enumeration value="F3"/>
<xs:enumeration value="F4"/>
<xs:enumeration value="F5"/>
<xs:enumeration value="F6"/>
<xs:enumeration value="F7"/>
<xs:enumeration value="F8"/>
<xs:enumeration value="G0"/>
```

<xs:enumeration value="G1"/> <xs:enumeration value="G2"/> <xs:enumeration value="G3"/> <xs:enumeration value="G4"/> <xs:enumeration value="G5"/> <xs:enumeration value="G6"/> <xs:enumeration value="G7"/> <xs:enumeration value="G8"/> <xs:enumeration value="G9"/> <xs:enumeration value="GA"/> <xs:enumeration value="GB"/> <xs:enumeration value="GC"/> <xs:enumeration value="GD"/> <xs:enumeration value="H0"/> <xs:enumeration value="H1"/> <xs:enumeration value="H2"/> <xs:enumeration value="H3"/> <xs:enumeration value="H4"/> <xs:enumeration value="H5"/> <xs:enumeration value="H6"/> <xs:enumeration value="H7"/> <xs:enumeration value="H8"/> <xs:enumeration value="J0"/> <xs:enumeration value="J1"/> <xs:enumeration value="J2"/> <xs:enumeration value="J3"/> <xs:enumeration value="J4"/> <xs:enumeration value="JA"/> <xs:enumeration value="JB"/> <xs:enumeration value="JC"/> <xs:enumeration value="JD"/> <xs:enumeration value="JE"/> <xs:enumeration value="JF"/> <xs:enumeration value="JG"/> <xs:enumeration value="JH"/> <xs:enumeration value="JJ"/> <xs:enumeration value="JK"/> <xs:enumeration value="JL"/>
--

<pre><xs:enumeration value="JM"/> <xs:enumeration value="JN"/> <xs:enumeration value="JP"/> <xs:enumeration value="JQ"/> <xs:enumeration value="JR"/> <xs:enumeration value="JS"/> <xs:enumeration value="K0"/> <xs:enumeration value="K1"/> <xs:enumeration value="K2"/> <xs:enumeration value="K3"/> <xs:enumeration value="K4"/> <xs:enumeration value="KA"/> <xs:enumeration value="KB"/> <xs:enumeration value="KC"/> <xs:enumeration value="KD"/> <xs:enumeration value="KE"/> <xs:enumeration value="KF"/> <xs:enumeration value="KG"/> <xs:enumeration value="KH"/> <xs:enumeration value="KJ"/> <xs:enumeration value="KK"/> <xs:enumeration value="KL"/> <xs:enumeration value="KM"/> <xs:enumeration value="KN"/> <xs:enumeration value="KP"/> <xs:enumeration value="KQ"/> <xs:enumeration value="KR"/> <xs:enumeration value="KS"/> <!-- Texas Primary Reading Inventory (Grades K-2) --> <!-- El Inventario de Lectura en Espanol de Tejas (Grades K-2) --> <!-- Texas English Language Proficiency Assessment System (TELPAS) reading (Grades K-12) --> <!-- Spanish-version TAKS Reading (Grades 3-5) --> <!-- TAKS Reading (Grades 3-9) --> <!-- TAKS Mathematics (Grades 3-10) --> <!-- TAKS Writing (Grades 4 and 7) --> <!-- TAKS Science (Grades 5,8, and 10) --> <!-- TAKS English Language Arts (Grade 10) --></pre>

<!-- TAKS Social Studies (Grades 8 and 10) --> <!-- TAKS Exit Level Mathematics --> <!-- TAKS Exit Level Science --> <!-- TAKS Exit Level Language Arts --> <!-- TAKS Exit Level Social Studies --> <!-- State Developed Alternative assessment --> <!-- TELPAS writing (Grades K-12) --> <!-- TELPAS speaking (Grades K-12) --> <!-- TELPAS listening (Grades K-12) --> <!-- TAKS (Accommodated) Reading (Grades 3-9) --> <!-- TAKS (Accommodated) Mathematics (Grades 3-10) --> <!-- TAKS (Accommodated) Writing (Grades 4, 7) --> <!-- TAKS (Accommodated) Science (Grades 5, 8, 10) --> <!-- TAKS (Accommodated) English Language Arts (Grade 10) --> <!-- TAKS (Accommodated) Social Studies (Grades 8, 10) --> <!-- TAKS (Accommodated) Exit Level Mathematics --> <!-- TAKS (Accommodated) Exit Level Science --> <!-- TAKS (Accommodated) Exit Level English Language Arts --> <!-- TAKS (Accommodated) Exit Level Social Studies --> <!-- TAKS-M Reading (Grades 3-9) --> <!-- TAKS-M Mathematics (Grades 3-11) --> <!-- TAKS-M Writing (Grades 4, 7) --> <!-- TAKS-M Science (Grades 5, 8, 10, 11) --> <!-- TAKS-M English Language Arts (Grades 10, 11) --> <!-- TAKS-M Social Studies (Grades 8, 10, 11) --> <!-- TAKS-Alt Reading (Grades 3-9) --> <!-- TAKS-Alt Mathematics (Grades 3-11) --> <!-- TAKS-Alt Writing (Grades 4, 7) --> <!-- TAKS-Alt Science (Grades 5, 8, 10, 11) --> <!-- TAKS-Alt English Language Arts (Grades 10, 11) --> <!-- TAKS-Alt Social Studies (Grades 8, 10, 11) --> <!-- Linguistically Accommodated Testing (LAT) TAKS Reading (Grades 3-8) --> <!-- Spanish-version LAT TAKS Reading (Grades 3-5) --> <!-- Spanish-version TAKS Mathematics (Grades 3-5) --> <!-- LAT TAKS Mathematics (Grades 3-8, 10) --> <!-- Spanish-version LAT TAKS Mathematics (Grades 3-5) --> <!-- Spanish-version TAKS Writing (Grade 4) -->

<!-- Spanish-version TAKS Science (Grade 5) --> <!-- LAT TAKS Science (Grades 5, 8, 10) --> <!-- Spanish-version LAT TAKS Science (Grade 5) --> <!-- LAT TAKS English Language Arts (Grade 10) --> <!-- Spanish-version TAKS (Accommodated) Reading (Grades 3-5) --> <!-- Spanish-version TAKS (Accommodated) Mathematics (Grades 3-5) --> > <!-- Spanish-version TAKS (Accommodated) Writing (Grade 4) --> <!-- Spanish-version TAKS (Accommodated) Science (Grade 5) --> <!-- LAT TAKS-M Reading (Grades 3-8) --> <!-- LAT TAKS-M Mathematics (Grades 3-8, 10) --> <!-- LAT TAKS-M Science (Grades 5, 8, 10) --> <!-- LAT TAKS-M English Language Arts (Grade 10) --> <!-- TELPAS Reading (Grades K-12) --> <!-- TAKS Exit Level Mathematics - Substitution --> <!-- TAKS Exit Level Science - Substitution --> <!-- TAKS Exit Level Language Arts - Substitution --> <!-- TAKS Exit Level Social Studies - Substitution --> <!-- Grade 3 English Reading --> <!-- Grade 3 English Mathematics --> <!-- Grade 3 Spanish Reading --> <!-- Grade 3 Spanish Mathematics --> <!-- Grade 4 English Reading --> <!-- Grade 4 English Mathematics --> <!-- Grade 4 English Writing --> <!-- Grade 4 Spanish Reading --> <!-- Grade 4 Spanish Mathematics --> <!-- Grade 4 Spanish Writing --> <!-- Grade 5 English Reading --> <!-- Grade 5 English Mathematics --> <!-- Grade 5 English Science --> <!-- Grade 5 Spanish Reading --> <!-- Grade 5 Spanish Mathematics --> <!-- Grade 5 Spanish Science --> <!-- Grade 6 Reading --> <!-- Grade 6 Mathematics --> <!-- Grade 7 Reading --> <!-- Grade 7 Mathematics -->
--

	<!-- Grade 7 Writing --> <!-- Grade 8 Reading --> <!-- Grade 8 Mathematics --> <!-- Grade 8 Science --> <!-- Grade 8 Social Studies --> <!-- Grade 3 Mathematics (STAAR L) --> <!-- Grade 4 Mathematics (STAAR L) --> <!-- Grade 5 Mathematics (STAAR L) --> <!-- Grade 5 Science (STAAR L) --> <!-- Grade 6 Mathematics (STAAR L) --> <!-- Grade 7 Mathematics (STAAR L) --> <!-- Grade 8 Mathematics (STAAR L) --> <!-- Grade 8 Science (STAAR L) --> <!-- Grade 8 Social Studies (STAAR L) --> <!-- Grade 3 Reading (Modified) --> <!-- Grade 3 Mathematics (Modified) --> <!-- Grade 4 Reading (Modified) --> <!-- Grade 4 Mathematics (Modified) --> <!-- Grade 4 Writing (Modified) --> <!-- Grade 5 Reading (Modified) --> <!-- Grade 5 Mathematics (Modified) --> <!-- Grade 5 Science (Modified) --> <!-- Grade 6 Reading (Modified) --> <!-- Grade 6 Mathematics (Modified) --> <!-- Grade 7 Reading (Modified) --> <!-- Grade 7 Mathematics (Modified) --> <!-- Grade 7 Writing (Modified) --> <!-- Grade 8 Reading (Modified) --> <!-- Grade 8 Mathematics (Modified) --> <!-- Grade 8 Science (Modified) --> <!-- Grade 8 Social Studies (Modified) --> <!-- Grade 3 Reading (Alternate) --> <!-- Grade 3 Mathematics (Alternate) --> <!-- Grade 4 Reading (Alternate) --> <!-- Grade 4 Mathematics (Alternate) --> <!-- Grade 4 Writing (Alternate) --> <!-- Grade 5 Reading (Alternate) --> <!-- Grade 5 Mathematics (Alternate) -->
--	--

	<!-- Grade 5 Science (Alternate) --> <!-- Grade 6 Reading (Alternate) --> <!-- Grade 6 Mathematics (Alternate) --> <!-- Grade 7 Reading (Alternate) --> <!-- Grade 7 Mathematics (Alternate) --> <!-- Grade 7 Writing (Alternate) --> <!-- Grade 8 Reading (Alternate) --> <!-- Grade 8 Mathematics (Alternate) --> <!-- Grade 8 Science (Alternate) --> <!-- Grade 8 Social Studies (Alternate) --> <!-- English III Reading (EOC) --> <!-- English III Writing (EOC) --> <!-- Algebra I (EOC) --> <!-- Geometry (EOC) --> <!-- Algebra II (EOC) --> <!-- Biology (EOC) --> <!-- Chemistry (EOC) --> <!-- Physics (EOC) --> <!-- U.S. History (EOC) --> <!-- World History (EOC) --> <!-- World Geography (EOC) --> <!-- English I (EOC) --> <!-- English II (EOC) --> <!-- English III (EOC) --> <!-- Algebra I (EOC, STAAR L) --> <!-- Geometry (EOC, STAAR L) --> <!-- Algebra II (EOC, STAAR L) --> <!-- Biology (EOC, STAAR L) --> <!-- Chemistry (EOC, STAAR L) --> <!-- Physics (EOC, STAAR L) --> <!-- U.S. History (EOC, STAAR L) --> <!-- World History (EOC, STAAR L) --> <!-- World Geography (EOC, STAAR L) --> <!-- English I Reading (EOC, Modified) --> <!-- English I Writing (EOC, Modified) --> <!-- English II Reading (EOC, Modified) --> <!-- English II Writing (EOC, Modified) --> <!-- English III Reading (EOC, Modified) -->
--	---

<!-- English III Writing (EOC, Modified) --> <!-- Algebra I (EOC, Modified) --> <!-- Geometry (EOC, Modified) --> <!-- Biology (EOC, Modified) --> <!-- U.S. History (EOC, Modified) --> <!-- World History (EOC, Modified) --> <!-- World Geography (EOC, Modified) --> <!-- English I (EOC, Modified) --> <!-- English II (EOC, Modified) --> <!-- English I (EOC, Alternate) --> <!-- English II (EOC, Alternate) --> <!-- English III (EOC, Alternate) --> <!-- Algebra I (EOC, Alternate) --> <!-- Geometry (EOC, Alternate) --> <!-- Biology (EOC, Alternate) --> <!-- U.S. History (EOC, Alternate) --> <!-- World History (EOC, Alternate) --> <!-- World Geography (EOC, Alternate) --> <!-- English I (EOC, STAAR Alternate 2) --> <!-- English II (EOC, STAAR Alternate 2) --> <!-- Algebra I (EOC, STAAR Alternate 2) --> <!-- Biology (EOC, STAAR Alternate 2) --> <!-- U.S. History (EOC, STAAR Alternate 2) --> <!-- Grade 3 Reading (Alternate 2) --> <!-- Grade 3 Mathematics (Alternate 2) --> <!-- Grade 4 Reading (Alternate 2) --> <!-- Grade 4 Mathematics (Alternate 2) --> <!-- Grade 4 Writing (Alternate 2) --> <!-- Grade 5 Reading (Alternate 2) --> <!-- Grade 5 Mathematics (Alternate 2) --> <!-- Grade 5 Science (Alternate 2) --> <!-- Grade 6 Reading (Alternate 2) --> <!-- Grade 6 Mathematics (Alternate 2) --> <!-- Grade 7 Reading (Alternate 2) --> <!-- Grade 7 Mathematics (Alternate 2) --> <!-- Grade 7 Writing (Alternate 2) --> <!-- Grade 8 Reading (Alternate 2) --> <!-- Grade 8 Mathematics (Alternate 2) -->
--

	<!-- Grade 8 Science (Alternate 2) --> <!-- Grade 8 Social Studies (Alternate 2) --> <!-- English I (EOC, STAAR A) --> <!-- English II (EOC, STAAR A) --> <!-- Algebra I (EOC, STAAR A) --> <!-- Biology (EOC, STAAR A) --> <!-- U.S. History (EOC, STAAR A) --> <!-- Grade 3 Reading (STAAR A) --> <!-- Grade 3 Mathematics (STAAR A) --> <!-- Grade 4 Reading (STAAR A) --> <!-- Grade 4 Mathematics (STAAR A) --> <!-- Grade 4 Writing (STAAR A) --> <!-- Grade 5 Reading (STAAR A) --> <!-- Grade 5 Mathematics (STAAR A) --> <!-- Grade 5 Science (STAAR A) --> <!-- Grade 6 Reading (STAAR A) --> <!-- Grade 6 Mathematics (STAAR A) --> <!-- Grade 7 Reading (STAAR A) --> <!-- Grade 7 Mathematics (STAAR A) --> <!-- Grade 7 Writing (STAAR A) --> <!-- Grade 8 Reading (STAAR A) --> <!-- Grade 8 Mathematics (STAAR A) --> <!-- Grade 8 Science (STAAR A) --> <!-- Grade 8 Social Studies (STAAR A) --> </xs:restriction> </xs:simpleType>
--	--

simpleType TestScoreType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	elements AssessmentSubTestType/SubTestScore AssessmentType/TestScore

facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>6</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	6	
Kind	Value	Annotation								
minLength	1									
maxLength	6									
source	<pre><xs:simpleType name="TestScoreType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="6"/> </xs:restriction> </xs:simpleType></pre>									

simpleType TexasGrantType

namespace	urn:us:tx:state:tea:TREx:v1.39																		
type	restriction of xs:token																		
properties	base xs:token																		
used by	element AcademicStatusType/TexasGrant																		
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	5																		
source	<pre><xs:simpleType name="TexasGrantType"> <xs:restriction base="xs:token"> <xs:enumeration value="1"/> <xs:enumeration value="2"/> <xs:enumeration value="3"/> <xs:enumeration value="4"/> <xs:enumeration value="5"/> </xs:restriction> </xs:simpleType></pre>																		

	<!-- Student is on track to complete the requirements of the SBOE-approved Recommended High School Program. --> <!-- Student is on track to complete the requirements of the SBOE-approved Distinguished High School Program. --> <!-- Student is on track to complete the requirements of the SBOE-approved Minimum High School Program. --> <!-- Student is exempt from requirements to complete at least the requirements of the SBOE-approved Recommended High School Program. --> <!-- Student is on track to complete the portion of the recommended graduation program that is available to the student at a high school that certifies to the commissioner of education that not all the necessary courses for the recommended program were offered (TEC 51.803(d)(2) and 56.304(f)(1)) --> </xs:restriction> </xs:simpleType>
--	--

simpleType TitleType

namespace	urn:us:tx:state:tea:TREx:v1.39		
type	restriction of xs:token		
properties	base xs:token		
used by	element SpecialProgramsType/TitleI		
facets	Kind	Value	Annotation
	enumeration	0	
	enumeration	A	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	

source	<pre> <xs:simpleType name="TitleType"> <xs:restriction base="xs:token"> <xs:enumeration value="0"/> <xs:enumeration value="A"/> <xs:enumeration value="6"/> <xs:enumeration value="7"/> <xs:enumeration value="8"/> <xs:enumeration value="9"/> <!-- Student attends a school that is not designated by district as Title I, Part A and student doesn't receive any Title 1, Part A funded services, or student attends a Title I, Part A targeted assistance school, but doesn't presently participate in Title I, Part A funded services and has not previously participated in Title I, Part A services at the school in which the student is currently enrolled. --> <!-- The student resides in a facility for the neglected, attends a non-Title I campus, and receives Title I, Part A services through a Title I, Part A program that is run through the central administration office. --> <!-- The student attends a Title I, Part A schoolwide program school. --> <!-- The student attends a Title I, Part A targeted assistance school and participates in Title I, Part A programs and/or services. --> <!-- The student attends a Title I, Part A targeted assistance school and does not currently participate in Title I, Part A programs and/or services, but previously participated in Title I, Part A programs and/or services at this school. --> <!-- Student does not attend a school that is designated by the district as a Title I, Part A school; however, the student receives Title I, Part A services because the student is homeless. --> </xs:restriction> </xs:simpleType> </pre>
--------	---

simpleType TX-BehaviorLocationType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token

properties	base xs:token																								
used by	element DisciplineActionType/TX-BehaviorLocation																								
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>00</td><td></td></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr><tr><td>enumeration</td><td>06</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06	
Kind	Value	Annotation																							
enumeration	00																								
enumeration	01																								
enumeration	02																								
enumeration	03																								
enumeration	04																								
enumeration	05																								
enumeration	06																								
source	<pre><xs:simpleType name="TX-BehaviorLocationType"> <xs:restriction base="xs:token"> <xs:enumeration value="00"/> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="03"/> <xs:enumeration value="04"/> <xs:enumeration value="05"/> <xs:enumeration value="06"/> <!-- Not Applicable --> <!-- On Campus --> <!-- Off Campus, but within 300 feet of campus property line --> <!-- Off Campus, but at a school sponsored or school related activity --> <!-- Off Campus, and further than 300 feet from the campus boundary (Student was not in attendance at a school sponsored or school related activity) --> <!-- On campus of another school district, or while in attendance at a school sponsored or school related activity of another school district --> <!-- On School Property or on Public Property within 500 Feet of School Property – use only with Behavior 711 new code --> </xs:restriction></pre>																								

	<!-- Code table ID TCXX1 (PEIMS: C190) --> </xs:simpleType>
--	--

simpleType TX-DisciplineActionLengthDifferenceReasonType

namespace	urn:us:tx:state:tea:TREx:v1.39																																													
type	restriction of xs:token																																													
properties	base xs:token																																													
used by	element DisciplineActionType/TX-DisciplinaryLengthDifferenceReason																																													
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>enumeration</td><td>00</td><td></td></tr><tr><td>enumeration</td><td>01</td><td></td></tr><tr><td>enumeration</td><td>02</td><td></td></tr><tr><td>enumeration</td><td>03</td><td></td></tr><tr><td>enumeration</td><td>04</td><td></td></tr><tr><td>enumeration</td><td>05</td><td></td></tr><tr><td>enumeration</td><td>06</td><td></td></tr><tr><td>enumeration</td><td>07</td><td></td></tr><tr><td>enumeration</td><td>08</td><td></td></tr><tr><td>enumeration</td><td>09</td><td></td></tr><tr><td>enumeration</td><td>10</td><td></td></tr><tr><td>enumeration</td><td>11</td><td></td></tr><tr><td>enumeration</td><td>12</td><td></td></tr><tr><td>enumeration</td><td>99</td><td></td></tr></table>	Kind	Value	Annotation	enumeration	00		enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12		enumeration	99	
Kind	Value	Annotation																																												
enumeration	00																																													
enumeration	01																																													
enumeration	02																																													
enumeration	03																																													
enumeration	04																																													
enumeration	05																																													
enumeration	06																																													
enumeration	07																																													
enumeration	08																																													
enumeration	09																																													
enumeration	10																																													
enumeration	11																																													
enumeration	12																																													
enumeration	99																																													
source	<xs:simpleType name="TX-DisciplineActionLengthDifferenceReasonType">																																													

<pre> <xs:restriction base="xs:token"> <xs:enumeration value="00"/> <xs:enumeration value="01"/> <xs:enumeration value="02"/> <xs:enumeration value="03"/> <xs:enumeration value="04"/> <xs:enumeration value="05"/> <xs:enumeration value="06"/> <xs:enumeration value="07"/> <xs:enumeration value="08"/> <xs:enumeration value="09"/> <xs:enumeration value="10"/> <xs:enumeration value="11"/> <xs:enumeration value="12"/> <xs:enumeration value="99"/> <!-- No Difference Between Official And Actual Lengths Of Disciplinary Assignments --> <!-- Term Modified By District --> <!-- Term Modified By Court Order --> <!-- Term Modified By Mutual Agreement Of District, Student, And/Or Parents --> <!-- Student Completed Term Requirements Sooner Than Expected --> <!-- Student Incarcerated --> <!-- Term Decreased Due To Extenuating Health-Related Circumstances - -> <!-- Student Withdrew From School --> <!-- School Year Ended Before Completion Of Disciplinary Action Assignment --> <!-- Continuation Of Previous Year's Disciplinary Action Assignment --> <!-- Term Modified By Placement Program Due To Student Behavior While In The Placement --> <!-- Term Modified By District - Disciplinary Alternative Education Program Capacity --> <!-- Parental Involvement Behavioral Agreement --> <!-- Other --> </xs:restriction> </pre>

	<!-- Code table ID TCXX2 (PEIMS: C166) --> </xs:simpleType>
--	--

simpleType TX-PostSecondaryCertificationLicensureResultCodeType

namespace	urn:us:tx:state:tea:TREx:v1.39		
type	restriction of xs:token		
properties	base xs:token		
used by	element IBCEarnedType/TX-PostSecondaryCertificationLicensureResult		
facets	Kind	Value	Annotation
	enumeration	01	documentation IBC Earned All IBC Requirements completed, including passing examinations and any additional requirements.
	enumeration	02	documentation IBC Examination Passed All IBC requirements have not been completed to earn the certification.
	enumeration	03	documentation IBC Examination Failed
source	<xs:simpleType name="TX-PostSecondaryCertificationLicensureResultCodeType"> <xs:restriction base="xs:token"> <xs:enumeration value="01"> <xs:annotation> <xs:documentation>IBC Earned All IBC Requirements completed, including passing examinations and any additional requirements.</xs:documentation> </xs:annotation>		

	<pre> </xs:enumeration> <xs:enumeration value="02"> <xs:annotation> <xs:documentation>IBC Examination Passed All IBC requirements have not been completed to earn the certification.</xs:documentation> </xs:annotation> </xs:enumeration> <xs:enumeration value="03"> <xs:annotation> <xs:documentation>IBC Examination Failed</xs:documentation> </xs:annotation> </xs:enumeration> </xs:restriction> </xs:simpleType> </pre>
--	---

simpleType WithdrawGradeType

namespace	urn:us:tx:state:tea:TREx:v1.39									
type	restriction of xs:token									
properties	base xs:token									
used by	element CourseType/WithdrawGrade									
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>15</td><td></td></tr></table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									
source	<pre><xs:simpleType name="WithdrawGradeType"> <xs:restriction base="xs:token"> <xs:minLength value="1"/> <xs:maxLength value="15"/> </xs:restriction> </xs:simpleType></pre>									

simpleType WithdrawReasonType

namespace	urn:us:tx:state:tea:TREx:v1.39		
type	restriction of xs:token		
properties	base xs:token		
used by	element EnrollmentType/WithdrawReason		
facets	Kind	Value	Annotation
	enumeration	01	
	enumeration	03	
	enumeration	08	
	enumeration	16	
	enumeration	20	
	enumeration	24	
	enumeration	60	
	enumeration	66	
	enumeration	78	
	enumeration	81	
	enumeration	82	
	enumeration	83	
	enumeration	85	
	enumeration	86	
	enumeration	87	
	enumeration	88	
	enumeration	89	
	enumeration	90	

	enumeration 98 enumeration 99
source	<xs:simpleType name="WithdrawReasonType"> <xs:restriction base="xs:token"> <xs:enumeration value="01"/> <xs:enumeration value="03"/> <xs:enumeration value="08"/> <xs:enumeration value="16"/> <xs:enumeration value="20"/> <xs:enumeration value="24"/> <xs:enumeration value="60"/> <xs:enumeration value="66"/> <xs:enumeration value="78"/> <xs:enumeration value="81"/> <xs:enumeration value="82"/> <xs:enumeration value="83"/> <xs:enumeration value="85"/> <xs:enumeration value="86"/> <xs:enumeration value="87"/> <xs:enumeration value="88"/> <xs:enumeration value="89"/> <xs:enumeration value="90"/> <xs:enumeration value="98"/> <xs:enumeration value="99"/> <!-- Graduated From A Campus In This District Or Charter --> <!-- Died --> <!-- Pregnancy --> <!-- Return to Home Country --> <!-- Medical Injury --> <!-- College, Pursue Associate's or Bachelor's Degree --> <!-- Home Schooling --> <!-- Removed-Child Protective Srvs --> <!-- Expelled For Offense Under TEC 37.007, Cannot Return --> <!-- Enrolled In TX Private School --> <!-- Enrolled In School Outside Texas --> <!-- Withdrawn By District Because Not Entitled to Enroll --> <!-- Graduated Outside Texas Before Entering A Texas Public School-

	Entered A Texas Public School-Left Again --> <!-- GED outside Texas --> <!-- Enrolled in University High School Diploma Program --> <!-- Court-ordered to a GED program, has not earned a GED --> <!-- Incarcerated in a state jail or federal penitentiary as an adult --> <!-- Graduated from another state under provisions of the Interstate Compact on Education Opportunity for Military Children --> <!-- Other --> <!-- Transferred to another district --> </xs:restriction> </xs:simpleType>
--	---

simpleType YearRangeType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:token						
properties	base xs:token						
used by	elements DualLanguageImmersionType/CompletionSchoolYear AcademicSessionType/SchoolYear CurrentCourseworkType/SchoolYear DisciplineActionType/SchoolYear						
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>pattern</td><td>[0-9]{4}-[0-9]{4}</td><td></td></tr></table>	Kind	Value	Annotation	pattern	[0-9]{4}-[0-9]{4}	
Kind	Value	Annotation					
pattern	[0-9]{4}-[0-9]{4}						
source	<xs:simpleType name="YearRangeType"> <xs:restriction base="xs:token"> <xs:pattern value="[0-9]{4}-[0-9]{4}"/> </xs:restriction> </xs:simpleType>						

simpleType YMDType

namespace	urn:us:tx:state:tea:TREx:v1.39						
type	restriction of xs:token						
properties	base xs:token						
used by	elements StudentDemographicType/BirthDate AcademicStatusType/CertificateDate AcademicSummaryType/ClassRankingDate DisciplineActionType/DisciplineActionDate DisciplineActionType/DisciplineDate EnrollmentType/EntryDate EnrollmentType/ExitDate StudentDemographicType/HomeLanguageSurveyDateAdministered ImmunizationType/ImmunizationDate EnrollmentType/WithdrawDate						
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>pattern</td><td>[0-9]{4}-[01]?[0-9]-[0123]?[0-9]</td><td></td></tr></table>	Kind	Value	Annotation	pattern	[0-9]{4}-[01]?[0-9]-[0123]?[0-9]	
Kind	Value	Annotation					
pattern	[0-9]{4}-[01]?[0-9]-[0123]?[0-9]						
source	<xs:simpleType name="YMDType"> <xs:restriction base="xs:token"> <xs:pattern value="[0-9]{4}-[01]?[0-9]-[0123]?[0-9]"/> </xs:restriction> </xs:simpleType>						

simpleType YMDType

namespace	urn:us:tx:state:tea:TREx:v1.39
type	restriction of xs:token
properties	base xs:token
used by	elements DualLanguageImmersionType/AssessmentMetDate AcademicStatusType/CPRAEDMetDate AssessmentType/ExitRequirementMetDate AcademicStatusType/FinancialAidApplicationMetDate AcademicStatusType/GraduationDate

	PerfAckApIbType/MetDate PerfAckCollegeAssessType/MetDate PerfAckBilingBilitType/MetDate PerfAckCertLicType/MetDate PerfAckDualCreditType/MetDate AcademicStatusType/POIIMetDate AcademicStatusType/SpeechMetDate AssessmentType/TestDate						
facets	<table><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr><tr><td>pattern</td><td>[0-9]{4}-[01]?[0-9]</td><td></td></tr></table>	Kind	Value	Annotation	pattern	[0-9]{4}-[01]?[0-9]	
Kind	Value	Annotation					
pattern	[0-9]{4}-[01]?[0-9]						
source	<xs:simpleType name="YMType"> <xs:restriction base="xs:token"> <xs:pattern value="[0-9]{4}-[01]?[0-9]"/> </xs:restriction> </xs:simpleType>						